

GENUINE RIGGING-PARTS AND ACCESSORIES



Way of Life!

GENUINE RIGGING-PARTS AND ACCESSORIES

Dear Customer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI. Demand no less from the products that you choose to enhance your total boating pleasure. Demand GENUINE SUZUKI ACCESSORIES. This catalogue represents our commitment to provide you with the finest products available. From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on GENUINE SUZUKI ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to visit your AUTHORIZED SUZUKI DEALER for complete ordering information.

Thank you.



TABLE OF CONTENTS

SUZUKI MULTI FUNCTION GAUGE	04
SUZUKI MODULAR INSTRUMENT SYSTEM	12
ANALOG INSTRUMENT	18
SPC ELECTRONIC THROTTLE AND SHIFT SYSTEM	22
CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM	25
MECHANICAL REMOTE CONTROL SYSTEM	26
STEERING	30
ELECTRICAL PARTS	33
ANODE	34
FUEL SYSTEM	35
PROPELLER	38
CARE ITEM	40
MAINTENANCE ITEM	41
BATTERIES	43
ALARM SYSTEMS	43
APPLICATION CHART	44
CLOTHING AND MERCHANDISE	46

REFERENCE

Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilometers Per Hour
mph	Miles Per Hour
knots	Knots

MODEL NAME AND ENGINE NUMBER

NOTE

Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers.
Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number	model	engine number	model	engine number
DF300AP	30002P-410001~	DF140AT	14003F-410001~	DF40A	04003F-410001~
DF250AP	25003P-410001~	DF140AZ	14003Z-410001~	DF25	02503F-410001~
DF250T	25003F-410001~	DF115AT	11503F-410001~	DF20A	02002F-410001~
DF250Z	25003Z-410001~	DF115AZ	11503Z-410001~	DF15A	01504F-410001~
DF225T	22503F-410001~	DF100AT	10003F-410001~	DF9.9B	00995F-410001~
DF225Z	22503Z-410001~	DF90A	09003F-410001~	DF9.9A	00994F-410001~
DF200T	20002F-410001~	DF80A	08002F-410001~	DF8A	00801F-410001~
DF200Z	20002Z-410001~	DF70A	07003F-410001~	DF6	00602F-410001~
DF175T	17502F-410001~	DF60AV	06003F-410001~	DF5	00502F-410001~
DF175Z	17502Z-410001~	DF60A	06002F-410001~	DF4	00402F-410001~
DF150T	15002F-410001~	DF50AV	05004F-410001~	DF2.5	00252F-410001~
DF150Z	15002Z-410001~	DF50A	05003F-410001~		

SUZUKI MULTI FUNCTION GAUGE



34200-87L12

001

Applicable Model DF9.9B/15A/20A/40A-300AP

THE SUZUKI MULTI FUNCTION GAUGE (SMFG) gives you various information in real time.

Main features include;

- ① displays 22 kinds of valuable information for boat operation and engine condition.
could display log speed and real time fuel consumption by plug-in connecting with Suzuki Modular Instrument System (SMIS), which is available as option. (The optional sender is also required to display log speed.)
- ② 5 types of display mode are available for you to select your favorite display mode.
- ③ has alert function for your engine malfunctions and indicates the interval of the engine oil change.
 - a) automatically displays 6 kinds of your engine malfunctions.
 - b) indicates appropriate timing of engine oil change.
- ④ 4.3 inch full-color liquid crystal screen with back light and can be switched to daytime or nighttime display mode for better visibility.
- ⑤ optional analog image display or digital image display can be selected.
- ⑥ can display maximum 2 engines at same time.
- ⑦ applicable to maximum 2 stations and 4 engines using multiple SMFGs.
- ⑧ newly set up 6 kinds of rigging parts kits for your convenience to have all necessary parts to fit the SMFG to your boat.
- ⑨ also includes navigation function to easily find the distance and direction to your destination or home port.

Display Information

		Displayed Items in Multi-Function Gauge
Boat Operation Information	Boat Operation Information	☐
	Ground Speed	☐
	Shift Position	☐
	Trim Position	☐
Navigation Information	Fuel Level	☐
	Fuel Information	☐
	Consumption/H (Average)	☐
	Distance/L (Average)	☐
	Compass Direction	☐
	Current Position	☐
	Course	☐
	Direction of the Home Port	☐
	Distance to the Home Port	☐
	Direction of the Destination	☐
Engine Data	Distance to the Destination	☐
	Nautical Time	☐
	Clock	☐
	Battery Voltage	☐
	Engine Temperature	☐
	Engine Operation Hours	☐
	Operation Hours after Oil Change	☐
	Various Warnings	☐
	Error Information	☐

Screen Selection

5 types of screen display are available.

(1) Full Display (either digital image of display or analog image of display can be selected)

Features:

Tachometer
Shift position
Speedometer
Trim gauge
GPS time
Trip hour
Distance to homeport and destination
Navigation compass
Fuel manager
Fuel gauge

Digital Display




Daytime

Analog Display



Screen for Night time




Nighttime

(2) Simple Display (Alerts engine malfunction and indicates timing of oil change)

Features:

Tachometer
Shift position
Speedometer
Fuel gauge
GPS time
Navigation compass
Trim gauge

For Single Engine System(Digital)



For Single Engine System(Analog)



Screen for Night time



For Dual Engine System(Digital)



For Dual Engine System(Analog)



Screen for Night time



(3) Navigation Display



Features:

Compass
GPS time
Trip hour
Distance to homeport and destination
Latitude and longitude

(4) Fuel Information Display



Features:

Fuel level of each tank
Fuel flow
Fuel consumption per hour
Sailing distance per liter or gallon
Distance to homeport and destination

(5) Engine Information Display




Features:

Total hour
Hour after oil change
Voltmeter
Coolant water temperature


Engine Warning Displays

The Multi Function Gauge has 6 alert functions for engine malfunctions and indicates timing of engine oil changes. Makes it sound like everyone should anticipate a malfunction.


(1) Low Battery Voltage




(3) Low Oil Pressure




(5) Water in Fuel




(2) Engine Error



(4) Overheating




(6) Over Revolution



(7) Oil Change Timing

Indicate appropriate timing of engine oil change.

Change Oil



Multi Function Gauge Kit

Newly set up 6 kinds of rigging parts kits for your convenience to have all necessary parts to fit the SMFG to your boat.

① For 1st station, up to 2 engines with mechanical remote control

② For 1st station, 3 or 4 engines with mechanical remote control

③ For 1st station, up to 2 engines with electronic throttle and shift

KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L00	34200-87L12	GAUGE ASSY, MULTI	1
	36661-87L00	ADAPTER COMP, GAUGE	1
	36663-98J10	HARNESS ASSY, ACTIVE HUB PWR L	1
	36990-87D00	TERMINAL & SLEEVE SET	1
	39950-87L00	MODULE ASSY, GPS RECEIVER	1

KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L10	34200-87L12	GAUGE ASSY, MULTI	2
	36661-87L00	ADAPTER COMP, GAUGE	2
	36663-88L00	HARNESS ASSY, NETWORK POWER	1
	36663-98J10	HARNESS ASSY, ACTIVE HUB PWR L	1
	990C0-88110	CONNECTOR COMP, BRANCH	3
	36665-87L00	ADAPTER, GAUGE FOR MULT	1
	36665-88L00	UNIT COMP, RESISTOR FEMALE	1
	36665-88L10	UNIT COMP, RESISTOR MALE	1
	36666-87L00	WIRE COMP, NETWORK	2
	36990-87D00	TERMINAL & SLEEVE SET	1
	39950-87L00	MODULE ASSY, GPS RECEIVER	1

KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L20	34200-87L12	GAUGE ASSY, MULTI	1
	36661-87L11	ADAPTER COMP, GAUGE	1
	36663-98J10	HARNESS ASSY, ACTIVE HUB PWR L	1
	36990-87D00	TERMINAL & SLEEVE SET	1
	39950-87L00	MODULE ASSY, GPS RECEIVER	1

GAUGE ADAPTER



36661-87L00

002

Applicable Model DF9.9B/15A/20A/
40A-140AT/Z/150T/Z/175T/
Z/200T/Z-250T/Z/



36661-87L11

003

For drive-by-wire models

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP



NEW

36664-87L00

004

For 2nd station, up to 2 engines

Applicable Model DF40A-300AP



NEW

36665-87L00

005

For using multiple SMFGs

Applicable Model DF40A-300AP



NEW

36667-87L00

006

For 3 or 4 engines with electric throttle
and shift

Applicable Model DF150TG-300AP

GPS RECEIVER MODULE




39950-87L00

007

Applicable Model DF9.9B/15A/20A/40A-300AP

SMIS NETWORK WIRE



36666-87L00

008

Applicable Model DF9.9B/15A/20A/40A-300AP

POWER CABLE



36663-98J00

009

2.5 meters

Applicable Model DF9.9B/15A/20A/40A-300AP

36663-98J10

010

6.0 meters

Applicable Model DF9.9B/15A/20A/40A-300AP

④ For 1st station, 3 or 4 engines with electronic throttle and shift

⑤ For 2nd station, up to 2 engines*

⑥ For 2nd station, 3 or 4 engines*


KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L30	34200-87L12	GAUGE ASSY, MULTI	2
	36661-87L11	ADAPTER COMP, GAUGE	2
	36663-88L00	HARNESS ASSY, NETWORK POWER	1
	36663-98J10	HARNESS ASSY, ACTIVE HUB PWR L	1
	990C0-88110	CONNECTOR COMP, BRANCH	3
	36665-87L00	ADAPTER, GAUGE FOR MULT	1
	36665-88L00	UNIT COMP, RESISTOR FEMALE	1
	36665-88L10	UNIT COMP, RESISTOR MALE	1
	36666-87L00	WIRE COMP, NETWORK	2
	36990-87D00	TERMINAL & SLEEVE SET	1
	39950-87L00	MODULE ASSY, GPS RECEIVER	1

KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L40	34200-87L12	GAUGE ASSY, MULTI	1
	36662-88L00	WIRE COMP, 25 EXTENSION	1
	36663-88L00	HARNESS ASSY, NETWORK POWER	1
	36664-87L00	ADAPTER, GAUGE FOR DUAL STATION	1
	990C0-88110	CONNECTOR COMP, BRANCH	3
	36665-87L00	ADAPTER, GAUGE FOR MULT	1
	36665-88L00	UNIT COMP, RESISTOR FEMALE	1
	36665-88L10	UNIT COMP, RESISTOR MALE	1
	36666-87L00	WIRE COMP, NETWORK	2
	36682-92E00	WIRE COMP, TRIM METER	1

KIT Part Number	Component Part No.	Component Part Name	QTY
34011-87L50	34200-87L12	GAUGE ASSY, MULTI	2
	36662-88L00	WIRE COMP, 25 EXTENSION	1
	36664-87L00	ADAPTER, GAUGE FOR DUAL STATION	2
	990C0-88110	CONNECTOR COMP, BRANCH	2
	36666-87L00	WIRE COMP, NETWORK	2
	36682-92E00	WIRE COMP, TRIM METER	2

* Kit No. ⑤ & ⑥ can be used for mechanical remote control system and electric throttle and shift system.

Example of connection for DF9.9BR/15AR/20AR/40A-250 with




For 1 station, up to dual engines

				1st station kit 34011-87L00
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty
①	GAUGE ASSY, MULTI	3 4 2 0 0 - 8 7 L 1 2	1	1
②	ADAPTER COMP, GAUGE	3 6 6 6 1 - 8 7 L 0 0	1	1
④	HARNESS ASSY, ACTIVE HUB PWR L	3 6 6 6 3 - 9 8 J 1 0	1	1
⑩	MODULE ASSY, GPS RECEIVER	3 9 9 5 0 - 8 7 L 0 0	1	1
⑫	ENGINE TO INTERFACE WIRE SET	3 6 6 6 0 - 8 9 L 0 0	1*	1**
	TERMINAL & SLEEVE SET	3 6 9 9 0 - 8 7 D 0 0	1	1

* 36660-89L00 is sold separately.


** There are several models which should be installed in different ways. For more details, please ask Suzuki dealers.



For 2 stations, up to dual engines

				1st station kit 34011-87L00	2nd station kit 34011-87L40
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY, MULTI	3 4 2 0 0 - 8 7 L 1 2	2	1	1
②	ADAPTER COMP, GAUGE	3 6 6 6 1 - 8 7 L 0 0	1	1	
③	ADAPTER, GAUGE FOR MULTI	3 6 6 6 5 - 8 7 L 0 0	1		1
④	HARNESS ASSY, ACTIVE HUB PWR L	3 6 6 6 3 - 9 8 J 1 0	1	1	
⑤	HARNESS ASSY NETWORK POWER	3 6 6 6 3 - 8 8 L 0 0	1		1
⑥	WIRE COMP, NETWORK	3 6 6 6 6 - 8 7 L 0 0	2		2
⑦	CONNECTOR COMP, BRANCH	9 9 0 C 0 - 8 8 1 1 0	3		3
⑧	UNIT COMP, RESISTOR MALE	3 6 6 6 5 - 8 8 L 1 0	1		1
⑨	UNIT COMP, RESISTOR FEMALE	3 6 6 6 5 - 8 8 L 0 0	1		1
⑩	MODULE ASSY, GPS RECEIVER	3 9 9 5 0 - 8 7 L 0 0	1	1	
⑪	WIRE COMP EXTENSION	3 6 6 8 2 - 9 2 E 0 0	1		1
⑫	ADAPTER, GAUGE FOR DUAL STATION	3 6 6 6 4 - 8 7 L 0 0	1		1
⑬	WIRE COMP, EXTENSION	3 6 6 6 2 - 8 8 L 0 0	1		1
	TERMINAL & SLEEVE SET	3 6 9 9 0 - 8 7 D 0 0	1	1	


mechanical remote control system



For 1 station, 3 or 4 engines

1st station kit
34011-87L10

No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty
①	GAUGE ASSY, MULTI	34200-87L12	2	2
②	ADAPTER COMP, GAUGE	36661-87L00	2	2
③	ADAPTER, GAUGE FOR MULTI	36665-87L00	1	1
④	HARNESS ASSY, ACTIVE HUB PWR L	36663-98J10	1	1
⑤	HARNESS ASSY NETWORK POWER	36663-88L00	1	1
⑥	WIRE COMP, NETWORK	36666-87L00	2	2
⑦	CONNECTOR COMP, BRANCH	990C0-88110	3	3
⑧	UNIT COMP, RESISTOR MALE	36665-88L10	1	1
⑨	UNIT COMP, RESISTOR FEMALE	36665-88L00	1	1
⑩	MODULE ASSY, GPS RECEIVER	39950-87L00	1	1
⑪	TERMINAL & SLEEVE SET	36990-87D00	1	1




For 2 stations, 3 or 4 engines

1st station kit
34011-87L10

2nd station kit
34011-87L50


No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY, MULTI	34200-87L12	4	2	2
②	ADAPTER COMP, GAUGE	36661-87L00	2	2	
③	ADAPTER, GAUGE FOR MULTI	36665-87L00	1	1	
④	HARNESS ASSY, ACTIVE HUB PWR L	36663-98J10	1	1	
⑤	HARNESS ASSY NETWORK POWER	36663-88L00	1	1	
⑥	WIRE COMP, NETWORK	36666-87L00	4	2	2
⑦	CONNECTOR COMP, BRANCH	990C0-88110	5	3	2
⑧	UNIT COMP, RESISTOR MALE	36665-88L10	1	1	
⑨	UNIT COMP, RESISTOR FEMALE	36665-88L00	1	1	
⑩	MODULE ASSY, GPS RECEIVER	39950-87L00	1	1	
⑪	WIRE COMP, EXTENSION	36682-92E00	2		2
⑫	ADAPTER, GAUGE FOR DUAL STATION	36664-87L00	2		2
⑬	WIRE COMP, EXTENSION	36662-88L00	1		1
⑭	TERMINAL & SLEEVE SET	36990-87D00	1	1	

Example of connection for DF150TG/ZG/175TG/ZG,DF250AP/300AP



For 1 station, up to dual engines


				1st station kit 34011-87L20
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty
①	GAUGE ASSY, MULTI	3 4 2 0 0 - 8 7 L 1 2	1	1
②	ADAPTER COMP, GAUGE	3 6 6 6 1 - 8 7 L 1 1	1	1
④	HARNESS ASSY , ACTIVE HUB PWR L	3 6 6 6 3 - 9 8 J 1 0	1	1
⑩	MODULE ASSY.GPS RECEIVER	3 9 9 5 0 - 8 7 L 0 0	1	1
	TERMINAL & SLEEVE SET	3 6 9 9 0 - 8 7 D 0 0	1	1



For 2 stations, up to dual engines

				1st station kit 34011-87L20	2nd station kit 34011-87L40
No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY, MULTI	3 4 2 0 0 - 8 7 L 1 2	2	1	1
②	ADAPTER COMP, GAUGE	3 6 6 6 1 - 8 7 L 1 1	1	1	
③	ADAPTER , GAUGE FOR MULTI	3 6 6 6 5 - 8 7 L 0 0	1		1
④	HARNESS ASSY , ACTIVE HUB PWR L	3 6 6 6 3 - 9 8 J 1 0	1	1	
⑤	HARNESS ASSY NETWORK POWER	3 6 6 6 3 - 8 8 L 0 0	1		1
⑥	WIRE COMP, NETWORK	3 6 6 6 6 - 8 7 L 0 0	2		2
⑦	CONNECTOR COMP, BRANCH	9 9 0 C 0 - 8 8 I 1 0	3		3
⑧	UNIT COMP, RESISTOR MALE	3 6 6 6 5 - 8 8 L 1 0	1		1
⑨	UNIT COMP, RESISTOR FEMALE	3 6 6 6 5 - 8 8 L 0 0	1		1
⑩	MODULE ASSY.GPS RECEIVER	3 9 9 5 0 - 8 7 L 0 0	1	1	
⑪	WIRE COMP, TRIM METER	3 6 6 8 2 - 9 2 E 0 0	1		1
⑫	ADAPTER, GAUGE FOR DUAL STATION	3 6 6 6 4 - 8 7 L 0 0	1		1
⑬	WIRE COMP, EXTENSION	3 6 6 6 2 - 8 8 L 0 0	1		1
	TERMINAL & SLEEVE SET	3 6 9 9 0 - 8 7 D 0 0	1	1	

with electronic throttle and shift system




For 1 station, 3 or 4 engines

1st station kit
34011-87L30

No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty
①	GAUGE ASSY, MULTI	3 4 2 0 0 - 8 7 L 1 2	2	2
②	ADAPTER COMP, GAUGE	3 6 6 6 1 - 8 7 L 1 1	2	2
③	ADAPTER , GAUGE FOR MULTI	3 6 6 6 5 - 8 7 L 0 0	1	1
④	HARNESS ASSY , ACTIVE HUB PWR L	3 6 6 6 3 - 9 8 J 1 0	1	1
⑤	HARNESS ASSY NETWORK POWER	3 6 6 6 3 - 8 8 L 0 0	1	1
⑥	WIRE COMP, NETWORK	3 6 6 6 6 - 8 7 L 0 0	2	2
⑦	CONNECTOR COMP, BRANCH	9 9 0 C 0 - 8 8 1 1 0	3	3
⑧	UNIT COMP, RESISTOR MALE	3 6 6 6 5 - 8 8 L 1 0	1	1
⑨	UNIT COMP, RESISTOR FEMALE	3 6 6 6 5 - 8 8 L 0 0	1	1
⑩	MODULE ASSY,GPS RECEIVER	3 9 9 5 0 - 8 7 L 0 0	1	1
⑭	ADAPTER, GAUGE FOR MULTI	3 6 6 6 7 - 8 7 L 0 0	1*	1*
	TERMINAL & SLEEVE SET	3 6 9 9 0 - 8 7 D 0 0	1	1

* 36667-87L00 is sold separately. Required for 3 or 4 engines.



For 2 stations, 3 or 4 engines

1st station kit
34011-87L30

2nd station kit
34011-87L50

No.	Component Part Name	Component Part No.	Needed Q'ty	Q'ty	Q'ty
①	GAUGE ASSY, MULTI	3 4 2 0 0 - 8 7 L 1 2	4	2	2
②	ADAPTER COMP, GAUGE	3 6 6 6 1 - 8 7 L 1 1	2	2	
③	ADAPTER , GAUGE FOR MULTI	3 6 6 6 5 - 8 7 L 0 0	1	1	
④	HARNESS ASSY , ACTIVE HUB PWR L	3 6 6 6 3 - 9 8 J 1 0	1	1	
⑤	HARNESS ASSY NETWORK POWER	3 6 6 6 3 - 8 8 L 0 0	1	1	
⑥	WIRE COMP, NETWORK	3 6 6 6 6 - 8 7 L 0 0	4	2	2
⑦	CONNECTOR COMP, BRANCH	9 9 0 C 0 - 8 8 1 1 0	5	3	2
⑧	UNIT COMP, RESISTOR MALE	3 6 6 6 5 - 8 8 L 1 0	1	1	
⑨	UNIT COMP, RESISTOR FEMALE	3 6 6 6 5 - 8 8 L 0 0	1	1	
⑩	MODULE ASSY,GPS RECEIVER	3 9 9 5 0 - 8 7 L 0 0	1	1	
⑪	WIRE COMP, EXTENSION	3 6 6 8 2 - 9 2 E 0 0	2		2
⑫	ADAPTER, GAUGE FOR DUAL STATION	3 6 6 6 4 - 8 7 L 0 0	2		2
⑬	WIRE COMP, EXTENSION	3 6 6 6 2 - 8 8 L 0 0	1		1
⑭	ADAPTER, GAUGE FOR MULTI	3 6 6 6 7 - 8 7 L 0 0	1*	1*	
	TERMINAL & SLEEVE SET	3 6 9 9 0 - 8 7 D 0 0	1	1	

* 36667-87L00 is sold separately. Required for 3 or 4 engines.

SUZUKI MODULAR INSTRUMENT SYSTEM

SUZUKI MODULAR INSTRUMENT SYSTEM (SMIS) uses an easy to connect and expandable cable system to transmit graphic and numerical data to Multi-Function gauges. Easy to set up and install system can be used with nearly any boat and DF300 SUZUKI Outboard. Connected to the NMEA2000® compatible system, the gauges can display real-time readings from compatible electronic probes and the exclusive SMIS engine interface to monitor all engine functions. (Engine Monitor with 4" gauge only)

APPLICABLE MODELS : DF9.9BR/15AR/20AR/40AT/50AT/50AV/60AT/60AV/70AT/80AT/90AT/100A-300A

SMIS MULTI-FUNCTION GAUGE

The 4" multi-function gauge uses a state-of-the-art high-contrast, dot matrix display to monitor real-time graphic and numerical digital data. When connected into the SMIS system, it can monitor all engine functions, act as a speedometer, tachometer, GPS*, and many others. (*GPS requires additional hardware.)

The 2" multi-function gauge is capable of all functions of the 4" gauge except diagnostic informations. When connected to the SMIS system, it can be programmed to monitor all other functions.

4" SMIS MULTI-FUNCTION GAUGE



990C0-88161

011

with a gray bezel + a T-connector (990C0-88110) + Operation & Installation Manual

2" SMIS MULTI-FUNCTION GAUGE



990C0-88150

012

with a gray bezel + a T-connector (990C0-88110) + Operation & Installation Manual

Examples of display*



Engine trim page as a trim gauge for single engine



Fuel manager page as a fuel gauge



Single analog page as a tachometer for single engine



Dual digital page as a hour meter and a speedometer for single engine



Single analog page as a speedometer



Diagnostics page

Examples of display*



as a volt meter for single engine



Fuel manager page



Engine trim page as a trim gauge for single engine

* The detail instructions of display-operation are explained in the Operation & Installation Manual.

GAUGE KIT

4" GAUGE KIT

990C0-88162-KIT

013

This kit contains basic components to install digital gauge.




2" GAUGE KIT

990C0-88150-KIT

014

This kit supplements analog gauges to display additional information, and it can display information which analog gauge system cannot indicate such as fuel consumption.
34011-89L01 is for DF9.9B/15A/20A, and includes 36660-89L00 instead of 990C0-88136 .





Available for your convenience. Refer to the following chart for the contents.

Contents						
part name	part number		quantity			
			4" Gauge Kit 990C0-88162-KIT	**	2" Gauge Kit 990C0-88150-KIT 34011-89L01	**
1 4" SMIS Multi-Function Gauge	990C0-88161	011	1	1	-	-
2 2" SMIS Multi-Function Gauge	990C0-88150	012	-	-	1	1
3 Terminator Female	36665-88L00	023	1	-	1	-
4 Terminator Male	36665-88L10	024	1	-	1	-
5 Extension Cable 25 feet	36662-88L00		-	-	1	-
6 Engine Interface Unit	990C0-88147	015	1	1	1	1
7 SMIS Power Cable	36663-88L00	020	1	1	1	1
8 SMIS Adapter	990C0-88136 OR 36660-89L00	016	-	-	1	-
9 Operation & Installation Manual for 4" Gauge			1	-	-	-
10 Operation & Installation Manual for 2" Gauge			-	-	1	-

** Quantity of T-connector(s) in a kit

OPTIONAL INSTRUMENT TRIM

Change the standard gray bezel to suit your application.
Two different bezel finishes are available for 2" or 4" Multi-Function gauges.



The image shows 4" bezel, "chrome", 34193-88L00 .



4" bezel, chrome
34193-88L00



4" bezel, white
34193-88L20



2" bezel, chrome
34193-88L40



2" bezel, white
34193-88L60

SUZUKI MODULAR INSTRUMENT SYSTEM

ENGINE INTERFACE UNIT WITH A T-CONNECTOR



990C0-88147 **015**

SMIS ADAPTER



990C0-88136 **016**

for 40AT-250T/Z with analog gauge system to add on digital gauges. 1.8m

36660-89L00

for DF9.9B/15A/20A with analog gauge system to add on digital gauges. 7.1m

ENGINE INTERFACE

The most important part of the SMIS data system. DF150TG/ZG/175TG/ZG/250AP/300AP connect to the system, using Engine Interface Adapter.

ENGINE INTERFACE ADAPTER



36661-98J10 **017**

for single DF150TG/ZG/175TG/ZG/250AP/300AP



36661-98J20 **018**

for dual DF150TG/ZG/175TG/ZG/250AP/300AP



36661-98J30 **019**

for triple DF150TG/ZG/175TG/ZG/250AP/300AP

CONNECTION HARDWARE

T-CONNECTOR



990C0-88110 **022**

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE



36665-88L00 **023**

120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE



36665-88L10 **024**

120-ohm terminators are required for any open cable ends in the system.

ADAPTER HARNESS TO N NETWORK



990C0-88029 **025**

(Black network to blue devices)
Allows connection to other NMEA devices (Device NET).

ADAPTER HARNESS TO L NETWORK



36666-88L10 **026**

(Blue network to black devices)

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

SMIS POWER CABLE WITH A T-CONNECTOR



36663-88L00 **020**

POWER NODE WITH A T-CONNECTOR



990C0-88130 **021**

Allows network to be powered from multiple power sources (key switch, accessory switch, etc...).
For multiple (2 or 3) engines of DF9.9BR/15AR/20AR/40A-250T/Z

SENSORS

FLUID LEVEL SENSOR WITH A T-CONNECTOR



990C0-88116 027
Monitors the fluid levels such as fuel, live well water level. etc. 10ft cable.

WATER TEMPERATURE SENSOR WITH A T-CONNECTOR



34455-88L00 029
Surface-water temperature sensor. 10ft cable.

WATER PRESSURE SENSOR WITH A T-CONNECTOR



34960-88L00 031

SPEED SENSOR WITH A T-CONNECTOR



34190-88L00 028
Paddle wheel-type speed sensor. 10ft cable.



34455-88L10 030
(Thru-Hull type)



990C0-88120 032
Displays the accurate location and speed on multi-function gauges.

CONNECTION CABLE

The extension cable is the main line of SMIS. Data communication runs the length of the boat, capped at each end with a 120-ohm terminator. NMEA2000® compatible sensors or other devices can be added by the use of T-connectors throughout the system.

EXTENSION CABLE



990C0-88104
2 feet

36662-88L20 033
6 feet

36662-88L30
15 feet

36662-88L00
25 feet



Example of Connection for DF150TG/ZG/175TG/ZG/250AP/300AP with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines and stations, and all optional items)

NOTE: (*1): The required or recommended quantities are shown.
(*2): While some of SMIS items have a T-connector in may be short to the required quantity.
(*3): SMIS adapter is required only for DF9.9B/15A/20A.

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		1	2	3
				4"	2"	1	1	1
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3
		4" Gauge Kit	3	KIT				
engine interface	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3
	❸	Engine Interface unit	1	1	1	1	2	3
		Engine Interface Adapter for single	0			1		
		Engine Interface Adapter for dual	0				1	
power cable	❹	Engine Interface Adapter for triple	0					1
		Power Cable	1	1	1	1	1	1
connection cable	❺	Extension Cable 2 feet	0			1	2	3
		Extension Cable 6 feet	0					
		Extension Cable 15 feet	0					
		Extension Cable 25 feet	0	0	1			
connection hardware	❻	T-Connector (*2)	1	3	3	4 (*2)	7 (*2)	10 (*2)
	❼	Terminator Female	0	1	1	1	1	1
	❽	Terminator Male	0	1	1	1	1	1
		Adapter Harness to N network (Black network to Blue devices)	0					
		Adapter Harness to L network (Blue network to Black devices)	0					
sensor		Fluid Level Sensor	1			(1)	(1)	(1)
		Speed Sensor	1			(1)	(1)	(1)
		Water Temperature Sensor	1			(1)	(1)	(1)
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)
		Water Pressure Sensor	1			(1)	(1)	(1)
		GPS Receiver Module	1			(1)	(1)	(1)
optional trim		4" bezel, chrome	0					
		4" bezel, white	0					
		2" bezel, chrome	0					
		2" bezel, white	0					

Example of Connection for DF9.9BR/15AR/20AR/40A-250 with SMIS Multi-Function Gauge


(in case of equipping the same quantities of 4" and 2" gauges as engines' and stations', and all optional items)

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		1	2	3
				4"	2"	1	1	1
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3
		4" Gauge Kit	3	KIT				
engine interface	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3
	❸	Engine Interface unit	1	1	1	1	2	3
power cable	❹	Power Cable	1	1	1	1	1	1
	❺	Power Node for multiple engine of DF40-250 only	1				1	1
connection cable	❻	Extension Cable 2 feet	0			1	2	3
		Extension Cable 6 feet	0					
		Extension Cable 15 feet	0					
		Extension Cable 25 feet	0	0	1			
connection hardware	❼	T-Connector (*2)	1	3	3	4 (*2)	7 (*2)	10 (*2)
	❽	Terminator Female	0	1	1	1	1	1
	❾	Terminator Male	0	1	1	1	1	1
		Adapter Harness to N network (Black network to Blue devices)	0					
		Adapter Harness to L network (Blue network to Black devices)	0					
sensor		Fluid Level Sensor	1			(1)	(1)	(1)
		Speed Sensor	1			(1)	(1)	(1)
		Water Temperature Sensor	1			(1)	(1)	(1)
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)
		Water Pressure Sensor	1			(1)	(1)	(1)
		GPS Receiver Module	1			(1)	(1)	(1)
optional trim		4" bezel, chrome	0					
		4" bezel, white	0					
		2" bezel, chrome	0					
		2" bezel, white	0					
adapter cable	❿	SMIS adapter (*3)	0			1	2	3


Numbers in round-parentheses show the required ones if equipped.
the package, the total number of the T-connectors enclosed in them

engine(s)									part number
1			2			3			
station(s)									
2			2			2			
total	1st	2nd	total	1st	2nd	total	1st	2nd	
required quantity per boat (*1)									
2	1	1	4	2	2	6	3	3	990C0-88161
									990C0-88162-KIT
2	1	1	4	2	2	6	3	3	990C0-88150
1	1		2	2		3	3		990C0-88147
1	1								36661-98J10
			1	1					36661-98J20
						1	1		36661-98J30
1	1		1	1		1	1		36663-88L00
2	1	1	3	2	1	4	3	1	990C0-88104
									36662-88L20
									36662-88L30
									36662-88L00
6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	990C0-88110
1		1	1		1	1		1	36665-88L00
1	1		1	1		1	1		36665-88L10
									990C0-88029
									36666-88L10
(1)			(1)			(1)			990C0-88116
(1)			(1)			(1)			34190-88L00
(1)			(1)			(1)			34455-88L00
(1)			(1)			(1)			34455-88L10
(1)			(1)			(1)			34960-88L00
(1)			(1)			(1)			990C0-88120
									34193-88L00
									34193-88L20
									34193-88L40
									34193-88L60


SINGLE ENGINE **DF150TG/ZG/** **175TG/ZG/** **250AP/300AP**



DUAL ENGINE OF **DF150TG/ZG/** **175TG/ZG/** **250AP/300AP**





TRIPLE ENGINE OF **DF150TG/ZG/** **175TG/ZG/** **250AP/300AP**




SINGLE ENGINE OF **DF9.9BR/15AR/** **20AR/40A-250**


(*3)



DUAL ENGINE OF **DF9.9BR/15AR/** **20AR/40A-250**



TRIPLE ENGINE OF **DF9.9BR/15AR/** **20AR/40A-250**



□ : Single Station □ : First & Second Station

engine(s)									part number
1			2			3			
station(s)									
2			2			2			
total	1st	2nd	total	1st	2nd	total	1st	2nd	
required quantity per boat (*1)									
2	1	1	4	2	2	6	3	3	990C0-88161
									990C0-88162-KIT
2	1	1	4	2	2	6	3	3	990C0-88150
1	1		2	2		3	3		990C0-88147
1	1		1	1		1	1		36663-88L00
			1	1		1	1		990C0-88130
2	1	1	3	2	1	4	3	1	990C0-88104
									36662-88L20
									36662-88L30
									36662-88L00
6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	990C0-88110
1		1	1		1	1		1	36665-88L00
1	1		1	1		1	1		36665-88L10
									990C0-88029
									36666-88L10
(1)			(1)			(1)			990C0-88116
(1)			(1)			(1)			34190-88L00
(1)			(1)			(1)			34455-88L00
(1)			(1)			(1)			34455-88L10
(1)			(1)			(1)			34960-88L00
(1)			(1)			(1)			990C0-88120
									34193-88L00
									34193-88L20
									34193-88L40
									34193-88L60
1	1		2	2		3	3		36660-89L00

ANALOG INSTRUMENT



Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or Other cautions on S.D.S
TEMP	Overheat (Over-revolution)
OIL	Low oil-pressure (Over-revolution) Oil change reminder
REV LIMIT	Over-revolution

TACHOMETER



34200-93J11 034

Gauge Size	4"
Background	White
Applicable Model	DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.



34200-93J50 036

Gauge Size	4"
Background	White
Applicable Model	DF40AT-140AT/Z

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.



34200-93J31 038

Gauge Size	4"
Background	White
Applicable Model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R,DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.



34200-93J00 035

Gauge Size	4"
Background	Black
Applicable Model	DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.



34200-93J40 037

Gauge Size	4"
Background	Black
Applicable Model	DF40AT-140AT/Z

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.



34200-93J20 039

Gauge Size	4"
Background	Black
Applicable Model	DF8AR/9.9AR/9.9BR/15AR/20AR/25R,DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

SPEEDOMETER



34100-93J11

040

Gauge Size	4"
Background	White
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J31

043

Gauge Size	4"
Background	White
Maximum Speed	80km/h, 50mph
Applicable Model	DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J51

045

Gauge Size	4"
Background	White
Maximum Speed	80km/h, 45knots
Applicable Model	DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J00

041

Gauge Size	4"
Background	Black
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J20

044

Gauge Size	4"
Background	Black
Maximum Speed	80km/h, 50mph
Applicable Model	DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J40

046

Gauge Size	4"
Background	Black
Maximum Speed	80km/h, 45knots
Applicable Model	DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J60

042

Gauge Size	4"
Background	White
Maximum Speed	120km/h, 65knots
Applicable Model	DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

WATER-PRESSURE-SENSOR KIT

34970-98J02

047

Applicable Model	DF70AT-90AT/300T/Z
------------------	--------------------

This kit can be installed as a water pressure sensor or as a speed sensor. The detail is described in the installation manual, which is contained in the package.



Contents:		Quantity		
		in KIT	used for water pressure sensor	used for speed sensor
1	Sensor	1	1	1
2	Connector	1	1	1
3	Bolt	1	1	1
4	Clip	4	4	1
5	3way	1	1	-
6	Water pressure hose (500mm)	1	1	-
7	Cap	1	-	1

ANALOG INSTRUMENT



SPEEDOMETER SENDER ASSY



34190-95500

048

Applicable Model DF9.9BT-20AT/25R/40AT-300AP, DT30R/40WR



34190-87D00

049

Applicable Model DF9.9BT-20AT/25R/40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z, DT30R/40WR

SPEEDOMETER-SUB KIT

34120-98J01

050

Applicable Model DF70AT-90AT/300T/Z



Contents	Part number	Qty/kit
SPEEDOMETER SENDER	34190-95500 048	1
SPEEDOMETER-HOSE UNION	55127-87D00	1
HOSE		1
Contents	Part number	Qty/kit
CLAMP (L: 100 mm)	09407-10404	2

Use SPEEDOMETER SENDER (34190-95500) in case that the integrated sender cannot detect a proper boat speed.

TRIM GAUGE



34800-93J11

051

Gauge Size 2"

Background White

Applicable Model DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.



34800-93J00

052

Gauge Size 2"

Background Black

Applicable Model DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE



34300-93J11

053

Gauge Size 2"

Background White

Applicable Model DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z, DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Q sending unit. Use the 150Q adapter to connect the gauge to a European standard sending unit.



34300-93J00

054

Gauge Size 2"

Background Black

Applicable Model DF8AR-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z, DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Q sending unit. Use the 150Q adapter to connect the gauge to a European standard sending unit.



34500-93J11

055

Gauge Size 2"

Background White

Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.



34500-93J00

056

Gauge Size 2"

Background Black

Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.



34600-93J11

057

Gauge Size 2"

Background White

Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.



34600-93J00

058

Gauge Size 2"

Background Black

Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.



34650-93J31

059

Gauge Size 2"

Background White

Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



34650-93J20

060

Gauge Size 2"

Background Black

Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.



34660-90J02

Applicable Model DF40AT-140AT/Z

34660-96J00

Applicable Model DF150T/Z-175T/Z

34660-93J00

061

Applicable Model DF200T/Z-250T/Z

KIT includes fittings and hoses needed for motor to gauge connection.

ELECTRONIC THROTTLE AND SHIFT SYSTEM

- Computerized Drive by Wire system of the Suzuki Precision Control (SPC) eliminates wiring friction losses and allows smooth and superior handling. As a result, SPC makes smooth and linear control from start and at low speed.
- By the control panel operation(included remote-control kits), you can start and stop the engine and change a steering station with multiple engines you can control the synchronization of an engine rev and change the tilt angles.
- Not only DF300A/250A, but also DF150TG/ZG, AF175TG/ZG are suitable for this system.
- Chrome plating finish for better rust resistance
- applicable to maximum 2 station and maximum 4 engines
- 8 kinds of rigging parts kits are available for your convenience to select all necessary parts for your requirements.

REMOTE-CONTROL KIT for SINGLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J08		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J08		Second Station 67000-98J18	
67000-98J67 DF150TG/ZG/175TG/ ZG/250AP/300AP		Applicable Model Contents:		67000-98J67 DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
	QTY						QTY
67200-98J03	062	BINNACLE MOUNT R/C BOX		67200-98J03	062	67200-98J03	062
	1	or			1		1
67200-98J22	063	FLUSH MOUNT R/C BOX		67200-98J22	063	-	-
37100-98J03	065	MAIN SWITCH PANEL		37100-98J03	065	-	-
37100-98J11	066	CONTROL PANEL		37100-98J11	066	37100-98J11	066
38500-93J90	100	WARNING BUZZER		38500-93J90	100	38500-93J90	100
09407-08401	1	WARNING-BUZZER CLAMP		09407-08401	1	09407-08401	1
-	-	EMERGENCY SWITCH PANEL		-	-	37803-93J03	091
36625-98J10	078	BATTERY LEAD		36625-98J10	078	-	-
36770-98J10	069	BOAT CONTROL MODULE (BCM)		36770-98J10	069	36770-98J10	069
36775-98J00	070	BCM HOLDER (L)		36775-98J00	070	36775-98J00	070
36776-98J00	071	BCM HOLDER (R)		36776-98J00	071	36776-98J00	071
33911-88B10	072	BCM-CONNECT CAP		33911-88B10	072	33911-88B10	072
33925-93J00	073	BCM CUSHION		33925-93J00	073	33925-93J00	073
36623-98J20	080	BCM #1 WIRING HARNESS		36623-98J20	080	-	-
-	-	BCM #2 WIRING HARNESS		-	-	36624-98J02	081
33926-98J00	079	TERMINAL RESISTOR		33926-98J00	079	-	-
-	-	ENGINE WIRING HARNESS		-	-	-	-
-	-	DUAL-STATION WIRING HARNESS		-	-	36622-98J00	077
09403-13402	10	HARNESS CLAMP		09403-13402	10	09403-13402	10
37860-87J00	095	TROLL MODE SWITCH PANEL		37860-87J00	095	37860-87J00	095

REMOTE-CONTROL KIT for DUAL ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J28		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J28		Second Station 67000-98J38	
- DF150TG/ZG/175TG/ ZG/250AP/300AP		Applicable Model Contents:		DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
	QTY						QTY
67200-98J13	064	BINNACLE MOUNT R/C BOX		67200-98J13	064	67200-98J13	064
-	-	or		-	-		1
37100-98J03	065	FLUSH MOUNT R/C BOX		37100-98J03	065	-	-
37100-98J21	067	MAIN SWITCH PANEL		37100-98J21	067	-	-
38500-93J90	100	CONTROL PANEL		38500-93J90	100	37100-98J21	067
09407-08401	1	WARNING BUZZER		09407-08401	1	38500-93J90	100
-	-	WARNING-BUZZER CLAMP		-	-	09407-08401	1
36625-98J10	078	EMERGENCY SWITCH PANEL		36625-98J10	078	37803-93J03	091
36770-98J10	069	BATTERY LEAD		36770-98J10	069	-	-
36775-98J00	070	BOAT CONTROL MODULE (BCM)		36775-98J00	070	36770-98J10	069
36776-98J00	071	BCM HOLDER (L)		36776-98J00	071	36775-98J00	070
-	-	BCM HOLDER (R)		-	-	36776-98J00	071
33925-93J00	073	BCM-CONNECT CAP		33925-93J00	073	-	-
36623-98J30	1	BCM CUSHION		36623-98J30	1	33925-93J00	073
-	-	BCM #1 WIRING HARNESS		-	-	-	-
33926-98J00	079	BCM #2 WIRING HARNESS		33926-98J00	079	36624-98J11	1
36621-98J00	076	TERMINAL RESISTOR		36621-98J00	076	-	-
-	-	ENGINE WIRING HARNESS		-	-	-	-
09403-13402	15	DUAL-STATION WIRING HARNESS		09403-13402	15	36622-98J00	077
37860-87J00	095	HARNESS CLAMP		37860-87J00	095	09403-13402	10
		TROLL MODE SWITCH PANEL				37860-87J00	095



062



063



064

REMOTE-CONTROL KIT for TRIPLE ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J48		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J48		Second Station 67000-98J58	
DF150TG/ZG/175TG/ ZG/250AP/300AP		Applicable Model Contents:		DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
67200-98J13	064	BINNACLE MOUNT R/C BOX		67200-98J13	064	67200-98J13	064
-		or		-		-	
-		FLUSH MOUNT R/C BOX		-		-	
37100-98J03	065	MAIN SWITCH PANEL		37100-98J03	065	37100-98J31	068
37100-98J31	068	CONTROL PANEL		37100-98J31	068	38500-93J90	100
38500-93J90	100	WARNING BUZZER		38500-93J90	100	09407-08401	
09407-08401		WARNING-BUZZER CLAMP		09407-08401		37803-93J03	91
-		EMERGENCY SWITCH PANEL		-		-	
36625-98J10	078	BATTERY LEAD		36625-98J10	078	-	
36770-98J10	069	BOAT CONTROL MODULE (BCM)		36770-98J10	069	36770-98J10	069
36775-98J00	070	BCM HOLDER (L)		36775-98J00	070	36775-98J00	070
36776-98J00	071	BCM HOLDER (R)		36776-98J00	071	36776-98J00	071
-		BCM-CONNECT CAP		-		-	
33925-93J00	073	BCM CUSHION		33925-93J00	073	33925-93J00	073
36623-98J30		BCM #1 WIRING HARNESS		36623-98J30		-	
-		BCM #2 WIRING HARNESS		-		36624-98J11	
33926-98J00	079	TERMINAL RESISTOR		33926-98J00	079	-	
36621-98J10		ENGINE WIRING HARNESS		36621-98J10		-	
-		DUAL-STATION WIRING HARNESS		-		36622-98J00	077
09403-13402		HARNESS CLAMP		09403-13402		09403-13402	
37860-87L00	095	TROLL MODE SWITCH PANEL		37860-87L00	095	37860-87L00	095

REMOTE-CONTROL KIT for QUADRUPL ENGINE

SINGLE STATION		STATION		DUAL STATION			
67000-98J70		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT		First Station 67000-98J70		Second Station 67000-98J80	
DF150TG/ZG/175TG/ ZG/250AP/300AP		Applicable Model Contents:		DF150TG/ZG/175TG/ZG/250AP/300AP		DF150TG/ZG/175TG/ZG/250AP/300AP	
67200-98J13	064	BINNACLE MOUNT R/C BOX		67200-98J13	064	67200-98J13	064
-		or		-		-	
-		FLUSH MOUNT R/C BOX		-		-	
37100-98J03	065	MAIN SWITCH PANEL		37100-98J03	065	37100-98J21	067
37100-98J21	067	CONTROL PANEL		37100-98J21	067	38500-93J90	100
38500-93J90	100	WARNING BUZZER		38500-93J90	100	09407-08401	
09407-08401		WARNING-BUZZER CLAMP		09407-08401		37803-93J03	089
-		EMERGENCY SWITCH PANEL		-		-	
36625-98J10	078	BATTERY LEAD		36625-98J10	078	-	
36770-98J20		BOAT CONTROL MODULE (BCM)		36770-98J20		36770-98J20	
36775-98J00	070	BCM HOLDER (L)		36775-98J00	070	36775-98J00	070
36776-98J00	071	BCM HOLDER (R)		36776-98J00	071	36776-98J00	071
-		BCM-CONNECT CAP		-		-	
33925-93J00	073	BCM CUSHION		33925-93J00	073	33925-93J00	073
36623-98J40		BCM #1 WIRING HARNESS		36623-98J40		36623-98J40	
-		BCM #2 WIRING HARNESS		-		-	
33926-98J00	079	TERMINAL RESISTOR		33926-98J00	079	-	
36621-98J00	076	ENGINE WIRING HARNESS		36621-98J00	076	-	
-		DUAL-STATION WIRING HARNESS		-		36622-98J00	
09403-13402		HARNESS CLAMP		09403-13402		09403-13402	
37860-87L00	095	TROLL MODE SWITCH PANEL		37860-87L00	095	37860-87L00	095

SUZUKI PRECISION CONTROL ELECTRONIC THROTTLE AND SHIFT SYSTEM

MAIN SWITCH PANEL



37100-98J03

065

Single ignition with Emergency-stop switch

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

CONTROL PANEL



37100-98J11

066

for Single-Engine

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP



37100-98J21

067

for Dual-Engine

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP



37100-98J31

068

for Triple-Engine

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BOAT CONTROL MODULE (BCM)



36770-98J10

069

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36770-98J20

for Quadruple engines

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM HOLDER (L/R)



36775-98J00

070

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

36776-98J00

071

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM-CONNECT CAP



33911-88BLO

072

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

BCM CUSHION



33925-93J00

073

Applicable Model DF150TG/ZG/175TG/ZG/250AP/300AP

CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM

MAIN WIRING HARNESS



36620-98J30

074

6.5 meters for control system

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

36620-98J40

9.5 meters for control system

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

MAIN-WIRING-HARNESS EXTENSION



36620-98J50

075

2.0 meters for control system

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

ENGINE WIRING HARNESS



36621-98J00

076

for Dual engines

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

36621-98J10

for Triple engines

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

DUAL-STATION WIRING HARNESS



36622-98J00

077

for Dual-station control system

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

BATTERY LEAD



36625-98J10

078

6.5 meters

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

TERMINAL RESISTOR



33926-98J00

079

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP



BCM #1 WIRING HARNESS



36623-98J20

080

for Single engine and Single (First) station

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

36623-98J30

for Dual or Triple engines and Single (First) station

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

36623-98J40

for Quadruple engines

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

BCM #2 WIRING HARNESS



36624-98J02

081

for Single engine and Second station

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

36624-98J11

for Dual or Triple engines and Second station

Applicable Model DF150TG/ZG/175TG/ZG/
250AP/300AP

MECHANICAL REMOTE CONTROL SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE + SINGLE STATION

67000-93J04		67000-93J47		-	
-		-		67000-93J25	
-		-		-	
DF9.9B-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z		DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z		DF40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z	
	QTY		QTY		QTY
67200-93J13 082	1	67200-93J13 082	1	-	-
-	-	-	-	67200-93J32 084	1
-	-	-	-	-	-
-	-	34200-93J11 034	1	-	-
-	-	34800-93J11 051	1	-	-
-	-	36620-93J02 088	1	-	-
-	-	-	-	-	-
37100-96J23 093	1	37100-96J23 093	1	37100-96J23 093	1

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-93J13 082

Single-engine

Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

BINNACLE-MOUNT REMOTE CONTROL BOX



67200-93J23 083

Dual-engine

Applicable Model DF100A-140AT/Z/150T/Z/
175T/200T/Z-250T/Z

FLUSH-MOUNT REMOTE CONTROL BOX



67200-93J32 084

Single-engine

Applicable Model DF25R-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

SPACER KIT for REMOTE CONTROL BOX



67500-93J00 086

for Single Binnacle-mount type

Applicable Model DF8AR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z



67500-93J10 087

for Dual Binnacle-mount type

Applicable Model DF100A-140AT/Z/150T/Z/
175T/200T/Z-250T/Z



-	
67000-93J68	
-	
DF40AT-140AT/Z/150T/ Z/175T/Z/200T/Z-250T/Z	
	QTY
-	-
67200-93J32 ⁰⁸⁴	1
-	-
34200-93J11 ⁰³⁴	1
34800-93J11 ⁰⁵¹	1
36620-93J02 ⁰⁸⁸	1
-	-
37100-96J23 ⁰⁹³	1

-	
-	
67000-93J78	
DF40AT-140AT/Z/150T/ Z/175T/Z/200T/Z-250T/Z	
	QTY
-	-
-	-
67200-93J06	1
34200-93J11 ⁰³⁴	1
34800-93J11 ⁰⁵¹	1
36620-93J02 ⁰⁸⁸	1
-	-
-	-

BINNACLE-MOUNT CONTROL KIT
FLUSH-MOUNT CONTROL KIT
SIDE-MOUNT CONTROL KIT
Applicable Model
Contents
BINNACLE MOUNT R/C BOX
FLUSH MOUNT R/C BOX
SIDE MOUNT R/C BOX
TACHOMETER (Background: White)
TRIM GAUGE (Background: White)
MAIN WIRING HARNESS
MAIN-WIRING-HARNESS EXTENSION
IGNITION SWITCH PANEL

REMOTE-CONTROL KIT for DUAL ENGINE + SINGLE STATION

67000-93J14	
-	
-	
DF100A-140AT/Z/150T/ Z/175T/Z/200T/Z-250T/Z	
	QTY
67200-93J23 ⁰⁸³	1
-	-
-	-
-	-
-	-
-	-
-	-
37100-96J13 ⁰⁹⁴	1

67000-93J57	
-	
-	
DF100A-140AT/Z/150T/ Z/175T/Z/200T/Z-250T/Z	
	QTY
67200-93J23 ⁰⁸³	1
-	-
-	-
34200-93J11 ⁰³⁴	2
34800-93J11 ⁰⁵¹	2
36620-93J02 ⁰⁸⁸	2
36620-93J10	1
37100-96J13 ⁰⁹⁴	1

SIDE-MOUNT REMOTE CONTROL BOX



67200-91J04

Single-engine

Applicable Model DF4-6

67200-91J20 *

Single-engine

Applicable Model DF4-6

* This item will be available in May 2014.

67200-94J15 ⁰⁸⁵

Single-engine. With warning buzzer

Applicable Model DF8AR-20AR

67200-94J20 *

Single-engine. With warning buzzer

Applicable Model DF8AR-20AR

67200-97E44

Single-engine. With warning buzzer

Applicable Model DT25K/30/R

67200-89E40 *

Single-engine. With warning buzzer

Applicable Model DT25K/30/R

67200-93J06

Single-engine. With PTT switch

Applicable Model DF9.9BT/20AT/40AT-140AT/
150T/Z/175T/Z/200T/Z-250T/Z

67200-93J50 *

Single-engine. With PTT switch

Applicable Model DDF9.9BT/20AT/40AT-140AT/
Z/150T/Z/175T/Z/200T/Z-250T/Z

CONNECTION between ENGINE and CONTROL SYSTEM

MAIN WIRING HARNESS



36620-93J52

5.0 meters for Control system

Applicable Model DF40A-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

36620-93J02 ⁰⁸⁸

6.5 meters for Control system

Applicable Model DF9.9BT/20AT/
40AT-140AT/Z/150T/
Z/175T/Z/200T/Z-250T/Z

36620-93J62

8.0 meters for Control system

Applicable Model DF40A-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

36620-94J01

6.5 meters for Control system without
Monitor-signal wire,
Trim-sender wire and PTT-SW wire

Applicable Model DF8AR-25R

BATTERY LEAD



36625-93J10 ⁰⁸⁹

6.7 meters

Applicable Model DF70AT-90AT/150T/Z/175T/Z/
200T/Z-250T/Z

MAIN-WIRING-HARNESS EXTENSION

36620-93J10

2.0 meters for Control system

Applicable Model DF9.9BR-20AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

36620-93J40

3.0 meters for Control system

Applicable Model DF9.9BR-20AT/R/
40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z



MECHANICAL REMOTE CONTROL SYSTEM

SWITCH PANEL



IGNITION SWITCH PANEL



37100-96J00

090

Single ignition

Applicable Model DF9.9BR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

37100-99E00

Single ignition

Applicable Model DT30/R

EMERGENCY SWITCH PANEL



37803-93J03

091

Applicable Model DF9.9BR-300AP

37803-99E03

Applicable Model DT30/R

LIGHTING SWITCH PANEL



37210-93J00

092

Applicable Model DF9.9BR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/
Z,DT30/R/40W/WR

IGNITION SWITCH PANEL



37100-96J23

093

Single ignition with
Emergency-stop switch

Applicable Model DF9.9BR-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z



37100-96J13

094

Dual ignition with
Emergency-stop switch

Applicable Model DF100A-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

TROLL MODE SWITCH PANEL



37860-87L00

095

Applicable Model DF40AT-140AT/Z/150TG/
ZG/175TG/ZG/250AP/300AP

Activates SUZUKI Troll Mode System and controls RPM
from idling engine speed up to 1200rpm at every 50rpm.

PTT SWITCH PANEL



37805-93J00

096

Applicable Model DF40AT-140AT/Z/150T/Z/
175T/Z/200T/Z-250T/Z

REMOTE CONTROL CABLE



67320-93J00

097

8 feet 2.44 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J10

10 feet 3.05 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J20

12 feet 3.66 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J30

14 feet 4.27 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J40

16 feet 4.88 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J50

18 feet 5.49 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J60

20 feet 6.10 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J70

22 feet 6.71 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J80

24 feet 7.32 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

GENUINE REMOTE-CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high-density polyethylene liner.

THRU-HULL FITTING AND HOSE KIT



990C0-20010

098

Single, dual, triple engine installations. One kit is necessary for each engine used. When attaching the rigging tube to the engine, adapter kit 67300-90J00 /67300-93J00 is also required for each engine.

Applicable Model DF70AT-140T/Z, DF150T/Z-300T/Z (model year 2006-)

PERFORMANCE REMOTE CONTROL CABLES



99105-11002-015

099

15 feet 4.57 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

99105-11002-017

17 feet 5.18 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

99105-11002-019

19 feet 5.79 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

99105-11002-021

21 feet 6.40 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

99105-11002-023

23 feet 7.01 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

99105-11002-025

25 feet 7.62 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

99105-11002-027

27 feet 8.23 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

PERFORMANCE REMOTE CONTROL CABLES employ a unique design that incorporates a splined core. Ridges on the core to ensure a close fit to the cable's inner liner with minimum contact, allowing the core to glide back and forth smoothly.

WARNING BUZZER



38500-93J90

100

Applicable Model DF9.9BR-300AP

THRU-HULL HOSE ATTACHMENT



67300-90J00

Applicable Model DF70A-140A


67300-93J00

101

Applicable Model DF150-300AP

REMOTE CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67130-91J02

102

Applicable Model DF4-6



67130-95J02

103

Applicable Model DF25

67130-99J00

CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J00 .

Applicable Model DF8A/9.9A

67130-89L01

Applicable Model DF9.9B/15A/20A

CLAMP BRACKET SET

41100-99J00-0EP

Applicable Model DF8A/9.9A

TWIN REMOCON ATTACHMENT KIT



67140-95600

104

Applicable Model DT9.9B-20AT/40AT-140AT/Z/150T/Z/175T/Z/200T/Z-250T/Z,DT40W/WR/WK



STEERING



TILLER HANDLE KIT

Main features



Tachometer with warning indicators

- Digital tachometer with indicators for the first time of all the tiller handles in the marine industry.
- The check pattern panel makes the digital tachometer display clearly visible.
- Reliable for the critical information from the warning indicators.
- 3 digits digital tachometer shows RPM during cruising or trolling.



Shift lever

- Round shape for comfortable grip.
- Moderate shifting feeling.



63002-88L20-0EP 105

Applicable Model DF40A/ 50A

63002-88L10-0EP 106

Applicable Model DF60A/50AV/60AV

63002-87L11-0EP 107

Applicable Model DF70A-90A

63002-90J30-0EP 108

with Adjustable Steering Damper

Applicable Model DF100A/115A



Angle adjustable bracket

- The angle adjustable bracket changes the basic handle position in three levels. That will help better handle positioning in accordance with user's boat.



Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

- The PTT switch at the toe of the grip bar helps users to control the trim position and throttling at the same time.
- The throttle grip friction adjuster at the base of the grip bar supports user's throttle control.

TILLER HANDLE KIT



The conventional kits are also applicable.

63002-88L06-0EP

Applicable Model DF40A-60A

63002-87L04-0EP

Applicable Model DF70A-90A

63002-90J26-0EP

109

with adjustable steering damper

Applicable Model DF100A/115A

CONTENTS: Ignition switch, Engine-stop switches, Wiring harness, Cables and Grommets
TILLER HANDLE KITS are designed for easy installation for selected electric start models.

DUAL-ENGINE TIE-BAR



67600-90J00

110

Stainless steel

Applicable Model DF100A-140A

67600-93J00

Stainless steel

Applicable Model DF150T/Z/175T/Z/200T/Z-250T/Z

STEERING EXTENSION KIT



67630-93J00

111

for installation of DUAL-ENGINE TIE-BAR (67600-93J00)

Applicable Model DF150T/Z/175T/Z/200T/Z-250T/Z

STEERING CABLE SEAL



41161-94400

112

Applicable Model DF8A-250T/Z,DT25K-40WR

STEERING-BRACKET ATTACHMENT



43755-95J01

Applicable Model DF25Q/R

Used to connect DRAG LINK.

DRAG-LINK KIT



67700-87L01

Applicable Model DF70A-90A

67700-93J00

Applicable Model DF40A-60A/200T/Z-250T/Z

67700-95J01

Applicable Model DF25/R/Q

67700-96J00

Applicable Model DF150-175

67701-87J11

Applicable Model DF40A-60A/200T/Z-250T/Z

67701-87L01

Applicable Model DF70A-90A

67701-90J00

Applicable Model DF100A-140A

67701-95J00

Applicable Model DF25/R/Q

67701-96J00

Applicable Model DF150-175

67701-94420

Applicable Model DT25K/30/R



Lecomble & Schmitt Hydraulic Steering Systems for Outboard Motors



LS 75 PRO 2203056

LS 2024 40 < > 75 hp



LS 150 PRO 2203058

LS 2428/20 < 150 hp



LS 200 PRO 2203060

LS2832/26 < 200 hp



LS 350 PRO 2203055

LS 350 PRO/30 < 350 hp



-

Steering wheel / Volant



-

Tilt HB3 / Pompe



LS 700 PRO 2203082

LS700 PRO < 700 hp dubble engine

ELECTRICAL PARTS

ELECTRIC STARTER KIT



31000-95J10 113

Applicable Model DF25

31000-99J00

Applicable Model DF8A/9.9A

31000-89L02

Applicable Model DF9.9B/15A/20A

Converts MZ model into ME model.

BATTERY CHARGING KIT

32000-91J12

80W

Applicable Model DF4-6

32000-95J01

80W

Applicable Model DF25/Q

32000-99J00

80W

Applicable Model DF8A/9.9A

32000-89L00

80W

Applicable Model DF9.9B/15A/20A

COUNTER SELECT CONNECTOR



36612-98J00

Applicable Model DF300AP /250AP

Converts DF300AP/250AP to counter rotation specification.

RECTIFIER SET



32801-91J01 114

Applicable Model DF4-6



32801-95J01 115

Applicable Model DF8A/9.9A/25

32801-89L00

Applicable Model DF9.9B/15A/20A



32801-96304 116

Applicable Model DT25K/30



32801-94402 117

Applicable Model DT40W/40WR/40WK

RECEPTACLE KIT



39600-91J12

Applicable Model DF4-6

39600-94J01 118

Applicable Model DF8A/9.9A

39600-89L00

Applicable Model DF9.9B/15A/20A



39600-95J01 119

Applicable Model DF25



39600-93910 120

Applicable Model DT9.9AK-40W/WR/WK

STARTER MOTOR SET



31101-96320-0EP 121

Applicable Model DT30

BATTERY ISOLATOR LEAD SET



33830-96J00

122

Applicable Model DF150-175

33830-98J10

Applicable Model DF300AP/250AP

STATOR & PULSER COIL COMPONENT



32120-95J00

123

12V, 180W

Applicable Model DF25/Q

Raises the standard output (12V, 80W) to a larger output (12V, 120 or 180W).

FLYWHEEL



32102-96462

124

Applicable Model DT30

STARTING SWITCH & CABLE SET



33800-96304

125

Applicable Model DT30

ANODE

ZINC ANODE for saltwater



55300-95500

126

Applicable Model DF8A/9.9A/40A-60A,DT25K-40W



55320-95311

127

Applicable Model DF40A-60A/150-300AP



55125-96310

128

Applicable Model DF25/R/Q



55321-90J01

129

Applicable Model DF40A-60A/100A-140A



55125-95500

130

Applicable Model DF100T-140T

ALUMINUM ANODE for brackish water, saltwater



55321-87J00

131

Applicable Model DF2.5-300AP,DT9.9AK/15AK



55320-94900

132

Applicable Model DF60A-300AP



55321-95J00

133

Applicable Model DF2.5/25/R/Q

55321-93J00

134

Applicable Model DF150-300AP

55321-99E00

135

Applicable Model DF70AT/TH-300



MAGNESIUM ANODE for freshwater



55321-87J10

136

Applicable Model DF4-300AP,DT9.9AK/15AK



55321-94910

137

Applicable Model DF70A-300AP

FUEL SYSTEM

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.



65000-99100

138

12-litre plastic tank with no fuel-level gauge

Applicable Model DF4/5/6, DT9.9AK/15AK/25K/40WK(-K:For Gasoline)

65000-95D01

139

25-litre plastic tank with a fuel-level gauge

Applicable Model DF8A-140A, DT9.9AK-40W/WR/WK (-K:For kerosene)

65000-89L10

12-litre plastic tank with a fuel-level gauge

Applicable Model DF8A-20A

REPLACEMENT FUEL CAP

NOTE : These caps do not meet US-EPA requirements.

65520-99100

for 12-litre tank with no fuel-level gauge

Applicable Model DF5-20A/R, DT9.9AK/15AK/25K/40WK

65520-95D00

for 25-litre tank with a fuel-level gauge

Applicable Model DF8A-140A, DT9.9/K-40W/WR/WK

FUEL-HOSE SOCKET



65750-98505

140

Metal, Inner diameter: 11.2 mm

Applicable Model DF4-20A/R, DT9.9/K-40W/WR/WK



65750-87J11

141

Plastic, Inner diameter: 6.6 mm

Applicable Model DF4/8A-25/R/Q



65750-95500

142

Metal, Inner diameter: 13.0 mm

Applicable Model DF8A/R-140A, DT9.9AK-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)



65720-986L0

143

Plastic

Applicable Model DF4/25/R/Q

FUEL CONNECTOR (TANK SIDE)



65740-95D01

144

Outer diameter: 13 mm, 1/4"NPT

Applicable Model DF8A/R-140A, DT9.9/K-40W/WR/WK

SQUEEZE PUMP



65770-99J01

145

Small-in & Large-out

Applicable Model DF4-6,DT9.9AK/15AK/25K/40WK

65770-90J11

Large-in & Large-out

Applicable Model DF9.9B-140A,DT9.9AK/15AK/25K/40WK

65770-93J11

Large-in & Large-out

Applicable Model DF150-300AP

65770-94J11

Large-in & Small-out

Applicable Model DT9.9A/K-40W/WR/WK

SQUEEZE PUMP (Meets US-EPA requirements.)

65770-94J02

Small-in & Large-out

Applicable Model DF4/6

65770-90J01

Large-in & Large-out

Applicable Model DF8A-25

65770-93J02

Large-in & Large-out

Applicable Model DF150-300AP





FUEL-HOSE COMPONENT

65700-94JD1

for 12-litre plastic tank to engine

Applicable Model DF4-9.9A

65700-93J02

146

for fuel tank to engine

Applicable Model DF150-300AP

65700-87J15

for 25-litre plastic tank to engine

Applicable Model DF9.9B-25

65700-90J14

for 25-litre plastic tank to engine

Applicable Model DF40A-140A

65700-95D03

for 12-litre plastic tank to engine
(gasoline)

Applicable Model DT9.9AK/25K/40WK

65700-96362

for 25-litre plastic tank to engine
(kerosene)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94415

with fuel filter (gasoline)

Applicable Model DT9.9AK/15AK/25K/40WK

65700-94433

with fuel filter (kerosene)

Applicable Model DT9.9AK/15AK

FUEL-HOSE COMPONENT (Meets US-EPA requirements.)

65700-91J24

Applicable Model DF4/6

65700-87J24


Applicable Model DF8A-25

65700-88L02

Applicable Model DF40A-60A



FUEL-HOSE COMPONENT Chart



FUEL HOSE COMPONENT		SOCKET			HOSE				SQUEEZE PUMP	HOSE				SOCKET		
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
65700-94JD1	1970	Plastic	6.6	65750-87J11	700	Large	7.3	12.5	65770-99J01	1100	Small	5.3	10.5	Metal	11.2	65750-98505
65700-93J02	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J11	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J15	1970	Plastic	6.6	65750-87J11	700		7.3	12.5	65770-90J11	1100		7.3	12.5	Metal	13	65750-95500
65700-90J14	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J11	1100		7.3	12.5	Metal	13	65750-95500
65700-95D03	2550	Metal	13.0	65750-95500	300		7.3	12.5	65770-99J01	2090		5.3	10.5	Metal	11.2	65750-98505
65700-96362	2620	Metal	11.2	65750-98505	300		5.3	10.5	-	2250		7.3	12.5	Metal	13	65750-95500
65700-94415	3100	Metal	13.0	65750-95500	300		7.3	12.5	65770-90J11	2600		7.3	12.5	-	-	-
65700-94433	3100	Plastic	13.8	65750-94404	3000		7.3	12.5	-	-		-	-	-	-	-

65700-91J23	2000	Plastic	6.6	65750-87J11	700		7.3	12.5	65770-94J02	1100		5.3	10.5	Metal	11.2	65750-98505
65700-87J24	2000	Plastic	6.6	65750-87J11	700		7.3	12.5	65770-90J01	1100		7.3	12.5	Metal	13	65750-95500
65700-88L02	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J01	1100		7.3	12.5	Metal	13	65750-95500

WATER SEPARATOR / FUEL FILTER



99105-20006-ASY 147

Compact size

Applicable Model DF70AT-140T/Z

REPLACEMENT FILTER

99105-20006

For compact size

Applicable Model DF70AT-140T/Z

BOWL & DRAIN VALVE ASSEMBLY

99105-20006-BWL

For compact size

Applicable Model DF70AT-140T/Z



65900-98J00 148

Including filter element
65910-98J00

Applicable Model DF8A-300AP, DT9.9A-40W/
WR/WK

ELEMENT SET



65910-98J00 149

For water separator/fuel filter
65900-98J00

Applicable Model DF8A-300, DT9.9/K-40W/
WR/WK



PROPELLER




HARDWARE FOR PROPELLER

Applicable Model	
DF2.5	
DF4/5/6	
DF8A/9.9A	
DF9.9B/15A/20A, DT9.9A/15A	
DF25	
DT25/30	
DT40	
DF40A/50A/60A	
DF50AV/60AV	
DF70A/80A/90A	
DF100A/115A	T model (Right-Hand-Rotation)
DF115A	Z model (Counter-Rotation)
DF140A	
DF150-300AP	

*RR:Right-Hand-Rotation model, CR: Counter-Rotation model

model	type	material	blade	diameter	pitch	rotation*	description	part number
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4 DF5 DF6	C601	Aluminum	3	7 1/2	6	RR		58110-91JL0-019
	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91JM0-019
	C701	Aluminum	3	7 1/2	7	RR		58110-91JN0-019
DF8A DF9.9A	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-90L01-019
	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-90L11-019
	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-90L21-019
DF9.9B		Aluminum	3	9 1/4	11	RR		58100-93743-019
		Aluminum	4	10	5	RR	High thrust	58100-94JA0-019
DF9.9B DF15A DF20A		Aluminum	3	9 1/4	7	RR		58100-89L00-019
		Aluminum	3	9 1/4	8	RR	THICK	58100-90L40-019
		Aluminum	3	9 1/4	9	RR		58100-89L20-019
		Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
		Aluminum	3	9 1/4	10	RR		58100-89L30-019
		Aluminum	3	9 1/4	10	RR	THICK	58100-90L60-019
DT9.9A DT15A		Aluminum	3	9 1/4	11	RR		58100-89L40-019
		Aluminum	3	9 1/4	12	RR		58100-89L50-019
DF25 DT25 DT30	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96371-019
	P1001	Aluminum	3	10 1/4	10	RR		58100-96411-019
	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96471-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-96421-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L00-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96481-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-91L10-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96491-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D01-019
DT25/30	P1501	Aluminum	3	10 1/4	15	RR		58100-96461-019
	PS1300	Stainless	3	10 1/4	13	RR		58200-96400
DF40A DF50A DF60A DT40	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
	S1200	Aluminum	3	11 5/8	12	RR		58100-88L32-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88LB0-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L83-019
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30
DF50AV DF60AV		Aluminum	3	14	9	RR		58100-87LG1-019
		Aluminum	3	14	11	RR		58100-87LH0-019
		Aluminum	3	13 3/4	12	RR		58100-87LJ0-019
		Aluminum	3	14	13	RR		58100-87LA0-019
		Aluminum	3	13 7/8	15	RR		58100-87LB0-019
		Aluminum	3	13 3/4	17	RR		58100-87LC0-019



	STOPPER		PROPELLER BUSH		HARDWARE KIT	Contents of HARDWARE KIT			
		SPACER				SPACER	WASHER	NUT	COTTER PIN
	57635-91JL0	-	58120-97JA0	Press-In	N/A	-	-	58130-91JL0	09204-03003
	57635-91JL0	-	58120-91JL0	Press-In	N/A	-	-	58130-91JL0	09204-03003
	57632-94J00	-	58120-93701	Press-In	N/A	-	09160-12066	09141-12005	09204-02004
	57632-94J00	-	58120-89L00	Press-In	N/A	-	09160-12066	09141-12005	09204-02004
	57632-95J00	-	58120-96401	Press-In	57630-96300	57633-96300	09160-14028	09141-14008	09204-03003
	57632-91L00	-	58120-96401	Press-In	57630-96300	57633-96300	09160-14028	09141-14008	09204-03003
	57632-92L00	-	58120-88L01	Press-In	57630-94300	57633-94300	09160-18028	09141-18005	09204-03003
	57632-95320	-	58120-88L01	Press-In	57630-94300	57633-94300	09160-18028	09141-18005	09204-03003
	57635-90J01	-	*58105-90J00	Press-In	57630-94500	57633-90J02	09160-18028	09141-18005	09204-03003
	57632-87L00	-	*58105-90J00 **58120-90J00	Press-In	57630-90J00	57633-90J02	09160-18028	09141-18005	09204-03003
	57635-90J01	57632-90J00			57630-90J00	57633-90J02	09160-18028	09141-18005	09204-03003
	57635-92J01	-			57630-90J00	57633-90J02	09160-18028	09141-18005	09204-03003
	57635-92J01	-			57630-90J00	57633-90J02	09160-18028	09141-18005	09204-03003
	57632-93L00	-	***58105-93J00 ****58105-93J10	Press-In	57630-92E00	57633-87D30	09160-18028	09141-18005	09204-03003

*58105-90J00 is for 58100-87Lxx, 58100-90Jxx, 58200-92J4x-92J9x and 58200-92JAx-92JDx.
 **58120-90J00 is for 58200-90J0x-90J3x and 58200-92J0x-92J3x.
 ***58105-93J00 is for 58200-96Jxx.
 ****58105-93J10 is for 58200-93JXX, 58200-93Lxx and 58300-93Jxx.

model	material	blade	diameter	pitch	rotation*	part number
DF70A	Aluminum	3	14	13	RR	58100-87LA0-019
DF80A	Aluminum	3	13 7/8	15	RR	58100-87LB0-019
DF90A	Aluminum	3	13 3/4	17	RR	58100-87LC0-019
	Aluminum	3	13 3/4	19	RR	58100-87LD0-019
	Aluminum	3	13 3/4	21	RR	58100-87LE0-019
	Aluminum	3	13 3/4	23	RR	58100-87L50-019
	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
	Aluminum	3	14	17	RR	58100-90JA0-019
	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	99105-00700-18P
	Stainless	3	14 1/4	20	RR	99105-00700-20P
	Stainless	3	14 1/4	22	RR	99105-00700-22P
	Stainless	3	14 1/4	24	RR	99105-00700-24P
	Stainless	3	13 7/8	15	RR	58200-92J40
	Stainless	3	13 7/8	17	RR	58200-92J50
	Stainless	3	13 7/8	19	RR	58200-92J60
	Stainless	3	13 7/8	21	RR	58200-92J70
	Stainless	3	13 7/8	23	RR	58200-92J80
	Stainless	3	13 7/8	25	RR	58200-92J90

DF100A	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
DF115A	Aluminum	3	14	17	RR	58100-90JA0-019
DF140A	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	99105-00700-18P
	Stainless	3	14 1/4	20	RR	99105-00700-20P
	Stainless	3	14 1/4	22	RR	99105-00700-22P
	Stainless	3	14 1/4	24	RR	99105-00700-24P
	Stainless	3	14 1/4	18	CR	99105-0070L-18P
	Stainless	3	14 1/4	20	CR	99105-0070L-20P
	Stainless	3	14 1/4	22	CR	99105-0070L-22P
	Stainless	3	14 1/4	24	CR	99105-0070L-24P
	Stainless	3	13 7/8	15	RR	58200-92J40
	Stainless	3	13 7/8	17	RR	58200-92J50
	Stainless	3	13 7/8	19	RR	58200-92J60
	Stainless	3	13 7/8	21	RR	58200-92J70
	Stainless	3	13 7/8	23	RR	58200-92J80
	Stainless	3	13 7/8	25	RR	58200-92J90
	Stainless	3	13 7/8	17	CR	58200-92JAO
	Stainless	3	13 7/8	19	CR	58200-92JBO
	Stainless	3	13 7/8	21	CR	58200-92JCO
	Stainless	3	13 7/8	23	CR	58200-92JDO

model	material	blade	diameter	pitch	rotation*	part number
DF150	Stainless	3	16	15	RR	58200-93L80
DF175	Stainless	3	16	17	RR	58200-93L00
DF200	Stainless	3	16	18 1/2	RR	58200-93L10
DF225	Stainless	3	16	20	RR	58200-93L20
DF250	Stainless	3	16	21 1/2	RR	58200-93L30
DF250AP	Stainless	3	16	23	RR	58200-93L40
DF300AP	Stainless	3	16	24 1/2	RR	58200-93L50
	Stainless	3	16	26	RR	58200-93J60
	Stainless	3	16	27 1/2	RR	58200-93J70
	Stainless	3	16	17	CR	58200-93LE0
	Stainless	3	16	18 1/2	CR	58200-93LA0
	Stainless	3	16	20	CR	58200-93LB0
	Stainless	3	16	21 1/2	CR	58200-93LC0
	Stainless	3	16	23	CR	58200-93LD0
	Stainless	3	16	24 1/2	CR	58200-93LF0
	Stainless	3	16	26	CR	58200-93JG0
	Stainless	3	15 1/2	17	RR	58200-96J00
	Stainless	3	15 1/4	19	RR	58200-96J10
	Stainless	3	15	21	RR	58200-96J20
	Stainless	3	14 3/4	23	RR	58200-96J30
	Stainless	3	14 1/2	25	RR	58200-96J40
	Stainless	3	14 1/2	27	RR	58200-96J50
	Stainless	3	15 1/2	17	CR	58200-96JAO
	Stainless	3	15 1/4	19	CR	58200-96JB0
	Stainless	3	15	21	CR	58200-96JCO
	Stainless	3	14 3/4	23	CR	58200-96JDO
	Stainless	3	14 1/2	25	CR	58200-96JEO
	Stainless	3	14 1/2	27	CR	58200-96JFO
	Stainless	4	15 1/4	18	RR	58300-93J00
	Stainless	4	15 1/4	20	RR	58300-93J10
	Stainless	4	15 1/4	22	RR	58300-93J20
	Stainless	4	15 1/4	24	RR	58300-93J30
	Stainless	4	15 1/4	26	RR	58300-93J40
	Stainless	4	15 1/4	20	CR	58300-93JAO
	Stainless	4	15 1/4	22	CR	58300-93JBO
	Stainless	4	15 1/4	24	CR	58300-93JCO
	Stainless	4	15 1/4	26	CR	58300-93JDO

CARE ITEM

ENGINE COVER



68110-89L00

150

Applicable Model DF8A-20A, DT9.9A-15A

68110-88L00

151

Applicable Model DF25/40A-60A, DT25/30

68110-87L00

152

Applicable Model DF70A-140A, DT40

68110-96J00

153

Applicable Model DF150T/Z-250T/Z

68110-98J00

154

Applicable Model DF250AP/300AP

FLUSH-HOSE ATTACHMENT



55181-95200

155

Applicable Model DF4-6/40A-60A,
DT25K/30/40W



17917-87L00

156

Applicable Model DF8A-300A

ENGINE COVER



990F0-88L00-010

157

Applicable Model DF40A/DF50A/DF60A with
new 4stroke logo



990F0-87J00-010

Applicable Model DF40/50

990F0-99E00-010

158

Applicable Model DF60/70

990F0-87L00-010

Applicable Model DF70A/80A/90A

990F0-90J00-010

Applicable Model DF90/115

990F0-92J00-010

Applicable Model DF140

990F0-96J00-010

Applicable Model DF150/175

990F0-93J00-010

Applicable Model DF200/225/250

990F0-98J00-010

Applicable Model DF300

PROPELLER COVER



990F0-87J00-020

159

11-12"/30cm

990F0-87L00-020

13-14"/35cm

990F0-93J00-020

15-16"/40cm

CARRY ON BAG



990F0-97J00-B25

160

Applicable Model DF2.5

Robust nylon textile bag, tailor made for
transport and storage of the engine.

MAINTENANCE ITEM

GREASE



99000-25011 161
SUPER GREASE-A
450 grams (15.8 oz) for crank oil seal



99000-25350 162
WATER RESISTANT GREASE EP2
250 grams (8.8 oz)



99000-25140 163
MOLY PASTE
50 grams (1.7 oz)

LIQUID GASKET



99000-31140-THR 164
1207B (BLACK)
100 grams (3.4 oz)

THREAD LOCK



99000-32130 165
1360 (RED)
50 grams (1.7 oz)



99000-32110-THR 166
1342 (BLUE)
50 grams (1.7 oz)

PAINT

99000-10202-0EP
Touch-up paint set black
12ml

997SO-41004-CLR 167
AE clear coat
400ml

997SO-41004-0EP 168
AE shadow black metallic
400ml

997SO-41004-0ED 169
AE california grey metallic
400ml



MAINTENANCE ITEM

GEAR OIL



99000-79N12-M07 170
SAE 90, API GL-5
Packaging unit 24 x 0.35 litre



16200-32020-A00 171
Spirax S3 80W90 Gear Oil, 20 liter

MOTOR OIL

API Classification	SAE Viscosity Grade										
SG SH SL SJ SM											
	10W-40										
	10W-30										
TEMP.	C	-20	-10	0	10	20	30	40			
	F	-4	14	32	50	68	86	104			

4STROKE ENGINE OIL



16000-11001-A00 172
Helix HX7 10W40
1 liter package

16000-11005-A00
Helix HX7 10W40
5 liter package

16000-11209-A00
Helix HX7 10W40
209 liter package

Part name		Volume	Part number	DF300	DF250	DF225	DF200	DF175	DF150	DF140	DF115	DF100	DF90A	DF80A	DF70A	DF60	
LIQUID GASKET	1207B (BLACK)	100 grams (3.4 oz)	99000-31140-THR 165	0	0	0	0	0	0	0	0	0	0	0	0	0	
GREASE	SUPER GREASE-A	450 grams (15.8 oz)	99000-25011 162	0	0	0	0	0	0	0	0	0	0	0	0	0	
GREASE	WATER RESISTANT GREASE EP2	250 grams (8.8 oz)	99000-25350 163	0	0	0	0	0	0	0	0	0	0	0	0	0	
GREASE	MOLY PASTE	50 grams (1.7 oz)	99000-25140 164	0	0	0	0	0	0	0	0	0	0	0	0	0	
THREAD LOCK	1360 (RED)	50 grams (1.7 oz)	99000-32130 166	0	0	0	0	0	0	0	0	0	0	0	0	0	
THREAD LOCK	1342 (BLUE)	50 grams (1.7 oz)	99000-32110-THR 167	0	0	0	0	0	0	0	0	0	0	0	0	0	
GEAR OIL	SPIRAX S3 80W90 GEAR OIL	350ml	16200-32020-A00 171	0	0	0	0	0	0	0	0	0	0	0	0	0	

O: Available - : Not available

HYDRAULIC FLUID



990F0-22541-001 174

Dexron III for all Suzuki 2 and 4 stroke outboard powertrim/tilt systems

1 litre

INHIBITOR



997S0-KONS3-001 175

P4

250 ml

DF50	DF40	DF25	DF15	DF9.9	DF6	DF5	DF4	DF2.5
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	-
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0
-	-	0	0	0	-	-	-	-
0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0

BATTERIES

STARTER BATTERY



33615-U1044-C00

ULTRA 1

Nominal voltage 12 volts, capacity 44Ah

33615-U2060-C00

ULTRA 2

Nominal voltage 12 volts, capacity 62Ah

33615-U3074-C00

ULTRA 3

Nominal voltage 12 volts, capacity 71Ah

33615-U5092-C00

ULTRA 5

Nominal voltage 12 volts, capacity 100Ah

BATTERY CHARGER



99910-08000-A00

Versatile battery charger
12V/8A

99910-15000-A00

Versatile battery charger
24V/15A

ALARM SYSTEMS

ALARM SYSTEM, COMPACT VERSION



990F0-ALARM-002 178

Applicable Models DF40-DF140 from 2005-
FD250 from 2004-2012
DF200 from 2004-
DF150-DF175 from 2006-

Easy to mount, Suzuki outboard engine dedicated plug & play connection. The various features of this waterproof remote controlled alarm system include e.g. system disarming by pin code, remote control, optical and acoustical signalization, engine stop function, cable cutting protection, and many more. Includes 1 micro magnetic contact.

MICRO MAGNETIC CONTACT FOR ALARM SYSTEM

990F0-ALARM-004

Additional waterproof micro magnetic contact for alarm system 990F0-ALARM-002. To be used e.g. for dashboard driving console and access point protection (sliding doors, windows).



APPLICATION CHART

page	Part Name / Description		DF250AP/300AP	DF200/225/250	DF150TG(ZG)/175TG(ZG)	DF150/175	DF140A	DF100A/115A
22, 26	REMOTE CONTROL BOX							
	Binnacle-mount	for Single-Engine	67200-98J03 062	67200-93J13 082	67200-98J03 062	67200-93J13 082	67200-93J13 082	67200-93J13 082
		for Dual-Engine	67200-98J13 064	67200-93J23 083	67200-98J13 064	67200-93J23 083	67200-93J23 083	67200-93J23 083
	Flush-mount	for Single-Engine	67200-98J22 063	67200-93J32 084	67200-98J22 063	67200-93J32 084	67200-93J32 084	67200-93J32 084
	Side-mount	for Single-Engine	-	67200-93J06	-	67200-93J06	67200-93J06	67200-93J06
22, 26	Binnacle-mount REMOTE CONTROL KIT							
	for Single-Engine	+ Single-station	without Gauge	67000-98J08	67000-93J04	67000-98J08	67000-93J04	67000-93J04
			with Gauge	-	67000-93J47	-	67000-93J47	67000-93J47
		+ Second-station	without Gauge	67000-98J18	-	67000-98J18	-	-
	for Dual-Engine	+ Single-station	without Gauge	67000-98J28	67000-93J14	67000-98J28	67000-93J14	67000-93J14
			with Gauge	-	67000-93J57	-	67000-93J57	67000-93J57
		+ Second-station	without Gauge	67000-98J38	-	67000-98J38	-	-
	for Triple-Engine	+ Single-station	without Gauge	67000-98J48	-	67000-98J48	-	-
			with Gauge	-	-	-	-	-
		+ Second-station	without Gauge	67000-98J58	-	67000-98J58	-	-
for Quad-Engine	+ Single-station	without Gauge	67000-98J70	-	67000-98J70	-	-	
		with Gauge	-	-	-	-	-	
		+ Second-station	without Gauge	67000-98J80	-	67000-98J80	-	-
22, 26	Flush-mount REMOTE CONTROL KIT							
	for Single-Engine	+ Single-station	67000-98J67	67000-93J25	67000-98J67	67000-93J25	67000-93J25	67000-93J25
				67000-93J68	-	67000-93J68	67000-93J68	67000-93J68
27	Side-mount REMOTE CONTROL KIT							
	for Single-Engine	+ Single-station	-	67000-93J78	-	67000-93J78	67000-93J78	67000-93J78
26	SPACER KIT for REMOTE CONTROL BOX							
	for Single Binnacle-mount type		-	67500-93J00 086	-	67500-93J00 086	67500-93J00 086	67500-93J00 086
	for Dual Binnacle-mount type		-	67500-93J10 087	-	67500-93J10 087	67500-93J10 087	67500-93J10 087
29	REMOTE-CONTROL CABLE		-	See page 29	-	See page 29	See page 29	See page 29
29	REMOTE-CONTROL ATTACHING KIT		-	-	-	-	-	-
25, 27	MAIN WIRING HARNESS							
	5.0 meters		-	36620-93J52	-	36620-93J52	36620-93J52	36620-93J52
	6.5 meters		36620-98J30 74	36620-93J02 088	36620-98J30	36620-93J02 088	36620-93J02 088	36620-93J02 088
	8.0 meters		-	36620-93J62	-	36620-93J62	36620-93J62	36620-93J62
	9.5 meters		36620-98J40	-	36620-98J40	-	-	-
25, 27	MAIN-WIRING-HARNESS EXTENSION							
	2.0 meters		36620-98J50 075	36620-93J10	36620-98J50	36620-93J10	36620-93J10	36620-93J10
	3.0 meters		-	36620-93J40	-	36620-93J40	36620-93J40	36620-93J40
25, 27	BATTERY LEAD		36625-98J10 078	36625-93J10 089	36625-98J10 078	36625-93J10 089	-	-
28	IGNITION SWITCH PANEL							
	Single ignition		-	37100-96J00 090	-	37100-96J00 090	37100-96J00 090	37100-96J00 090
	Single ignition + Emergency-stop switch		-	37100-96J23 093	-	37100-96J23 093	37100-96J23 093	37100-96J23 093
	Dual ignition + Emergency-stop switch		-	37100-96J13 094	-	37100-96J13 094	37100-96J13 094	37100-96J13 094
24	MAIN SWITCH PANEL		37100-98J03 065	-	37100-98J03	-	-	-
24	CONTROL PANEL							
	for Single engine		37100-98J11 066	-	37100-98J11 066	-	-	-
	for Dual engine		37100-98J21 067	-	37100-98J21	-	-	-
	for Triple engine		37100-98J31 068	-	37100-98J31	-	-	-
	for Quad engine		37100-98J21 ×2	-	37100-98J21 ×2	-	-	-
28	EMERGENCY SWITCH PANEL		37803-93J03 091	37803-93J03 091	37803-93J03	37803-93J03 091	37803-93J03 091	37803-93J03 091
28	PTT SWITCH PANEL		-	37805-93J00 096	-	37805-93J00 096	37805-93J00 096	37805-93J00 096
28	LIGHTING SWITCH PANEL		-	37210-93J00 092	-	37210-93J00 092	37210-93J00 092	37210-93J00 092
34	STATOR & PULSER COIL COMPONENT		-	-	-	-	-	-
33	ELECTRIC STARTER KIT		-	-	-	-	-	-
33	BATTERY CHARGING KIT		-	-	-	-	-	-
34	BATTERY ISOLATOR LEAD SET		33830-98J10	-	33830-96J00	33830-96J00 122	-	-
34	ANODE		See page 34	See page 34	See page 34	See page 34	See page 34	See page 34
30	TILLER HANDLE KIT		-	-	-	-	-	63002-90J30-0EP 108
31	STEERING EXTENSION KIT		-	67630-93J00 111	-	67630-93J00 111	-	-
31	DRAG-LINK KIT		-	67700-93J00	-	67700-96J00	67701-90J00	67701-90J00
31	STEERING-BRACKET ATTACHMENT		-	-	-	-	-	-
31	DUAL-ENGINE TIE-BAR		-	67600-93J00	-	67600-93J00	67600-90J00 110	67600-90J00 110
35	FUEL TANK		-	-	-	-	65000-95D01 139	65000-95D01 139
36	FUEL-HOSE COMPONENT		See page 36	See page 36	See page 36	See page 36	See page 36	See page 36
38	PROPELLER		See page 38-39	See page 38-39	See page 38-39	See page 38-39	See page 38-39	See page 38-39

CLOTHING AND MERCHANDISE

WORK



999LP-05401-size

002

WORKCOAT SHORT

Dark blue with white stripes and red piping. Turn down collar, velcro fastenings throughout and multifunctional pockets on chest and sleeves, with Suzuki detailing, 60% Cotton, 40% Polyester.

Size 044-106



999LP-05405-size

001

WORKCOAT

Dark blue with white stripes and red piping. High collar, velcro fastenings throughout and multifunctional pockets on chest and sleeves, with Suzuki detailing, 60% Cotton, 40% Polyester.

Size 044-062



999LP-05400-size

004

PIT DUNGAREES

Blue with red piping. Velcro fastenings throughout with multifunctional pockets. Stretch straps, knee patches, fly with zip fastener, adjustable elasticated waistband and woven Suzuki logo, 60% Cotton, 40% Polyester.

Size 044-106



990F0-GLOVE-size

005

WORKING GLOVES

Blue/anthracite with Suzuki logo, grip for dry and wet environment, breathable material, aqua polymer foam coating for more protection against moisture, derma-tologically approved, 90% Polyamide, 10% Elastane.

Size 008/009/010



999LP-05402-size

006

WORKSHOP TROUSERS

Dark blue with an elasticated back, knee patches, velcro fastenings throughout, multifunctional pockets on legs and woven Suzuki logo, 60% Cotton, 40% Polyester.

Size 044-106



990F0-BLA12-size

007

WORKSHOP T-SHIRT

Black, short sleeves and Suzuki logo, 65% Polyester, 35% Cotton.

Size S/M/L/XL/XXL



990F0-05407-size

008

WORKSHOP POLO SHIRT

Dark blue with red contrasting coloured stripes, polo collar, cuffed sleeves and Suzuki logo, 100% Cotton.

Size S/M/L/XL/XXL

999LP-05404-size

003

OVERALL

Dark blue with white stripes and red piping. High collar, knee patches and an adjustable elastic waistband for comfort. velcro fastenings throughout and multifunctional pockets on chest, sleeves and legs, with Suzuki detailing, 60% Cotton, 40% Polyester.

Size 044-106

* While stocks last

H = Height, W = Width, D = Depth, C = Capacity

MERCHANDISE



990F0-MBACK 009
BACKPACK
Day pack, functional addition to touring luggage, multiple functional pockets, bottle holder, waist and chest belts, eyelet fitted pocket for mp3 player and phone, 600D Polyester.
Size H48cm/W25cm/D15cm/C24 litres



990F0-DRYHB-001 010
SUZUKI DRY HIPBAG
Waterproof hip bag made of welded tarpaulin, reflective details, adjustable waist belt.
Size C2.5 litres



990F0-MWAT2 011
WATCH
Black stainless steel case. Date and time function, silicon strap, dial with carbon inset, mineral crystal dial glass, diameter 44mm, 5ATM water resistant.



990F0-MLAN1 012
LANYARD
Black fabric strap detailed with Suzuki logo and metal key ring.



990F0-MMUG1 013
SUZUKI MUG
Black design with Suzuki logo, ceramic, suitable for microwave and dishwasher.



990F0-MSUN1 014
SUNGLASSES
Stylish and lightweight, with 100% UV A and B protection made from acrylic with embossed Suzuki logo. Comes with EVA case and microfiber pouch.



990F0-MWAL1 015
WALLET
Black lightweight wallet with embroidered Suzuki logo on front. Cordura fabric with nylon lining. Hook for key fixation and coin zipper pocket inside.
Size H15cm/W11.5cm/D2cm



990F0-MUMB1 016
UMBRELLA
Black with white Suzuki logo detail, windproof with ergonomic EVA soft handle, comes in bag with shoulder strap, nylon with fiberglass spokes and metal shaft.
Size Diameter 130cm



990F0-MKEY1 017
SUZUKI KEY RING
Black/white, PVC.

GET YOUR "SUZUKI COLLECTION" CATALOGUE NOW!

You want the perfect outfit for yourself and unique Suzuki merchandise? More you can find in the current Suzuki collection catalogue you can get from your Suzuki partner. Suzuki International Europe GMBH reserves the right to change, without notice, specifications, colours, materials and other items of clothing and merchandise products. Individual accessory items may be discontinued without notice. Product may vary from image shown. Please check with your local Suzuki Dealer for any such changes. Please confirm the full specification of your chosen accessory prior to purchase and fitment. Actual colours may differ slightly from the colours in this brochure. All details are correct at time of going to press.

Suzuki accessories are designed specifically for Suzuki vehicles and are subject to the same quality standards as the vehicles themselves. We would like to draw your specific attention to the fact that only Suzuki original accessories are tested and approved by Suzuki. The requirements they have to meet are set out in the relevant manuals. Under certain circumstances, the installation and/or usage of other accessory parts may therefore have a negative impact on the characteristics of your vehicle as set out in the design specifications, thereby impairing ride safety. Suzuki cannot, under any circumstances, be made liable for damage occurring from the use of any accessory that is not a Suzuki original accessory.

Subject to engineering and design modifications without prior notice. Please consult the current price list for details of accessory prices.

The details given in this brochure are non-binding and are purely for informational purposes. Errors excepted.

Your Suzuki partner:



WWW.SUZUKI.NL

Suzuki klantenservice

T 0800 478 98 54 (0800 4suzuki)


Gratis op werkdagen van 09.00 - 17.00 uur

E klantenservice@suzuki.nl

Importeur

B.V. NIMAG, postbus 77

4130 EB Vianen



D55 (1965)

At the forefront of outboard technology since 1965

We created our first outboard motor in 1965 and will be celebrating the 50th anniversary of the D55 in 2015. We have come a long way since then and our current range of four stroke outboards is second to none in the market place. Our engineers are passionate about boating and spend all of their time perfecting our fuel-efficient and technologically advanced four stroke outboard motors so that our products enable you to maximize your time on the water. So, from the lightweight and portable DF2.5 to the award winning power of the DF300AP, we've got an outboard to suit your way of life.

Suzuki is more than marine.



Automobile, motorbike and marine - 100 years of innovation. Visit our homepage via QR-code and learn more about Suzuki - way of life.

SUZUKI ADVISEERT 