




# LIFEPAK<sup>®</sup> 12

DEFIBRILLATOR/MONITOR

Genuine Accessories from Physio-Control

# LIFEPAK 12 DEFIBRILLATOR/MONITOR





## Genuine Accessories from Physio-Control

Ensure the safety of your staff and patients. Only Physio-Control accessories and disposables have been thoroughly tested with LIFEPAK products. Stick with the name you trust and the company that stands behind it. To order, contact your Physio-Control representative or order 24/7 at [store.physio-control.com](http://store.physio-control.com).

## Power Options

---



### REDI-CHARGE Base

Universal Base Charger works with interchangeable trays to charge LIFEPAK 12 and 15 Li-ion batteries. Includes mounting template and operating instructions. (AC Power Cord, Batteries, and Trays sold separately.)

**11141-000115**



### LIFEPAK 12 REDI-CHARGE® Adapter Tray

Adapter tray for use with LIFEPAK 12 Li-ion batteries and REDI-CHARGE Base. (Batteries and Base sold separately.)

**11141-000116**



### Li-ion Battery

7.2 amp hour capacity, rechargeable Li-ion with fuel gauge.

**11141-000106**

### AC Power Cord

For use with REDI-CHARGE Base.

**11140-000015**

## NIBP Monitoring Accessories

---



### Reusable Cuff

#### X-Large Adult

35 - 44 cm  
**11160-000009**

#### Large Adult

32 - 42 cm  
**11160-000007**

#### Adult

26 - 35 cm  
**11160-000005**

#### Pediatric

13 - 20 cm  
**11160-000003**

#### Infant

8 - 14 cm  
**11160-000001**



### Single Patient Use Cuff

#### X-Large Adult

35 - 44 cm  
**11160-000010**

#### Large Adult

32 - 42 cm  
**11160-000008**

#### Adult

26 - 35 cm  
**11160-000006**

#### Pediatric

13 - 20 cm  
**11160-000004**

#### Infant

8 - 14 cm  
**11160-000002**



### NIBP Hose

**11996-000033** (9ft)

**11996-000089** (12ft)

**11996-000125** (2-9ft)

# Power Options

---



## Mobile Battery Service Station (MBSS)

DC and AC operation for mobile transport applications, for use with any of the batteries below. Includes AC power cord, mounting bracket, and manual. (Batteries and DC cable not included.)  
**99996-00009**

## 12-Volt DC Cable

**99996-000011**

## Mounting Bracket

**99996-000010**



## AC Power Adapter

For use with LIFEPAK 12 SLA battery only.  
**11400-000038** (120-volt)

## Power Adapter Extension Cable

Optional use with AC power adapter.  
**11110-000051**



## LIFEPAK NiCd Battery

1.6 amp hour capacity, rechargeable nickel-cadmium, with fuel gauge.  
**11141-000149**



## LIFEPAK SLA Battery

2.5 amp hour capacity, rechargeable sealed lead-acid.  
**11141-000108**

## ECG Monitoring Accessories

---



**12-Lead ECG Cable Trunk  
Cable with 4-Wire Limb Leads**

**11111-000018** (5ft)  
**11111-000020** (8ft)



**12-Lead ECG Cable 6-Wire  
Precordial Attachment**

**11111-000022**



**4-wire Cable Comb**  
**21300-008054** (10/pack)

**6-wire Cable Comb**  
**21330-008055** (10/pack)



**3-Wire ECG Cable**  
Right-angle connector  
**11110-000029**



**5-Wire ECG Cable**  
Right-angle connector, 4-wire limb plus  
1 chest lead, labeled "V1".  
**11110-000066**



**LIFE-PATCH<sup>®</sup> ECG Electrodes**  
Adult, pregelled.  
**11100-000001** (3/pack)



**LIFE-PATCH ECG Electrodes**  
Adult, pregelled.  
**11100-000002** (4/pack)



**Strip Chart Recorder Paper**  
**11240-000016** (100mm x 22m 2 rolls/box)  
**11240-000013** (50mm x 22m 2 rolls/box)

# Therapy Delivery Accessories

## Hard Paddles and Electrode Gel



### Standard Hard Paddles

11130-000001 (1 pair)



### Pediatric Paddle, External

Slips onto standard adult paddle.

11133-000001 (2 required)



### SIGNAGEL® Electrode Gel

For use with hard paddles. Highly conductive, multi-purpose electrolyte meets all the standards of the ideal saline electrode gel. Recommended for ECG, defibrillation, biofeedback, and EMG.

21300-005847 (8.5 oz/tube)



### Internal Paddles (1 pair)

Requires Internal Paddle Handles

#### 1" size

11131-000010 (6.25" shaft)

#### 1.5" size

11131-000011 (6" shaft)

11131-000021 (9" shaft)

11131-000024 (14" shaft)

#### 2" size

11131-000012 (5.75" shaft)

11131-000022 (8.75" shaft)

#### 2.5" size

11131-000013 (5.5" shaft)

11131-000019 (8.5" shaft)

#### 3.5" size

11131-000014 (5" shaft)

11131-000023 (8" shaft)



### Internal Paddle Handles with Discharge Control

11131-000001 (1 pair)

## Therapy Delivery Accessories

---

### EDGE System™ Electrodes for Pacing/Defibrillation/ECG with QUIK-COMBO® Connector

18 month minimum shelf life unless specified



EDGE System Electrodes with QUIK-COMBO Connector

**11996-000091** (24" leadwire length)



EDGE System RTS (Radiotransparent) Electrodes with QUIK-COMBO Connector

**11996-000090** (24" leadwire length)



EDGE System Electrodes with QUIK-COMBO Connector and REDI-PAK™ Preconnect System

**11996-000017** (42" leadwire length)



Pediatric EDGE System RTS Electrodes with QUIK-COMBO Connector

For use only with manual monitor/defibrillators;  
12 month minimum shelf life at time of shipment.

**11996-000093** (24" leadwire length)



QUIK-COMBO Therapy Cable

**11113-000004**



FAST-PATCH® Adapter Cable

For use with the QUIK-COMBO therapy cable

**11110-000052**

---

### Other EDGE System™ Electrodes for Pacing/Defibrillation/ECG



EDGE System Electrodes with FAST-PATCH Connector

Must be used with QUIK-COMBO to FAST-PATCH Adapter Cable (11110-000052)

**11996-000092**



# SpO<sub>2</sub> Monitoring Accessories

---

## Masimo LNC Reusable Patient Cables



### LNC Patient Cable

**11171-000024** (4ft)  
**11171-000016** (10ft)  
**11171-000025** (14ft)  
**11171-000027** (4ft extension)

## Masimo LNC Patient Cable Compatible SpO<sub>2</sub> Only Sensors and Cables



### LNC Adhesive Sensor

Single Patient Use. (20/box)  
**11171-000019** (Ad)  
**11171-000020** (Ped)  
**11171-000029** (Neo/Pt)  
**11171-000028** (Neo/Ad)  
**11171-000031** (Inf)



### LNC Reusable Sensor

**11171-000017** (Ad)  
**11171-000018** (Ped)



### LNC Reusable Soft Sensor

**11171-000052** (Ad)

## Masimo Reusable Direct Connect Sensors and Cables



### Direct Connect Reusable Soft Sensor

**11171-000051** (Ad)

## SpO<sub>2</sub> Monitoring Accessories

---

### Masimo<sup>®</sup> LNOP Patient Cables



#### LNOP Patient Cable

- 11171-000006** (4ft)
- 11171-000008** (8ft)
- 11171-000009** (12ft)

### Masimo LNOP Patient Cable Compatible SpO<sub>2</sub> Only Sensors



#### LNOP Reusable Sensor

- 11171-000007** (Ad)
- 11171-000010** (Ped)



#### LNOP Adhesive Sensor (20/box)

- 11171-000011** (Ad)
- 11171-000012** (Ped)



#### LNOP Adhesive Sensor (20/box)

- 11171-000014** (Neo/Pt)
- 11171-000013** (Neo)
- 11171-000036** (Inf)

### Additional Accessories and Adapter Cables



#### Reusable Ambient Light Shield

- 11171-000054** (5/pk)



#### Disposable Ambient Light Shield

- 11171-000055** (10/pk)



#### MNC-1 Adapter Cable

Allows specially configured LIFEPAK 20e defibrillator/monitors with Masimo SpO<sub>2</sub> to connect to Nellcor sensors

- 11996-000183** (10ft)
- 11996-000198** (4ft)

# SpO<sub>2</sub> Sensors and Cables

---

## Nellcor Reusable Sensors



### DURASENSOR Reusable Clip

**11996-000060** (Ad)

### DURA-Y Multisite Reusable Sensor

**11996-000106** (> 2.2 lbs)



### Oxiband Reusable Sensor

Includes 50 disposable adhesive sensors

**11996-000061** (Ad/Neo)

**11996-000062** (Ped/Inf)

### Disposable Adhesive Bandage Wrap

Not Available in Canada. (100/pack)

**11996-000048** (Ad/Neo)

**11996-000049** (Ped/Inf)

### Disposable Adhesive Foam Wrap

Not Available in Canada. (100/pack)

**11996-000110** (Ad/Neo)

**11996-000108** (Ped/Inf)

---

## Nellcor Single Patient Use Sensors



### Oxisensor II (24/box)

Adult

**11996-000113** (18 in)

**11996-000114** (36 in)

Pediatric

**11996-000116** (18 in)



### Oxisensor II (24/box)

Infant

**11996-000115** (18 in)

Neonatal/Adult

**11996-000117** (18 in)

# End-Tidal CO<sub>2</sub> (EtCO<sub>2</sub>) Monitoring Accessories

---

## Oridion® Filterlines for Intubated Patients

Single patient use



### FilterLine® SET

Key applications: OR, EMS, ED, Rapid Response Teams, Transport.

Adult/Pediatric

**11996-000081** (25/pack, 200 cm)

**11996-000164** (25/pack, 400 cm)



### FilterLine H SET

Key applications: Critical care, Humidified Environments.

Adult/Pediatric

**11996-000080** (25/pack, 200 cm)

Adult/Neonatal

**11996-000001** (25/pack, 200 cm)

---

## Oridion Non-Intubated Filterlines



### Smart CapnoLine® Plus

Key applications: Procedural sedation, Upper GI procedures, MAC, RMS, BD, Rapid Response Teams.

Adult with O<sub>2</sub>

**11996-000163** (25/pack, 200 cm)

**11996-000167** (100/pack, 200 cm)

**11996-000165** (25/pack, 400 cm)

Adult without O<sub>2</sub>

**11996-000162** (25/pack, 200 cm)

**11996-000166** (100/pack, 200 cm)



### Smart CapnoLine

Key applications: Procedural sedation, SMS, SD, Rapid Response Teams.

Pediatric with O<sub>2</sub>

**11996-000128** (25/pack, 200 cm)

Pediatric without O<sub>2</sub>

**11996-000120** (25/pack, 200 cm)

# Cases



## Basic Carrying Case

Includes shoulder strap, right pouch, left pouch, and front cover.

**11260-000030**

## Carrying Case for use with AC Power Adapter

Includes shoulder strap, right pouch, left pouch and front cover.

**11260-000032**

## Removable Acrylic Screen Shield

Hard acrylic shield for display protection (cannot be used with front cover)

**11998-000063**

## Replacement Right Pouch

(Included with basic case.)

**21300-007203**

## Replacement Left Pouch

(Included with basic case.)

**21300-007201**

## Replacement Shoulder Strap

**11260-000037**

## Replacement Front Cover

Soft plastic cover for display and keypads. Cannot be used with Removable Acrylic Screen Shield.

(Included with basic case.)

**11220-000033**

## Carrying Case for use with Voice Recorder

Includes shoulder strap, right pouch, left pouch and front cover.

**11260-000033**

## Replacement Carrying Case Base and Side Supports

**21300-006361**

## Therapy Connector Guard

Recommended for protection of the therapy connector on the defibrillator/monitor from direct impacts during use. Permanently attaches to the lower front edge of the defibrillator/monitor.

**21330-001112**

## Therapy Connector Shield

Recommended for protection of the therapy connector, as an alternative to the Therapy Connector Guard. Attaches to the defibrillator/monitor with VELCRO®.

**21300-006463**



## Back Pouch

Ideal for additional accessory storage. (Not recommended for use with SLA batteries.)

**11260-000029**



## Top Pouch

Storage for sensors and electrodes; insert in place of standard paddles.

**11220-000028**

## Communication Accessories & Mounting Options

---



### LIFEPAK Monitor to PC Cable

For connecting LIFEPAK 12 or LIFEPAK 15 monitor/defibrillator to PC.

**11230-000020** (Serial)

**11996-000369** (USB)



### LIFEPAK 12 Defibrillator/Monitor Configuration Transfer Cable

**11110-000183**



### 3G Gateway

For transmitting data from LIFEPAK 12/15 to the LIFENET<sup>®</sup> System or CODE-STAT<sup>™</sup> data review software. Requires data plan.

**21996-000086** (Verizon Gateway)

**99428-000305** (Verizon Data Plan)

**21996-000082** (AT&T Gateway)

**99428-000304** (AT&T Data Plan)



### Titan II Wireless Gateway

For transmitting data from LIFEPAK 12/15 to the LIFENET System or CODE-STAT data review software. Requires existing wireless network.

**21996-000073**

---

## Mounting Options and Roll Stand



### Surface Mount Bracket

Designed to securely mount the LIFEPAK 12 defibrillator/monitor in an ambulance. Bracket is lightweight and suitable for use in aircraft.

**11996-000309**

# Testers & Training Materials

---



## Patient Simulator (QUIK-COMBO)

Connects directly to your LIFEPAK defibrillator for safe simulation of cardioversion and electrical capture. Generates fibrillation, tachycardias, and bradycardias, as well as ST segment and T wave abnormalities.

**11996-000311** (12-Lead)

**11996-000310** (3-Lead)



## Defibrillator Checker

Tests integrity of energy delivery through standard hard paddles. Neon light indicates energy has been delivered.

**11998-000060**



## Test Load

Use to perform therapy cable performance checks. Connects to the QUIK-COMBO therapy cable on the defibrillator.

**21330-001365**

## Training Tools

### Operating Instructions

**26500-002481**

### Inservice Video

**26500-002186** (DVD - NTSC version)

### Service Manual

**26500-000161** (CD Rom)



## UNIVERSITY

### Physio-Control University

12-Leads Made Easy

**44500-000001**

Capnography Made Easy

**44500-000003**

For further information, please contact Physio-Control at 800.442.1142 (U.S.), 800.895.5896 (Canada) or visit our website at [www.physio-control.com](http://www.physio-control.com)

---

The logo consists of the words "PHYSIO" and "CONTROL" stacked vertically in a bold, white, sans-serif font. The text is contained within a white square with a thin black border.

**Physio-Control Headquarters**

Redmond, WA 98052  
[www.physio-control.com](http://www.physio-control.com)

*Customer Support*

P. O. Box 97006  
Redmond, WA 98073  
Toll free 800 442 1142  
Fax 800 426 8049

**Physio-Control Canada**

Physio-Control Canada Sales, Ltd.  
7111 Syntex Drive, 3rd Floor  
Mississauga, ON  
L5N 8C3  
Canada  
Toll free 800 895 5896  
Fax 866 430 6115