

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :1	DIAGNOSTIC SET OPHTHALMOSCOPE/ OTOSCOPE	QTY :10
<p><b>SPECIFICATIONS :</b></p> <p><b>Good brand</b>  portable(hand held)  case type  <b>including the following:</b>  Ophthalmoscope  Otoscope complete with handle and earring heads  Ophthalmoscope lamp  Otoscope lamp</p>		
<p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-</b></p> <ul style="list-style-type: none"> <li>• Ophthalmoscope lamp</li> <li>• Otoscope lamp</li> </ul>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Prices for all mentioned accessories and spares.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :2	ADULT SCALE	QTY :10
<p><b>SPECIFICATIONS :</b></p> <p>Mechanical scale.  Capacity:140kg x 100g.  High rod included.  Hand post included.  Wheels for transportation.  Platforms cover.</p> <p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>New catalogue is attached with the offer, including data sheet.</li> <li>warranty two years from installation or 30 months from delivery at least</li> <li>Warranty for not less than 10 years for spare parts.</li> <li>Service and operation manuals original and copy (2 sets in English) are included</li> <li>Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :3	EMERGENCY TROLLY COMPLETE	QTY :10
<p><b>SPECIFICATIONS :</b></p> <p>Backboard            Iv pole holder            Two small drawers with partitions            One large drawer            Defibrillator swing arm            Lockable drawer for dangerous drugs            Mobile on 4 castors with break mechanism            Oxygen tank holder            Drawer cassette for top cavity            Complete with :-                O2 cylinder complete with regulator flow meter and mask                Diagnostic set                Laryngoscope                Fully catheters all sizes 10 each                Ambo bag set silicon infant, child, adult                Dressing set (specify)                Endotrachial tube all sizes 10 each</p> <p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-</b></p> <ul style="list-style-type: none"> <li>• Diagnostic set</li> <li>• Laryngoscope</li> <li>• Fully catheters all sizes 10 each</li> <li>• Ambo bag set silicon infant, child, adult</li> <li>• Dressing set (specify)</li> <li>• Endotrachial tube all sizes 10 each</li> </ul>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Prices for all mentioned accessories and spares.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

Technical Specifications :  

---

**Medical Equipment for Global Fund**

<b>ITEM :4</b>	<b>SPHYGMOMANOMETER WALL TYPE</b>	<b>QTY :20</b>
<b>SPECIFICATIONS :</b> <b>GOOD BRAND</b> Wall type Mercury Including cuff and tubes Including basket		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"><li>• Country of origin and source</li><li>• New catalogue is attached with the offer, including data sheet.</li><li>• warranty two years from installation or 30 months from delivery at least</li><li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li></ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :5	SUCTION MACHINE	QTY :20
<p><b>SPECIFICATIONS :</b></p> <p>Front panel with transported handle  2 Jars, 2Lt. Each at least  Mobile with 4 Casters  Noise level : less than 50 dB  Operating time: continuous operation  Air flow rate of pump: around 35L/min  Power: 220V/50Hz  Filters and tubes are included  Vacuum adjustment  Vacuum gauge is included</p> <p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-</b></p> <ul style="list-style-type: none"> <li>• JARS</li> <li>• FILTERS</li> </ul>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Prices for all mentioned accessories and spares.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

Technical Specifications :  

---

**Medical Equipment for Global Fund**

ITEM :6	STETHOSCOPE	QTY :10
<b>SPECIFICATIONS :</b> Chrome-plated. Dual-head chest piece 48 mm chest-piece has white diaphragm Complete with 2 spare ear tips and a spare diaphragm.		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"><li>• Country of origin and source</li><li>• New catalogue is attached with the offer, including data sheet.</li><li>• warranty two years from installation or 30 months from delivery at least</li><li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li></ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :7	ELECTROCARDIOGRAPH	QTY 03
<b>SPECIFICATIONS :</b> Leads: 12 standard leads acquired simultaneously and continuously Three real times continuous with rhythm, interpretation and measurements Adult and Pediatric writer speed : 5,10,25 or 50mm/sec LCD display : backlit graphic display around 5" display channel:1, 3, 6 ,12 operation modes : Auto or Manual Copy button for generating multiple copies Thermal printer Rechargeable battery Battery power capacity not less than tow hour power:220V AC 50/60Hz Cart Is included Cable holder is included ECG cable Limp electrodes                      4 Chest pump electrodes              8 Jell tube                                5 ECG paper                            10		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-</b> <ul style="list-style-type: none"> <li>• ECG cable</li> <li>• Limp electrodes                      4</li> <li>• Chest pump electrodes              8</li> <li>• Jell tube                                5</li> <li>• ECG paper                            10</li> </ul>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Prices for all mentioned accessories and spares.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :8	GLUCOMETER	QTY :10
<b>SPECIFICATIONS :</b>  Hand held type Glucometer Battery operated Memory up to 10 measurements Sticks method measurements Code of sticks interring is available Indication of high and low measurements Case is included One box of sticks and punctures is included Operating instructions is included		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-</b> <ul style="list-style-type: none"> <li>• One box of sticks and punctures</li> </ul>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Prices for all mentioned accessories and spares.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		



# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :9	ULTRASONIC NEBULIZER	QTY :10
<p><b>SPECIFICATIONS :</b>            Desk Type            Nebulization : 0.4-0.7 ml/min            Max. Cup capacity : 8ml            Particles :1-5 micron            Oscillating frequency: 2.4 MHz approx.            LCD display for time , and air flow            On/off button            Including mouth piece , tubes , filters , masks for infant and pediatrics            220v/50hz</p>		
<p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ) , date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :10	CD4 Countmachine	QTY :2
<p><b>SPECIFICATIONS :</b></p> <p><b>Important Note:</b> Product is provided with software also allowing enumeration of CD4 percentage versus total T-lymphocytes; the reagents for it are detailed below. For existing systems respective software is provided free-of-charge [ref BD 339011].</p> <p><b><u>General Description:</u></b> CD4 [abs] counter, FACSCCount, with accessories.</p> <p><b><u>Technical Specifications:</u></b> Absolute CD4 counter, FACSCCount, with accessories</p> <p>Bench top flow based fluorescence-activated cell sorter. Volumetric, provides absolute T-lymphocyte counts per unit of volume. Enumerates CD3, CD4 and/or CD8 cells: approximately ranges 50 to 2500 cells/ul. Sample volume, for analysis: approximately 50 ul whole blood. Fit LCD and built-in b/w thermal printer. Printed report with: date/time/batch, patient ID, CD3/CD4/CD8 absolute cells/ul and the respective ratios CD3/CD4/CD8 Micro-computer with memory stores/retrieves measured results per patient ID. Alphanumeric display informs about device status and on-going analysis. Energy requirements: 100 to 220 V AC Consumption: approximately 500 W</p> <p><b><u>CD4 [abs] counter, FACSCCount is supplied with:</u></b></p> <ul style="list-style-type: none"> <li>1 x Software diskette CD4[abs]</li> <li>1 x Software diskette CD4[abs] and CD4[perc] (ref BD 339011)</li> <li>1 x Pre-programmed electronic FACSCCount pipette,,</li> <li>1 x System fluid, saline</li> <li>1 x Waste reservoir, 2L</li> <li>1 x Set of cleaning tubes</li> <li>1 x Set of dispensing bottles</li> <li>1 x Instruction manual (User's Guide) in 3 languages (English, French and Spanish)</li> <li>1 x Service manual in 3 languages (English, French and Spanish)</li> <li>1 x UPS, 1000 VA</li> </ul> <p>Special note: On-site installation and training are included.</p>		

## Technical Specifications :

---

### Medical Equipment for Global Fund

#### Packaging and labelling:

Unit presentation: 1 (one) CD4 [abs] counter, FACSCount , with accessories

Manufacturer's name and logo.

Manufacturer's product reference.

Manufacture and expiry date, lot number (if applicable)

Main characteristics (dimensions, capacity)

Recommended storage conditions (if applicable)

Information for handling (if applicable)

#### Protective packaging:

Number of units/pieces

Manufacturer's name and logo

Manufacturer's product reference

Manufacture and expiry date, lot number (if applicable)

Main characteristics (dimensions, capacity)

Recommended storage conditions (if applicable)

Information for handling (if applicable)

#### Accessories/Spare parts/Consumable:

NOTE: The following consumables are required to function.

Quantities and products required for 200 tests during 3 months:

4 x S0001201 FACSCount,Reagent kit,50 tests (ref BD 340167) for CD4[abs]

4 x U342300 FACSCount,Reagent kit,50 tests (ref BD 339010) for CD4[abs & perc]

1 x S0001202 FACSCount,Control kit,25 tests (ref BD 340166)

1 x S0001203 FACSCount,Thermal paper,roll (ref BD 332889)

1 x S0001220 FACSClean solution,5L (ref BD 340345)

1 x S0001221 FACSRinse solution,5L (ref BD 340346)

1 x S0001222 FACSFlow solution,20L (ref BD 342003)

Instructions for use:

The CD4 [abs] counter, FACSCount must be operated by adequately trained staff only.

Important: Assess test volume and order required consumables as start-up, when ordering the CD4[abs] counter, FACSCount

Component of a kit: N

**Complete with all accessories and consumables needed to work completely as specified**

Technical Specifications :

---

Medical Equipment for Global Fund

**Your offer will not be taken in consideration unless (must be mentioned in the offer):-**

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :11	AMBO BAG SET	QTY :10
<p><b>SPECIFICATIONS :</b>  Hand held silicon type.  <b>Main unit consists of :</b>  Pressure regulator with mask and plastic hood.  Face mask for child (3 pieces)  Face mask for adult (3 pieces).  Oxygen reservoir bag with safety valve (1 piece)  Oxygen feeding tube ( 4 pieces)  Including carrying bag.  <b>Specifications :</b>  Self inflating bag volume: approx 1600ml  Oxygen reservoir bag volume : approx 2600 ml , autoclavable  <b>Materials:</b>  Self inflating bag: semi.  Transparent silicon rubber.  Valve housing : transparent polysulfone  Shell of mask: transparent polysulfone.  Cushion of mask: transparent silicon rubber</p>		
<p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>Country of origin and source(clarification certificate )</li> <li>New catalogue is attached with the offer, <b>including data sheet.</b></li> <li>warranty two years from installation or 30 months from delivery at least</li> <li>Certificates (agency approvals ) :FDA , TUV,CSA,UTRL,CE will be taken into consideration ,the offer must include the certificates for evaluation</li> <li>The equipment must pass the acceptance test of MOH biomedical Engineering unit.</li> </ul>		

Technical Specifications :

---

Medical Equipment for Global Fund

ITEM :12	OXYGEN CYLINDER 40LT	QTY :10
<b>SPECIFICATIONS :</b> Capacity: 40Lt. O2 Regulator O2 Humidifier Adult mask Infant mask Nasal tube O2 tubing		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"><li>• Country of origin and source</li><li>• New catalogue is attached with the offer, including data sheet.</li><li>• warranty two years from installation or 30 months from delivery at least</li><li>• Service and operation manuals original and copy (2 sets in English) are included</li><li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li><li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li></ul>		

Technical Specifications :  

---

**Medical Equipment for Global Fund**

<b>ITEM :13</b>	<b>X-RAY VIEWER</b>	<b>QTY :10</b>
<b>SPECIFICATIONS :</b> 2part viewers.(Double) Power 220 V, 50/60 HZ Fluorescent light		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"><li>• Country of origin and source</li><li>• New catalogue is attached with the offer, <b>including data sheet.</b></li></ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :14	EXAMINATION COUCH	QTY :10
<b>SPECIFICATIONS :</b> Chromium-plated rectangular steel tube frame 2-section mattress head section adjustable up to +40° Dimension 1950 * 650 * 650h mm approx. Paper roll holder is included Paper roll 500mm wide is included		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"> <li>• Country of origin and source (clarification certificate )</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation or 30 months from delivery at least</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		



# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :15	CHEMISTRY ANALYZER	QTY :5
<b>SPECIFICATIONS :</b> <ul style="list-style-type: none"> <li>- Full Automatic Chemistry Analyzer</li> <li>- Open system for reagents &amp; tubes</li> <li>- Samples type: serum, plasma, C.S.F. urine Samples</li> <li>- Routine, STAT ,Random fully test selective</li> <li>- Photometric method</li> <li>- Throughput: not less than 180 test/hour</li> <li>- Reagent tray: approx 40</li> <li>- Sample tray: approx 90 samples</li> <li>- Measurement modes: kinetic, tow-point, end point</li> <li>- Calibration: Linear &amp; non linear with possibility of 2 point Calibration</li> <li>- Sample cup: about 5µl</li> <li>- Sample volume : not more than 60 µl</li> <li>- Reagent volume: not more than 250 µl</li> <li>- Wavelength range: 340-700 nm</li> <li>- Measurement range: 0-3 A</li> <li>- Dilution : automatic dilution pre and post analysis</li> <li>- Real time Q.C: Q.C chart print outs, daily &amp; cumulative reports</li> <li>- Interface RS-232</li> <li>- Power supply: 220v,50Hz</li> <li>- <b>Including:</b></li> <li>- Laser printer</li> <li>- PC</li> <li>- Software</li> <li>- LCD display</li> <li>- priming bottle, reagent bottles, 100 sample vials, 3000 reaction cups</li> <li>- UPS 3KVA</li> </ul>		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :16	TUBE CENTRIFUGE	QTY :5
<p><b>SPECIFICATIONS :</b>  Speed: not less than 600 rpm step of 100  Specimen capacity:12 tube/run  Sample size: 10 ml tube  Built in timer and speed control  Digital display  Brake  Door lock and safety protected lid  Power supply: 220VAC,50Hz</p>		
<p><b>Complete with all accessories and consumables needed to work completely as specified</b></p>		
<p><b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b></p> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :17	BLOOD CELL COUNTER(CBC)	QTY :5
<b>SPECIFICATIONS :</b> Full Automatic Open System use any standard reagents Whole blood mode 18 parameter: WBC , RBC , HGB , HCT , PLT , MCV , MCH , MCHC , MPV ,PDW, RDW, lymphocytes (% and #), Monocytes (% and #), granulocytes (% and #) Calculated parameters and histogram are available Throughput: around 50 samples/hour Automatic shut down ,start up ,electronic self checking ,filling and background check Full Automatic calibration Reagent bag and start up kit is included Printer is included Power Supply: 220 VAC, 50Hz		
<b>Complete with all accessories and consumables needed to work completely as specified</b>		
<b>OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-</b> <ul style="list-style-type: none"> <li>• Reagent bag</li> <li>• WBC aperture</li> <li>• RBC aperture</li> </ul>		
<b>Your offer will not be taken in consideration unless (must be mentioned in the offer):-</b> <ul style="list-style-type: none"> <li>• Country of origin and source(clarification certificate ), date of start manufacturing this model , and date of last upgrading , are clear in the offer</li> <li>• New catalogue is attached with the offer, including data sheet.</li> <li>• warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least</li> <li>• Warranty for not less than 10 years for spare parts.</li> <li>• Prices for all mentioned accessories and spares.</li> <li>• Service and operation manuals original and copy (2 sets in English) are included</li> <li>• Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation</li> <li>• The equipment must pass the acceptance test of MOH biomedical Engineering unit</li> </ul>		

# Technical Specifications :

---

## Medical Equipment for Global Fund

ITEM :18	ELISA READER WITH RINTER, WASHER AND INCUBATOR	QTY :5
<p><b>SPECIFICATIONS :</b></p> <p>Complete consist of:</p> <p><b>Micro plate Elisa reader:</b>            Linear measurement range: 0-4 absorbance (A)            Photometric accuracy 1 %            Wave length: 340-700 nm            Standards 96 well micro titer plates or strip trays            Power requirement: 230 V AC, 50-60 HZ            Interactive touch screen LCD            Speed: read absorbance of 96 wells within 10-20 seconds            Plate transport: stepper motor</p> <p><b><u>Soft ware:</u></b>            Point to point curve fit            Polynomial regression, linear &amp; sigmoidal regression, log &amp; linear            User programmable open system            Selective plate formatting            Alphanumeric test name            Duplicate well options            Curve plotting and editing            Flags and error message            Built in printer</p> <p><b><u>Microplate Elisa washer</u></b>            Residual volume: &lt; 3 Micro liter            Dispense accuracy: &lt; 3% CV at 300 micro liter            Processing time (full plate) : 40-50 seconds , the aspirate / dispense with single or double aspirate            With 8 &amp; 12 probe head            Power requirement: 230 V AC, 50-60 Hz            Programmable            Washing programs: aspirate, dispense, mix, soak and up to 99 minutes 99 seconds            Bottles should be three (wash 2liter, waste 2 lit, rinse 1 lit), the bottles should be plastic with volume sensor probes            Programmable mix time during soak cycle.</p> <p><b>Incubator / shaker for Elisa (thermo shaker)</b>            Temperature range: 0-45 C            Resolution: 0.1 C</p>		

## Technical Specifications :

### Medical Equipment for Global Fund

Warm uptime: 10-15 minutes, display temperature to check  
Mixer speed : 250-1800 rpm  
Thermo shaker with cover  
Timer: set time, view time remaining, range 1 second - 90 minute and 99 seconds  
Power requirement: adapter available for 230 V power sources.

#### **PRINTER:**

External Parallel  
80 column  
2k byte capacity

**Complete with all accessories and consumables needed to work completely as specified**

#### **OPTIONAL ACCESSORIES TO BE PRICED SEPARATELY:-**

- Lamp qty 5
- Standard vessel with 96 wells qty 100

#### **Your offer will not be taken in consideration unless (must be mentioned in the offer):-**

- Country of origin and source (clarification certificate), date of start manufacturing this model, and date of last upgrading, are clear in the offer
- New catalogue is attached with the offer, including data sheet.
- warranty two years from installation extendable for the same down time period during warranty or 30 months from delivery at least
- Warranty for not less than 10 years for spare parts.
- Prices for all mentioned accessories and spares.
- Service and operation manuals original and copy (2 sets in English) are included
- Certificates (agency approvals): FDA, TUV, CSA, UTRL, CE will be taken into consideration, the offer must include the certificates for evaluation

The equipment must pass the acceptance test of MOH biomedical Engineering unit

Technical Specifications :

---

Medical Equipment for Global Fund