

1) General information

Thank you for choosing an OSMA product.

- This operating manual was originally written for German speaking countries and users and has been translated from the German into English.
- Do not expose flammable or sensitive parts (e.g. plastics, electrical parts and cables) to sparks or open flames as this presents a fire hazard with formation of harmful gases and can cause damage to insulating materials.
- Avoid contact with concentrated acids or caustic solutions as these can cause dangerous metal corrosion. If necessary, affected parts should be replaced as soon as possible.
- Care must be taken not to cover suction holes.

1.1) Correct and intended use of the product

The **OSMA Shoe, Boot and Glove Dryer** is intended solely for the purpose of drying shoes, boots and gloves. In the case of improper handling or misuse of this product the manufacturer's guarantee automatically loses its validity.

1.2) Guarantee information

OSMA is not responsible for damages caused by false usage or improper handling. OSMA does not accept liability to third persons.

Changes to components or elements without the manufacturer's consent and incorrect installation not in accordance with the manufacturer's instructions will lead to loss of the guarantee.

1.3) Directives

The **OSMA Shoe, Boot and Glove Dryer** has been manufactured according to European and German standards, laws, regulations and guidelines and should be operated accordingly. However when installing the product the specific local or national electro-technical regulations applicable to the country in question must be complied with.

2) Technical data

Type: family2

Serial no./model:

Material: Sheet steel powder coated in RAL colours or in high-grade steel

Dimensions: width/height/depth in mm 235/660/370

Weight: ca. 9 kg

Warm air blower and heating cable –

output: 65 watts

Voltage/Frequency: 230 volts/~50Hz

Design:

The shoe dryers differ only in dimensions. All drying panels are powered by the same maintenance-free blower type and heating cable.

Maximum connected load 75 Watts
Electrical voltage 230 V plug

3) Installation

- Installation instructions: please see installation kit
- Only use the installation material supplied
- OSMA TrockNERsysteme are supplied ready to plug into 230 V/~50Hz

Installation instructions in dry rooms:

1. OSMA high-grade steel panels for wall mounting can be installed at variable heights on even surfaces.
2. Use only original installation material provided (screws, wall plugs etc)
3. Carry out trial run only after tightening all 4 anchoring screws.

4) Operation:

Dry rooms

OSMA high-grade steel panels with warm air blower for dry rooms can be operated directly by the clock timer. It is neither necessary nor possible to regulate the temperature or strength of the blower as this is done automatically. The blower built into the steel panels is maintenance free. An operation time of 1-3 hours is adequate for shoes and boots (varies according to degree of wetness). The built-in clock timer allows individual operating times.

5) Transport and storage


- During transport the unit must be secured from dislocation and shifting and protected from adverse weather conditions.
- If the dryer cannot be installed directly after delivery it should be stored in a clean, dry place and protected against damage, dirt and moisture.

6) Service manual Rectifying faults

The OSMA Shoe, Boot and Glove Dryer is maintenance free.

Should however faults or problems occur with the product, please call your local specialist dealer.

Assembly instruction



7) Disposal / Taking out of operation.

The panels can be recycled when professionally disposed of and are therefore environmentally compatible. Details of disposal and recycling are shown in the table below:

ATTENTION: Never attempt to open the appliance alone! Repairs may only be carried out by trained and qualified service staff!

Product	Materials	Disposal
steel construction metal parts motors Getriebe screws etc.	metals	separating recycling by smelting down
protective caps casings covers etc.	plastics	recycling burning or disposal in special dumps
cables casings plugs etc.	rubber, PVC, silicon, polychlorophen	separating materials recycling
electronic parts	plastics, metals, electrolytes	special disposal in accordance with locally authorized directives

Packing regulation:

ARA licence no. 13068

Non liability agreement

**for electrical appliances: ERA
50558**

Varnished and painted parts should be recycled according to the materials used or disposed of at special dumps in accordance with locally authorized directives.



OPERATING MANUAL

for

**SHOE, BOOT and
GLOVE DRYER**

family2

