# **Guide to Features**

# SurePOS 300 4810-x4x 4910-E4x

Version 3.0 Last update: August 27, 2012

# **TOSHIBA** Leading Innovation >>>

Technical Sales Support Toshiba Global Commerce Solutions P. O. Box 12195, UHJ/307 3039 Cornwallis Rd., Research Triangle Park, NC 27709

CLICK HERE to see if you have the latest level: http://www-1.ibm.com/support/docview.wss?&uid=pos1R1003844

William.

Need help NOW? http://www.ibm.com/solutions/retail/store/support

# PICTORIAL GUIDE to FEATURES

IBM Retail Store Solutions TechLine

## CONTENTS

2
2
3
4
5
5
9
11
20
21
23
28
29
30

#### The "Fine Print"

This Document is a derivative work. The source documents are not required to stay in sync with this guide.

The Feature Codes relate precisely to the Offering Structure and Sales Manual. The Part Number that is included is the "Top Bill" part number which is used to build the ordering tables. The Top Bill DOES NOT SHIP to a customer. This part number causes SMU Parts (Shippable Manufacturing Units) to be assembled and shipped. The SMU number changes frequently during the life cycle of a product.

FRU Numbers, where listed, are for those features where a one-to-one relationship exists between the Feature Code and the Field Replaceable Unit number. The source guide for these is the Hardware Service Manual and the I/O Service Manual, accessed from the PUBLICATION tab on the TechLine Support page.

Hardware Service Guide http://www-01.ibm.com/support/docview.wss?rs=219&q1=PUB4810&uid=pos1R7000392

I/O Manual:

http://www-1.ibm.com/support/docview.wss?rs=219&q1=PUB4800&uid=pos1R7000105

If you have questions, concerns, or suggestions, please send them to us as a TechLine inquiry. <a href="http://www2.clearlake.ibm.com/store/support/html/hquestions.html">http://www2.clearlake.ibm.com/store/support/html/hquestions.html</a>

### 4810-x4x Overview


Attribute	Specification	
Туре	"Retail Hardened" small form factor system unit	
CPU	Intel ULV Celeron M 373 (1.0GHz)	
Chipset	Intel 910GMLE / ICH6M	
Motherboard	All mechanical aspects must match the Keystone KS03 motherboard. Logic compatible with Keystone KS03: with processor and chipset changes as described above. Service processor not populated. <sup>1</sup>	
BIOS	Award (16Mb SPI Flash ROM, containing primary and backup)	
Memory	Single Channel DDR2 667Mhz, 2 DIMM sockets: 512MB / 1GB / 2GB in any combination up to 2GB max total memory. Note the 910GMLE supports a maximum of DDR2 400MHz.	
Video	Intel Graphics Media Accelerator 900	
Ethernet	Broadcom BCM5906(M) 10/100 Mbps	
Audio	Analog Devices AD1882 Codec	
Super I/O Controller	Winbond W83667HG (or equivalent function)	
Mass Storage	<ul> <li>Modular Flash Drive (USB), SMART Modular p/n: SG9ED52U4GGCIBM, Description: 4GB, eUSB Flash Drive, SMI325AC controller, two Samsung 16Gbit DDP 4K page NAND Flash, 0 to 70C, Locked BOM, No Write Protect Switch</li> <li>Motherboard must support up to 8GB flash drive.</li> <li>- and/or -</li> <li>160GB min 3.5-in SATA II 7200 RPM HDD (P/Ns 44E9170, 39M0121, or other approved P/Ns)</li> </ul>	
Expansion	None	
Power	200W, 80% efficient internal power supply (See Sparta Power Supply Specification)	
Ports	Motherboard: 1 - PS/2 Keyboard 1 - PS/2 Mouse 2 - RS232 (standard 9-pin male D-shell) 2 - VGA (15 pin D-shell) 2 - PC USB 2.0 High Speed 1 - 10/100Mb Ethernet LAN (RJ45) 1 - Line-in 1 - Microphone 1 - Line-out (supports Headphones) 1 - 5V/12V Powered RS232 (9-pin female D-shell) <sup>2</sup>	

#### 4810-x4x

# **IBM** Retail Store Solutions TechLine

Attribute	Specification	
	Riser Card: 1- SDL (IBM Standard) Cash drawer port	
	Front of Unit (method to be specified by supplier): 1- PC USB 2.0 High Speed	
	Connector Card (RS232) (SurePort mechanically compatible): 3 -5V/12V Powered 232 (9-pin female D-shell) 1 -12V Powered USB 1 -24V Powered USB	
	OR	
	Optional USB Connector card (SurePort mechanically compatible): 4 -12V Powered USB 1 -24V Powered USB	


#### Tailgate Layout DEFAULT STANDARD is RS232 SurePorts



The RS232 ports are labeled A, B, C, D, E, F and ports C-F have power indication icons. Powered USB ports are designated A-E with appropriate power indication. The Cash drawer port is designated CD1 and also has the number 3 in close proximity.

# PICTORIAL GUIDE to FEATURES

#### **OPTIONAL USB SurePorts**



#### **Ship Group**

The following items are included: Safety Manual

The "Open Me First" box may contain additional memory module or other small features.

THE ETHERNET Patch cord is NOT INCLUDED with this machine. It may be requested as FC 8999

#### NAMING CONVENTION

Base Machine Type: **4810** Model Designations: First Character – 3 = Standard (Blank Drive) E = Preloaded With OS Second Character – 4 – Designation of 4<sup>th</sup> generation Third Character – Warranty Level 0 – Standard A- Depot (USA, Canada, and UK-Only) Note: The –xxA Models were withdrawn from the UK effective April 9, 2010

#### 4810-x4x

# **IBM** Retail Store Solutions TechLine

The Express Models Machine Type 4910-E4x

Express models are special bundles that make the process of ordering a complete system easier. The Printer and / or Display that is bundled with the 4910 will have the 4910 machine type on its label, and it will carry the serial number of the system unit. The original Machine types in the table below are only for reference

**CAUTION:** The Express Offerings are different by region and, in some cases, by country.

		lienings are un	lefent by legic	in anu, in som	e cases, by co
GEO	AMERICAS				Australia,
	USA,				NZ, India,
	Canada,				Indonesia,
	Carribean,				Thailand,
	LA, and				Korea/HK/
MODEL					
	South	EUROPE All			Malaysia /
	America	Countries	UK	CHINA	Singapore
	Power Cord	Power Cord	Power Cord	Power Cord	Power Cord
	1GB System	1GB System	1GB System	1GB System	1GB System
	Memory	Memory	Memory	Memory	Memory
4910-E4S	4610-1NR USB	4610-1NR USB	4610-1NR USB	4679-GCN	4610-1NR USB
4910-243	with cable	with cable	with cable	RS232 with	with cable
_	(4919)	(4919) and	(4919) and	cable (3731)	(4919)
E –		small paper roll (0720)	small paper roll (0720)	and power cord	
Preloaded	NO DISPLAY	(0720)	(0720)	NO DISPLAY	NO DISPLAY
OS	Drolooded	4820-2GD w/	4820-2GD w/	NO DISPLAT	Drolooded
	Preloaded (specify	cables 3441 +	cables 3441 +	Preloaded	Preloaded
S – Single	POSReady,	3713 + stand	3713 + stand	(specify	(specify POSReady,
Station	WEPOS, or	FC 4299	FC 4299	POSReady,	WEPOS, or
	Win-XP			WEPOS, or	Win-XP
Printer	(upgrade)	Preloaded	Preloaded	Win-XP	(upgrade)
	(upgrado)	POSReady,	POSReady,	(upgrade)	(upgruud)
		WEPOS, or	WEPOS, or	(499.440)	
		Win-XP	Win-XP		
		(upgrade)	(upgrade)		
	Power Cord	Power Cord	Power Cord		
	1GB System	1GB System	1GB System		
	Memory	Memory	Memory		
4910-E4D	4610-2CR	4610-2NR	4610-2NR		
	RS232 with	RS232 with	RS232 with		
_	cables (3912 +	cables (3912 +	cables (3912 +		
E –	4931) and	4931) and	4931) and		
Preloaded	small paper roll				
OS	(0720)	4820-2GD w/	4820-2GD w/		
		cables 3441 +	cables 3441 +		
D – Dual	NO DISPLAY	3713 + stand	3713 + stand		
Station		FC 4299	FC 4299		
	Preloaded				
Printer	(specify	Preloaded	Preloaded		
	POSReady,	POSReady,	POSReady,		
	WEPOS, or	WEPOS, or	WEPOS, or		
	Win-XP	Win-XP	Win-XP		
	(upgrade)	upgrade)	upgrade)		

4810-x4x			IBM	Retail Store	Solutions Te	chLine
GEO	AMERICAS USA, Canada, Carribean,				Australia, NZ, India, Indonesia, Thailand,	
MODEL	LA, and South America	EUROPE All Countries	UK	CHINA	Korea/HK/ Malaysia / Singapore	
4910-E4F	Power Cord 1GB System Memory <b>NO PRINTER</b> 4820-2GD w/ cables 3441 + 3713 + stand FC 4299 Preloaded (specify POSReady, WEPOS, or Win-XP (upgrade)	Power Cord 1GB System Memory <b>NO PRINTER</b> 4820-2GD w/ cables 3441 + 3713 + stand FC 4299 Preloaded (specify POSReady, WEPOS, or Win-XP (upgrade)	Power Cord 1GB System Memory <b>NO PRINTER</b> 4820-2GD w/ cables 3441 + 3713 + stand FC 4299 Preloaded (specify POSReady, WEPOS, or Win-XP (upgrade)			
4910-E4T E – Preloaded OS T – Touch Display		Power Cord 1GB System Memory 4610-1NR USB with cable (4919) and small paper roll (0720) 4820-51G USB, cables 3441 + 5572 + stand FC 4306 Preloaded (specify POSReady, WEPOS, or Win-XP (upgrade)	Power Cord 1GB System Memory 4610-1NR USB with cable (4919) and small paper roll (0720) 4820-51G USB, cables 3441 + 5572 + stand FC 4306 Preloaded (specify POSReady, WEPOS, or Win-XP (upgrade)			

4810-x4x		IBM Retail Store Solutions TechLine				
GEO MODEL	AMERICAS USA, Canada, Carribean, LA, and South America	EUROPE All Countries	UK	CHINA	Australia, NZ, India, Indonesia, Thailand, Korea/HK/ Malaysia / Singapore	
4910-E4A WITH- DRAWN April 9, 2010			Power Cord 1GB System Memory 4610-1ND USB with cable (4919) and small paper roll (0720) 4820-5G <b>B</b> USB w/ FC 1900 Logic, cables 3441 + 5572 + stand FC 4299 + Lock + Lock Install Kit FC 9521 Preloaded (specify POSReady, WEPOS, or Win-XP (upgrade)			

#### 4810-x4x FEATURES

	URES		
FEAT	TOP P/N		
CODE			DESCRIPTION
			Windows 7 Professional for Embedded
			Systems. This feature increases the base
			memory of the 4810-E40 to 1Gb. You
			must order FC 4625 or 4627 memory
			expansion. (4910 Express models
4410	System		already have 1Gb as base memory)
4411	44V1989		Windows 7 Recovery DVD
4460	system unit		WEPOS version 1.1 upgrade preload
4461	44V0906	16.4	WEPOS media - language packs
		and the second se	WEPOS 1.1 media - image Recovery
4462	44V2094	and the second second	Media This is a DVD
		Million Weither States	
		Married Married Married Married	
4440	system unit		XP Pro DTOSE Upgrade
4441	44V0908		XP Pro DTOSE Media-language pack
		Contraction of the state of the same	XP Pro DTOSE Recovery Media This is a
4442	44V2098	A DECEMBER OF THE OWNER	DVD (SP3)
4450	system unit		POS Ready
4451	44V2120		POS Ready media - language packs
		the state of the s	POS Ready media - image Recovery
4452	44V2096		Media for hdd
		the same from the same	POS Ready media - image Recovery
4454	44V2102	and the second s	Media for MFD
	system unit	CH THE PROPERTY OF	POS Ready 7 NOTE – You must have
	NOT FOR		1Gb or greater configured
4045	4910		TOD OF greater configured
4046	99Y3180		POS Ready 7 Language packs
4047	99Y3182		POS Ready 7 Additional Components
4048	44V1908		POS Ready 7 Image Recovery
8999	44v2074		FRU= <b>41A3531</b> Ethernet Cable, CAT-5, 4.3Meters
7498	44V2081		<b>FRU 44V2014</b> RS232 cable to attach existing 15-pin to 9-pin port. Maximum of four per machine.

4810-x	4x	IBM	Retail Store Solutions TechLine
FEAT	TOP P/N		
CODE 8851 8852	system N/A for M/T 4910 44V2082	WITHDRAWN Nov 30, 2010	DESCRIPTION4G MFD US Upgrade (remove HDD, add MFD) This Feature REPLACES the HDD from the base machine. This feature also REMOVES the HDD Chassis. There is NO mechanism to add a HDD in the field (no MES for the drive, screws, and chassis is being released)FRU 44V2041 MES 4GB USB MFD This will be shipped in a separate carton. This is the only orderable configuration that will allow both a HDD and a solid-state drive in the same machine.
7500	14J1139		WITHDRAWN: Not available after July 31, 2009 FRU 06P5223 External 1.44MB USB Diskette Drive
4625	System N/A for M/T 4910		1G System Memory (1 DDR2 DIMM) NOT AVAILABLE on 4910 Express Models (1GB is Standard on all 4910 models and 4810-E40 when FC 4110 is ordered)
4626	44V2084 System N/A for M/T	M <sup>2</sup> and the second sec	FRU 44V2028 1G Additional Memory (1 DDR2 DIMM) This is the only memory upgrade possible. The system board will only support 2GB Maximum 2G System Memory (2 - 1G DDR2 DIMM) NOT AVAILABLE on 4910 Express
4627	4910		Models FRU 44V2026 USB SurePorts Installed in the system from the factory. THERE IS NO MES (upgrade) FEATURE CODE
1975	8Q3096 Selected Geographies		RELEASED AT THIS TIME. FRU 44V2026 USB SurePorts MES – Field-installable UPGRADE. This is orderable as a 4810 MES or as a 4611- 481 RPQ.

# PICTORIAL GUIDE to FEATURES

**IBM** Retail Store Solutions TechLine

### Modular Keyboards – Announced in Summer 2008

The 2008 Keyboards are Features of the POS Terminals. The Keyboard features actually have features of their own which need to be ordered. These keyboards have BOTH USB and PS/2 interfaces built-in. The interface to your terminal is dependent upon the cable that is ordered.

There are three basic keyboards - Modular 67-Key Retail Keyboard, Modular ANPOS keyboard, and Modular Compact ANPOS. The keyboards are only available in Iron Gray for this product.

#### MODULAR KEYBOARD ORDERING STRUCTURE for MES UPGRADES

These are modular, build-your-own keyboards if you are ordering them via the MES process or through 4611-bulk order machine type. This means, that you are responsible for ordering filler plates (at an extra cost) for any of the modules that are omitted. One Lens kit is included, however. For example, if an ANPOS keyboard with a Touchpad, without an MSR and without an authentication module is ordered, the 4611 configuration would look like:

Product	Description	Qty
4611-048	4611-048 BULK ORDER for 4800 MES	1
1320	USB cable 1.4M Black	1
1370	Filler MSR Iron Gray	1
	Filler Authentication Module Iron Gray	1
2266	Touchpad/Pointing Stick Module	1
2280	Modular Keyboard (US Eng)	1
2921	IRON GRAY COVER	1

The <u>EXCEPTION</u> to this is the Preconfigured (FC 135x) keyboards. If these fit your need, then they may be ordered, and the required fillers will be installed at the plant.

#### MODULAR KEYBOARD ORDERING STRUCTURE for NEW Terminal Orders

BASE KEYBOARD, with default fillers for MSR, Authentication (Keylock or Fingerprint Reader)

- Choose your Keyboard
  - Modular CANPOS (Compact AN/POS)
  - Modular ANPOS
  - o Modular 67-Key
- Choose your **optional components**. FILLERS will be shipped automatically to cover the space that these would normally occupy.
  - o MSR Option
  - o Authentication Module (Keylock or Biometric Module)
  - Pointer Module (CANPOS / ANPOS)
  - Lock Cylinders (if you have the Keylock Authentication Module)
- Choose your **Cable** (and thus the Interface)
  - Black Cable (USB or PS/2) (for Iron Gray keyboards)
- Choose Accessories
  - o Lens Caps
  - Key Caps
  - o Blank Legend Sheet

- KeyCap Groups shipped with EACH Keyboard
  - A Keycap kit ships with every keyboard. These are ALSO available as MES items (in the event that you need to re-configure the keyboard later (See FC 1420, 1421, and 1422)
  - o Contains:

MODULAR ANPOS Kybd	Keycap Kits
KEY CAP ALL CLEAR SINGLE	46 (Clear)
KEY CAP ALL CLEAR DOUBLE SHORT	4 (Clear)
KEY CAP TALL ALL CLEAR SINGLE	10 (Clear)
KEY CAP TALL ALL CLEAR DOUBLE	4 (Clear)
SPACER POLYURTHANE FOAM ANPOS	1
SPACER CAP TALL DOUBLE ANPOS	4
KEY CAP ASS'Y PEBBLE GRAY "O"	1
KEY CAP ASS'Y PEBBLE GRAY "OO"	1
KEY CAP ASS'Y PEBBLE GRAY "."	1
KEY CAP ASS'Y PEBBLE GRAY "* "	1
KEY CAP ASS'Y BLACK "O"	1
KEY CAP ASS'Y BLACK "OO"	1
KEY CAP ASS'Y BLACK "."	1
KEY CAP ASS'Y BLACK "* "	1
MSR TEST CARD	1
MODULAR 67 Key Keybd	
CAP*2 1.5 CLEAR TOP(TALL) 67 KEYS-K	6 (Clear)
KEY CAP*2 1.5 CLEAR TOP 67 KEYS-KB	6 (Clear)
KEY CAP 1.5 UNIT CLEAR TOP 67KEYS-K	42 (Clear)
CAP 1.35 CLEAR TOP(TALL) 67KEYS-KB	10 (Clear)
KEY CAP ALL CLEAR SINGLE	12 (For New Fun. Keys)
KEY CAP ASS'Y PEBBLE GRAY "O"	1
KEY CAP ASS'Y PEBBLE GRAY "OO"	1
KEY CAP ASS'Y PEBBLE GRAY "."	1
KEY CAP ASS'Y PEBBLE GRAY "* "	1
KEY CAP ASS'Y BLACK "O"	1
KEY CAP ASS'Y BLACK "OO"	1
KEY CAP ASS'Y BLACK "."	1
KEY CAP ASS'Y BLACK "* "	1
KEY CAP SPACER TALL DOUBLE 67 KEYS-K	6
MSR TEST CARD	1
MODULAR CANPOS Keybd	
CAP SINGLE CLEAR TOP	32 (Clear)
CAP DOUBLE CLEAR TOP	4 (Clear)
MSR TEST CARD	1

### 4810-x4x

# IBM Retail Store Solutions TechLine

#### Pre-Configured Modular Keyboards (1-step ordering)

There are also PRE-configured Keyboards. NOTE: THIS OPTION IS NOT AVAILABLE FOR MES (or 4611) orders These are for common situations. These are:

- Modular CANPOS w/Pointer US Eng (No MSR, No Keylock, No Fingerprint reader) IRON GRAY ONLY
- Modular 67 Key Keyboard w/MSR & Keylock
- Modular ANPOS w/MSR, Pointer/TouchPad, Keylock, US Eng

#### Selecting a Pre-configured Keyboard blocks all features from being ordered.

	PRE-CONFIGURED US-English KEYBOARDS				
1350	46\/4090		Modular CANPOS w/Pointer US English (no MSR, no keylock, no fingerprint reader) <b>IRON GRAY</b> <b>ONLY USA ONLY</b>		
1355	<b>46V4100</b> (Iron Gray)		Modular 67 Key Keyboard w/MSR & Keylock, no Pointer / Touchpad		
1356	46V4118		Modular 67 Key Keyboard w/LCD, w/MSR & Keylock, no Pointer / Touchpad		
1351	<b>46V4080</b> (Iron Gray)		MODULAR ANPOS KEYBOARDw/MSR, Touch Pad/Ptr, Keylock US English <mark>USA</mark> ONLY		

4810-	x4x	IBM Retail Store	e Solutions TechLine
		FACTORY INTEGRATION of KEYBOARD FE	ATURES
1111	51J3374 N/A for M/T 4910	FOR TEMINAL ORDERS ONLY. NOT AVAILABLE FOR MES or 4611-481 Orders	Integration of Keyboard Features
		COMPACT ANPOS KEYBOARDS	
2250	51J3339	-	FRU= 44T4041 Modular Compact ANPOS keyboard - US-English FRU= 44T4043 Modular Compact
2251	51J3341		ANPOS keyboard - UK English
2252	51J3342		FRU= 44T4044 Modular Compact ANPOS keyboard - French FRU= 44T4046 Modular Compact
2253	51J3344	Hitter	ANPOS keyboard - Canadian French
2254	51J3340		FRU= 44T4042 Modular Compact ANPOS keyboard - Spanish FRU= 44T4047 Modular Compact
2255	51J3345	E BEREFERENCE DE	ANPOS keyboard - Brazilian Portuguese
2256	51J3343		FRU= 44T4045 Modular Compact ANPOS keyboard - German FRU= 44T4048 Modular Compact
2257	51J3346		ANPOS keyboard - Turkey
		67-Key Keyboards	
2270	<b>51J3347</b> (Iron Gray)		<b>FRU= 44T4061 (G)</b> 67 Key Keyboard
2240	46V4102		<b>FRU = 65Y4093</b> 67 Key Keyboard with LCD

http://www.ibm.com/solutions/retail/store/support/

4810	)-x4x
------	-------

		MODULAR ANPOS KEYBOARDKeybo	ard
			FRU= 44T4027 (G)
			MODULAR ANPOS KEYBOARD
2292	51J3331 (G)		KB (Braz/Port)
			FRU= 44T4026 (G)
			MODULAR ANPOS
2282	51J3330 (G)		KEYBOARDKB (Can/Fr)
			FRU= 44T4023 (G)
			MODULAR ANPOS
2284	51J3327 (G)	1 mitte	KEYBOARDKB (UK Eng)
2201	0100021 (0)	the state of	FRU= 44T4024 (G)
		- 8835 Ba	MODULAR ANPOS
2286	51J3328 (G)	ap38885	KEYBOARDKB (French)
2200	5155520 (6)	68888889	
		199330	FRU= 44T4025 (G) MODULAR ANPOS
0000	54 10000 (0)	EB	
2288	51J3329 (G)		KEYBOARDKB (German)
			FRU= 44T4022 (G)
0000	E4 10000 (D)		MODULAR ANPOS
2290	51J3326 (G)		KEYBOARDKB (Spanish)
			FRU= 44T4021 (G)
			MODULAR ANPOS
			KEYBOARDKB (US Eng)- pearl
2280	51J3325 (G)		white
		KEYBOARD FEATURES	
		and the second	FRU= 44T4090 (G)
2260	51J3349 (G)		3-Track MSR Module
			FRU= 44T4092 (G)
2262	44T4982 (G)		JUCC MSR Module
	E1 12252 (O)		
	51J3352 (G)		
	(Mutually		
	exclusive		FRU= 44T40940 (G)
	with	V	2-position Keylock Module Iron
	Fingerprint		Gray
0004	Module FC		NOTE: You need to order a
2264	2268)		standard keylock FC 9202-9206
			THIS FEATURE IS NOT
			AVAILABLE FOR THE 67-Key
			Keyboards
			FRU= 44T4096 (G)
2266	51J3354 (G)		Touch Pad/Pointer Module

<u>4810-</u> 2	(4x	IBM Retail Store	e Solutions TechLine
2268	51J3356 (G) (Mutually exclusive with Keylock FC 2264)		<b>FRU= 44T4098 (G)</b> Fingerprint Module
1370	46V4070 MES ONLY	This is included on any kbd that is ordered without an MSR	FRU= 46Y2356 (G) Filler MSR Iron Gray THIS IS NOT REQUIRED FOR A NEW FACTORY ORDER. IF YOU ARE ORDERING AN MES UPGRADE KEYBOARD, THEN YOU NEED TO ORDER THIS PART
1374	46V4072 MES ONLY	This is included on any kbd that is ordered without an Authentication module	FRU= 46Y2358 (G) Filler Authentication Module Iron Gray THIS IS NOT REQUIRED FOR A NEW FACTORY ORDER. IF YOU ARE ORDERING AN MES UPGRADE KEYBOARD, THEN YOU NEED TO ORDER THIS PART
1376	46V4074 MES ONLY	This is included on any kbd that is ordered without a touchpad	FRU= 46Y2360 (G) Filler Touch Pad/Pointer Iron Gray THIS IS NOT REQUIRED FOR A NEW FACTORY ORDER. IF YOU ARE ORDERING AN MES UPGRADE KEYBOARD, THEN YOU NEED TO ORDER THIS PART

#### 4810-x4x

4010-7			e Solutions TechLine
		BLACK CABLES	
1320	45X0501 <mark>N/A for M/T</mark> 4910		USB cable 1.4M Black FRU =45U0016
1321	45X0503		USB cable 3.8M Black FRU =45U0018
1322	45X0505 N/A for M/T 4910		PS2 cable 1.4M Black FRU = 45U0026
			PS2 cable 3.8M Black
1323	45X0507		FRU = 45U0028
1324	45X0509 <mark>N/A for M/T</mark> 4910		12V Powered USB cable 1.4M Black FRU = 45U0036
1325	45X0511	NOTE – YOU WILL NOT HAVE ACCESS TO BIOS WITH THIS CABLE. THE SUREPORTS ARE NOT ACTIVATED UNTIL LATER IN THE POWER_UP SEQUENCE. The Standard USB Cable can be plugged into a tailgate USB port for BIOS access.	12V Powered USB cable 3.8M Black FRU = 45U0038
	20P3918 N/A for M/T		MOUSE & KEYBOARD "Y" CABLE
3915	4910		(white straight Y)

#### 4810-x4x

4010-2	<b>4010-X4X E E</b> Retail Store Solutions TechLine		
		Lens Kits and Key Kits	
	45X0516		
	FIELD MES		
	ONLY		
	because This		
	is SHIPPED		
	with each		
	NEW		
	keyboard		
	from the	and the second	Modular 67 Key Keyboard Lens
1420			Kit
1420	factory.		- NIL
	45X0512		
	FIELD MES		
	ONLY	Provide and the second s	
	because This	And the second state and the second state of t	
	is SHIPPED		
	with each	A DESCRIPTION OF TAXABLE PARTY OF TAXABLE PARTY.	
	NEW		
	keyboard	A REAL PROPERTY AND A REAL	
	from the		MODULAR ANPOS KEYBOARD
1421	factory.		Lens Kit
	45X0514		
	FIELD MES		
	ONLY This is	Statement of the second s	
	SHIPPED		
	with each		
	NEW		
	keyboard		
	from the	and the second se	
1422	factory.	And the second s	Modular CANPOS Lens Kit
	46V4110		
	N/A for M/T		Keyboard Key Caps - 1x1 SS (25
1426	4910		units)
1420	46V4111		
			Kowboard Kow Copp. 1x2 (25
1427	N/A for M/T		Keyboard Key Caps - 1x2 (25
1427	<b>4910</b>	1x2 Tall tyt Jall	units)
	46V4112		
	N/A for M/T	112	Keyboard Key Caps - 1x1 Tall
1428	4910		(25 units)
	46V4113	131	
	N/A for M/T		Keyboard Key Caps - 1x2 Tall
1429	4910		(25 units)
1429			
	46V4114		C7 Key Keyheard Circle Care
1 400	N/A for M/T	172 Tell	67 Key Keyboard Single Caps -
1430	<b>4910</b>		1x1 (25 units)
	46V4115		
	N/A for M/T		67 Key Keyboard Double Caps -
1431	4910	Single Tall	1x2 (25 units)
	46V4116		
	N/A for M/T	Double Tall	67 Key Keyboard Single Caps -
1432	4910		1x1 Tall (25 units)
	46V4117	Double	
	N/A for M/T		67 Key Keyboard Double Caps -
1433	4910		1x2 WT Tall (25 units)
	•	LEGEND SHEETS and ACCESSORIES	
LEGEND SHEETS allu AGGESSOKIES			

4810-	x4x	IBM Retail St	ore Solutions TechLine
1423	45U0041		MODULAR ANPOS KEYBOARD KB Label - Blank
1424	45U0042		MODULAR CANPOS KEYBOARD KB Label – Blank
1425	45U0043	SIX BLANK Sheets per package One package contains SIX sheets Warm Gray, Violet, Green, Red, Blue, Yellow	Modular 67 Key Keybd Label - Blank
		ACCESSORIES	
	46V4077		Blanking bar, 67-key black, kit of 5
	46V4079		Blanking bar, ANPOS black, kit of 5
	93F1944		Key Puller Kit

#### 4810-x4x

# **IBM** Retail Store Solutions TechLine

## Legacy Keyboards

FEAT CODE	TOP P/N		DESCRIPTION
3576	10N1376 <mark>N/A for</mark> M/T 4910		WITHDRAWN Nov 10, 2010 FRU 41J7253 USB 50 Key KB w/MSR- iron
3570	86H1117 <mark>N/A for</mark> M/T 4910	Iron shown with MSR	WITHDRAWN Nov 10, 2010 FRU 41J7254 USB 50 Key KB w/JUCC MSR
3275	08L2141 N/A for M/T 4910		WITHDRAWN Nov 10, 2010 FRU 42M5606 USB Keyboard Long Cable- powered USB 3.8M

#### 4810-x4x

# **IBM** Retail Store Solutions TechLine

# **Customer Displays**

FEAT	TOP P/N		
CODE			DESCRIPTION
		THIS RPQ IS A BUSINESS BLACK	FRU 84Y5272 is a 15" VLH display with stand and video cable (US, Canada and EU). FRU 84Y5274 is just for the stand. FRU 84Y5276 is just for the 1.5 meter video cable
		Non-Touch DISPLAY It is <u>NOT</u> Iron	FRU 84Y5285 is a 15" VLH non-touch
		Gray	display with stand and video cable (with US, Canada, EU and AP certifications).
8Q3080		There is a companion MES version (for	
Not		upgrades) RPQ 8Q3081. This is an i- listed (private) RPQ does not appear in	Vendor Logo 15" <b>Non-Touch</b> display, with Line cord and 1.5Meter VGA Cable
Available for M/T		eConfig and must be requested on a	Line cord is determined by Country that
4961	84Y5271	customer-by-customer basis	the order ships into.
8Q3153 i-listed – not Public. Does not show in		THIS RPQ IS A PEARL WHITE Non- Touch DISPLAY	FRU 84Y5294 is a 15" VLH display with stand and video cable (US, Canada and EU and AP Certifications).
eConfig			FRU 73Y0991 is just for the stand.
Not Available for M/T 4961	84Y5271	There is a companion MES version (for upgrades) RPQ 8Q3154. This is an i- listed (private) RPQ does not appear in eConfig and must be requested on a customer-by-customer basis	Vendor Logo 15" <b>Non-Touch</b> display, with Line cord and 1.5Meter VGA Cable Line cord is determined by Country that the order ships into.
			Distributed VFD 2X20 Display (RS232) <b>FRU</b> (multiple parts) see I/O HW
5910	20P3911		Service Guide, assembly #5
5961	14J0744	I	USB 40 Char VFD (1-sided)- iron FRU (multiple parts) see I/O HW Service Guide, assembly #5

4810-x	(4x	IBM Retail Store Solutions TechLine		
FEAT CODE	TOP P/N		DESCRIPTION	
	0050040		All Points Addressable Character Graphics Display (RS232) FRU (multiple parts) see I/O HW	
5920	20P3912		Service Guide, assembly #6	
5951	10N1174	Storm Gray Shown	USB 40 Char LCD- iron FRU (multiple parts) see I/O HW Service Guide, assembly #5	
5942	44V2075		Distributed Display Cable (9-pin POWERED RS232) for FC 5910 or 5920	
5570	08L2144		FRU 42M5632 Long VFD USB Cable 3.8M	
5560	08L2141		FRU 42M5606 Long LCD USB Cable- powered USB 3.8M	

**IBM** Retail Store Solutions TechLine

FEAT	TOP P/N		
CODE			DESCRIPTION
5919	44V2086 N/A for M/T 4910	Shown (not the correct color) with tall post and extension post	IRON GRAY 1x11 display RS-232 The Tall Mounting Post and 3" Extension post are included. The CABLE is not.
5941	44V2076 N/A for M/T 4910	AP (not taiwan)	THIS INCLUDES THE SHORT MOUNTING POST and CABLE AND PLASTIC THUMBSCREWS 9-pin Powered RS232, 3.8Meters Distributed Display Cable for 1x11

### **Cash Drawers**

FEAT CODE	TOP P/N		DESCRIPTION
4408	46N4321	A	New Compact Cash Drawer with One Vertical Till. If you desire additional tills, the legacy tills FC 4775 may be ordered
4409	46N4328	Also available in 4611-481 and -491	New Compact Cash Drawer with ONE Horizontal Till. If you desire additional tills, the legacy tills FC 4770 may be ordered

### 4810-x4x

FEAT CODE	TOP P/N		DESCRIPTION
4484	Formerly RPQ 8Q2918 46T7216		FRU 46T7218 Flip Top Drawer -Iron Gray – This Feature INCLUDES ONE Till and One Locking cover. You must order one drawer lock cylinder FC 9202-9206. The internal till cover lock will be randomly assigned. There is no FRU replacement for this key.
4485	Formerly RPQ 8Q2922 46T7219		FRU 46T7221 EXTRA Fliptop Till & Locking Cover The internal till cover lock will be randomly assigned. There is no FRU replacement for this key.
4861	41A3580 N/A for M/T 4910	LTHO not shown 50-Key, 67-Key and ANPOS ONLY (C-ANPOS will not fit)	For Filler panels, please order from <b>4611-</b> <b>048</b> . Please refer to Knowledgebase <u>R1003926</u> Do not forget the Display Insert 4611-048 FC 7285 if integrating a 4820 display Wide Cash Dr Slanted I/O Tray- Iron <b>FRU</b> – See Hardware Service Manual for multiple Parts – Assembly <b>#3</b>
4781	20P3919	STORM GRAY Shown	WITHDRAWN – NOT Available after Feb 12, 2010 Compact Cash Drawer FRU – See I/O Service Manual for multiple Parts – Assembly #3 ONLY ONE CASH DRAWER IS SUPPORTED OFF OF THE SYSTEM UNIT.
4881	20P3920		Full Size Cash Drawer (NO TILL) FRU – See I/O Service Manual for multiple Parts – Assembly #2 ONLY ONE CASH DRAWER IS SUPPORTED OFF OF THE SYSTEM UNIT.

### 4810-x4x

FEAT			
<b>CODE</b> 4588	<b>TOP P/N</b> 44V2092	Asia-Pacific ONLY, except Japan and Korea	DESCRIPTION Value Cash Drawer with hard-wired 1.3Meter long cable (black) There is no capability to order additional tills or till covers with the VALUE cash drawer. The tills, till covers, and separate cables are not compatible with this drawer.
3387	72H3811	ALL DE LE	FRU 40N4779 Cash drawer cable – 3.8M This cable activates the Cash Drawer from the 4610 Printer
4575	42M5656		FRU 42M5657 Distributed Cash Drawer Cable 3.8M This cable activates the Cash Drawer from the System Unit
9219	41A3502 N/A for M/T 4910	Section and a section of the section	Cash Drawer RJ11 converter for OEM Cash drawer attachment
4570	13H9614 N/A for M/T 4910		FRU 41D9506 Mounting bracket for cash drawer The Feature includes four M6x12mm screws to secure the cash drawer to the bracket. The screws to secure the bracket to the counter are not supplied.

### 4810-x4x

FEAT CODE	TOP P/N		DESCRIPTION
CODL	10H3340		
4765	N/A for M/T 4910		FRU 10H3341 Locking Till Cover for Compact Cash Drawer
4875	6316718 N/A for M/T 4910	Wide Shown	FRU 6316718 Locking Till Cover for Full Size Cash Drawer
4775	10H3330		THIS IS ONLY REQUIRED IF YOU INTEND TO HAVE MORE THAN ONE TILL. FC 4408 INCLUDES One of these FRU 10H3331 Vertical Till Insert for Compact Cash Drawer
4/10	10110000	WIT WIT WAT WAT THE	
			THIS IS ONLY REQUIRED IF YOU INTEND TO HAVE MORE THAN ONE TILL. FC 4409 INCLUDES One of these
4770	10H3370	Contraction of the second seco	FRU 10H3371 Horizontal Till Insert for Compact Cash Drawer
			EDU 4702000 Adiustable Till Incert for
4870	4783880		FRU 4783880 Adjustable Till Insert for Full Size Cash Drawer
4865	4783879		FRU 4783879 Fixed Till Insert for Full Size Cash Drawer

### 4810-x4x

FEAT CODE	TOP P/N		DESCRIPTION
4866	42P8020		FRU 42P8025 Euro Till (WIDE DRAWER ONLY)
9200	41D9798 Iron Gray 4611-MES 41D9805		FRU 41D9799 Non-operative lock Iron Gray IF this is ordered as a 4611-048 MES item, you will receive one each of the non-operative locks - pebble gray qty=1 (for legacy systems) - iron gray qty=1 - litho gray qty=1 (for legacy systems)
9202	41J8102	- 10	Lock insert (2)
9203 9204	41J8103 41J8104		Lock insert (3) Lock insert (4)
9205	41J8105	952 952	Lock insert (5)
9205	41J8105 41J8106		Lock insert (6)
9218	41A3498	Core Key FRU – See I/O Service Manual Asm #23	RANDOMLY-Assigned Keylock
9521	4783922	Por	FRU 4783922 Key Change Kit

### 4810-x4x

FEAT CODE	TOP P/N		DESCRIPTION	
		Intentionally blank to improve pagination		
Spec	ify Cod	es for 4910-E4x		
6270	4910- E4D ONLY	SPECIFY CODE for USB Interface	FRU= 44D0159 (interface) FRU - FRU 40N4716 3.8Meter Powered USB Cable Factory Order ONLY	
6270	4910- E4S, E4T, E4A ONLY	SPECIFY CODE for RS-232 Interface	FRU= 50Y0020 (interface) FRU - FRU 40N5612 4610 Power FRU = 40N4780 RS-232 Cable – 2.0m Factory Order ONLY	

# PICTORIAL GUIDE to FEATURES

# Line Cords

The Right-angle style cord is preferred for the 4810-x4x models.

CC/FC	Country	FBM	FRU	Comments
9898	Non-Locking, HK	41A3299	39M5149	Dominica, Grenada, Hong Kong,
				Montserrat, Seychelles, Saint Kitts and Nevis
9895	Locking, JPN	41A2945	39M5135	Japan
9890	Non-Locking, JPN	41D0265	39M5197	Japan
9880	1.8 M Non-Locking, CHICAGO	41A2946	39M5077	FC 9880 is required in Chicago
9875	Non-Locking, US	41A2947	39M5079	US except Chicago, Anguilla, Cayman Islands, Turks and Caicos Islands, Virgin Islands (British)
9873	Locking, US	41A2948	39M5107	US except Chicago
9870	Non-Locking, Euro	41A3298	39M5121	Euro, France, Greenland, Mauritius, St.
				Lucia, Saint Vincent and the Grenadines
9865	Non-Locking, Denmark	41A3303	39M5128	Denmark
9860	Non-Locking, South Africa	41A3302	39M5142	South Africa
9855	Non-Locking, UK/Ireland	41A3299	39M5149	UK/Ireland
9850	Non-Locking, Switzerland	41A3304	39M5156	Switzerland
9845	Non-Locking, Italy	41A3294	39M5163	Italy
9840	Non-Locking, Israel	41A3305	39M5170	Israel
9835	2.8M Non-Locking, Chile	41A3306	39M5162	Chile
9830	2.8M Non-Locking, Argentina	41A3307	39M5065	Argentina, Paraguay, Uruguay
9830	2.8M Non-Locking, Australia	44M1984	39M5099	Australia, New Zealand
9825	1.8M Non-Locking, Columbia	41A2946	39M5077	Colombia, Venezuela, Peru, Ecuador
9820	2.8M Non-Locking, Columbia	41A3309	39M5078	Colombia, Venezuela, Peru, Ecuador
9820	2.8M Non-Locking, Brazil	44D1612	39M5237	Brazil Only

# PICTORIAL GUIDE to FEATURES

### **Revision History**

V3.0 - Aug 27, 2012 - Bluewashed V2.9 April 6, 2012 - Added POSReady7 Features for 4810E40 V2.8 - Sept 19, 2011 67-key Keyboard with LCD Announcement V2.7 5/10/11 Flip Top Cash drawer V2.6 - March 17, 2011 - Added Pearl White RPQ display and clarified memory pre-requisite for WIN-7 V2.5 - Oct 20, 2010 - Win-7 announcement V2.4 – Oct 14, 2010 – Clarified 1Gb memory on 4910 models V2.3 - September 14, 2010 Withdraw 50-key legacy USB keyboard, Change Dispoay on model E4T (Europe) V2.2 May 28, 2010 - Changed to RIGHT Angle power cords V2.1 April 26, 2010 - Added FC 2257 V2.0 March 22, 2010 - Added RPQ 8Q3080 Display V1.9 - Nov 13, 2009 - Opened FC 4588 to all of AP except Japan and Korea V1.8 - Oct 23 2009 for Nov 10 Announcement - New Compact Cash Drawer announced V1.7 Oct 5,2009 - Memory Enhancements announced October 06 V1.6 August 12, 2009 Clarified KBD Applicability for FC 4861 V1.5 May 12, 2009 Removed FC 4625 from Express models V1.4 March 31, 2009 Added Cash Drawer IO Tray V1.3 March 25, 2009 New Preloads (Mar31 announcement) V1.2 Feb 4, 2009 Changed PN for FC 1351