


**MAQUET**  
GETINGE GROUP

**2014 PRODUCT CATALOG  
CARDIAC ASSIST - UNITED STATES**





## 2014 PRODUCT CATALOG CARDIAC ASSIST THERAPEUTIC SOLUTIONS DRIVEN FROM THE HEART



**Cardiac professionals have always relied on gold standard products from Cardiac Assist.**

MAQUET strives to be the first choice of physicians performing cardiovascular procedures by providing products designed to help improve the lives of patients with specific cardiovascular therapy needs.

For further information on the products contained in this catalog, please visit our website at <http://ca.maquet.com> or contact your local sales representative.

**MAQUET – The Gold Standard.**



# TABLE OF CONTENTS

## Intra-Aortic Balloon Catheters and Accessories

SENSATION PLUS® 7.5Fr. and 8Fr. IAB Catheters	7
SENSATION® 7Fr. IAB Catheters	9
MEGA® 7.5Fr. and 8Fr. IAB Catheters	10
LINEAR® 7.5Fr. IAB Catheters	11-12
Optional Accessories for Intra-Aortic Balloon Catheters	13

## Catheter and Sheath Securement

STATLOCK® Stabilization Devices	15
---------------------------------	----

## Intra-Aortic Balloon Pumps

CARDIOSAVE® Hybrid	17-21
CARDIOSAVE® Rescue	23
CS300™ with INTELLISENSE™	25-26
CS300™ (UTS) with INTELLISENSE™	27-28
Intra-Aortic Balloon Pump Accessories	29-32

MAQUET worldwide offices	34
--------------------------	----

Ordering information	35
----------------------	----



# INTRA-AORTIC BALLOON CATHETERS AND ACCESSORIES

## SENSATION PLUS 7.5Fr. and 8Fr. - Fiber-Optic IAB Catheters\*

IAB Volume	Introducer Sheath Length	Catheter Extender Compatible with:	Part No.
50cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0576-01U
40cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0568-01U

\* SENSATION PLUS IAB Catheters include Insertion Kits with Introducers and 2 STATLOCK® IAB devices.

## Optional Accessories for SENSATION PLUS IAB Catheter Insertion Kit


Accessories	Part No.
SENSATION PLUS 8Fr. 50cc Insertion Kit only	0884-00-0019-23
SENSATION PLUS 7.5Fr. 40cc Insertion Kit only	0884-00-0019-22

SENSATION PLUS Insertion Kits include:

- One 6" (15cm) Reinforced Introducer Sheath with hemostasis valve
- One Introducer Dilator
- One Vessel Dilator
- One 18 gauge Angiographic Needle
- One 0.025" x 145cm 3mm J PTFE Stainless Steel Guidewire
- One Male Luer Cap
- One Three-Way Stopcock
- Two 4' Pressure Tubings
- One 6'0" Catheter Extender Tubing (40cc ONLY)
- One 5'7" Catheter Extender Tubing (50cc ONLY)



SENSATION PLUS IAB Catheters




The SENSATION PLUS IABs provide all the benefits of MAQUET's easy-to-use fiber-optic technology with the increased clinical effectiveness that larger volume IABs offer.

With the introduction of the new fiber-optic SENSATION PLUS 7.5Fr. 40cc IAB, higher efficacy counterpulsation therapy with fiber-optic technology is now also available for patients from 5'0" to 5'4" (152-162cm). Innovative Fiber-Optic Technology + Greater Hemodynamic Support + Improved Patient Comfort for a combined benefit superior to any IAB MAQUET has ever offered.

### HIGHER EFFICACY FIBER-OPTIC IABs

- **Innovative fiber-optic technology** for faster time to therapy and automatic *in vivo* calibration, providing more accurate and consistent blood pressure indices.
- **Greater hemodynamic support**, providing more systolic unloading and more augmentation.\*\*
- **Improved patient comfort and safety** through needle-free securement with the STATLOCK® IAB Stabilization Device.

A new level of support. A new standard of care.



\*\* Bench testing completed by MAQUET. Data on file. Bench test results are not necessarily predictive of clinical results.




# INTRA-AORTIC BALLOON CATHETERS AND ACCESSORIES

## SENSATION 7Fr. - Fiber-Optic IAB Catheters\*

IAB Volume	Introducer Sheath Length	Catheter Extender Compatible with:	Part No.
40cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0470-01U
34cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0469-01U

\* All SENSATION 7Fr. Catheters Include Insertion Kits with Introducers



## Optional Accessories for SENSATION 7Fr. IAB Catheters Insertion Kit

Description	Part No.
SENSATION 7Fr. 40cc and 34cc Insertion Kit for Sheathless/Sheathed Insertion	0884-00-0019-16

SENSATION Insertion Kit includes:

- One 7Fr. 6" (15cm) Reinforced Introducer Sheath with hemostasis valve
- One Introducer Dilator
- One Vessel Dilator
- One 18 gauge Angiographic Needle
- One 0.018" x 145cm J PTFE Stainless Steel Guidewire
- One 0.035" x 55cm Uncoated Stainless Steel Guidewire
- One Three-Way Stopcock
- One Male Luer Cap
- One 6 Ft Catheter Extender Tubing



SENSATION 7Fr. IAB Catheters

**SENSATION 7Fr.** is the smallest IAB catheter available today combined with innovative, fiber-optic technology that automatically calibrates *in vivo*. Smaller is better for the patient, potentially reducing vascular complications.

### Summary of Features and Benefits:

- The fiber-optic sensor instantaneously transmits a precise pressure signal to the CARDIOSAVE and CS300
- Provides a clean, crisp arterial pressure waveform
- Potential for smaller arteriotomy
- Potential for reduced limb ischemia

## INTRA-AORTIC BALLOON CATHETERS AND ACCESSORIES

### MEGA 7.5Fr. and 8Fr. IAB Catheters\*

IAB Volume	Introducer Sheath Length	Catheter Extender Compatible with:	Part No.
50cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0296-01U
40cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0295-01U
30cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0294-01U

\*All MEGA IAB Catheters Include Insertion Kits with Introducers and 2 STATLOCK® IAB devices.

IAB Volume	Introducer Sheath Length	Catheter Extender Compatible with:	Part No.
50cc	6" (15cm)	Arrow (Kontron)	0684-00-0296-02U
40cc	6" (15cm)	Arrow (Kontron)	0684-00-0295-02U
30cc	6" (15cm)	Arrow (Kontron)	0684-00-0294-02U

\*All MEGA IAB Catheters Include Insertion Kits with Introducers and 2 STATLOCK® IAB devices.

### Optional Accessories for MEGA IAB Catheters Insertion Kit

Description	Part No.
MEGA 8Fr. 50cc Insertion Kit for Sheathless/Sheathed Insertion	0884-00-0019-17
MEGA 7.5Fr. 30cc/40cc Insertion Kit for Sheathless/Sheathed Insertion	0884-00-0019-21

MEGA Insertion Kits include:

- One 6" (15cm) Reinforced Introducer Sheath with hemostasis valve
- One Introducer Dilator
- One Vessel Dilator
- One 18 gauge Angiographic Needle
- One 0.025" x 145cm 3mm J PTFE Stainless Steel Guidewire
- One Male Luer Cap
- One Three-Way Stopcock
- Two 4 Ft (122cm) Pressure Tubings
- One 5'6" Catheter Extender Tubing (30cc/40cc ONLY)
- One 5'7" Catheter Extender Tubing (50cc ONLY)




MEGA IAB Catheters

The MEGA 8Fr. 50cc IAB offers improved **unloading and augmentation** when compared to the 40cc IAB. That's why we've built on the exceptional track record of the MEGA 50cc IAB to create the MEGA family. With the addition of the larger volume MEGA 30cc and 40cc IAB, there's a balloon that delivers superior blood volume displacement for everyone, at any height.

### MEGA: Greater hemodynamic support and higher efficacy for every patient.

- Greater hemodynamic support for every patient with MEGA providing more blood volume displacement by increasing diastolic augmentation and systolic unloading.
- STATLOCK® IAB now included for increased patient comfort and safety by eliminating suture-securement needle sticks and suture-wound complications.
- Premium MAQUET IAB membrane offers 43% more abrasion resistance, reduced insertion force and immediate inflation at start-up.
- All MEGA IABs have no step-down due to unique balloon wrap, a co-lumen design for optimal gas passage and a large 0.027" inner lumen for a reliable pressure transducer signal.



Hemodynamic Comparison\*\*

### Why are the NEW sizes better for my patient?

Larger volume balloons like MEGA displace more blood in the aorta during diastole, resulting in improved augmentation and unloading. With these new sizing guidelines, a larger patient population can benefit from greater hemodynamic support than ever before.

**Thus, why not consider using a higher efficacy IAB as your FIRST choice when hemodynamic support is needed?**

\*\* Bench testing completed by MAQUET. Data on file. Bench test results are not necessarily predictive of clinical results.

# INTRA-AORTIC BALLOON CATHETERS AND ACCESSORIES

## LINEAR 7.5Fr. - IAB Catheters\*

IAB Volume	Introducer Sheath Length	Catheter Extender Compatible with:	Part No.
40cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0480-01U
34cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0479-01U
25cc	6" (15cm)	MAQUET/Datascope Systems	0684-00-0478-01U

\* All LINEAR 7.5Fr. Catheters Include Insertion Kits with Introducers

IAB Volume	Introducer Sheath Length	Catheter Extender Compatible with:	Part No.
40cc	6" (15cm)	Arrow (Kontron)	0684-00-0480-02U
34cc	6" (15cm)	Arrow (Kontron)	0684-00-0479-02U
25cc	6" (15cm)	Arrow (Kontron)	0684-00-0478-02U

\* All LINEAR 7.5Fr. Catheters Include Insertion Kits with Introducers

## Optional Accessories for LINEAR 7.5Fr. IAB Catheters 40cc and 34cc Insertion Kit

Description	Part No.
LINEAR 7.5Fr. 40cc and 34cc Insertion Kit for Sheathless/Sheathed Insertion	0884-00-0019-13

LINEAR 40cc and 34cc Insertion Kit includes:


- One 7.5Fr. 6" (15cm) Reinforced Introducer Sheath with hemostasis valve
- One Introducer Dilator
- One Vessel Dilator
- One 18 gauge Angiographic Needle
- One 0.025" x 145cm 3mm J PTFE Stainless Steel Guidewire
- One Male Luer Cap
- One Three-Way Stopcock
- Two 4 Ft (122cm) Pressure Tubings
- One 6 Ft Catheter Extender Tubing

## MAQUET created the IAB membrane so it can stand up to your most difficult patients.

It's stronger, more durable, yet thinner than any previous IAB membrane. The MAQUET IAB membrane's blow-molded polyurethane material has been developed to withstand the constant abrasion of even the most calcified aortas. Yet it is so thin, it allows us to make far less invasive catheters.

### Premium MAQUET IAB membrane


- 43% more abrasion resistance
- Reduced insertion force
- Immediate inflation at start-up



Abrasion Resistance\*

## Smaller profile without performance compromise\*

- Faster gas shuttle performance allows better support of rapid heart rates and arrhythmias
- LINEAR has 19% faster cycle time in 80° bend test method compared to competitor IAB catheter



\* Bench testing completed by MAQUET. Data on file. Bench test results are not necessarily predictive of clinical results.

# INTRA-AORTIC BALLOON CATHETERS AND ACCESSORIES

## Optional Accessories for LINEAR 7.5Fr. IAB Catheter 25cc Insertion Kit


Description	Part No.
LINEAR 7.5Fr. 25cc Insertion Kit for Sheathless/Sheathed Insertion	0884-00-0019-12

- LINEAR 25cc Insertion Kit includes:
- One 7.5Fr. 6" (15 cm) Reinforced Introducer Sheath with hemostasis valve
  - One Introducer Dilator
  - One Vessel Dilator
  - One 18 gauge Angiographic Needle
  - One 0.025" x 145cm 3mm J PTFE Stainless Steel Guidewire
  - One Male Luer Cap
  - One Three-Way Stopcock
  - Two 4 Ft (122cm) Pressure Tubings
  - One 5 Ft Catheter Extender Tubing



LINEAR 7.5Fr. IAB Catheters

**LINEAR 7.5Fr. IAB catheter offers wide range of membrane sizes: 40cc, 34cc, 25cc**



## OPTIONAL ACCESSORIES FOR INTRA-AORTIC BALLOON CATHETERS

### Introducer Sets (Sheath/Dilator)

Description	Part No.
7Fr. 6" (15cm) Reinforced Introducer Sheath with hemostasis valve and Introducer Dilator for SENSATION 7Fr. IAB catheters (each)	0684-00-0403-06
7.5Fr. 6" (15cm) Reinforced Introducer Sheath with hemostasis valve and Introducer Dilator for MEGA 7.5Fr. and LINEAR 7.5Fr. IAB catheters (each)	0684-00-0403-05
8Fr. 6" (15cm) Reinforced Introducer Sheath with hemostasis valve and Introducer Dilator for SENSATION PLUS 8Fr. 50cc and MEGA 8Fr. 50cc IAB catheters (each)	0684-00-0403-10

### Intra-Aortic Balloon Catheter Extender Tubings

Description	Part No.
Catheter Extender (6'0") for 40cc and 34cc IABs only (10 pack) (SENSATION and LINEAR)	0684-00-0186
Catheter Extender (5'6") for 30cc and 40cc only (10 pack) (MEGA 7.5Fr.)	0684-00-0275
Catheter Extender (5'0") for 25cc IABs only (each) (LINEAR)	0684-00-0325
Catheter Extender (5'7") for 50cc IABs only (10 pack) (SENSATION PLUS 8Fr. and MEGA 8Fr.)	0684-00-0526
Arrow Pump Adapter for 25cc to 40cc IABs (5 pack)	0684-00-0510-01
Arrow Pump Adapter for 50cc IABs (5 pack)	0684-00-0510-02

### Guidewires\*

Description	Part No.
0.025" x 145cm 3mm J PTFE Stainless Steel Guidewire only for LINEAR, MEGA and SENSATION PLUS IAB Catheters	0684-00-0254-09
0.025" x 175cm 3mm J PTFE Stainless Steel Guidewire only for LINEAR, MEGA and SENSATION PLUS IAB Catheters	0684-00-0254-14
0.025" x 260cm 3mm J PTFE Stainless Steel Guidewire only for LINEAR, MEGA and SENSATION PLUS IAB Catheters	0684-00-0254-15
0.018" x 145cm 3mm J PTFE Stainless Steel Guidewire only for SENSATION	0684-00-0254-16
0.035" x 55cm Introducer Sheath Guidewire only for SENSATION	0684-00-0254-17

\*Sterile, individually packaged, five (5) guidewires per box



## CATHETER AND SHEATH SECUREMENT

### STATLOCK® IAB Stabilization Device

Description	Part No.
STATLOCK® IAB Stabilization Device (20 per box)	0684-00-0472



STATLOCK® IAB Stabilization Device

### STATLOCK® PSI Stabilization Device

Description	Part No.
STATLOCK® PSI Stabilization Device (20 per box)	0684-00-0493



STATLOCK® PSI Stabilization Device

**The STATLOCK® IAB Stabilization Device** offers needle-free securement for IAB catheters.

Custom engineered to fit MAQUET's state-of-the-art IAB catheters, STATLOCK® IAB Stabilization Device secures both proximal and distal "suture" pads without the dangers of accidental needle stick or suture wound complications.

#### **The STATLOCK® Percutaneous Sheath Introducer (PSI) Stabilization Device**

provides suture-free securement for percutaneous sheaths.

It's waxed silk ties provides easy threading through sheath eyelets and utilizes the familiarity of suture tying procedure without the associated suture-wound complications.

This innovative design can be utilized for sheath stabilization providing easy application and removal.

#### **Summary of Features and Benefits**

- 100% elimination of suture-securement needle sticks
- Eliminates suture-wound complications (i.e. bleeding, traction complaints, infection)
- Offers skin safe STATLOCK® Stabilization Device adhesive system
- Designed to provide patient comfort and safety
- Increases infection control with healthcare provider safety



## **CARDIOSAVE.**

### **MORE THAN A PUMP. A REVOLUTION.**

**CARDIOSAVE** represents a giant leap forward in functionality and versatility while continuing to deliver the performance and intuitiveness of the Datascope pumps you know and trust. With its large touchscreen display, dramatically smaller and lighter design, and seamless transition from in-hospital use to transport mode, this revolutionary pump redefines counterpulsation therapy.

**CARDIOSAVE. Setting a new standard in hemodynamic support.**

#### **Enhanced algorithms for easier management of the most complex patients**

- Enhanced pacer detection
- More sophisticated management of lead faults
- Advanced triggering performance

#### **Enhanced pneumatics to help optimize diastolic augmentation**

- Faster pneumatic speed
  - HR 80 – 10.0% faster than CS300 (normotensive patient)\*
  - HR 150 – 16.4% faster than CS300 (normotensive patient)\*
  - Faster pneumatic speed allows balloon to stay inflated longer during diastole

#### **Quieter for patient convenience**

- Significantly quieter when compared to earlier generation MAQUET/Datascope IABPs

#### **Improved user interface for ease-of-use**

- Backlit monitor display
- Backlit touchscreen control
- Improved help screen navigation

#### **Improved patient interconnects for ease-of-use**

- Better organized patient interface connections
- Easier access to connection panel
- Color coded and keyed connections

#### **Improved user convenience attributes**

- Self retracting power cord
- Out-of-sight helium tank compartment

Designed for use with all MAQUET IABs

\* Data on file.



## INTRA-AORTIC BALLOON PUMPS AND ACCESSORIES

### CARDIOSAVE Hybrid IABP

CARDIOSAVE Hybrid  
- Type B Plug



0998-00-0800-53



#### SPECIFICATIONS

##### WEIGHT

Including console, cart,  
control monitor, helium  
tank and 2 batteries

51.8 kg    114 lbs

All weights  $\pm$  5%

##### DIMENSIONS

Display Closed

111.8 cm high x 68.6 cm deep x 59.9 cm wide  
44 in high x 27 in deep x 22 in wide

Display Open 90°

134.6 cm high x 68.6 cm deep x 59.9 cm wide  
53 in high x 27 in deep x 22 in wide

\* All dimensions  $\pm$  5%. Dimensions include the Pneumatic Module

**IABP Notes:** A maximum of 5 additional years of MCare extended warranty coverage may be purchased by contacting your local MAQUET office.



## INTRA-AORTIC BALLOON PUMPS AND ACCESSORIES

### Accessories shipped with CARDIOSAVE Hybrid

#### Accessories

CARDIOSAVE Accessory Kit  
 CARDIOSAVE Li-Ion Battery Pack (qty 2)  
 Helium Tanks (3 pack)

### CARDIOSAVE Accessory Kit Components

#### Accessories

CARDIOSAVE Blood Pressure Transducer Adapter Cable  
 CARDIOSAVE ECG Trunk Cable - 5 Lead  
 CARDIOSAVE ESIS Lead Wires 50" - 5 Lead (OR)  
 External Signal Cable  
 CARDIOSAVE Operators Manual - disc (Hybrid & Rescue, all languages)  
 CARDIOSAVE Non-locking Male Luer Plug (qty 5)  
 Helium Cylinder Washer (qty 5)  
 Thermal Recorder Chart Paper Starter Pack (4 rolls)  
 Fiber-Optic Cleaning Swabs (qty 5)  
 Fiber-Optic Connector Cleaner  
 CARDIOSAVE Plastic Weather Cover  
 CARDIOSAVE Hex Key  
 CARDIOSAVE Global Service Product Catalog



## INTRA-AORTIC BALLOON PUMPS AND ACCESSORIES

### CARDIOSAVE Rescue IABP

Product	Part No.
CARDIOSAVE Rescue	0998-00-0800-83

### Accessories shipped with CARDIOSAVE Rescue

#### Accessories

CARDIOSAVE Accessory Kit  
 CARDIOSAVE Li-Ion Battery Pack (qty 2)  
 Helium Tanks (3 pack)  
 CARDIOSAVE Helium Refilling Station  
 CARDIOSAVE Transport Mounting Plate  
 CARDIOSAVE Battery Charging Station  
 CARDIOSAVE AC Transport Power Supply

### CARDIOSAVE Accessory Kit Components

#### Accessories

CARDIOSAVE Blood Pressure Transducer Adapter Cable  
 CARDIOSAVE ECG Trunk Cable - 5 lead  
 CARDIOSAVE ESIS Lead Wires 50" - 5 Lead (OR)  
 External Signal Cable  
 CARDIOSAVE Operators Manual - disc (Hybrid & Rescue, all languages)  
 CARDIOSAVE Non-locking Male Luer Plug (qty 5)  
 Helium Cylinder Washer (qty 5)  
 Thermal Recorder Chart Paper Starter Pack (4 rolls)  
 Fiber-Optic Cleaning Swabs (qty 5)  
 Fiber-Optic Connector Cleaner  
 CARDIOSAVE Plastic Weather Cover  
 CARDIOSAVE Hex Key  
 CARDIOSAVE Global Service Product Catalog



#### SPECIFICATIONS

##### WEIGHT

Including Rescue console, control monitor and 2 batteries  
 24.1 kg    53 lbs  
 All weights ± 5%

##### DIMENSIONS

Display Closed - Includes Rescue console and control monitor  
 57.2 cm high x 40.6 cm deep x 33.0 cm wide  
 22.5 in high x 16 in deep x 13 in wide  
 Display Open 90°- Includes Rescue console and control monitor  
 78.0 cm high x 40.6 cm deep x 33.0 cm wide  
 30.7 in high x 16 in deep x 13 in wide

\* All dimensions ± 5%. Dimensions include the Pneumatic Module

**IABP Notes:** A maximum of 5 additional years of MCare extended warranty coverage may be purchased by contacting your local MAQUET office.

Due to the wide variety of vehicles and the interior configurations, mounting the CARDIOSAVE Transport Mounting Plate to the vehicle floor is the responsibility of the customer.



## CS300 – A SMART AND FLEXIBLE PUMP

### FASTER IS BETTER FOR THE PATIENT AND THE CLINICIAN

**Faster time to therapy:** CS300 has true one-button start-up. Simply push one button to initiate therapy.

- Automatically calibrates the fiber-optic pressure sensor in the patient and recalibrates every 2 hours or sooner should patient or environmental conditions change
- Automatically evaluates and selects the best lead and trigger source
- Automatically sets optimal timing
- Automatically adjusts to changes in patient conditions without clinician intervention

**Faster inflation and deflation speed:** The combination of a fast balloon pump and a superior catheter result in a fast inflate/deflate time. Speed matters! For the patient, the benefit is an improvement in arrhythmia tracking and response.

**A smart timing algorithm matters:** The CS300 with INTELLISENSE is designed to emulate an experienced user, allowing the clinician more time to focus on the patient. The CS300 regularly examines key landmarks on the ECG and arterial pressure waveform to determine optimal timing. It then quickly adapts to rate or rhythm changes instead of imposing fixed timing rules.

R-Trac® is a patented surveillance algorithm that quickly identifies unpredictable rhythms such as A-Fib. Once identified, R-Trac adjusts timing on a beat-to-beat basis in order to optimize augmentation and support during diastole.

**Flexibility matters:** The CS300 has the ability to adjust all timing parameters to patient's changing needs. The CS300 is the only pump that can be used with any of the catheters mentioned below:

- The SENSATION 7Fr. fiber-optic IAB catheter
- Conventional fluid-filled IAB catheters

Smart and flexible to meet the needs of your patients.

## CS300 INTRA-AORTIC BALLOON PUMPS WITH INTELLISENSE

### CS300 with INTELLISENSE Intra-Aortic Balloon Pumps (IABP)

Description	Part No.
CS300 IABP, English, 110V	0998-00-3023-53

### Accessories shipped with CS300

#### Accessories

CS300 Accessory Kit

Helium Tanks (3 pack)

### CS300 Accessory Kit Components

#### Accessories

Safety Disk

Condensate Removal Module

5-Lead Fully Shielded ECG Patient Trunk Cable

5-Lead ESIS Fully Shielded Leadwire Set (50")

External Signal Cable

4 Wire RJ-11 Cable

Manual Fill Kit

Syringe

Helium Cylinder Washer (qty 10)

Thermal Recorder Chart Paper Starter Pack (4 rolls)

Fiber Optic Connector Cleaner

Fiber Optic Cleaning Swabs (qty 5)

CS300 Operations Manual

CS300 Service Manual on CD

Service Product Catalog



CS300 IABP

## CS300 INTRA-AORTIC BALLOON PUMPS WITH INTELLISENSE

### CS300 Universal Transport System (UTS) with INTELLISENSE Intra-Aortic Balloon Pumps (IABP)

Description	Part No.
CS300 IABP - UTS, English, 110V	0998-00-3023-83

Lightweight Docking Station Mount for CS300	0436-00-0110
---	--------------

- ideal for 10" and 17" seat tracks
- may be used for air and ground vehicles
- includes two locking shear pins and five Ancra seat fittings

- A transport version of the CS300 which has large 6" diameter x 1" wide (15.3 cm x 2.54 cm) wheels
- Accessory storage case
- Base frame can be fastened to a docking station for mounting in vehicle or aircraft/helicopter
- Standard accessories



UTS Ambulance Installation



Lightweight Docking Station Mount for UTS

**IABP Notes:** A maximum of 5 additional years of MCare extended warranty coverage may be purchased by contacting your local MAQUET office.

Due to the wide variety of vehicles and interior configurations, mounting the Lightweight Docking Station Mount to the vehicle floor is the responsibility of the customer.

# CS300 INTRA-AORTIC BALLOON PUMPS WITH INTELLISENSE, CONTD.

## CS300 Universal Transport System (UTS) with INTELLISENSE intra-Aortic Balloon Pumps (IABP)

### Accessories shipped with CS300

Accessories
CS300 Accessory Kit
Helium Tanks (3 pack)

### CS300 Accessory Kit Components

Accessories
Safety Disk
Condensate Removal Module
5-Lead Fully Shielded ECG Patient Trunk Cable
5-Lead ESIS Fully Shielded Leadwire Set (50")
External Signal Cable
4 Wire RJ-11 Cable
Manual Fill Kit
Syringe
Helium Cylinder Washer (qty 10)
Thermal Recorder Chart Paper Starter Pack (4 rolls)
Fiber Optic Connector Cleaner
Fiber Optic Cleaning Swabs (qty 5)
CS300 Operations Manual
CS300 Service Manual on CD
Service Product Catalog

## INTRA-AORTIC BALLOON PUMP ACCESSORIES

## CARDIOSAVE Optional Accessories

Description	Part No.
CARDIOSAVE IABP Trainer	0998-00-0803
CARDIOSAVE Li-Ion Battery Pack	0146-00-0097
CARDIOSAVE Battery Charging Station*	0998-00-0802
	0012-00-1823-01 Type B Plug Power Cord
	0012-00-1823-02 Type E/F Plug Power Cord
	0012-00-1823-03 Type I Plug Power Cord
	0012-00-1823-04 Type G Plug Power Cord
	0012-00-1823-05 AS/NZS3112
	Type I Plug Power Cord
	0012-00-1823-06 Type J Plug Power Cord
	0012-00-1823-07 Type M Plug Power Cord
	0012-00-1823-08 Type D Plug Power Cord
	0012-00-1823-09 Type K Plug Power Cord
CARDIOSAVE Helium Refilling Station	0998-00-0801
CARDIOSAVE Mounting Plate	0436-00-0223
CARDIOSAVE AC Transport Power Supply*	0014-00-0085
	0012-00-1823-01 Type B Plug Power Cord
	0012-00-1823-02 Type E/F Plug Power Cord
	0012-00-1823-03 Type I Plug Power Cord
	0012-00-1823-04 Type G Plug Power Cord
	0012-00-1823-05 AS/NZS3112
	Type I Plug Power Cord
	0012-00-1823-06 Type J Plug Power Cord
	0012-00-1823-07 Type M Plug Power Cord
	0012-00-1823-08 Type D Plug Power Cord
	0012-00-1823-09 Type K Plug Power Cord
CARDIOSAVE Blood Pressure Transducer Adapter Cable	0012-00-1815
CARDIOSAVE ECG Trunk Cable - 5 lead - AAMI	0012-00-1812-01
CARDIOSAVE ECG Trunk Cable - 5 lead - IEC	0012-00-1812-02
CARDIOSAVE non-ESIS Lead Wires 50" - 5 Lead (Gen Purpose) - AAMI	0012-00-1813-01
CARDIOSAVE non-ESIS Lead Wires 50" - 5 Lead (Gen Purpose) - IEC	0012-00-1813-02
CARDIOSAVE ESIS Lead Wires 50" - 5 Lead (OR) - AAMI	0012-00-1814-01
CARDIOSAVE ESIS Lead Wires 50" - 5 Lead (OR) - IEC	0012-00-1814-02
CARDIOSAVE Non-locking Male Luer Plug	0103-00-0717
CARDIOSAVE Plastic Weather Cover	0198-00-0087
CARDIOSAVE Hex Key	0003-00-0060
Chart Paper (10 rolls per box)	0683-00-0422-02

\*Battery Charging Station and AC Transport Power Supply requires a power cord. Power cord must be ordered separately to accommodate local plug requirements.

## INTRA-AORTIC BALLOON PUMP ACCESSORIES

### CARDIOSAVE Hybrid Manuals

Description	Language	Part No.
CARDIOSAVE Operators Manual - disc (Hybrid & Rescue, all languages)		0070-CD-0638
CARDIOSAVE Hybrid Operators Manual - hard copy	English	0070-00-0638-01

### CARDIOSAVE Rescue Manuals

Description	Language	Part No.
CARDIOSAVE Rescue Operators Manual - hard copy	English	0070-00-0637-01

### CARDIOSAVE Software Products

Product	Part No.
HIS CIS Communication Protocol for CARDIOSAVE IABP only	0070-00-0701

## INTRA-AORTIC BALLOON PUMP ACCESSORIES

### CS300 Manuals

Description	Language	Part No.
CS300 Operators Manual - hard copy	English	0070-00-0654-01
CS300 Service Manual - hard copy	English	0070-00-0689
CS300 Service Manual - disc	English	0070-CD-0689

### Software Products for CS300

Description	Part No.
Win-IABP Windows Software for CS300 only	0998-00-4131
Communications Protocol for IABP for CS300 only	0070-00-0319

### Cables

Description	Part No.
Low level output cable - unterminated	0012-00-1589-01
Low level output cable for Datascope	0012-00-1589-02
Low level output cable for Philips monitor	0012-00-1589-03
Low level output cable for GE monitor	0012-00-1589-04
Pressure Transducer Interface cable required (P23XL)	0012-00-1245

## INTRA-AORTIC BALLOON PUMP ACCESSORIES

### Shielded Patient Cables and Lead Wires for CS300

Description	Part No.
Patient safety trunk cable - 5 lead - United States - for CS300 only	0012-00-1155-01
Patient safety trunk cable - 5 lead - International - for CS300 only	0012-00-1155-02
Safety lead wires 50" (General, Non-Operating Room) - United States - for CS300 only	0012-00-1156-01
Safety lead wires 50" (General, Non-Operating Room) - International - for CS300 only	0012-00-1156-02
ESIS Safety lead wires 50" (Operating Room) - United States - for CS300 only	0012-00-1157-01
ESIS Safety lead wires 50" (Operating Room) - International - for CS300 only	0012-00-1157-02

### Miscellaneous and Optional Accessories

Description	Part No.
CS300 System Trainer (Patient Simulator) - for CS300 only	0998-00-0308
Saline Pole Kit	0020-00-0133
Chart Paper (10 rolls per box)	0683-00-0422-02
Remote Monitor Mount - for CS300 only	0997-00-0417-01
Monitor Extension Cable - for CS300 only	0012-00-1212
Accessory Storage Case - for CS300 only	0997-00-0428
Protective Cover - for CS300 only	0198-00-0023




*Remote Monitor Mount*



*Accessory Storage Case*

## NOTES

## MAQUET WORLDWIDE OFFICES



## ORDERING INFORMATION

**All orders must be submitted to Customer Service.**

**For United States orders:**

Phone: 800 777 4222

Ext 27880

Fax: 800 258 8762

E-mail: [CAurgery@maquetcv.com](mailto:CAurgery@maquetcv.com)

# MAQUET

GETINGE GROUP

MAQUET  
1300 MacArthur Blvd.  
Mahwah, NJ 07430, USA  
Phone: +1 201 995 8700 or  
1 800 777 4222

MAQUET Medical Systems USA  
45 Barbour Pond Drive  
Wayne, NJ 07470, USA

<http://ca.maquet.com>  
[www.maquet.com](http://www.maquet.com)

GETINGE GROUP is a leading global provider of products and systems that contribute to quality enhancement and cost efficiency within healthcare and life sciences. We operate under the three brands of ArjoHuntleigh, GETINGE and MAQUET. ArjoHuntleigh focuses on patient mobility and wound management solutions. GETINGE provides solutions for infection control within healthcare and contamination prevention within life sciences. MAQUET specializes in solutions, therapies and products for surgical interventions, interventional cardiology and intensive care.