
INSTRUCTION BOOK

CHEST FREEZER



EC 2309S EC 2609S EC 3309S



A Important Safety Information



These warnings are provided in the interests of your safety. Ensure that you understand them all before installing or using this appliance. Your safety is of paramount importance. If you are unsure about any of the meanings or these warnings contact the Customer Care Department.

Prior to Installation

Check the appliance for transport damage. Under no circumstances should a damaged appliance be installed. In the event of damage please contact your retailer.

Installation

- This appliance is heavy. Care should be taken when moving it.
- It is dangerous to alter the specifications or attempt to modify this product in any way.
- Ensure that the appliance does not stand on the electrical supply cable. If the supply cable is damaged, it must be replaced by a cable available from your local Service Force Centre.
- Any electrical work required to install this appliance should be carried out by a qualified electrician or competent person.
- Parts which heat up should not be exposed. Whenever possible, the back of the appliance should be close to a wall, but leaving the required distance for ventilation, as stated in the installation instructions.
- The appliance should be left for 2 hours after installation before it is turned on, in order to allow the refrigerant to settle.

Child Safety

- Do not allow children to tamper with the controls or play with the product.
- There is a risk of suffocation! Keep packaging material away from children!

During Use

- This appliance is designed for domestic use only, specifically for the storage of edible foodstuffs. It is not intended for commercial or industrial use.
- Containers with flammable gases or liquids can leak at low temperatures. Do not store any containers of flammable materials, such as spray cans, fire extinguisher refill cartridges etc. in the freezer.

- Frozen food should not be refrozen once it has thawed out.
- Do not place carbonated or fizzy drinks in the freezer compartment
- Ice Iollies can cause 'frost/freezer burns' if consumed straight from the freezer
- Do not remove items from the freezer compartment if your hands are damp/wet, as this could cause skin abrasions or frost/freezer burns.
- Bottles and cans must not be placed in the freezer compartment they can burst when the contents freeze.
- Manufacturers' recommended storage times should be adhered to. Refer to relevant instructions.

Maintenance and Cleaning

- Before cleaning, always switch off the appliance and disconnect from the electrical supply.
- When unplugging always pull the plug from the mains socket, do not pull on the cable.

Servicing

- This product should be serviced by an authorised engineer and only genuine spare parts should be used.
- Under no circumstances should you attempt to repair the appliance yourself. Repairs carried out by inexperienced persons may cause injury or serious malfunctioning. Contact your local Service Force Centre.

Disposing of the Appliance

- When disposing of your appliance use an authorised disposal site. Check with your local Council or Environmental Health Office to see if there are facilities in your area to recycle the appliance.
- Make the appliance unusable by removing the plug and ensuring that any locks or catches are removed, to prevent young children being trapped inside.

Contents

2

4 4

8

9

Instructions for the User

Description of the Appliance

Important Safety Information

Control	Panel	

Operation	5
Before use	5
Starting the Appliance	5
Temperature Control	5
Opening/Closing the Lid	5
Freezing Fresh Food	6
Frozen Food Storage	6
Thawing	6
Baskets	7

Hints and Tips

Normal Operating Sounds	8
Food Storage	8
Energy Saving Advice	8
In the Event of a Power Failure	8


Defrosting

Maintenance and Cleaning	10
Internal Cleaning	10
External Cleaning	10
When the Appliance is not in Use	10
To change the Light Bulb	10
Something not Working	11
Service and Spare Parts	12
Customer Care	12
Service Force	13
	10
Guarantee Conditions	15

Instructions for the installer


Technical Specifications	16
Installation Positioning	16
Electrical Connections	17

Description of the Appliance



- A Frozen food storage
- B Freezer calender (recommended storage times for frozen foods)
- C Compartment for freezing fresh foods
- D Dividing wall
- E Control panel
- F Defrost water drain

Control Panel



Operation

Before Use

Remove all packaging and securing tapes. Wash inside the appliance with lukewarm water and bicarbonate of soda (5ml to 0.5 litre of water). Do not use soap or detergent as the smell may linger. Dry thoroughly.

Starting the Appliance

Insert the plug into the wall socket. When the appliance has reached the correct storage temperature for frozen food, the amber indicator light will illuminate.

Amber Indicator Light

The amber light remains illuminated to indicate that the internal temperature of the appliance is correct for safe storage of frozen food. If the temperature is too high in the appliance the light will go out. The light may go out the following reasons:

- There is a power failure
- The lid has been recently opened
- A large quantity of food has been added to the appliance
- There is a fault

Temperature Control

The temperature within the freezer is controlled by the thermostat situated on the lower front of the cabinet. To operate the freezer, proceed as follows:

When you first start the freezer we suggest that you turn the thermostat to a medium setting by using a coin that fits the groove. The temperature can be measured by placing a thermometer in the middle compartment. The reading must be taken quickly as the thermometer temperature will rise rapidly after removal. This should not have a temperature higher than -18°C.

Min = Lowest setting, minimum cold

Fast Freeze = Highest setting, maximum cold

Allow the freezer to run for several hours before placing food inside.

Do not fill the freezer to more than 5mm below the top edge.

Opening/Closing the Lid

The lid is fitted with a tightly closing sealing strip to prevent moisture entering the freezer, decreasing the amount of frost formed.

When the lid is opened the air inside the freezer becomes slightly warmer and expands. When the lid is closed again the air is cooled immediately. This may lead to the creation of a vacuum which makes it hard to open the lid again immediately. This is quite normal.


Wait for a few minutes until the vacuum has subsided and then open gently. Never use excessive force on the handle.

Lock


The lock works as shown.



Keep the key out of the reach of children







Freezing Fresh Food

It is important that fresh food placed in the freezer is frozen quickly and that the food already in the freezer is heated as little as possible.

If more than 3-4kg of food is to be frozen:

- 1. Turn the thermostat control knob to the highest setting ("Fast freeze"). The freezer will now run continously creating a sufficient reserve of the temperature required.
- 2. Turn the thermostat control knob to 'fast freeze' position 6-24 hours before placing new food in the freezer depending on how much food is to be frozen.
- 3. Place the food in the freezer and leave the thermostat set at 'fast freeze' for a further 24 hours.
- 4. Then turn the thermostat control knob back again. The freezer will return to normal storage temperature.



If you forget to turn the thermostat control knob back, the freezer will not be damaged, but energy will be wasted.

Frozen Food Storage

When first starting the freezer or if the freezer has been out of use for some time, we advise you to run your appliance for at least 2 hours before storing frozen food.

Do not exceed the storage period indicated by the manufacturer.

Do not open the lid frequently or leave it open longer than is necessary.



Do not put carbonated liquids in the freezer.

Ice lollies, if consumed immediately after removal from the freezer can cause a low temperature skin burn.

Do not remove items from the freezer if your hands are damp/wet, as this could cause skin abrasions or frost/freezer burns.

In the event of a power cut, do not open the lid. The food in the freezer will not be affected if the power cut is short and the freezer is full. Should the food begin to thaw it must be consumed quickly and must not be re-frozen.

(See Hints and Tips)

Thawing

Frozen food, prior to being used, can be thawed in the fridge or at room temperature, depending on the time available. Small food items may even be cooked from frozen, in this case cooking will take longer.

Any frozen food which is allowed to thaw accidentally should either be eaten as soon as possible, or thrown away. Alternatively, if the food is uncooked and has not been completely defrosted it can be cooked and then refrozen.

Defrosted cooked food must never be refrozen.


Baskets


The baskets are designed for the storage of food which has already been frozen. The handles can be placed in two positions, as shown.

The baskets can either be placed inside the freezer or hung on the edge of the casing.

Spare baskets can be obtained from your local Service Force Centre. The following illustrations show how many baskets can be placed in various freezer models.

The number above each illustration shows the width of the freezer in millimetres.





*i*Hints & Tips

Normal Operating Sounds

- You may hear faint gurgling or bubbling sounds when the refrigerant is pumped through the coils or tubing.
- When the compressor is on, the refrigerant is being pumped round and you will hear a whirring sound or pulsating noise from the compressor.
- A thermostat controls the compressor and you will hear a faint 'click' when the thermostat cuts in and out.

Food Storage

To obtain the best performance from your freezer:

- Do not store warm food or evaporating liquid.
- Avoid buying frozen food if you cannot store it straight away. The use of an insulated container is advisable. When you arrive home, place the frozen food in the freezer immediately.
- Do not push food together too much, try to allow air to circulate around each item.
- Do not store food uncovered.
- Ensure that food placed in the freezer is dated and labelled and used in date order to ensure that food is consumed at its best.
- Lean food keeps better and longer than fatty food, salt reduces the storage time.
- Wrap the food in polythene or aluminium freezing bags or foil so that they adhere to the food and provide an airtight seal.
- Packaging which is swollen or has traces of refrozen water droplets on the pack could indicate that the product has not been kept at a suitable temperature and that it may have lost its original quality. Partially thawed food must not be refrozen, it must be consumed within 24 hours. Never exceed the storage times indicated by the manufacturer.

Energy Saving Advice

- Do not install the appliance close to sources of heat, such as a boiler or radiator.
- Locate the appliance in a cool well ventilated room and make sure that the opening of the appliance is not obstructed.
- Avoid unnecessary frosting in the cabinet by packing all foodstuffs into airtight packages before placing them in the freezer.
- Food which is to be frozen (when cool) should be placed in the fridge before being transferred to the freezer.
- Try to avoid keeping the lid open for long periods or opening the lid too frequently as warm air will enter the cabinet and cause the compressor to switch on unnecessarily often.
- Ensure there are no obstructions preventing the lid from closing properly.

In the Event of a Power Failure

If there is a power failure during the storage of frozen foods, keep the lid closed. If the temperature within your freezer should rise, do not refreeze the food without checking its condition. The following guidelines should assist you:

Ice Cream:	Once thawed should be discarded.			
Fruits & Vegetables:	If soft should be cooked and used up.			
Breads & Cakes:	Can be refrozen without danger.			
Shellfish:	Should be refrigerated and used up quickly.			
Cooked Dishes:	i.e. casseroles should be refrigerated and used up.			
Large Pieces of Meat:	Can be refrozen providing there are still ice crystals remaining within them.			
Small Joints:	Should be cooked and can then be refrozen as cooked dishes.			
Chicken:	Should also be cooked and refrozen as a fresh dish.			

Defrosting

The freezer compartment will become progressively covered with frost. This should be removed with the special plastic scraper provided, (Models EC2609S & EC3309S only), whenever the thickness of frost exceeds 1/4".

During this operation it is not necessary to switch off the power supply or to remove the foodstuffs.

However, when the ice becomes very thick on the inner liner, complete defrosting should be carried out and it is advisable to perform this operation when the appliance is empty.




To carry out complete defrosting:

- 1. Disconnect the appliance from the electrical supply.
- 2. Remove any stored food, wrap in several layers of newspaper and store in a cool place.
- 3. Leave the lid open.
- 4. Remove the plug from the drip water drain.
- 5. To accelerate the defrosting process place a bowl of hot (not boiling) water inside the freezer and close the lid.
- 6. The defrost water can be collected in a bowl, as shown.
- 7. When defrosting is completed, dry the interior thoroughly and replace the plug on the drip water drain.
- 8. Turn the thermostat control back to a medium setting and leave to run for at least 2 hours.
- 9. Replace the previously removed food.

Important

A temperature rise of the frozen food packs during defrosting may shorten their safe storage life.

Never use sharp metal tools to scrape off frost from the evaporator as this could damage the appliance beyond repair.



Maintenance and Cleaning



Before any maintenance or cleaning is carried out you must DISCONNECT the appliance from the electricity supply

Internal Cleaning

Clean the inside and accessories with warm water and bicarbonate of soda (5ml to 0.5 litre of water).

Rinse and dry thoroughly.



NEVER use detergents, abrasive powders, highly perfumed cleaning products or wax polishes to clean the interior as these will damage the surface and leave a strong odour.

To Change the Light Bulb

(Not a standard accessory for all models)

- 1. Disconnect the appliance from the electrical supply.
- 2. Unscrew the bulb.
- 3. Replace with a new bulb (max. 15W)
- 4. Reconnect to the electrical supply.


Spare bulbs are available from your local Electrolux Service Force Centre.

External Cleaning

Wash the outer cabinet with warm soapy water.

When the Appliance is not in Use

When the appliance is not in use for long periods, disconnect from the electricity supply, empty all foods and clean the appliance, leaving the lid open to prevent unpleasant smells.



Something not Working

If the appliance is not working correctly, please carry out the following checks before contacting your local Electrolux Service Force Centre

SYMPTOM	SOLUTION
No power to the appliance	Check there is power at the socket
	 Check there is not a power cut by checking the household lights.
	Check the mains fuse has not blown.
The temperature in the freezer is too high	• Check the thermostat is turned to the correct setting relevant to ambient conditions.
	 Check the ambient temperature is within the appliance's operating limits of 10° 32°C.
The freezer lid will not open	• Has the lid just been opened? If so leave for a few minutes to allow the air pressure to equalise.
Excessive frost and ice has built up	• Adjust the thermostat to give correct temperature control. See 'Temperature Control'.
	• Large quantities of food have recently been placed in the cabinet/and or the lid is frequently opened.
	• Check that air ventilation is not obstructed.Ensure the lid has not been left open.
	• Check that nothing is preventing the lid from closing.
	Is the lid gasket intact and clean?
	• Has advised periodic defrosting been carried out.
Noise	Refer to 'Normal Operating Sounds'

If after all these checks your appliance still does not operate correctly, contact your local Electrolux Service Force Centre.

Please note that it will be necessary to provide proof of purchase for any in-guarantee service calls.

In-guarantee customers should ensure that the above checks have been made, as the engineer will make a charge if the fault is not a mechanical or electrical breakdown.

Service and Spare Parts

In the event of your appliance requiring service, or if you wish to purchase spare parts, please contact you local Electrolux Service Force Centre by telephoning:

0870 5 929929

Your call will be routed to the Service Force Centre covering your post code area. The address of your local Service Force Centre is detailed on the following pages headed Electrolux Service Force.

Customer Care Department

For general enquiries concerning your Electrolux appliance or for further information on Electrolux products, you are invited to contact our Customer Care Department by letter or telephone as follows:

Customer Care Department Electrolux 55-77 High Street Slough Berkshire SL1 1DZ

Tel: 08705 950 950*

* calls to this number may be recorded for training purposes



SERVICE/FORCE Electrolux Service Force Service/Force

To contact your local Electrolux Service Centre telephone 08705 929 929

CHANNEL IS	SLANDS	ORKNEY	Corsie Domestics	NORTH	I EAST	
GUERNSEY	Guernsey Electricity PO Box 4 Vale, Guernsey	(M65)	7 King Street Kirkwall Orkney KW15	GATESHEAD (M39)	Unit 356a Dukesway Court Dukesway	
JERSEY	Channel Islands Jersey Electricity Company PO Box 45	PERTH	Hydro Electrical Inveralmond House Ruthervenfield Road		Team Valley Gateshead NE11 0BH	
	Queens Road St Helier Jersey Channel Islands JE4 8NY	PERTH	Perth PH1 3AQ Graham Begg Unit 4 Airport Ind Estate	GRIMSBY (M42)	15 Hainton Avenue Grimsby South Humberside DN32 9AS	
		(OWN SALES)	Wick KW1 4QS	HULL	Unit 1	
SCOTL		SHETLAND	Tait Electronic Systems Ltd Holmsgarth Road Lerwick	(M41)	Boulevard Industrial Estat Hull HU3 4AY	
ABERDEEN (M05)	54 Claremont Street Aberdeen AB10 6RA	(OWN SALES)	Shetland ZE1 0PW	LEEDS	64-66 Cross Gates Road Leeds	
AUCHTERMUCHY (M03)	Auchtermuchy	SHETLAND	Bolts Shetland Ltd. 26 North Road Lerwick	(M37) NEWTON AYCLIFFE	LS15 7NN	
	Fife KY14 7AJ	(OWN SALES)	Shetland ZE1 0PE	(M45)	Gurney Way	
BLANTYRE (M07)	Unit 5 Block 2 Auchenraith Ind. Estate	WHALSAY	Leask Electrical Harisdale Symbister, Whalsay		Aycliffe Industrial Estate Newton Aycliffe DL5 6UJ	
	Rosendale Way Blantyre G72 0NJ	(OWN SALES)	Shetland ZE2 9AA	SHEFFIELD (M38)	Pennine House Boman Bidge Ind	
DUMFRIES (M01)	93 Irish Street Dumfries Scotland DG1 2 PQ	NORTH	HERN IRELAND		Roman Ridge Ind. Roman Ridge Road Sheffield S9 1GB	
DUNOON M67)	Brair Hill 7 Hill Street	BELFAST Owenmore House (M27) Kilwee Business Park		NORTI	H WEST	
GLASGOW	Dunoon Argyll PA23 7AL 20 Cunningham Road		Upper Dunmury Lane Belfast BT17 0HD	BIRKENHEAD (M11)	1 Kelvin Park Dock Road Birkenhead L41 1LT	
(M04)	Clyde Estate Rutherglen Glasgow G73 1PP		WALES	CARLISLE	Unit 7	
INVERNESS (M06)	Unit 3B Smithton Ind. Estate Smithton	CARDIFF (M28)	Guardian Industrial Estate Clydesmuir Road Tremorfa	(M10)	James Street Workshops James Street Carlisle Cumbria CA2 5AH	
	Inverness IV1 AJ		Cardiff CF2 2QS	ISLE OF MAN (M64)	South Quay Ind. Estate Douglas Isle of Man IM1 5AT	
ISLE OF ARRAN	Arran Domestics Unit 4 The Douglas Centre Brodick	CLYWD (M14)	Unit 6-7 Coed – Parc Abergele Road			
(OWN SALES)	Isle of Arran KA27 8AJ		Rhuddlan Clwyd Walas		Unit 1	
ISLE OF BARRA	J Zerfah 244 Bruernish Isle of Barra		Wales LL18 5UG	(M15)	Honeys Green Precinct Honeys Green Lane Liverpool	
(OWN SALES)	Western Islands HS9 5QY	DYFED (M77)	Maes Y Coed High Mead Llanybydder	MANCHESTER	L12 9JH Unit B Central Industrial Estate St Marks Street Bolton	
SLES OF BUTE	Walker Engineering Glenmhor Upper Serpentine Road Rothesay		Carmarthenshire SA40 9UL	(MO9)		
	Isle of Bute PA20 9EH	HAVERFORDWEST (M75)	Cromlech Lodge Ambleston		BL3 6NR	
ISLE OF LEWIS	ND Macleod 16 James Street Stornoway	· · /	Haverfordwest Pembrokeshire SA62 5DS	PRESTON (M13)	Unit 250 Dawson Place Walton Summit Bamber Bridge	
	Isle of Lewis PA87 2QW	OSWESTRY (M17)	Plas Ffynnon Warehouse		Bamber Bridge Preston Lancashire PR5 8AL	
KELSO (M08)	2-8 Wood Market Kelso Borders TD5 7AX		Middleton Road Oswestry SY11 2PP	STOCKPORT (M16)	Unit 20 Haigh Park Haigh Avenue Stockport SK4 1QR	



SERVICE/FORCE Electrolux Service Force Service/Force

To contact your local Electrolux Service Centre telephone 08705 929 929

MIDLANE	DS	LONDO	N & EAST ANGLIA	SUNBURY	Unit 1a	
BIRMINGHAM (M18)	66 Birch Road East Wyrley Road Ind. Estate Witton Birmingham B6 6DB	BECKENHAM (M79)	11a Gardener Ind. Estate Kent House Lane Beckenham Kent BR3 1QZ	(M63)	The Summit Hanworth Road Hanworth Ind. Estate Sunbury on Thames TW16 5D	
BOURNE (M44)	Manning Road Ind. Estate Pinfold Road Bourne PE10 9HT	CHELMSFORD (M47)	Hanbury Road Widford Ind. Estate Chelmsford Essex CM12 3AE	ASHFORD	UTHŒAST Unit 2	
BRIDGNORTH (M72)	68 St. Mary's Street Bridgnorth Shropshire WV16 4DR	COLINDALE (M53)	Unit 14 Capitol Park Capitol Way Colindale	(M58)	Bridge Road Business Es Bridge Road Ashford Kent TN2 1BB	
GLOUCESTER (M23)	101 Rycroft Street Gloucester GL1 4NB	ELTHAM (M78)	London NW9 0EQ 194 Court Road Mottingham Eitham	FLEET (M59)	Unit 1 Redsfield Ind. Estate Church Crookham Fleet Hampshire GU13 0RD	
HEREFORD (M31)	Unit 3 Bank Buildings Cattle market Hareford HE4 9HX	ENFIELD (M49)	London SE9 4EW 284 Alma Road Enfield London	HAYWARDS HEATH (M55)	21-25 Bridge Road Haywards Heath Sussex RH16 1UA	
HIGHAM FERRERS (M51)	30 High Street Higham Ferrers Northants NN10 8BB	GRAVESEND (M57)	EN3 7BB Unit B4 Imperial Business Estate Gravesend Kent	BARNSTAPLE (M30)	SOUTH WEST Main Road Fremington Barnstaple	
LKESTON M43)	Unit 2 Furnace Road Ilkeston DE7 5EP	HARPENDEN (M46)	DA11 0DL Unit 4 Riverside Estate	BOURNEMOUTH	North Devon EX31 2NT 63-65 Curzon Road	
LEICESTER M22)	Unit 7 Oaks Ind. Estate Coventry Road	(111-0)	Coldharbour Lane Harpenden AL5 4UN	(M26)	Bournemouth Dorset BH1 4PW	
	Narborough Leicestershire LE0 5GF	LETCHWORTH (M50)	16-17 Woodside Ind. Estate Works Road Letchworth	BRIDGEWATER (M35)	6 Hamp Ind. Estate Bridgewater Somerset TA6 3NT	
LINCOLN M40)	Unit 8 Stonefield Park Clifton Street – Lincoln LN5 8AA		Herts SG6 1LA 2/4 Royal Lane	BRISTOL (M25)	11 Eldon Way Eldonwall Trading Bristol Avon BS4 3QQ	
NEWCASTLE JNDER LYME M12)	18-21 Croft Road Brampton Ind. Estate Newcastle under Lyme	(M76)	Yiewsley West Drayton Middlesex UB7 8DL	EMSWORTH (M33)	266 Main Road Southbourne Emsworth PO10 8JL	
	Staffordshire ST5 0TW	MAIDENHEAD (M60)	Reform Road Maidenhead Berkshire SL6 8BY	ISLE OF WIGHT (M34)	Unit 8 Enterprise Court Ryde Business Park	
REDDITCH M20)	13 Thornhill Road North Moons Moat Redditch Worcestershire	MOLESEY (M61)	10 Island Farm Avenue West Molesey Surrey		Ryde Isle of Wight PO33 1DB	
FAMWORTH M19)	B98 9ND Unit 3 Sterling Park Claymore	NEWBURY (M24)	9 Pipers Court Berkshire Drive Thatcham Berkshire	NEWTON ABBOT (M29)	Unit 2 Zealley Ind. Estate Kingsteignton Newton Abbot S. Devon TQ12 3TD	
NORCESTER	Tamworth B77 5DO Units 1 & 2	IPSWICH	Unit 6C	PLYMOUTH (M32)	16 Faraday Mill Cattledown Plymouth Did 607	
(M73)	Northbrook Close Gregorys Mill Ind. Estate Worcester WR3 8BP	(M48)	Elton Park Business Centre Hadleigh Road Ipswich IP2 0DD	REDRUTH (M36)	PL4 0ST Unit 7D Pool Ind. Estate Wilcon Woy	
		NORWICH (M52)	2b Trafalgar Street Norwich NR1 3HN		Wilson Way Redruth Cornwall TR15 3QW	

Guarantee Conditions

We, Electrolux undertake that if within 12 months of the date of the purchase this Electrolux appliance or any part thereof is proved to be defective by reason only of faulty workmanship or materials, the company will, at our option repair or replace the same FREE OF CHARGE for labour, materials or carriage on condition that:

- The appliance has been correctly installed and used only on the electrical supply stated on the rating plate.
- The appliance has been used for normal domestic purposes only, and in accordance with the manufacturer's instructions.
- The appliance has not been serviced, maintained, repaired, taken apart or tampered with by any person not authorised by us.
- All service work under this guarantee must be undertaken by a Electrolux Service Force Centre.
- Any appliance or defective part replaced shall become the Company's property.

Home visits are made between **8.30am** and **5.30pm Monday to Friday.** Visits may be available outside these hours in which case a premium will be charged.

EXCLUSIONS

This Guarantee does not cover:

Damage or calls resulting from transportation, improper use or neglect, the replacement of any light bulbs or removable parts of glass or plastic.

- Costs incurred for calls to put right an appliance improperly installed or calls to appliances outside the United Kingdom.
- Appliances found to be in use within a commercial environment, plus those which are the subject of rental agreements.
- Products of Electrolux manufacture which are not marked by Electrolux.

This guarantee is in addition to your statutory and legal rights.

ELECTROLUX EUROPEAN GUARANTEE

If you should move to another country within Europe then your guarantee moves with you to your new home subject to the following qualifications:

- The guarantee starts from the date you first purchased your product.
- The guarantee is for the same period and to the same extent for labour and parts as exists in the new country of use for this brand or range of products.
- This guarantee relates to you and cannot be transferred to another user.
- Your new home is within the European Community (EC) or European Free Trade Area
- The product is installed and used in accordance with our instructions and is only used domestically, i.e. a normal household.
- The product is installed taking into account regulations in your new country.

Before you move please contact your nearest Customer Care Centre, list below, to give them details of your new home. They will then ensure that the local Service Organisation is aware of your move and able to look after you and your appliances.

France	Senlis	+33 (0)3 44 62 22 22
Germany	Nurenberg	+49 (0)911 323 2600
Italy	Pordenone	+39 (0)1678 47053
Sweden	Stockholm	+46 (0)20 78 77 55
UK	Slough	+44 (0)1753 219 898


Technical Specifications

Model		EC 2309S	EC 2609S	EC 3309S		
Volume (gross)	litres	229	264	335		
Volume (net)	litres	223	257	327		
Height without/with roller	cm	87,6/88,3	87,6/88,3	87,6/88,3		
Width	cm	119	132,5	160		
Depth	cm	66,5	66,5	66,5		
Weight	kg	57	63	69		
Energy consumpt./24h	kWh	0,52	0,60	0,73		
Freezing capacity	kg/24h	25	27	30		
Hold-over time	hours	49	51	53		
Rated power	W	100	120	140		

Installation

Positioning

- Place the freezer horizontally on a firm surface, resting on all four wheels. Use a wooden block or similar object to compensate for any bumps/holes in the floor's surface.
- The room should be dry and adequately ventilated.
- If the room temperature exceeds 32°C, or falls below freezing point, the freezer will not function as it should.
- Do not place the freezer close to sources of heat, radiators, chimneys, etc. and do not place the freezer in direct sunlight.
- If the freezer has been handled standing on end, it should be allowed to stand in the normal position for about 12 hours before switching it on.
- Ensure that the appliance is installed where it is easily accessible for the engineer in the event of a breakdown.



Electrical Connection



Any electrical work required to install this appliance should be carried out by a qualified electrician or competent person.

This appliance must be earthed.

The manufacturer declines any liability should these safety measures not be observed.

Electrical Requirements

Before switching on, make sure the electricity supply voltage is the same as that indicated on the appliance rating plate.

The appliance is supplied with a 13amp plug fitted. In the event of having to change the fuse in the plug supplied, a 13amp ASTA approved (BS1362) fuse must be used.Should the plug need to be replaced for any reason. The wires in the mains lead are coloured in accordance with the following code:


Green and Yellow:	Earth
Blue:	Neutral
Brown:	Live

The wire coloured green and yellow must be connected to the terminal marked with the letter "E" or by the earth symbol $(\underline{\Box})$ or coloured green and yellow.

The wire coloured blue must be connected to the terminal "N" or coloured black.

The wire coloured brown must be connected to the terminal marked "L" or coloured red.

Upon completion there must be no cut, or stray strands of wire present and the cord clamp must be secure over the outer sheath.



© Electrolux Household Appliances Limited 2000