

JUICER

P U L P E J E C T O R

Instruction
Manual
L'EQUIP™ Juicer
Model 221



L'EQUIP™

IMPORTANT SAFEGUARDS

When using electrical appliances, basic safety precautions should always be followed including the following

- Before you begin operating your juicer, please read all of these instructions.
- Avoid body contact with any of the juicer's moving parts.
- **Do not** put your fingers or other foreign objects into any of the juicer's openings while it is in operation. If any food pieces should become lodged in the feed tube, use the food pusher or another piece of fruit or vegetable to push it down. If it's not possible to correct the problem with this method, turn the motor off and disassemble juicer to remove the remaining food.
- To protect against the risk of electrical shock, **do not** put the motor base in water or any other liquid.
- **Do not** operate any appliance with a damaged cord or plug, or after the appliance malfunctions or is dropped or damaged in any manner. Return the appliance to the nearest authorized service facility for a thorough examination, and any needed repairs, or electrical or mechanical adjustments.
- The use of attachments not sold by or recommended by the manufacturer may cause fire, electrical shock or other injury.
- Unplug from electrical outlet when not in use, before assembling or disassembling and before cleaning.

- **Do not** unplug from electrical outlet by pulling on the cord. To unplug, grasp the plug, not the cord, and pull.
- Turn off all controls before unplugging from or plugging into an electrical outlet.
- Always make sure the juicer cover is securely fastened in place before motor is turned on. **Do not** unfasten while the juicer is in operation.
- Be sure to turn switch to off position after every use of the juicer. Make sure the motor stops completely before disassembling.
- Close supervision is necessary when any appliance is used by or in the presence of children.

- **Do not** let cord hang over edge of table or counter.

- **Do not** use outdoors.

■ **SAVE THESE INSTRUCTIONS.**

For More Information

Once you've read this manual and tried your L'EQUIP™ Model 221, you may still have questions. If you need additional assistance, please write us at: L'EQUIP, Inc., 555 Bosler Avenue, Lemoyne, PA 17043. Or call us at (717) 730-7100. Or e-mail us at www.LEQUIP.com.

Welcome to L'EQUIP, Inc.!

You're now the proud owner of L'EQUIP's™ Model 221. This juicer was designed with your convenience in mind you will appreciate its ease of operation as you enjoy the delicious and healthy juices it gives you





Introduction

The L'EQUIP™ Model 221 comes almost completely assembled in the box. To complete the assembly before its initial use, spring loose each side clamp by pulling out the bottom of each clamp, lift the cover, lightly press the blade/basket down into place and rotate with your fingers to make certain it is locked down and can move freely. Replace the cover, bring clamps up and notch over the cover, pressing in and down at the same time. You should hear a click, and clamps should be secure against the side of the juicer with no free play left. We suggest taking your juicer apart and washing the removable parts in warm soapy water before its first use. This will eliminate any traces of dust or residue from manufacturing or shipping. Washing these parts with any liquid detergent is fine.

L'EQUIP™



Model 221



Assembly

Always make sure the juicer is unplugged before beginning assembly.

- 1 Place the **juice bowl** on top of the motor base. Two tabs located on the underside of the **juice bowl** should rest in two accompanying slots on top of the motor base. (The tabs and slots are by each clamp.)
2. Set the blade/basket on the hub in the center of the **juice bowl**, and press down until it feels snug.
- 3 Gently rotate the blade/basket to ensure that it turns freely. If initially it failed to seat, this should slip it into place. Double check by pressing down and spinning it again.
- 4 Place the clear cover over the **juice bowl** with the large pulp ejection opening toward the back of the juicer.
5. Place the tops of the clamps on the respective slots on the cover, leaving the clamp hinges resting out. Press the bottom of the clamps in, until they snap snugly into place.
6. Place the pulp basket under the pulp spout behind the **juicer**.

Optional Bag Attachment

- 1 Place the bag attachment onto juicer.
2. Separate clamps
3. Be sure to place back of bag **underneath** plastic cover as indicated.
4. Place front of bag in between the two attachments as shown in photos 4 – 6.

Cleaning Your Juicer





- All parts are washable in warm soapy water except the motor base.
- Use any liquid dishwashing detergent. Do **not** use any products containing ammonia, bleach or scouring powders. These products will dull, scratch or mar the plastic surface.
- Disassemble according to instructions on page 4.
- To clean cover and juice bowl, use a soft sponge or dish mop. To clean blade/basket, invert basket assembly under faucet so that water passes through the outside to the inside. Use a scotch pad or soft brush to clean pulp from basket.


Sponge off the motor base and legs underneath in case any juice has spilled under the juicer.

After prolonged use the cover, blade/basket assembly, bowl and plunger may start to show mineral deposits. To remove deposits submerge in a solution containing $1/2$ cup of automatic dish washing detergent and 32 oz. of water overnight. Then rinse thoroughly.

For your convenience, all parts, excluding motor base are also dishwasher safe, on top rack only.

Any other servicing should be performed by authorized service personnel only.





Disassembly

Always make sure the juicer is unplugged before beginning disassembly.

- 1 Remove the clamps by bracing each thumb on the top or middle of each clamp.
2. and use one or two fingers to pull out the bottom of each clamp let the clamps hang from the sides by the lower hinges.
- 3 Lift up the clear cover from the juicer
- 4 Lift off the juice bowl and blade/basket as one piece These two pieces will then easily come apart for cleaning

Juicing Tips

For the best results while juicing fruits and vegetables, press slowly and firmly on food plunger at a steady rate.

Trimming stalks and stems off of produce is recommended. It will make a less bitter juice




When juicing a combination of fruits or vegetables, feed the machine slowly between combinations of fruits or vegetables

Always try to select fresh, firm produce


Remember to always wash produce free of dirt and insecticides.

Juice from fruits and vegetables should be consumed immediately after juicing before oxidation occurs.

For the best results for your health, we recommend to drink two or three glasses of fresh juice daily.



6.





L'EQUIP™

555 Bosler Avenue
Lemoyne, PA 17043, USA
(717) 730-7100
www.LEQUIP.com

©L'EQUIP, Inc. 1999. All rights reserved.

HOUSEHOLD USE ONLY