


DIMENSIONS



DESCRIPTION

The MNC Manchester displays an old fashion charm of traditional area lighting, enhancing every lighting application with a distinctive styling day or night. U.L. listed for wet locations. CSA certified.

Evoking the classic charm of yesteryear, the Manchester offers a strong combination of aesthetic beauty and photometric performance in a fixture that reflects the architectural heritage of America's main streets and neighborhoods.



MNC MANCHESTER

70 - 175 W

**Metal Halide
High Pressure Sodium**

**DECORATIVE GLASS
LUMINAIRE**

ORDERING INFORMATION

SAMPLE NUMBER: MNC-150-MH-120-3-C-V-V-BK

Product Family MNC=Manchester	Lamp Wattage ¹ 70=70W 100=100W 150=150W 175=175W	Lamp Type MH=Metal Halide HPS=High Pressure Sodium	Voltage ² 120=120V 208=208V 240=240V 277=277V 347=347V 480=480V MT=Multi-Tap ³ TT=Multi-Tap ⁴	Refractor Type 3=Type III 5=Type V	Cage/Band Type C=Classical Cage G=Gold Anodized Band ⁵ P=Painted Band X=None	Top Type V=Victorian	Color ⁶ AP=Grey BZ=Bronze BK=Black GN=Hartford Green WH=White DP=Dark Platinum GM=Graphite Metallic	Options & Accessories (See Below)
Finial Type ⁵ A=Architectural M=Modern O=Old World V=Victorian X=None								

E.P.A. 1.6


Options⁷

F=Single Fuse (120, 277 or 347V)
FF=Double Fuse (208, 240 or 480V)
R=NEMA Twistlock Photocontrol Receptacle
L=Lamp Included

Accessories⁸

AA3000=House Side Shield—Mogul-base Lamp
AA3001=House Side Shield—Medium-base Lamp
OA/RA1016=NEMA Twistlock Photocontrol—Multi-Tap
OA/RA1027=NEMA Twistlock Photocontrol—480V

Finial Options



NOTES: 1 All Metal Halide lamps 150W and below are medium-base. 175W and above are mogul-base. 2 Product also available in non-US voltages and 50Hz for international markets. Consult factory for availability and ordering information. 3 Multi-Tap ballast is 120/208/240/277V wired 277V. 4 Triple-Tap ballast is 120/277/347V wired 347V. 5 When gold anodized band is chosen, finial finished in gold. 6 Other finish colors available, including a full line of RAL color matches. Consult your Cooper Lighting Representative. 7 Add as suffix in the order shown. 8 Order separately, replace XX with color suffix. 9 Specifications and dimensions subject to change without notice.

- Cast finial optional. Finial painted to match cast housing
- Borosilicate two-piece prismatic glass refractor, available in either a Type III or Type V distribution
- Optional decorative cage or band is available. Cage uprights are manufactured of cast aluminum. Bands are extruded aluminum. Finish colors match housing color choice. Optional gold anodized band available
- Heavy-duty cast aluminum housing for up to 175W MH or 150W HPS systems. Optional NEMA PCR is accessible through door assembly
- Ballast provided with a power tray assembly for ease of maintenance. Mogul-base is standard for 70W through 150W HPS and 175W MH. 70W through 150W MH use medium-base
- Post top mount fits 3" O.D. tenons and secures in place with four (4) allen-head set screws
- Approximate net weight: 60 lbs. (27 kgs.)