

ORTHO®

ROSEPRIDE®

Insect Killer

Insecticida
READY-TO-USE



KILLS 100 PLUS
INSECTS ON CONTACT

LONG LASTING PROTECTION

ACTIVE INGREDIENT:

Acetamiprid	0.006%
OTHER INGREDIENTS.	99.994%
	100.000%

For Homeowner Use / Para uso residencial



JAPANESE BEETLE



APHID



WHITEFLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel booklet for additional
precautionary statements.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION

Consulte el folleto en el panel posterior para
conocer los avisos de precaución adicionales.



**OUTDOOR
USE ONLY**

NET CONTENTS/CONTENIDO NETO
24 FL OZ / 709 mL

LPXXXXXXX

The Ortho logo consists of the word "ORTHO" in white, bold, sans-serif capital letters inside a red rectangular box with a black border.

ROSEPRIDE[®] Insect Killer

READY-TO-USE

OPEN
Resealable Label
for Directions &
Precautions
*Español ver
página 4*

Guaranteed Results[†]

**Complete Insect Protection
for Roses & Flowers!**

- Dual Action –
Contact + Systemic Insect Killer
- Protects for up to 3 Weeks



ORTHO[®] & YOUR ENVIRONMENT

Your home and yard are places for family and pets to enjoy. That's why Ortho[®] Products are designed with care to provide effective solutions to insect problems inside and outside your home. For best results and a healthy environment, please follow instructions for appropriate usage, storage and disposal.



Questions, Comments or Medical Information
Preguntas, comentarios o información médica
1-800-225-2883 www.ortho.com



Manufactured for **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040
LBXXXXXXXXXX
EPA Reg. No. 8033-21-239
EPA Est. 239-1A-3
Made in USA



0 7 1549 03410 8
ACC073108 6010

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

FOR BEST RESULTS

Shake container gently before using.

WHERE TO USE	Roses, flowers and ornamental plants.
HOW TO APPLY	• Adjust spray nozzle to give a fine spray. • Hold sprayer 8 to 12 inches from the area to be treated. • Direct spray toward the upper and lower leaf surfaces and stems where pests appear. • Spray only until surface is wet.
WHEN TO APPLY	Apply to outdoor plants as soon as insect problems are noticed. Wait 7 days to reapply, not exceeding 5 applications per season.

IMPORTANT

- For outdoor use only. Do not apply indoors.
- Do not apply this product in a way that the spray will contact persons, either directly or through drift.
- Keep children and pets out of treated areas until sprays have thoroughly dried.
- Do not apply if wind speed exceeds 10 mph.
- Always stand "up wind" when applying this product.

GARDEN INSECTS CONTROLLED

Aphids (including Green Peach, Wooly, Melon, and Cotton), Army Worms (including Fall Army Worm, and Southern Army Worm), Banded Grape Bug, Beetles (including Bean Leaf Beetle, Colorado Potato Beetle, Flea Beetle, Japanese Beetle, Mexican Bean Beetle and Oriental Beetle), Cucumber Beetle (including Spotted, Striped and Western Striped), Bollworm, Borers (including Dogwood Borer, European Corn Borer, Peach Twig Borer and Squash Vine Borer), Budworm (including Tobacco Bud Worm), Caterpillars (including Red Humped Caterpillar, Tomato Fruitworm, and Cabbage Looper), Rose Chafer, Plum Curculio, European Chafer, European Pine Sawfly, Filbertworm, Flea Hopper, Fruit Fly (including Cherry, Black Cherry and Western Cherry), Western Grapeleaf Skeletonizer, Hickory Shuckworm, Hornworms, Katydid, Phylloxera

(aerial form only), Leafhoppers (including Glassy Wing Sharpshooter and Potato Leaf Hopper), Leaf Miners (including Chrysanthemum, Citrus, and Tentiform), Lesser Apple Worm, Apple Maggot, Mealybugs (including Citrus, Grape, Obscure, Longtail, Pink Hybiscus, and Maderia), Melonworm, Moths (including Codling, Diamondback Moth, Gypsy Moths and Oriental Fruit Moth), Navel Orangeworm, Pecan Nut Casebearer, Pickleworm, Plantbugs (including Tarnished, and Mullein Plant Bug), Psyllids, European Apple Sawfly, Scale (including Asian Cycad Scale, Caribbean Black Scale, California Red Scale, Citricola Scale, Cottony Maple Scale, Eucynus Scale, Fletcher Scale, Florida Wax Scale, Green Shield Scale, Indian Wax Scale, Oyster Shell Scale, Pine Needle Scale, Red Scale, San Jose Scale and Tea Scale), Squash Bug, Stinkbug, Swede Midge, Thrips (including Citrus, Cotton, Palm, and Western Flower), Weevils (including Pecan Weevil, Pepper Weevil and Strawberry Weevil), Whiteflies (including Greenhouse, Sweet Potato, Silverleaf, Banded and Giant)

STORAGE AND DISPOSAL



Do not contaminate water, food, or feed by storage or disposal.

STORAGE	Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115° F (46° C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.
DISPOSAL	If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS



CAUTION

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Keep out of reach of children and domestic animals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment wash-water or rinsate. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area.

FIRST AID

IF SWALLOWED	• Immediately call a poison control center or doctor for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person.
IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
For MEDICAL emergencies, Call 24 Hours a Day 1-800-225-2883. Have the product container or label with you when calling a poison control center or doctor for going for treatment. NOTE TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.	

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Users of this product must wear long-sleeved shirt, long pants, shoes and socks.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

THE ORTHO GUARANTEE: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

ORTHO®
ROSEPRIDE®
Insecticida
LISTO PARA USAR**Resultados garantizados†****MODO DE EMPLEO**

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

PARA OBTENER MEJORES RESULTADOS

Agite el envase con cuidado antes de usar.

DONDE APLICAR

Flores y plantas ornamentales

COMO APLICAR

- Ajuste la boquilla del rociador para producir un rociado fino.
- Coloque el rociador a una distancia de entre 20 a 30 cm (8 a 12") del área que desea tratar.
- Rocíe directamente la parte superior e inferior de las superficies de las hojas y los tallos que contengan plagas.
- Rocíe hasta que la superficie esté húmeda.

CUANDO APLICAR

Aplice ante la menor evidencia de problemas de insectos. Vuelva a aplicar la cantidad de veces que sea necesario, esperando 7 días entre cada aplicación. Sin exceder las 5 aplicaciones por temporada.

IMPORTANTE

- Solo para uso en exteriores. No aplique en interiores.
- No aplique este producto de forma que entre en contacto con otras personas, ya sea directamente o a través de la desviación del producto.
- Mantenga a los niños y a las mascotas alejados de las áreas tratadas hasta que el rociado se haya secado completamente.
- No aplique si la velocidad del viento es mayor que 16 km/h (10 millas/h).
- Siempre aplique el producto en dirección al viento.

INSECTOS BAJO CONTROL

Afidos (incluido el áfido verde del duraznero, el áfido del melón, el áfido del algodón), gusanos militares (incluido el gusano militar del otoño y el gusano militar del Sur), chinche de la uva, escarabajos (incluido el escarabajo de la hoja del frijol, escarabajo de la patata, escarabajo pulga, escarabajo japonés, escarabajo del frijol mexicano y escarabajo oriental), escarabajos del pepino (inclusive con manchas, rayas y con rayas occidental), larvas, barrenadoras (incluida la barrenadora del corno, la barrenadora del maíz europeo, la minadora del duraznero y la barrenadora de la calabaza), gusanos del abeto (incluido el gusano del tabaco), orugas (incluida la oruga roja, la oruga del tomate y el gusano falso medidor), escarabajos de la rosa, picudos de la ciruela, escarabajos europeos, moscas de los pinos, gusanos de la avellana, salta pulgas, mosca de la fruta (inclusive de la cereza, de la guinda y de la cereza occidental), descarnadores de la hoja, gusano barrenador del ruzno, gusanos de cuerno, grillos de matorral, filoxeras (sólo en su forma aérea), saltahojas (incluida la chicharrita de las alas cristalinas y el saltahojas cotorrta), minadores de las hojas (incluido el minador del crisantemo, de los cítricos y punteado), gusanos pequeños de la manzana, cresas de la manzana, cochinillas (inclusive de los cítricos, de la uva, oscura, de cola larga, del hibisco rosado y de la madera), gusanos del melón, polillas (incluida la carpocapsa, la polilla dorso de diamante, la polilla gitana y la polilla oriental de la fruta), gusanos naranja de ombligo, gusano barrenador de la nuez, gusano barrenador del fruto, insectos de planta (incluida la chinche lygus y la chinche campiloma), sílidos, hoplocampas del manzano europeo, coccidos (incluida la escama de las cíadas asiáticas, la escama negra del Caribe, la cochinilla roja californiana, la escama citrícola, la escama algodonosa del arce, la escama del evónimo, la escama flechera, la cochinilla cerosa de Florida, la escama de escudo verde, la cochinilla cerosa de la India, la escama del carapacho de ostra, la escama de la aguja del pino, la escama roja, la escama de San José y la escama del té), chinches de la calabaza, chinches hediondas, mosquitos de las agallas, pulgones (incluidos los citrícolas, de algodón, de palmera y de flores occidentales), gorgojos (incluido el gorgojo de la pacana, el gorgojo de la pimienta y el gorgojo de la fresa), moscas blancas (inclusive de invernadero, de batata, de cenizo, de bandas y gigante).

ALMACENAMIENTO Y ELIMINACION



No contamine agua, alimentos o forraje durante el almacenamiento o la eliminación del producto.

ALMACENAMIENTO

Almacene el producto sin usar en un lugar fresco, ventilado, seco y con llave. No almacene por mucho tiempo en lugares donde la temperatura sea frecuentemente mayor a 46° C (115° F). NUNCA TRANSFIERA ESTE PRODUCTO A OTRO RECIPIENTE PARA SU ALMACENAMIENTO.

ELIMINACION

Si está vacío: El envase no se puede rellenar. No vuelva a utilizar o a rellenar este envase. Colóquelo en la basura o recíclalo, si corresponde.
Si el envase está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca tire el producto restante por un drenaje interno ni externo.

AVISOS DE PRECAUCION



PRECAUCION

RIESGOS PARA SERES HUMANOS (Y ANIMALES DOMESTICOS)

Este producto es nocivo si se inhala o se absorbe por la piel. Evite inhalar las emanaciones o vapores del rociado. Evite el contacto con la piel, los ojos o la ropa. Mantenga fuera del alcance de los niños y los animales domésticos. Lávese bien con agua y jabón después de manipular el producto. Debe quitarse y lavar la ropa contaminada antes de volver a usarla.

RIESGOS AMBIENTALES

No aplique directamente al agua. No contamine el agua cuando elimine la que utilizó para lavar o enjuagar el equipo. Este pesticida es tóxico para la fauna silvestre. Este producto es tóxico para las abejas expuestas al tratamiento directo. No aplique este producto si las abejas visitan activamente las áreas tratadas.

PRIMEROS AUXILIOS



EN CASO DE INGERIR EL PRODUCTO

- Consulte a un médico o centro de control de envenenamientos inmediatamente para obtener asesoramiento sobre el tratamiento.
- No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos.
- Si la persona puede tragar, haga que beba poco a poco un vaso de agua.
- No administre nada por boca a una persona que haya perdido el conocimiento.

SI EL PRODUCTO ENTRA EN LOS OJOS

- Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos.
- Si usa lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos.
- Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA	• Quítese la ropa contaminada. • Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
EN CASO DE INHALAR EL PRODUCTO	• Traslade a la persona a un lugar con aire fresco. • Si no respira, llame al 911 o a una ambulancia, luego realícele respiración artificial, de boca a boca, de ser posible. • Llame a un centro de control de envenenamientos o a un médico para obtener más recomendaciones sobre el tratamiento.
En caso de emergencias MEDICAS, llame a la línea disponible las 24 horas: 1-800-225-2883. Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a mano el envase o la etiqueta del producto.	
NOTA PARA LOS MEDICOS: No existe un antídoto específico. Los tratamientos deben administrarse según los signos y los síntomas evidentes de malestar del paciente. Quizá se produjo exposición excesiva a otros materiales diferentes al producto.	

EQUIPO DE PROTECCION PERSONAL

El usuario de este producto debe usar una camisa de mangas largas, pantalones largos, medias y zapatos.

Recomendaciones de seguridad para el usuario:

- Antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño, el usuario debe lavarse las manos.
- En caso de que el pesticida se meta dentro de la ropa, debe quitársela inmediatamente. Luego debe lavarse bien y ponerse ropa limpia.
- Luego de manipular este producto, debe quitarse el equipo de protección personal. Tan pronto como sea posible, debe lavarse bien y cambiarse la ropa.

AVISO

Conforme a los límites de la ley aplicable, el comprador asume toda responsabilidad por la seguridad y el uso que no concuerden con las instrucciones.

***LA GARANTIA ORTHO:** Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.

STORAGE AND DISPOSAL



Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115°F (46°C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS



CAUTION

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Keep out of reach of children and domestic animals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate. This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area.

FIRST AID



IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

For MEDICAL emergencies, Call 24 Hours a Day 1-800-225-2883.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.



Questions, Comments or Medical Information
Preguntas, comentarios o información médica
1-800-225-2883 www.ortho.com



©2008 Licensed by The ORTHO Group. World rights reserved.

Manufactured for **The ORTHO Group**

P.O. Box 190, Marysville, OH 43040

LBXXXXXXX

Made in USA

EPA Reg. No. 8033-21-239

EPA Est. 239-IA-3

PRESS TO RESEAL PRESIONE PARA VOLVER A CERRAR

Specially Formulated for
Roses & Flowers

LOXXXXXXXXXX