

Sony Ericsson

SAR Information

FCC Statement

Declaration of Conformity

Sony Ericsson U10i

UMTS HSPA Band 1 8 GSM GPRS/EDGE 850/900/1800/1900

English

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Česky

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety

margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Dansk

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Deutsch

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which

is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Ελληνικά

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Español

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Suomi

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety

margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Français

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Magyar

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which

is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Bahasa Indonesia

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Italiano

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Nederlands

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety

margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Norsk

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Polski

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which

is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Português

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Română

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Русский

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Svenska

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

Türkçe

Radio wave exposure and Specific Absorption Rate (SAR) information

This mobile phone model U10i has been designed to comply with applicable safety requirements for exposure to radio waves. These requirements are based on scientific guidelines that include safety margins designed to assure the safety of all persons, regardless of age and health.

The radio wave exposure guidelines employ a unit of measurement known as the Specific Absorption Rate, or SAR. Tests for SAR are conducted using standardized methods with the phone transmitting at its highest certified power level in all used frequency bands.

While there may be differences between the SAR levels of various phone models, they are all designed to meet the relevant guidelines for exposure to radio waves.

For more information on SAR, please refer to the safety chapter in the User's Guide.

SAR data information for residents in countries that have adopted the SAR limit recommended by the International Commission of Non-Ionizing Radiation Protection (ICNIRP), which is 2 W/kg averaged over ten (10) gram of tissue (for example European Union, Japan, Brazil and New Zealand):

The highest SAR value for this model phone when tested by Sony Ericsson for use at the ear is 0.74 W/kg (10g).

繁體中文

無線電波的暴露及生物單位質量對電磁波能量比吸收率 (SAR) 的資料

本手機 U10i 之設計符合所適用無線電波暴露之安全要求。這些要求係根據科學原則所制定，其中包括設計為確保所有人員安全之安全限度，不論該人員之年紀或健康狀態。

無線電波的暴露指引引用了一個量度單位叫做生物單位質量對電磁波能量比吸收率，或 SAR。SAR 的測試會使用標準的方法，在手機使用所有的頻道，以手機最高的已驗證的能量水平發送來進行測試。

雖然各種手機型號可能有不同的 SAR 水平，但它們都設計符合就無線電波的暴露所定立的可靠指引。

要知道關於 SAR 的進一步資料，可參閱用戶指南內安全一章。

一些國家居民的 SAR 數據資料跟隨由國際非離子放射保護委員會 (ICNIRP) 所建議的 SAR 限制，這限制為每十 (10) 克的組織平均每千克 2 W。(例如歐盟、日本、巴西及紐西蘭)：

由 Sony Ericsson 測試在耳邊使用此型號的手機的最高 SAR 數值為每千克 0.74 W (10克)。

繁體中文 (台灣)

無線電波的曝露及生物單位質量對電磁波能量比吸收率 (SAR) 的資料

本手機 U10i 之設計符合所適用無線電波曝露之安全要求。這些要求係根據科學原則所制定，其中包括設計為確保所有人員安全之安全限度，不論該人員之年紀或健康狀態。

無線電波的曝露指引引用了一個量度單位，叫做生物單位質量對電磁波能量比吸收率，或 SAR。SAR 的測試會使用標準的方法，在手機使用所有的頻道，以手機最高的已驗證的能量水平發送來進行測試。

雖然各種手機型號可能有不同的 SAR 水平，但它們都設計符合就無線電波的曝露所定立的可靠指引。

要知道關於 SAR 的進一步資料，可參閱用戶指南內安全一章。

一些國家居民的 SAR 數據資料跟隨由國際非離子放射保護委員會 (ICNIRP) 所建議的 SAR 限制，這限制為每十 (10) 克的組織平均每千克 2W。(例如歐盟、日本、巴西及紐西蘭)：

由 Sony Ericsson 測試在耳邊使用此型號的手機的最高 SAR 數值為每千克 0.74W (10克)。

简体中文

无线电波辐射和特定吸收率 (SAR) 信息

本型号手机 U10i 已设计为符合适用的无线电波辐射安全要求。这些要求是根据科学原则而制定的，其中包括各种安全限度，应设计为可确保所有人员的安全，无论其年龄和健康状态如何。

无线电波辐射原则采用特定吸收率 (SAR) 的一种度量单位。对 SAR 的测试过程采用标准方法，即在话机使用的所有频段内，以其已鉴定的最高能量级别发射无线电波。

由于各种话机型号之间的 SAR 值可能有差异，它们都应设计为符合无线电波辐射的相关原则。

有关 SAR 的详细信息，请参考“用户指南”中安全性一章。

对于已采用由国际非离子化辐射保护协会 (ICNIRP) 推荐的 SAR 限制 (在 10 克人体组织上平均为 2 W/kg) 的国家的居民 (例如欧盟、日本、巴西和新西兰)，SAR 数据信息为：

由 Sony Ericsson 测试，**本产品电磁辐射比吸收率 (SAR) 最大值为 0.74 W/kg，符合国家标准 GB 21288—2007 的要求。**

FCC Statement

This device complies with Part 15 of the FCC rules.

Operation is subject to the following two conditions: (1)

This device may not cause harmful interference, and (2)

This device must accept any interference received, including interference that may cause undesired operation.

Any change or modification not expressly approved by Sony Ericsson may void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



Industry Canada Statement

This device complies with RSS-210 of Industry Canada.

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Declaration of Conformity for U10i

We, **Sony Ericsson Mobile Communications AB** of
Nya Vattentorget
SE-221 88 Lund, Sweden

declare under our sole responsibility that our product

Sony Ericsson type AAD-3880032-BV

and in combination with our accessories, to which this declaration relates is in conformity with the appropriate standards EN 301 511:V9.0.2, EN 301 908-1:V3.2.1, EN 300 440-1:V1.4.1, EN 300 440-2:V1.2.1, EN 301 489-3:V1.4.1, EN 301 908-2:V3.2.1, EN 300 328:V1.7.1, EN 301 489-7:V1.3.1, EN 301 489-17:V2.1.1, EN 301 489-24:V1.4.1, and EN 60 950-1:2006 following the provisions of, Radio Equipment and Telecommunication Terminal Equipment directive **1999/5/EC**.

Lund, August 2009

CE 0682 



Rikko Sakaguchi,

Corporate Vice President and Head of Creation & Development

We fulfil the requirements of the R&TTE Directive (1999/5/EC).

.R&TTE (1999/5/EC) إننا نحترم مقتضيات التوجيهات

Biz R&TTE Tələmatlarının tələblərini yerinə yetiririk (1999/5/EC).

Ние изпълняваме изискванията на Директивата R&TTE **(1999/5/EC)**.

Mi ispunjavamo zahtjeve R&TTE Direktive **(1999/5/EC)**.

Complim els requisits de la directiva R&TTE **(1999/5/EC)**.

Výrobek splňuje požadavky směrnice R&TTE (1999/5/EC).

Vi opfylder kravene i R&TTE-direktivet (1999/5/EC).

Die Anforderungen der Richtlinie für Funk- und Fernmeldegeräte (1999/5/EG) werden erfüllt.

Πληρούμε τις απαιτήσεις της Οδηγίας R&TTE (1999/5/EK).

Cumplimos los requisitos de la Directiva R&TTE (1999/5/EC).

Vastab direktiivi R&TTE Directive (1999/5/EC) nõuetele.

R&TTE (1999/5/EC) arteztarauaren baldintzak betetzen ditugu.

ما مقررات R&TTE را به طور کامل طبق دستورالعمل (EC/1999/5) انجام داده ایم.

Täytämme radio- ja telepäätelaitedirektiivin (1999/5/EY) asettamat vaatimukset.

Ce produit est conforme à la directive R&TTE (1999/5/EC).

Sony Ericsson cumple cos requisitos esixidos pola directiva R&TTE (1999/5/EC).

Mun cika sharađin bayanin R&TTE (99/5/EC).

Mi ispunjavamo zahtjeve R&TTE Direktive (1999/5/EC).

Teljesítjük az R&TTE irányelv (1999/5/EC) követelményeit.

Kami memenuhi persyaratan yang ditetapkan Petunjuk R&TTE (1999/5/EC).

Við uppfyllum R&TTE tilskipunina (1999/5/EB).

Il prodotto soddisfa i requisiti della Direttiva R&TTE (1999/5/EC).

אנו עומדים בכל הדרישות שבהנחיית ה-R&TTE (EC/1999/5).

Mes vykdomė R&TTE direktyvos (1999/5/EC) reikalavimus.

Mēs izpildām R&TTE direktīvas (1999/5/EK) prasības.

Ние ги исполнуваме барањата на R&TTE Directive (1999/5/EC).

We voldoen aan de vereisten die in de R&TTE-richtlijn (1999/5/EG) worden gesteld.

Vi oppfyller kravene i R&TTE-direktivet (1999/5/EC).

Atendemos aos requisitos da Diretriz R&TTE (1999/5/EC).

Spełniamy wymagania dyrektywy R&TTE (1999/5/WE).

São cumpridos os requisitos da Directiva R&TTE (1999/5/EC).

Îndeplinim cerințele Directivei R&TTE (1999/5/EC).

Изделие удовлетворяет требованиям Директивы R&TTE (1999/5/EC).

Výrobok spĺňa požiadavky smernice R&TTE (1999/5/EC).

Izpolnjujemo zahteve direktive za radijsko in telekomunikacijsko terminalsko opremo (1999/5/ES).

Ne përbushim kërkesat e direktivës R&TTE (1999/5/EC).

Mi ispunjavamo zahteve direktive R&TTE (1999/5/EC).

Re phethisa ditlhoko tsa Taelo ya R&TTE (1999/5/EC).

Vi uppfyller kraven i R&TTE-direktivet (1999/5/EC).

เราปฏิบัติตามข้อกำหนดของข้อบังคับ R&TTE (1999/5/EC)

R&TTE Kararnamesinin (1999/5/EC) gerekliliklerini yerine getirmektedir.

Цей Виріб відповідає вимогам Директиви R&TTE (1999/5/EC).

Chúng tôi đáp ứng các yêu cầu của Chỉ thị R&TTE (1999/5/EC).

A ti mu awon ibeere Ilana ti R&TTE se (99/5/EC).

我們符合 R&TTE 規程中的要求 (1999/5/EC)。

本公司符合 R&TTE Directive (1999/5/EC) 中的規定。

我们符合 R&TTE 指令 (1999/5/EC) 的要求。

Siyazifeza izidingo zeMiyalelo ye-R&TTE (1999/5/EC).

www.sonyericsson.com



Sony Ericsson

Sony Ericsson Mobile Communications AB
SE-221 88 Lund, Sweden

1231-1335.1