# Invacare® 3G Torque™ 3 Power Wheelchair

# Price List and Order Form

Effective July 1, 2008



For ease of ordering, contact customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282

www.invacare.com

Company Name		
Phone	_P.O. #	Date
Ship to Name & Address		

#### Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

# FRAME SELECTION

# **CHAIR TYPE**

□ 3GTQ3 Torque 3 Base And Seat w/MK6i<sup>TM</sup> (K0848) .. 5,970.00 <sup>1</sup> Seat Only ......755.00 <sup>2</sup> □ 3GSEAT

# **Group 3 – K0848**

# **Basic Package**

- 3G Torque 3 with MK6i
- 300 lb Weight Capacity
- 1431-3 14" X 3" Tires w/Foam Filled Inserts...... No Charge
- 4 Pole Motors.....Standard
- 1228-3 8" X 2.25" Semi Pneumatic Casters ......Standard
- 28F Desk Length Fixed Height Arm.....Standard
- 8 Amp Off Board Battery Charger ......Standard
- 1515 Push Button Style Seat Positioning Strap ......Standard

# TRANSPORT TIE-DOWN 3

☐ TRRO	Transport Ready Option	300.00
☐ TRBKTS	Wheelchair Transport Brackets	250.00

# \* TRANSPORT TIE-DOWN

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESN A W C Vol 1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lb. crash dummy, which corresponds to a person with a weight of 114 lbs. to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with W C19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

# **FOOTNOTES**

- Torque 3 comes standard with 300 lb. user weight capacity, 5.8 mph top speed, 4-pole motor package, MK6i SPJ+ joystick, MK690 Controller.
- <sup>2</sup> When ordering a replacement seat and changing depth to 20" or deeper, order
- <sup>3</sup> Must select Group 24 battery boxes for TRRO or TRBKTS.

# TRRO FEATURES FOR TORQUE 3

# Features Required for TRRO

- Torque 3 Base & Seat
- 300 lb. user weight limit
- Short or Long Base Frame
- Adjustable Rehab Seat with Adjustable Seat Tilt & Back Angle
- Any Seat Width
- Any Seat Depth
- Low Seat-to-Floor Height
- Sectional or Straight Rear Uprights
- 18" 24" ASBA Back Height
- 90° or 95° Back Angle
- Any Arm Type
- 8" x 2.25" Semi Pneumatic Casters
- Suspension Shocks
- 14" x 3" Tires with Foam Filled Inserts
- Rear Wheel Standard Location
- Any Color Frame Finish
- Black Nylon or Black Vinyl Upholstery
- Center Pivot Style Bracket
- 60° Swingaway, 70° Swingaway or 70° Tapered Footrests
- Group 24 Battery Box

- **Optional Features for TRRO**
- TrueTrack Upgrade
- Fender Option
- Flip-Up Composite Footplates, Aluminum Footplates-Deluxe, Adjustable Angle Flip Up Footplates
- Calf Strap
- Impact Guards
- All PSR / PSF Joysticks
- Left Hand Mounted Joystick
- "T" Handle Flexible Joystick Ext.
- Straight Handle Flexible Joystick
- Ext. MK6i Remote Programmer
- SPJ™+ or MPJ™+ Joysticks Reinforced Back Upholstery
- Group 24 Batteries
- Please note that all TRRO chairs are set at a 10° seat angle

# Invacare<sup>®</sup> 3G Torque<sup>TM</sup> 3 Accessories and Options

SEAT SELECTION

to the Group 3 specifications.

heights.

Nelected seat depth on Contoura assumes 1" of back cushion compression. For example: When choosing an 18" depth the measurement from the front of the back cushion to the front of the seat pan equals 17". The Contoura back cushion

is 2" thick. Please see page 5 for seat size offerings.

8 Must select 12"-18" Depth Range (1218D) when ordering the 12"-16" Seat

Width Range (1216W). 12" & 13" seat widths not available with 20"-24" back

**SEAT DEPTH** 

	SEAT SELECTION		SEAT DEPT		440.00.5
			□ D12	Seat Depth 12" (Short Base)	
USER WEIG	HT LIMITS		□ D13	Seat Depth 13" (Short Base)	
□ U300	User Weight <300 lb	No Charge	□ D14	Seat Depth 14" (Short Base)	
			□ D15	Seat Depth 15" (Short Base)	
	FRAME TYPE		□ D16	Seat Depth 16" (Short Base)	
☐ SFS	Short Base	Standard	□ D17	Seat Depth 17" (Short Base)	
☐ LFS	Long Base	No Charge	□ D18	Seat Depth 18" (Short Base)	
		_	□ D19	Seat Depth 19" (Long Base)	
ADJUSTABL	LE SEAT WIDTH RANGE		□ D20	Seat Depth 20" (Long Base)	
□ 1216W	12" to 16" Seat Width Range	No Charge	□ D21	Seat Depth 21" (Long Base)	
□ 1620W	16" to 20" Seat Width Range		□ D22	Seat Depth 22" (Long Base)	329.00
□ 2022W	20" to 22" Seat Width Range		ADIACDAC	SEAT-TO-FLOOR HEIGHT 9	
	, and the second	J			N. Cl
FRAME WID	OTH <sup>4</sup>		LOW	Seat To Floor – Low 17.5"	
□ W12	12" Wide	110.00 5	□ MED	Seat To Floor – Med 19.75"	
□ W13	13" Wide	110.00 5	☐ TALL	Seat To Floor – Tall 21"	No Charge
<b>□</b> W14	14" Wide				•
□ W15	15" Wide	No Charge 5		BACK SELECTION	
<b>□</b> W16	16" Wide				
<b>□</b> W17	17" Wide	<u> </u>	ADJASBA I	BACK TYPE	
<b>□</b> W18	18" Wide	No Charge	□ SECT	Sectional Rear Uprights	
<b>□</b> W19	19" Wide	No Charge	☐ SRUP	Straight Rear Uprights	
□ W20	20" Wide	No Charge	□ 9720P	No Push Handles (Straight Canes)	82.00
<b>□</b> W21	21" Wide	329.00	☐ L8661	Omit Rear Uprights	Less 20.00
<b>□</b> W22	22" Wide	329.00			
			RECLINER	BACK HEIGHT	
TRUETRACI	K UPGRADE		☐ BHR18	Back Height 18"	
□ TRUTK	TrueTrack Upgrade	1,899.00 6	☐ BHR20	Back Height 20"	
			☐ BHR22	Back Height 22"	
SEAT SELEC	CTION		☐ BHR24	Back Height 24"	
□ ADJASBA	Adj. Rehab Seat w/ Seat Tilt & Back	Angle <b>Standard</b>	☐ BHR26	Back Height 26"	No Charge
■ ADJRECL	Manual Recline for Adjustable ASBA	(E1226) 744.00			
☐ CTS	Contoura Seating		BACK HEI	GHT	
			_	_	
□ OMCU	Omit Contoura Seat Cushion		ADIASRA		
□ OMCU			ADJASBA	Back Height 12"	No Charge
			■ BH12	Back Height 12"	
	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE	Less 20.00	□ BH12 □ BH13	Back Height 13"	No Charge
ADJUSTABL	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14	Back Height 13" Back Height 14"	No Charge
ADJUSTABL	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15	Back Height 13" Back Height 14" Back Height 15"	No Charge No Charge No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16	Back Height 13" Back Height 14" Back Height 15" Back Height 16"	No ChargeNo ChargeNo ChargeNo Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17	Back Height 13" Back Height 14" Back Height 15" Back Height 16" Back Height 17"	No ChargeNo ChargeNo ChargeNo ChargeNo Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19	Back Height 13" Back Height 14" Back Height 15" Back Height 16" Back Height 17"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURA <sup>TM</sup>	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURA <sup>TN</sup> □ TSBH25	Back Height 13"	No Charge
<b>ADJUSTABL</b> □ 1218D □ 1619D	Omit Contoura Seat Cushion  E SEAT DEPTH RANGE  12" to 18" Seat Depth Range		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURA <sup>TM</sup>	Back Height 13"	No Charge
ADJUSTABL ☐ 1218D ☐ 1619D ☐ 1922D	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23 □ BH24  CONTOURATM □ TSBH25 □ TSBH295	Back Height 13"	No Charge
ADJUSTABL. □ 1218D □ 1619D □ 1922D	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23 □ BH24  CONTOURATE □ TSBH25 □ TSBH295  BACK ANG	Back Height 13"	No Charge
ADJUSTABL  □ 1218D □ 1619D □ 1922D  FOOTNOTES <sup>4</sup> Contoura™ Seat	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23 □ BH24  CONTOURATN □ TSBH25 □ TSBH295  BACK ANG	Back Height 13"	No Charge
ADJUSTABL  □ 1218D □ 1619D □ 1922D  FOOTNOTES <sup>4</sup> Contoura <sup>TM</sup> Seat <sup>5</sup> Jr. Seat widths/d	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23 □ BH24  CONTOURATA □ TSBH25 □ TSBH295  BACK ANG □ 85BA □ 90BA	Back Height 13"	No Charge
ADJUSTABL  □ 1218D □ 1619D □ 1922D  FOOTNOTES <sup>4</sup> Contoura™ Seat <sup>5</sup> Jr. Seat widths/d 150 lbs. Manual	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23 □ BH24  CONTOURATA □ TSBH25 □ TSBH295  BACK ANG □ 85BA □ 90BA □ 95BA	Back Height 13"	No Charge
ADJUSTABL  □ 1218D □ 1619D □ 1922D  FOOTNOTES <sup>4</sup> Contoura <sup>TM</sup> Seat <sup>5</sup> Jr. Seat widths/d 150 lbs. Manual widths/depths le	Omit Contoura Seat Cushion		□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH16 □ BH17 □ BH18 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURA <sup>TN</sup> □ TSBH25 □ TSBH25 □ TSBH295  BACK ANG □ 85BA □ 90BA □ 95BA □ 100BA	Back Height 13"	No Charge
ADJUSTABL  □ 1218D □ 1619D □ 1922D  FOOTNOTES <sup>4</sup> Contoura <sup>TM</sup> Seat <sup>5</sup> Jr. Seat widths/d 150 lbs. Manual widths/depths le range of 6"-10"	Omit Contoura Seat Cushion	a user weight limit of nal charges apply to is with an adjustment	□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH17 □ BH18 □ BH19 □ BH20 □ BH21 □ BH22 □ BH23 □ BH23 □ BH24  CONTOURATA □ TSBH25 □ TSBH295  BACK ANG □ 85BA □ 90BA □ 95BA	Back Height 13"	No Charge
ADJUSTABL  □ 1218D □ 1619D □ 1922D  FOOTNOTES <sup>4</sup> Contoura <sup>TM</sup> Seat <sup>5</sup> Jr. Seat widths/d 150 lbs. Manual widths/depths le range of 6"-10" <sup>6</sup> TrueTrack drivin	Omit Contoura Seat Cushion	a user weight limit of nal charges apply to is with an adjustment rack straighter regardless	□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH16 □ BH17 □ BH18 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURATA □ TSBH25 □ TSBH25 □ TSBH25 □ TSBH295   BACK ANG □ 85BA □ 90BA □ 95BA □ 100BA □ 105BA	Back Height 13"	No Charge
FOOTNOTES <sup>4</sup> Contoura™ Seat <sup>5</sup> Jr. Seat widths/d 150 lbs. Manual widths/depths le range of 6"-10" <sup>6</sup> TrueTrack drivin of the terrain, in	Omit Contoura Seat Cushion	a user weight limit of nal charges apply to swith an adjustment rack straighter regardless 0 lb. User Weight Limit,	□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH16 □ BH17 □ BH18 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURATA □ TSBH25 □ TSBH25 □ TSBH25 □ TSBH295   BACK ANG □ 85BA □ 90BA □ 95BA □ 100BA □ 105BA  BACK ACC	Back Height 13"	No Charge
FOOTNOTES  4 Contoura <sup>TM</sup> Seat 5 Jr. Seat widths/delphs le range of 6"-10" 6 TrueTrack drivir of the terrain, in and 7 mph maxi	Omit Contoura Seat Cushion	a user weight limit of all charges apply to as with an adjustment rack straighter regardless 0 lb. User Weight Limit, andable Controller	□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH16 □ BH17 □ BH18 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURATS □ TSBH25 □ TSBH25 □ TSBH25 □ TSBH295   BACK ANG □ 85BA □ 90BA □ 95BA □ 100BA □ 105BA  BACK ACC □ L8601	Back Height 13"	No Charge
FOOTNOTES  4 Contoura <sup>TM</sup> Seat  5 Jr. Seat widths/d 150 lbs. Manual widths/depths le range of 6"-10"  6 TrueTrack drivin of the terrain, in and 7 mph maxi System. Not co	Omit Contoura Seat Cushion	a user weight limit of nal charges apply to as with an adjustment rack straighter regardless 0 lb. User Weight Limit, andable Controller electing TrueTrack	□ BH12 □ BH13 □ BH14 □ BH15 □ BH16 □ BH16 □ BH17 □ BH18 □ BH20 □ BH21 □ BH22 □ BH23 □ BH24  CONTOURATA □ TSBH25 □ TSBH25 □ TSBH25 □ TSBH295   BACK ANG □ 85BA □ 90BA □ 95BA □ 100BA □ 105BA  BACK ACC	Back Height 13"	No Charge

# **FOOTNOTES**

 $<sup>^9</sup>$  Based on  $5^\circ$  tilt and 16" seat depth on ADJASBA add .25" for additional 2" of seat depth.

# Invacare® 3G Torque<sup>™</sup> 3 **Accessories and Options**

	ARM SELECTION	
ARM TYPE 1	0	
□ 18F □ 28F	Full Length Fixed Hgt. Conv. Flip Up No Charge Desk Length Fixed Hgt. Conv. Flip Up Standard	
□ 19F	Full Length Adj. Hgt. Conv. Flip Up (E0973) 230.00	
□ 29F	Desk Length Adj. Hgt. Conv. Flip Up (E0973) 230.00	
	MK6I ELECTRONICS	
MK6i CONTI	ROLLERS	
☐ MK690	90 Amp ControllerStandard	
☐ MK6TT	TrueTrack ControllerNo Charge	11
STANDARD	DRIVER CONTROL	
☐ SPJM6	SPJ+ Single Drive Joystick Standard	
EXPANDABI	LE CONTROLLER SYSTEMS	
☐ PWH	Harness req. for Expandable Electronics (E2313)350.00	12
☐ MPJM6U	MPJ+ Multiple Drive Joystick (E2377)750.00	
☐ PSFM6	Personal Joystick, inductive on Front 1,150.00	13
☐ PSRM6	Personal Joystick, Inductive on Rear 1,130.00	13
☐ PBOD	Push Button On/On w/PB Drive Select No Charge	14
□ PBSS	Push Button On/OH w/Speed Select No Charge	14 1
□ OR	On/On Mounted RightNo Charge	14
□ OL	On/OII Mounted LeftNo Charge	14
☐ ASLRDYM6	MK6 Display Only(No Driver Control) (E2377) 750.00	16
_	YOUR ASL DRIVE SYSTEM NEEDS	
	ASE REFER TO THE FOLLOWING:	
ASL SING	ELE INVOICE PRICE LIST FORM # 02-097.	
A # ### DAT / ###		
	E PROPORTIONAL CONTROL SYSTEMS	j
⊥ L 1500M6	Prop RIM Head Control w/Display (F2327) 2 875 00	

□ 1500M6	Prop RIM Head Control w/Display (E2327)	2,875.00
☐ SMHD	Small Headrest	No Charge
☐ LGHD	Large Headrest	No Charge
☐ 1558MM6	Compact Joystick w/Display (E2373)	1,130.00

# ALTERNATIVE DIGITAL CONTROL SYSTEMS

☐ SNPM6	Sip-N-Puff Digital Interface Box (E2325) 1,500.00	17
□ 5018M6	Wafer Board & Digital Interface Box (E2322). 1,550.00	17
□ 5020M6	Mini Tash Jystk & Dig Interface Box (E2321). 1,750.00	17

# SIP N PUFF KITS

☐ PKG32666 Therafin® Sip-N-Puff Breath Tube Kit (E2326). 380.00

# ADDITIONAL CONTROL CHOICES

		00111102 01101020		
□ 155	58M6	Compact Joystick - Less std Mount	770.00	
<b>5</b> 01	18	Wafer Board	310.00	18
□ 502	20	Mini Tash Joystick	405.00	18
☐ PA		Prop. Attendant Control w/quick release mount		
□ 155	52M	Digital Attendant Control	850.00	18

# **FOOTNOTES**

- <sup>10</sup> All arms are flip up and detachable. Seat widths 12-15" not available with fixed height arms must use adjustable height arm style only.
- 11 Must upgrade to an Expandable Controller System. Not compatible with SPJ+ joysticks.
- Harness is required to interface joystick or MK6i display with expandable controllers. Option is located under Electronic Accessories in configurator.
- TOD-SS: Toggle On/Off Drive Select, Speed Potentiometer Standard.
- 14 PSRM6 Only.
- <sup>15</sup> Drive select through mode switch, or mode switch and Joystick command.
- <sup>16</sup> Display only, allows choice from order form.
- <sup>17</sup> Must also use either a Multiple Drive Joystick or MK6 Display.
- <sup>18</sup> Requires SNPM6 Sip-N-Puff Interface Box.

# JOYSTICK MOUNTING HARDWARE

☐ QLAM6	Quad Link Retract. Joystick Mnt MPJ+ (E1	1028). 279.00 <sup>-1</sup>
□ QLA	Quad Link Retract. Joystick Mnt SPJ+ (E10	$028)279.00^{-1}$
☐ ARM250	Stealth Height Adjustable Joystick Mount	210.00
□ LEFT	Left Handed Mounted Joystick	No Charge
☐ RIMHW	RIM Hardware For 1500 (E1028)	219.00
☐ PKG32669	Complete Bib Assembly (Tash/1558)	265.00
☐ GATMPJ6	Gatlin Midline for MPJ+ (E1028)	600.00
☐ GAT1812	Gatlin Midline for 1812 (E1028)	600.00
□ RCM	Rear Cane Mount for Compact Joystick	395.00

# **ELECTRONIC ACCESSORIES**

□ 1813M6	MK6i Programmer w/Pro Memory Card 475.00
□ 1813SD	Pro Memory Card (USB Ready)90.00
□ 1560	"T" Handle Flexible Joystick Ext. (E2323) 77.00
□ 1561	Straight Handle Flexible Joystick Ext. (E2323) 77.00
<b>□</b> 1826	Chin Cup (E2324)
☐ A24VPS	24V MK6 Auxillary Power Source
☐ AUX12M6	Auxillary Module For 1 & 2795.00
☐ AUX34M6	Auxillary Module For 3 & 4795.00
$\square$ MPY	Monoport "Y" Cable for MPJ+ or Display 15.00
□ 2PB	Dual Push Button
□ 2SW	Dual Toggle 172.00 <sup>20</sup>

# ASL OPTIONAL ACCESSORIES

□ EGSBLK	Egg Switch Black	65.00
■ ASL304	Light Wobble Switch w/611 Mount	320.00
☐ ASL202J	Fiber Optic Switch	610.00 21
☐ ASL208J	Adjustable Proximity Switch	550.00 21
☐ ASL504M6	Remote Emergency Stop Switch	1,185.00 21

# FRAME FINISH AND UPHOLSTERY COLOR

# FRAME FINISH

## CONTEMPORARY □ 24P

□ 60P	Silver Metallic	No Charge
□ 71P	Silver Vein	No Charge
□ 105P	Midnight Blue	No Charge
☐ 115P	Black Prism	No Charge
тоо но	Γ	
□ 30P	Sunny Yellow	No Charge
□ 61P	Electric Red	No Charge
☐ 119P	Bubblegum Pink	No Charge
☐ 120P	Grape Madness	No Charge
WAY CO	OL	
□ 62P	Electric Blue	No Charge
□ 104P	Electric Teal	No Charge
□ 121P	Lolly Pop Blue	No Charge
□ 122P	Cosmic Blue	No Charge
☐ 125P	Emerald Green	
□ 127P	Grasshannar Graan	No Chargo
- 12/1	Grasshopper Green	No Charge

# **UPHOLSTERY TYPE**

□ U240	Black Nylon Upholstery	Standard
<b>□</b> U67	Black Vinyl	No Charge

# **FOOTNOTES**

- <sup>19</sup> QLA and QLAM6 include ARM250 standard.
- <sup>20</sup> Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options.
- 21 Not available with SPJ+ Joystick. Must add MK6 Auxillary Power Source.

# Invacare® 3G Torque™ 3 **Accessories and Options**

# **CASTER AND WHEEL SELECTION**

CASTER OF	PTIONS	
□ 1259	6" X 2" Semi-Pneumatic Casters	
☐ 1228-3		
☐ 1251-3		
☐ 1220-3		
☐ 1465-3	9" X 2 3/4" Foam Filled Casters (K0097) No Charge	
CASTER SI	SPENSION 23	
□ 9213-6		
□ 9213-8	Shock Fork For 8" Casters (E1016)	
WHEEL OP	TION	
	14" X 3" Pneumatic Tires Standard	
	14" X 3" Tires w/Foam Filled Inserts	
	14" X 4" Pneumatic Tires	
	14" X 4" Tires w/Foam Filled Inserts	
FREE WHE	EL HUB <sup>27</sup>	
☐ FHUB	Free Wheel Hub	
REAR WHE	EL LOCATION 28	
□ RWF2	Rear Wheel Forward 2"No Charge	
□ RWF1	Rear Wheel Forward 1"	
□ RWS	Rear Wheel StandardStandard	
FENDER OF	PTION 29	
☐ FDR	Fender	
	POSITIONING STRAPS	

# OSITIONING STRAPS

SEAT POSIT	IONING STRAPS		
□ 1311BK	Airline Buckle Seat Positioning Strap	50.00	30
<b>□</b> 1515	Auto Style Buckle Seat Positioning Strap	Standard	

CHEST POSITIONING STRAPS			
□ 7311BK	Airline Buckle Chest Positioning Strap (E0960). 100.00 <sup>3</sup>	0	
<b>9515</b>	Auto Style Chest Positioning Strap (E0960) 100.00		
□ 7321BK	Hook & Loop Chest Positioning Strap (E0960) 100.00		

# MISCELLANEOUS ACCESSORIES

	2000110020001120		
■ 1303	Wheel Locks	45.00	31
☐ SEATO2	Oxygen Holder (ASBA Seat Only) (E2208)	. 150.00	
<b>9205-3</b>	Suspension Shocks (E1016)	. 400.00	32
□ 9205H-3	Suspension Shocks Heavy Duty	. 400.00	

# **BATTERY SELECTION**

# **BATTERY BOXES**

■ 22NF	22NF Battery	No Charge	
☐ GP24	Group 24 Battery Boxes		

# INSTALLATION OF BATTERIES 34

■ 22NFBATTEF	RY 22NF Batt	tery (on chair) (E2361)	300.00
☐ 24BATTERY	24 Gel Batte	ry (on chair) (E2363)	410.00

# **BATTERY CHARGER OPTION**

■ 110CHARC	GER 110 Volt Battery Charger	No Charge
☐ LESTR	Lester 8 AMP Battery Charger (E2367)	320.00
□ L8900	Omit Battery Charger	Less 80.00

# **FOOTNOTES**

- <sup>22</sup> Not available with short base. Not available with Transport Tiedown options.
- <sup>23</sup> Not available with 9" casters.
- <sup>24</sup> Not available with TRRO or TRBKTS. Contact Customer Service for available special.
- <sup>25</sup> 14" x 4" wheels increase overall width of the base by 2 1/2". Not available with TrueTrack package (TRUTK).
- <sup>26</sup> Does not include Storm Series® mag wheel.
- <sup>27</sup> Free wheel hub increases overall width 3/4". Not needed or available with TrueTrack package (TRUTK).
- <sup>28</sup> This location changes the center of gravity and performance. Forward wheel position will make turning and climbing easier, but more prone to "wheely".

  29 Standard with TrueTrack option.
- <sup>30</sup> 1311BK not available with 12" 15" width.

# **FOOTNOTES**

- 31 Not available with pneumatic tires.
- 32 Not available with 9" casters.
  33 Required for transport tie down option.
- <sup>34</sup> Batteries will be installed by Invacare Corporation at no additional charge. Chair will be shipped complete w/batteries.

# Invacare® 3G Torque™ 3 **Accessories and Options**

# FRONT RIGGING OPTIONS

# HANGER BRACKET TYPE

☐ ASB	Center Pivot Style Bracket	No Charge
☐ PSB	Pin Style Bracket	No Charge
■ NHB	No Hanger Bracket	No Charge

#### FRONT RIGGING

# CENTER PIVOT

□ 60HD	60° Swingaway Footrests 13.5"-17.5"	No Charge
□ 70NHD	70° Swingaway Footrests 13.25"-17"	Standard
☐ 70STAPER	70° Tapered Footrests 13"-17"	No Charge
☐ 90SWING	70° Swingaway Footrests 3"-10"	No Charge
☐ AT5544	Elevating Legrests (E0990)	255.00

#### PIN STYLE

LINGLIE		
□ PAS4A	Smartleg® Art. Legrests 17 1/4"-21 1/2" (K0053)320.00	
■ PW93	Swingaway Footrests. 13 1/2" - 19"No Charge	
□ P904A	Swingaway Elev Legrests 16"-19 3/4" (E0990) 303.00	
□ PAL4A	Smartleg Art. Legrests 17 1/4" - 21 1/2" (K0053) 320.00	35

# POWER LEGS

Power Elev Legrests w/Articulation (E1010) ... 1,895.00 <sup>36</sup> □ ELRPW

# POWER LEGS CONTROL MODULE 37

☐ 4WSB	Four Way Switch Box	No Charge
☐ S4WSB	Multiple Actuator Interface Box (E2311)	2,600.00
□ FWT	4 Way Toggle	No Charge
■ QPB	4 Push Buttons	No Charge

For all systems with two or more actuators you must choose 4WSB at no charge or the S4WSB at an upcharge.

S4WSB Replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

FWT or QPB is required when choosing the 4WSB or S4WSB.

# FOOTPLATE OPTIONS

□ 1651	Flip-Up Composite Footplates	. No Charge
<b>□</b> 1350	Extra Large Aluminum Footplates	. No Charge
<b>□</b> 1450	Aluminum Footplates-Deluxe	. No Charge
□ S1263	One Piece Wooden Footboard	. No Charge
☐ AT5543	Adjustable Angle Flip Up Footplates	165.00

# FOOTREST/LEGREST ACCESSORIES

	ZZ GILZGI II C CZGG GILZZG	
<b>□</b> 1337	Calf Strap (K0038)	27.00
☐ IMPACTG	Impact Guards	51.00
□ A9342	"H" Heel Strap (K0039)	51.00
☐ LPT2	Longer Pivot Slide Tube For 1350	83.00
☐ ALPT	Longer Pivot And Slide Tube	84.00
☐ ALPT3	3" Extension For 90° Footrest	31.00
□ ALPT4	Longer Pivot And Slide Tube 4"	84.00

# **FOOTNOTES**

35 For seat widths greater than or equal to 16".

pair.

These options located in the Configurator under the MK6i Electronics Folder. Category Header is labeled Power Seating Accessories. Must select when ordering ELRPW.

# SEATING AND POSITIONING

FOR YOUR SEATING NEEDS PLEASE REFER TO THE FOLLOWING

REHAB SEATING & POSITIONING PRODUCTS See Price List Form 07-027

<sup>&</sup>lt;sup>36</sup> Not available with SPJ+ Joystick. Must pick 4WSB or S4WSB to operate power legs. Independent powered legrests include elevating and articulating legrests with angle adjustable footplates. Extension range of 13"-20". Sold as

# Invacare® 3G Torque™ 3 **Accessories and Options**

## **Chair Features and Options**

- Independent rear wheel suspension with new rubber element design
- 5.8 mph standard speed range
- Programmable performance to meet individuals needs
- 17 1/2" Seat-to-Floor Standard, 19 3/4" and 21 1/2" Optional
- Seat location system allows for balanced weight distribution
- Continuous tilt seat  $0^{\circ}$   $10^{\circ}$
- Dynamic anti tippers
- Rigid seat pan
- Convenient rear battery access
- 22NF batteries (standard) In a single 22NF battery box Single battery connector
- Arms are flip back/removable
- Adjustable depth rigging attachment 2" (1" increments)
- Automatic dual mode battery charger (Lester Brand)
- Compact size: 24 3/4" overall base width w/14" x 3" wheels
- Weight limit <300 lb.

# Weight Limit 300 Pounds

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

**NOTE:** All weight limits are inclusive of add-on equipment and seat systems.

Footrest Extension Range								
	AT5043	AT5543	1651					
60HD	N/A	12 1/4" – 16 1/2"	13 ½" – 17 ½"					
SWING914	N/A	7 3/4" – 12 1/2"	9 ½" – 14 ½"					
70MFX	6 3/4" – 12 1/2"	4 1/2" – 10"	N/A					
70NHD	N/A	10 ¾" – 15 ¾"	11 ¾" – 17"					
70STAPER	N/A	12 1/2" – 16 1/2"	13 ¼" – 17 ¼"					
90SWING	4" – 9"	5" – 8" N/A						
Measured from Seat Pan to Back of Footplate								

Torque 3 Specifications							
25"	w/14"x3" wheel						
27.5"	w/14"x4" wheel						
28.5"	Short Base						
31.5"	Long Base						
17.5" Standard	Low						
19.75" Optional	Medium						
21" Optional	Tall						
22NF deep cycle	e; gel/sealed (Not supplied)						
	25" 27.5" 28.5" 31.5" 17.5" Standard 19.75" Optional 21" Optional						

Shipping Weight 266 lb. (18" X 18" seat w/Group 24 batteries) \*Measurement based on wheel base. Seat width is width picked plus 7.5" for the armrest and joystick.

\*\*Measured from headtube to anti-tipper.

\*\*\*Based on 5° tilt and 16" seat depth; add 1/4" for additional 2" of seat depth

Note: All specifications and dimensions are approximate.

Seat Widths 14"-22" (1" increments) 16"-22" (1" increments) Seat Depths

(Adjustable 16"-19", Fixed 20"-22") 24" Standard, 18 1/2", 20", 22", 24", 26"

**Back Heights** Weight Limits 300 lb. with Standard Cylinders

Headrest 10" Height

Recline Range 90° to 170° (Approximate)

Overall Back Height Low Seat Med. Seat High Seat

(w/o extension)

Standard Base 41 1/2" 45 1/4" 43 1/2"

(Measured with 5° Tilt and 10" for Extension)

Contoura Seat Sizes									
	D16	D17	D18	D19	D20	D21	D22		
W16	X	X	X	X	X	*	*		
W18	X	X	X	X	X	*	*		
W20	X	X	X	X	X	X	X		
W22	*	*	X	X	X	X	X		
W24	*	*	X	X	X	X	X		
*Not available with Contoura Seat Cushion.									
Back Heights 25" or 29.5"									

## **Memory Card - BASIC**

- Standard with ALL Expandable Control Systems (MPJ+, PSR+, PSF+, MK6i
- Used to Back Up/Restore Programmed Settings for Only One Chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not Contain Advanced Diagnostics/Help Screens/File Structure.
- Not compatible with SPJ+ Joysticks.

## Memory Card - PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains Advanced Diagnostics, Help Screens, Software Updates, File Storage/Retrieval.
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks



**Invacare Corporation** 

**USA** One Invacare Way Elyria, OH USA 44035-4190 800-333-6900

www.invacare.com

All rights reserved. Trademarks are identified by the symbols TM and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise

Monroe is a registered trademark of Tenneco Automotive, Inc.

Therafin is a registered trademark of W/R Medical Electronics Co.

Products designated by ASL are Manufactured by Adaptive Switch Labs, Inc. Specifications and prices are subject to change without notification.

©2008 Invacare Corporation