## Invacare® TDX® SC Rehab Seat Power Wheelchair

**Price List and Order Form** 

Effective Dec. 1, 2008

Yes, you can:

For ease of ordering, contact Customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282

www.invacare.com

Company Name		Account #
Phone	_P.O. #	Date
Ship to Name & Address		

#### **Special Note**

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

#### **CHAIR TYPE**

# **Group 3 – K0848**

#### **Basic Package**

- TDX SC with MK6i and Adjustable Rehab Seat
- 250 lb Weight Capacity
- Flip Back Fixed Height Arm ......Standard
- MK660ACC 60 Amp Controller ......Standard
- ➤ SPJ+ Single Drive Joystick ......Standard
- > 70NHD 70° Swingaway Footrests ......Standard
- ➤ 8 Amp Off Board Battery Charger .....Standard
- > 1515 Push Button Style Seat Positioning Strap ......Standard

#### \* TRANSPORT TIE-DOWN

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol 1.Section 19 Front Impact Test requirements for Wheelchairs with a 168 lb crash dummy, which corresponds to a person with a weight of 114 lbs to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

Fea	atures Required for TRRO	Op	tional Features for TRRO
•	TDXSC	•	Adjustable Angle Flip Up
•	70° Swingaway, 70° Tapered		Footplates, Flip-Up Composite
	(70NHD or 70STAPER) or Manual		Footplates or Aluminum
	Center Mount Front Riggings		Footplates-Deluxe
•	Any Arm Style	•	Wheel Locks
•	Adjustable Rehab Seat with	•	Calf Strap
	Adjustable Seat Tilt & Back Angle	•	Heel Loops w/Ankle Straps
•	Sectional or Straight Rear Uprights	•	Impact Guards
	or No Push Handles	•	One Sided Fork Package
•	10.5" x 3.5" Tires with Foam Filled	•	SPJ+, MPJ+ Joystick
	Inserts	•	All PSR+ / PSF+ Joysticks
•	90° or 95° Back Angle	•	Proportional Attendant Control
•	18" - 24" ASBA Back Height	•	"T" Handle Flexible Joystick
•	Any Seat Width		Ext.
•	Any Seat Depth	•	Left Hand Mounted Joystick
•	250 lb user weight limit	•	Straight Handle Flexible
•	Low Seat-to-Floor Height		Joystick Ext.
•	Any Color Frame Finish	•	Easy Remote Programmer
		•	Reinforced Back Upholstery
		•	U1 Batteries

TRRO FEATURES FOR TDX SC

#### BASE

Please note that all TRRO chairs are set at a 5° seat angle

TRANSPORT	TTIE-DOWN	
□ TRRO	Transport Ready Option	2
☐ TRBKTS	Wheelchair Transport Brackets	
USER WEIG	HT LIMIT	
□ UW250	User Weight <250 lb Standard	
WHEEL OPT	TION (PAIR)	
■ DW10535FF	10.5" x 3.5" Flat Free Tires Standard	
WHEEL OPT	TION (PAIR)	
□ DW10535FF	10.5" x 3.5" Flat Free Tires Standard	
FORK OPTION	ON	
□ FKPKG	One-Sided Fork Package 500.00	

#### **FOOTNOTES**

<sup>1</sup> TDXSC comes standard with: 250 lb user weight capacity, 4.8 mph top speed, 2-pole motor package & MK6i SPJ™ + Joystick, MK660ACC Controller, and Quiet Stability Lock. Base width is 24".

#### **FOOTNOTES**

<sup>2</sup> Not available with elevating seat.

FRAME FIN	ISH		MIXED A	ADJUSTABLE ARM TYPE (EACH)	
□ 24P	Wet Black	No Charge	■ 19FR	Full Length Adj Ht Arm Right (E0973)115.0	00
□ 60P	Silver Metallic	No Charge	□ 29FR	Desk Length Adj Ht Arm Right (E0973)	
☐ 115P	Black Prism		■ 19FL	Full Length Adj Ht Arm Left (E0973) 115.0	
☐ 61P	Electric Red	No Charge	□ 29FL	Desk Length Adj Ht Arm Left (E0973)115.0	
□ 120P	Grape Madness		CANTILI	EVER ARM TYPE (PAIR) 8	
□ 62P	Electric Blue		□ CLVF	Full Length Arm\$350.0	ഹ
□ 127P	Grasshopper Green		□ CLVD	Desk Length Arm. \$350.0	
	CFF	8-		EVER MIXED ARM TYPE (EACH)	Ю
	SEAT			Full Length Arm Right\$175.0	00
CY/COPEN & COV			□ CLVDR		
SYSTEM TY			□ CLVFL	Full Length Arm Left\$175.0	
☐ CGE	5" Elevating Seat	1,895.00	□ CLVDL		
				<u> </u>	10
SEAT-TO-FI	LOOR HEIGHT			O OPTIONS (CANTILEVER ARMS)	
☐ LOW	16.5"	Standard	□ WF	Waterfall ArmpadsStandar	
☐ MED	17.5"		☐ RCL	Reclining ArmpadsNo Charg	зe
☐ TALL	18.5"	U			
			VAN SEA	ΛT	
SEAT SELE	CTION		(STANDAR	D DIMENSIONS: 18"W X 16"D)	
□ ADJASBA	Adj Rehab Seat w/Adj Seat Tilt & Back	AngleStandard	□ VW16	16" Wide Van SeatNo Charg	αa
			□ VD16		
□ ADJRECL	Manual Recline for Adj ASBA (E1226).		□ VD16	1	
☐ CTS	Contoura <sup>™</sup> Seating				
☐ OMCU	Omit Contoura Seat Cushion	Less 20.00	□ VD18	3 18" DepthNo Charg	ge
■ SEMIRB	Van Seat Semi Recline with Solid Base	70.00	D 3/33/10	10   17   1 11 0 0 0 0 0 1	
ADJUSTARI	LE SEAT WIDTH RANGE		□ VW18	18" Wide Van SeatStandar	
☐ 1620W	16" to 20" Seat Width Range	No Charge	□ VD16	r	
	_		□ VD17	1	
	EAT WIDTH <sup>6</sup>		<b>□</b> VD18	B 18" DepthNo Charg	ge
□ W16	16" Seat Width				
□ W17	17" Seat Width	No Charge	□ VW20	20" Wide Van Seat	
■ W18	18" Seat Width	No Charge	□ VD18	1	
■ W19	19" Seat Width		<b>□</b> VD19	9 19" Seat DepthNo Charg	ge
■ W20	20" Seat Width	No Charge	□ VD20	20" Seat Depth	)0
ADJUSTABI	LE SEAT DEPTH RANGE <sup>7</sup>				
☐ 1619	16" to 19" Seat Depth Range	No Charge	□ VW22	22" Wide Van Seat	
☐ 1920	19" to 20" Seat Depth Range		□ VD18		
			■ VD19	9 19" Seat DepthNo Charg	ge
	EAT DEPTH SETTING		□ VD20	20" Seat Depth	)0
□ D16	16" Seat Depth				
□ D17	17" Seat Depth		□ VAN UF	PHOLSTERY	
□ D18	18" Seat Depth		$\square$ GV	Grey VinylNo Charg	ge
□ D19	19" Seat Depth		☐ SEAT S'		
□ D2 0	20" Seat Depth	No Charge	□ SEMI	IRB Semi Recline with Solid BaseNo Charge	, 9
FIXED ARM	TYPE (PAIR)				
□ 18F	Full Length Fixed Height Conv	No Charge	☐ ARM T	YPE	
□ 28F	Desk Length Fixed Height Conv	Standard	□ VAH	Full Length, Adjustable Height (E0973) 230.0	00
		Standard	□ VFH	Full Length, Fixed HeightStandar	
	LE ARM TYPE (PAIR)		□ VAHI	D Desk Length, Adjustable Height (E0973) 230.0	00
□ 19F	Full Length Adj Ht Conv (E0973)		□ VFHI	Desk Length, Fixed HeightNo Charg	ge
□ 29F	Desk Length Adj Ht Conv (E0973)	230.00	MIXED	VAN ARMS (EACH)	
				· · · · · · · · · · · · · · · · · · ·	~~
			□ RVFE □ RVAE		_
			□ RVFH		
			□ RVAI		
			□ LVFH		
			LVA		
			LVFH		_
			□ LVAH		UU
			SEAT TII	LT <sup>10</sup>	
			D 00 A	00C4 Til	

#### **FOOTNOTES**

### **FOOTNOTES**

□ 0SA

□ 5SA

0°Seat Tilt ......No Charge

5°Seat Tilt ......No Charge

<sup>&</sup>lt;sup>3</sup> Not available with elevating seat.

<sup>&</sup>lt;sup>4</sup> Selected seat depth on Contoura assumes 1" of back cushion compression. For example: When choosing an 18" depth the measurement from the front of the back cushion to the front of the seat pan equals 17". The Contoura back cushion is 2" thick. Please refer to page 5 for seat size offerings.

Will need to select VAN when building chair in configurator. Not available with Transport option or Elevating seat.

<sup>&</sup>lt;sup>6</sup> Contoura available in even Seat Widths from 16" - 20".

 $<sup>^7</sup>$  Contoura available in Seat Depth from 16" - 20".

<sup>&</sup>lt;sup>8</sup> Cantilever Arms only available with 300 lb. rated systems. Not available with BPO, Otto Bock or 12"-15" seat width.

<sup>&</sup>lt;sup>9</sup> Seat to floor heights for the SEMIRB are Low 16" and Medium 17". A tall seat to floor height is not available with this seat style.

<sup>10 5°</sup> Seat to floor height not available with Elevating Seat and not available on LOW seat to floor height on non elevating seat. Add ½" to Med or Tall STF at 5° seat tilt.

	Access	OLIC
SEAT BACK	TYPE	
□ SECT	Sectional Rear UprightsStandard	
□ SRUP	Straight Rear UprightsNo Charge	
□ 9720P	No Push Handles (Straight Canes)	
□ L8661	Omit Rear UprightsLess 20.00	
SEAT BACK	ANGLE DEGREE	
□ 90BA	90°	
□ 95BA	95°	
BACK HEIG	нт	
ADJASBA		
□ BH16	Back Height 16"No Charge	
□ BH17	Back Height 17"No Charge	
□ BH18	Back Height 18"	
□ BH19	Back Height 19"	
□ BH20	Back Height 20"	
□ BH21	Back Height 21"	
□ BH22	Back Height 22"	
□ BH23	Back Height 23"	
□ BH24	Back Height 24" No Charge	
CONTOURA		
☐ TSBH25	Back Height 25"No Charge	
☐ TSBH295	Back Height 29.5No Charge	
RECLINER		
□ BHR18	Back Height 18"No Charge	
☐ BHR20	Back Height 20"	
☐ BHR22	Back Height 22"	
☐ BHR24	Back Height 24"No Charge	
☐ BHR26	Back Height 26"	
SEAT POSIT	IONING STRAPS	
☐ 1311BK	Airline Buckle Seat Pos Strap50.00	
☐ 1511BK	Push Button Style Seat Pos Strap	
	•	
	TIONING STRAPS	
□ 7311BK	Airline Buckle Chest Pos Strap (E0960)	
□ 9515	Push Button Style Chest Pos Strap (E0960) 100.00	
□ 7321BK	Hook & Loop Chest Pos Strap (E0960) 100.00	
	<b>ELECTRONICS</b>	
MK6i <sup>™</sup> CON	ΓROLLER	
☐ MK660ACC	60 Amp Controller	
☐ GTRAC	G-Trac Module (K0108)	11
STANDARD	DRIVER CONTROLS	
□ SPJPLUS	SPJ+ Single Drive Joystick Standard	
□ SPJAP	SPJ+ for Powered Seating	12
ACUTATOR	CONTROL THROUGH SPJ+	
□ SPJAPM	SPJ+ with Joystick ACtuator Control (E2310) 1,300.00	13
EXPANDABI	LE CONTROLLER SYSTEMS	
□ PWH	Harness reg. for Expandable Electronics (E2313)350.00	14
☐ MPJM6U	MPJ <sup>™</sup> + Multiple Drive Joystick (E2377)	
□ PSFM6	Personal Joystick, Inductive on Front	15
		15
□ PSRM6	Personal Joystick, Inductive on Rear	16
□ PBOD	Push Button On/Off w/PB Drive Select No Charge	16 17
□ PBSS	Push Button On/Off w/Speed Select No Charge	16
□ OR	On/Off Mounted RightNo Charge	
□ OL	On/Off Mounted LeftNo Charge	16
☐ ASLRDYM6	MK6 Display Only ( <b>No Driver Control</b> )(E2377)750.00	18

#### **FOOTNOTES**

- 11 G-Trac provides Improved Tracking Capabilities and Enhanced Traction. Does not require
- Special Motors. Not available w/ SPJ+ joysticks.

  12 SPJAP for use with Elevating Seat only. Egg switch with 611 mount will come standard to operate elevate feature.
- 13 SPJAPM for use with Elevating Seat only. Allows actuator operation through the drive control
- Harness is required to interface joystick or MK6i display with expandable controllers. Option is located under Electronic Accessories in configurator.
- TOD-SS: Toggle On/Off Drive Select, Speed, Speed Potentiometer standard.
- 16 PSRM6 Only.
- <sup>17</sup> Drive Select through mode switch, or mode switch and Joystick Commands.

FOR YOUR ASL DRIVE SYSTEM NEEDS PLEASE REFER TO THE FOLLOWING: ASL SINGLE INVOICE PRICE LIST FORM # 02-097.

	VE PROPORTIONAL CONTROL		MS
500M6	Prop RIM Head Control w/Display (E2327)		
SMHD	Small Headrest		
			19
NPM6	1 0		
018M6			19
020M6	Mini Tash J/S & Dig Interface Box (E2321)	. 1,750.00	19
N PUFF F			
KG32666	Therafin® Sip-N-Puff Breath Tube Kit (E2326	380.00	
DITIONAL	L CONTROL CHOICES		
558M6	Compact Joystick - Less std Mount	770.00	
018			20
020			20
ACM6	Prop. Attendant Control w/ quick release mou	ntt. 850.00	
552M	Digital Attendant Control	850.00	20
STICK N	IOUNTING HARDWARE		
		8) 279 00	21
-	•	*	21
-			
EFT			
IMHW			
KG32669			
GATMPJM6	Gatlin Midline for MPJ (E1028)	600.00	
GAT1812	Gatlin Midline for 1812 (E1028)	600.00	
CM	Rear Cane Mount for Compact Joystick	395.00	
ECTRONI	C ACCESSORIES		
813M6			
813SD			
	<b>1</b> ' '		
			22
	1 1 2		23
			23
	Push Button Mounting Kit		
BMT		252.00	
	DLGHD 558MM6 CERNATI NPM6 018M6 020M6 N PUFF F KG32666 DITIONA 558M6 018 020 ACM6 552M CSTICK M DLAM DLAM DLAM DLAM DLAM DLAM DLAM DLA	Compact Joystick w/Display (E2373)	Large Headrest

#### **FOOTNOTES**

- $^{18}$  Display Only, No Driver control. Allows choice from order form.
- 19 Must also use either a Multiple Drive Joystick or MK6 Display.
- <sup>20</sup> Requires SNPM6 Sip-N-Puff Interface Box.
- <sup>21</sup> QLA and QLAM6 include ARM250 standard.
- 22 For use in the mode switch port of the MK6i Display, MPJ+, PSR+, or PSF+ joysticks to provide two programmable switch functions (Monoport 1 and Monoport 2 of the Calibrations menu). Not compatible with SPJ+ joysticks.
- <sup>23</sup> Option to replace Monoport "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options. "Y" Cable standard when ordering powered seating.
  <sup>24</sup> These options are located in the configurator under the MK6i Electronics Folder. The
- <sup>24</sup> These options are located in the configurator under the MK6i Electronics Folder. The Category Header inside the folder is labeled Power Seating Accessories. Not available with Elevating Seat.

For all systems with two or more actuators you must choose 4WSB at No Charge or the S4WSB with an Up-Charge.

S4WSB Replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.

FWT or QPB is required when choosing the 4WSB or S4WSB.

ASL OPTION	NAL ACCESSORIES	
□ EGSBLK	Egg Switch - Black	
☐ ASL304	Light Wobble Switch w/611 Mount 320.00	
☐ ASL202J	Fiber Optic Switch	
☐ ASL208J	Adj Proximity Switch550.00 <sup>26</sup>	
☐ ASL504M6	Remote Emergency Stop Switch	
☐ ASL804M6	24 Volt Power Source Adaptor 390.00	
	MISCELLANEOUS	
BACK ACCI	ESSORIES	
□ L8601	Omit Back UpholsteryNo Charge	
□ RBP	Reinforced Back UpholsteryNo Charge	
MISCELLANEOUS ACCESSORIES		
■ 1303	Wheel Locks	
☐ SEAT02	Oxygen Holder (ADJASBA Seat Only) (E2208) 150.00	
<b>BATTERY</b>		

## FRONT RIGGING OPTIONS

Lester 8 AMP Battery Charger (E2367) ...... 320.00 <sup>28</sup>

Omit Battery Charger ......Less 80.00

Center Pivot Style Bracket ...... No Charge

□ 110CHARGER 110 Volt Battery Charger......No Charge

BATTERY CHARGER OPTION

HANGER BRACKET TYPE

□ LESTR□ L8900

□ ASB

□ PSB	Pin Style Bracket	No Charge
FRONT RIG	GING	
CENTER MOU		
☐ CTMT-F	Ctr Mount Adj Knee Angle (12.25" - 15")	300.00 29
☐ CTMT-FJ	Ctr Mount Adj (9.25" - 12")	300.00 30
□ SM	Small Footplates (5.25" x 7.5")	No Charge
■ MED	Medium Footplates (5.50" x 9.5")	No Charge
☐ LRG	Large Footplates (5.90" x 11.5")	No Charge
☐ CALF	Calf Pads For Center Mount	200.00
CENTER PIVO	T STYLE (PAIR)	
□ 70NHD	70° Swingaway Footrests 13.5"-17.5"	Standard 31
☐ 70STAPER	70° Tapered Footrests 13"-17"	No Charge 32

### FOOTNOTES

AT5544

<sup>25</sup> Required for Tilt Operation through Driver Control - Single Actuator Systems Only. Not compatible with SPJ+ joysticks. Does not come standard with egg switch. . <u>Use for operating Elevate through driver control.</u>

Not available with SPJ+ Joystick. Must add MK6 Auxiliary Power Source.

<sup>27</sup> Required pick on elevating seat.

<sup>28</sup> Upcharge effective July 1, 2008.

<sup>29</sup> Allows 60° to 90° static knee angle positioning with a drop back lever for easier transferring. Extension range 12.5" - 15".

<sup>30</sup> Allows 60° to 90° static knee angle positioning with a drop back lever for easier transferring. Extension range 9.25" - 12".

<sup>31</sup> The composite footplate 1651 is standard.

32 Standard with impact guards. Not available with widths 19" or 20" and 16" deep seat.

33 Not available with 16" wide by 16" to 18" deep or 17" wide by 16" deep and low seat-to-floor.

PIN	N STYLE-I	HEMI (PAIR)
	PHW93	70° Swin

☐ PHW93	70° Swingaway Footrests 13.5" - 19"No Charge 34
☐ PHAL4A	Manual Articulating/ELR 17.25" – 21.5" (K0053).225.00 32
POWER LE	GS <sup>35</sup>
■ ELRPW	Power ELR w/Articulation 20" Ext (E1010) 1,895.00
☐ ELRPW22	Power ELR w/Articulation 22" Ext (E1010) 1,995.00
FOOTBOAR	RD .
□ 90FB	Footboard150.00 <sup>36</sup>
FOOTPLAT	E OPTIONS (PAIR)
□ 1350	Extra Lg Aluminum FootplatesNo Charge 37
□ AT5543	Adj Angle Flip-Up Footplates (K0040) 165.00
☐ CTMTFB	Footboard for Center MountNo Charge 38
FOOTBEST	T ECDECT A CCECCODIEC

#### FOOTREST/LEGREST ACCESSORIES

1.	JOINES I/I	LEGREST ACCESSORIES	
	1337	Calf Strap (E0038)	27.00
	1600BK	Heel Loops w/Ankle Straps (E0951)	56.00
	IMPACTG	Impact Guards	. 51.00
	ALPT	Longer Pivot And Slide Tube	84.00
	ALPT4	Longer Pivot And Slide Tube 4"	. 84.00

### **SEATING & POSITIONING**

FOR YOUR SEATING NEEDS
PLEASE REFER TO THE FOLLOWING
REHAB SEATING & POSITIONING PRODUCTS
See Price List Form 07-027

#### **FOOTNOTES**

<sup>34</sup> Standard with composite footplates.

<sup>36</sup> 90FB is for VAN seat with SEMIRB. Not available with ADJASBA or Elevating Seat.

37 Not available with AT5544 and 16" wide by 16" - 18" deep or 17" wide by 16" deep and low seat-to-floor.

<sup>38</sup> One piece footboard for Center Mount (CTMT-F) Riggings only.

<sup>&</sup>lt;sup>35</sup> Independent Power Elevating Legrests with Adjustable Angle Footplates. Not Available with 16" or 17" Seat Depths. Extension range 13"-20" (ELRPW) 15"-22" (ELRPW22) Sold as pair. To operate Power Legs must select 4SWB or S4SWB. Not available with elevating seat. Not available with Sanode or SPJ+ joystick.

TDX SC Specifications		
Seat Width Range: (in 1" increments) ADULT (Adjust)		
Seat Depth Range:	16" - 20"	
Back Height Range:	16" - 24"	
Back Angle Range:	85° to 105° in 5" increments	

Seat-to-Floor		
(approximate)	Rehab Seat	Elevating
Standard	16.5" @ 0°	16.75" @ 0°
Medium	17.5" @ 0°	
Tall	18.5" @ 0°	
	At 5° add .5" to Med or	
	Tall. Low STF height not	

Semi Recline Solid Seat
Overall Width of Base:

available at 5°
16" Low, 17" Med
24" (w/o Joystick)

Overall Height (ADJASBA)				
(with 20" back height & 0° seat angle)				
Standard:	36.5"			
Medium:	37.5"			
Tall:	38.5"			

11 1 1 1 (A D T A CD A )

Overall Height

Semi Recline 38" w/headrest
Semi Recline 45 inches w/o headres

Overall Length: w/o front rigging 35.25" w/ 90° front rigging 43"

Weight: Rehab Seat

2 Pole Motor w/o U1 Batteries 178 lbs w/ two (2) U1 Batteries 225 lbs

Elevate

w/o U1 Batteries 178 lbs w/ Batteries 225 lbs

 Weight:
 Semi Recline Van Seat

 2 Pole Motor
 w/o U1 Batteries
 183 lbs

 w/U1 Batteries
 230 lbs

Drive Axle: Non-Adjustable

**Drive Wheels/Tires: (Foam Filled)**Standard 10.5" x 3.5"

#### MEMORY CARD - BASIC

- Standard with ALL Expandable Control Systems (MPJ+, PSR+, PSF+, MK6i Display).
- Used to Back Up/Restore Programmed Settings for Only One Chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not Contain Advanced Diagnostics/Help Screens/File Structure.
- Not compatible with SPJ+ Joysticks.

#### MEMORY CARD - PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains Advanced Diagnostics, Help Screens, Software Updates, File Storage/Retrieval.
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

Contoura Seat Sizes							
	D16	D17	D18	D19	D20		
W16	X	X	X	X	X		
W18	X	X	X	X	X		
W20	X	X	X	X	X		
Back Heights	25" or 2	9.5"	•				

Weight Limit 250 Pounds (Standard)			
Invacare recommends all wheelchairs be fitted and programmed			
to the consumer under the guidance of a healthcare professional,			
knowledgeable of the particular limitations of the product.			

## **Invacare Corporation** www.invacare.com



USA One Invacare Way Elyria, OH USA 44035-4190

800-333-6900

All rights reserved. Trademarks are identified by the symbols <sup>TM</sup> and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Products designated by ASL are Manufactured by Adaptive Switch Labs, Inc.

Therafin is a registered trademark of W/R Medical Electronics Co. Freedom Designs is a registered trademark of Freedom Designs, Inc.

Specifications and prices are subject to change without notification.

©2008 Invacare Corporation