

DHB2PT-27 Series Dedicated Holding Bin



DHB2PT-27B



The Prince Castle Dedicated Holding Bins (DHBs) provide the "work-in-process" capacity required for large foodservice operations while performing at peak energy efficiency. With stainless steel constructed exterior and cavity walls, the DHBs feature a solid state digital control system for precise heater temperature control.

The unit features two cavities, each accommodating three (3) third-size, 2¹/₂" deep pans - holding a total of six pans. Adjustable upper and lower heaters offer maximum flexibility in setting the precise food holding temperatures.

Exclusive Reli-A-Temp™ infrared heater technology holds food temperatures more consistent within the designated holding time than other types of heating systems. This exclusive heater design spreads the heat evenly over the entire food holding area, eliminating edge drop off. Food is kept at the desired serving temperature and not overcooked. Extended hold times reduce waste and offer the flexibility to address peak/off-peak demands.

With MenuTrak, Prince Castle DHBs "supervise" menu items by identifying where menu items are located and tracking their respective hold times. MenuTrak also indicates when you should discard old product and begin cooking new product, reassuring you that your customers are always being served your best.

The Prince Castle DHBs are backed by a one-year parts and labor warranty.

STANDARD FEATURES

- Independent upper and lower heating system per cavity.
- Adjustable temperature for each heater zone: Top heater range: 150° to 260°F (65° to 127°C); Bottom heater range: 150° to 260°F (65° to 127°C)
- Prince Castle pan indexing system (patent pending) designed to prevent incorrect pan placement and ensure precise holding temperatures and correct ambient conditions.
- Solid state digital controls
- Equipped with MenuTrak food supervisory system
- Dual- and single-sided models are available
- Hold both fried and non-fried menu items in the same bin
- One-year parts and labor warranty.



- Pass-thru design allows employees to access the food from both sides.



- Unique pan lid system allows perfect holding of moisture-sensitive foods, including hamburgers, grilled chicken and more.

MenuTrak Features

- Identifies product and tracks holding times
- Alphanumeric displays for each pan
- Program up to six different menus.
- Easy to transfer products within existing or other product holding units.


DHB2PT-27 Dedicated Holding Bin

DIMENSIONS

MODEL NO.	DESCRIPTION	WIDTH IN. (CM)	DEPTH IN. (CM)	HEIGHT IN. (CM)	SHIPPING WT LB. (KG.)
DHB2PT-27B DHB2PT-27BCE DHB2PT-27BGB	Dual-sided 2-Shelf/6-Pan DHB	27.2 (69.1)	14.1 (35.8)	11.1 (28.2)	90 (41)
DHB2SS-20	Single Sided 2-Shelf/6-Pan DHB	27.2 (69.1)	14.1 (35.8)	11.1 (28.2)	90 (41)

ELECTRICAL

MODEL	VOLTS	Hz	WATTS	AMPS	PLUG NUMBER	AGENCY APPROVALS
DHB2PT-27B	120	60	1650	13.8	NEMA 5-20P	UL/cUL/ UL Sanitation
DHB2PT-27BCE	220-240	50	1880 Max	7.8 Max	CEE7-7 "SCHUKO"	CE/ UL Sanitation
DHB2PT-27BGB	240	50	1880	7.8	BS1363A	UL Sanitation



*Designs and specifications are subject to change without notice.