



Product Safety Data Sheet

Product: CopyCentre C2128, C2636, C3545
WorkCentre Pro C2128, C2636, C3545

PSDS No.: 0954
ISSUE DATE: 09/30/04
REV. DATE: 04/02/07

Section I - Product Identification

Manufacturer's Name
Xerox Corporation

Emergency No. EH&S Inquiries
(585) 422-2177 (800) 828-6571

Manufacturer's Address
Webster, NY 14580

Product Designation
CopyCentre C2128, C2636, C3545
WorkCentre Pro C2128, C2636, C3545

Product Identifier:
System ZOC-1
IOT - FAR-8

Section II - Electrical Information

Line Voltage (Volts)	Line Current (Amps)	Freq. (Hertz)
120 - 127	12A	60

Branch Cir. Protection
(Amps)
15A OR 20A

Line Cord/Plug Specification
Equipped with Appliance Coupler
Detachable Power cord
Two wire + ground
NEMA Type 5-15P OR 5-20P Plug

Power Consumption (Watts)*
Running: 838
Standby: 247
Power Saver: 71
OFF/FEMP: 0

Xerox ENERGY STAR equipment is preset at the factory. Your machine will be delivered with the timer for switching to Power Save Mode from the last copy/print out, set at 30 minutes. A more detailed description of this feature can be found in the *Products User Guide*.

Agency Approval

UL File Number E51242-A10-UL-1

cUL File Number E51242

Section III - Supplies

Toner, Black
Developer, Black
Photoreceptor

Material Safety Data Sheet

P-7001
B - 2004
C - 3004

Section IV - Environmental Information

Product Size (IOT/TTM)
(Meters / Inches)

D: 0.723 / 28.5
W: 0.632 / 24.9
H: 0.857 / 33.7

Heat Emission*
(BTU/HR)

Running: 2,858
Standby: 842
Power Saver: 242

Environmental Limitations

	<u>Min</u>	<u>Max</u>
Relative Humidity (%)	15	85
Ambient Temp. (°C)	10	32

*Based on a five minute average

Product: CopyCentre C2128, C2636, C3545
WorkCentre Pro C2128, C2636, C3545

PSDS No.: 0954

Floor Space Requirements

Full System with Professional Finisher (Meters / Inches)
Office 1.956 (D) X 2.286 (W) / 77 X 90
Hallway 2.540 (D) X 2.286 (W) / 100 X 90

Full System with Office Finisher (Meters / Inches)
Office 1.956 (D) X 2.032 (W) / 77 X 80
Hallway 2.540 (D) X 2.032 (W) / 100 X 80

Weight
(K Grams / Lbs.)
IOT/TTM 125 / 275

Section V - Emission/Exposure Information*

Light Source
Class 3b Laser in a Class 1 Laser System,
Registered with the US FDA

FDA Accession Number
9220485-70

Electromagnetic Emissions
US FCC: Class A
Canada DOC: Class A

Audible Noise
Run 60.5 dB(A)
Standby 35.4 dB(A)
Impulse 67.4 dB(A)

TLV *
85.0 dB(A)

Ozone
Concentration
0.001 ppm (0.002 mg/m³)

TLV
0.1 ppm

Ozone emissions were conducted in accordance to the JMBA-66-1999 test protocol. Concentration is reported as an hourly average (from 30-90 minutes) in a 90-minute continuous machine operation.

Total Dust
0.017 mg/m³

TLV
10 mg/m³

Section VI - Product Recycling and Disposal

Xerox operates a worldwide equipment takeback and reuse/recycle program. Contact your Xerox sales representative (1-800-ASK-XEROX) to determine whether this Xerox product is part of the program. For more information about Xerox environmental programs, visit www.xerox.com/environment.

If you are managing the disposal of your Xerox product, please note that the product contains lead and other materials whose disposal may be regulated due to environmental considerations. The presence of lead and is fully consistent with global regulations applicable at the time that the product was placed on the market. For recycling and disposal information, contact your local authorities. In the United States, you may also refer to the Electronic Industries Alliance web site: www.eiae.org.

* **TLV** (Threshold Limit Value) and **PEL** (Permissible Exposure Level) respectively set by American Conference of Government Industrial Hygienists and by Occupational Safety and Health Administration. These levels are considered maximum exposure permitted to ensure no health hazard. **TWA** (Time-Weighted Average) for a normal eight-hour workday.

All measurements were made on products performing within established operating specifications and received recommended maintenance procedures. Xerox certifies that this product meets or exceeds the applicable standards for safety and emissions.