

OWNER'S INSTRUCTIONS MANUAL DE INSTRUCCIONES MANUEL D'UTILISATION **ISTRUZIONI PER L'USO** MANUAL DE INSTRUÇÕES **GEBRAUCHSANWEISUNG** ΟΔΗΓΙΕΣ ΧΡΗΣΤΗ ИНСТРУКЦИЯ ПОЛЬЗОВАТЕЛЯ


Heat pump

Cooling only

AVMKH020CA0(1,2,4) AVMKH032CA0(1,2,4) AVMKH040CA0(1,2,4)

AVMKC020CA0(1.2.4) AVMKC032CA0(1,2,4) AVMKC040CA0(1,2,4) AVMKH020EA(B)0(1,2,4) AVMKC020EA(B)0(1,2,4) AVMKH026EA(B)0(1,2,4) AVMKC026EA(B)0(1,2,4) AVMKH035EA(B)0(1,2,4) AVMKC035EA(B)0(1,2,4)

System Air Conditioner Aire acondicionado sistemático **Climatiseur numérique multifonctionnel** Sistema Aria Condizionata Sistema Ar Condicionado Klimaanlage System Σύστημα Κλιματισμού Системный Воздушный Кондиционер



Register your product at www.samsung.com/global/register

Safety Precautions

E-2

The following safety precautions must be taken when using your air conditioner.

Risk of electric shock. • Can cause injury or death. • Disconnect all remote electric power supplies before servicing, installing or cleaning.This must be done by the manufacturer or its service agent or a similar qualified person in order to avoid a hazard.
 Users of this product are cautioned not to attempt repair of this product at their own discretion. Instead, they are requested to directly contact a designated service center or the outlet at which the product was purchased. Never spill any kind of liquid into the unit. Should this happen, unplug or main switch off the unit and contact an authorized service center. Do not insert anything between the air outlet blades because the inner fan may be damaged and could cause injury. Keep children away from the unit. Do not place any obstacles in front of the unit. Do not spray liquid of any kind into the indoor unit. Should this happen, switch off the breaker used for your air conditioner and contact your installation specialist. Make sure that the unit is correctly ventilated at all times: Do not place clothing or other materials over it. If the wireless remote control will not be used for a long time, remove the battariae.
 the batteries. (If applicable) When using a wireless remote control, the distance should not be more than 7 meters from the air conditioner. (If applicable)
 Before throwing out the device, it is necessary to pull back the battery cells and get rid of them safely for recycling reasons.
 When you need to dispose of the unit, consult your dealer. If pipes are removed incorrectly, refrigerant may blow out and come into contact with your skin, causing injury. Releasing refrigerant into the atmosphere also damages the environments. Please recycle or dispose of the packaging material for this product in an environmentally responsible manner.
 Never store or ship the air conditioner upside down or sideways to avoid damage to the compressor. The appliance is not intended for use by young children or infirm persons without supervision: Young children should be supervised to ensure that they do not play with the appliance. Max current is measured according to IEC standard for safety and current is measured according to ISO standard for energy efficiency.

Contents

•	PREPARING YOUR AIR CONDITIONER Safety Precautions 2 View of the Unit 4 Wireless Remote Controller-Buttons and Display 6 Wired Remote Controller-Buttons and Display 7 Centralized Controller 8 Function Controller 9
•	RECOMMENDATIONS FOR USE• Operating Recommendations10• Temperature and Humidity Ranges11• Cleaning Your Air Conditioner12• Bio-Pure Filter Installation (Optional)13• Solving Common Problems14

TECHNICAL SPECIFICATIONS



Correct Disposal of This Product (Waste Electrical & Electronic Equipment)

(Applicable in the European Union and other European countries with separate collection systems)


This marking shown on the product or its literature, indicates that it should not be disposed with other household wastes at the end of its working life. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate this from other types of wastes and recycle it responsibly to promote the sustainable reuse of material resources.

Household users should contact either the retailer where they purchased this product, or their local government office, for details of where and how they can take this item for environmentally safe recycling.


Business users should contact their supplier and check the terms and conditions of the purchase contract. This product should not be mixed with other commercial wastes for disposal.

View of the Unit

E-4




The figures are shown in this instruction may differ from yours depending on the model.




Outdoor Unit

TYPE C

TYPE D




Outdoor Unit



Note If the heat exchanger in the outdoor unit gets dusty, cooling efficiency may fall. So clean the heat exchanger with water when it becomes dirty. However, be careful when you wash the surface of the heat exchanger because it is very sharp.

Wireless Remote Controller-Buttons and Display

The wireless remote controller is an optional accessory. To use the wireless remote controller, refer to an appropriate manual.



Note


E-6

• After cleaning the air filter, press the filter reset button.

◆ The heating mode(☆) is not selected in cooling only models.

Wired Remote Controller-Buttons and Display


The wired remote controller is an optional accessory and it is installed on the wall. To use the wired remote controller, refer to an appropriate manual.




- Note Test button is for your installation specialist. You must NOT press it.
 - After cleaning the air filter, press the filter reset button. Then the wired remote controller will display the FILTER SIGN indicator when the time to clean the air filter; refer to page 12.
 - ◆ The heating mode(☆) is not selected in cooling only models.

Centralized Controller

The centralized controller is an optional accessory and it is installed on the wall. To use the centralized controller, refer to an appropriate manual.






E-8

◆ The heating mode(☆) is not selected in cooling only models.

Function Controller

The function controller is an optional accessory and it is installed on the wall. The function controller is an additional controller which is used with the centralized controller. To use the function controller, refer to an appropriate manual.



- Note Test button is for your installation specialist. You must NOT press it.
 - After cleaning the air filter, press the filter reset button. Then the wired remote controller will display the FILTER SIGN indicator when the time to clean the air filter.
 - ◆ The heating mode(☆) is not selected in cooling only models.

Operating Recommendations

Here are a few recommendations that you should follow when operating your air conditioner.

Торіс	Recommendation
Heating performances	The heat pump function of the air conditioner absorbs heat from outside air and brings it indoors. As the temperature of the outside air drops, the heating performance of air conditioner w decrease. If you find that the room is not warm enough, using an additional heating appliance is recommended.
Frost	When outside temperature is low but humidity is high, frost may form on the outdoor unit at HEAT mode.
	If this happens:
	The heating operation stops.
	 The defrost mode will be triggered automatically for about 10 minutes.
	No intervention is required ; after about 10 minutes, the air conditioner operates again normally.
High indoor and outdoor temperatures	If both indoor and outdoor temperatures are high and the air conditioner is running at HEAT mode, the outdoor unit's fan and compressor may stop at times. This is normal ; simply wait until the air conditioner switches on again.
Power failure	If a power failure occurs while the air conditioner is operating, the unit will be switched off. When the power returns, the air conditioner starts up again automatically.


Temperature and Humidity Ranges


The following table indicates the temperature and humidity ranges, within which the air conditioner can be used.

If the air conditioner is used at		Then	
High temperature		The automatic protection feature may be triggered and the air conditioner stopped.	
Low temperature		A water leakage or some other malfunction may happen if the heat exchanger freezes.	
High humidity levels		Water may condense on and drip from the surface of the indoor unit if it is used for a long periods.	
Mode	Outdoor Temperature	Indoor Temperature	Indoor Humidity
Heating	-15°C to 24°C approx.	27°C or less	-
Cooling	-5°C to 43°C approx.	21°C to 32°C approx.	80% or less
Drying	-5°C to 43°C approx.	21°C to 32°C approx.	-

* The standardized temperature for heating is 7°C. If the outdoor temperature drops to 0°C or below, the heating capacity can be reduced depending on the temperature condition. If the cooling operation is used at over 32°C(indoor temperature), it does not cool at its full capacity. ENGLISH

Cleaning Your Air Conditioner





To get the best possible use out of your air conditioner, you must clean it regularly to remove the dust that accumulates on the air filter.


IMPORTANT Before cleaning your air conditioner, ensure that you have switched off the electric circuit breaker used for the unit.

1 Open the front grille by pushing the tabs on the grille.

INPORTANT You must give attention when disassembling the front grille and must check the safety clips have been installed. If you do not check them, the front grille will drop suddenly and you will be hurt.

- 2 Remove the front grille.
 - 2-1 Remove the safety clips.
 - 2-2 Open the front grille about 45° and pull it forward.
- 3 Pull out the air filter.
- **4** Remove all dust on air filter with a vacuum cleaner or a brush. In case of serious dust accumulation, put the air filter in warm detergent water and shake it vertically.
- 5 Dry the air filter.
- 6 When you have finished, insert the filter into the front grille.
- 7 Clean the unit with a vacuum cleaner or a brush once a month.
- 8 Reinstall the front grille and the safety clips.

Note After cleaning the air conditioner, press the Filter Reset button.



Bio-Pure Filter Installation (Optional)

The air conditioner can be fitted with a Bio-Pure or deodorizing filter to remove minute dust particles or odours. The service life of the filter is approximately three months depending on the time during which the air conditioner is used.


1 Remove the vinyl packing from the filter.


Note Do not remove the packing from a bio-pure filter until you wish to use the filter, as it will lose its properties.

- 2 Open the front grille by pulling the tabs on the grille.
- **3** Remove the front grille.
 - 3-1 Remove the safety clips.

3-2 Open the front grille about 45° and pull it forward.

- 4 Insert Bio-Pure or deodorizing filter.
- 5 Reinstall the front grille and the safety clips.





e-13

Solving Common Problems

Before contacting the after-sales service, perform the following simple checks. They may save your time and expense of an unnecessary call.

Problem	Explanation/Solution
The air conditioner does not operate at all	Check that the breaker used for the air conditioner is switched on.
Wired Remote Controller The air conditioner does not operate with the remote controller	 is displayed on the wired remote controller. In this case, turn the air conditioner off and contact your dealer.
Wired Remote Controller When turning on/off the air conditioner, it is not turned on/off immediately.	 In case of using the wired remote controller for a group, the air conditioners connected to the remote controller are turned on/off in order. Thus, it takes some time(up to 32 seconds).
operate with the remote controller	 er Check that there are no obstacles between you and the remote control sensor. Check the wireless remote controller batteries. Check that you are close enough to the remote control sensor. (7 metres/yards or less).
press () (ON/OFF) on the remote controller	 Check that you are pointing the remote controller at the remote control sensor on the indoor unit. Replace the remote controller batteries if necessary. If there is a strong light around the air conditioner, a three-wavelength light, a neon sign, etc., for example, the air conditioner may not be operated with a remote controller. If this happens, use the remote controller close by the remote control sensor.
not cool or heat	 Check that the correct operating mode has been selected. The room temperature may be too low or too high. Dust may be blocking the air filter guard; refer to page 12 for cleaning instructions. Check that there is no obstacle in front of the outdoor unit.
When heating, the required room temperature is never reached and the air conditioner frequently stops	 Check that the required temperature has been set correctly. Increase the fan speed.

Technical Specifications

Model	Power Supply
AVMKH020CA0(1,2,4)	
AVMKH032CA0(1,2,4)	
AVMKH040CA0(1,2,4)	
AVMKC020CA0(1,2,4)	1Ø, 208-230V∼, 60Hz
AVMKC032CA0(1,2,4)	
AVMKC040CA0(1,2,4)	
VMKH020EA(B)0(1,2,4)	
VMKH026EA(B)0(1,2,4)	1Ø, 220-240V~, 50Hz
AVMKH035EA(B)0(1,2,4)	
AVMKC020EA(B)0(1,2,4)	
AVMKC026EA(B)0(1,2,4)	
VMKC035EA(B)0(1,2,4)	

THIS AIR CONDITIONER IS MANUFACTURED BY: ESTE AIRE ACONDICIONADO HA SIDO FABRICADO POR: CE CLIMATISEUR EST FABRIQUE PAR: QUESTO CONDIZIONATORE D'ARIA È PRODOTTO DA: ESTE APARELHO DE AR CONDICIONADO É FABRICADO POR: DIESE KLIMAANLAGE IST FABRIZIERT VON: AYTH Η ΣΥΣΚΕΥΗ ΚΑΤΑΣΚΕΥΑΣΤΗΚΕ ΑΠΟ: ЭТΟТ КОНДИЦИОНЕР ИЗГОТОВЛЕН ФИРМОЙ:



Contact SAMSUNG WORLD WIDE

If you have any comments or questions regarding a Samsung products, contact the SAMSUNG customer care center.

Country	Customeer Care Center 🖀	Web Site
BELGIUM	02 201 2418	www.samsung.com/be
CZECH REPUBLIC	844 000 844	www.samsung.com/cz
DENMARK	38 322 887	www.samsung.com/dk
FINLAND	09 693 79 554	www.samsung.com/fi
FRANCE	08 25 08 65 65 (0,15€/min)	www.samsung.com/fr
GERMANY	01805 - 121213 (€0,12/min)	www.samsung.de
HUNGARY	06 40 985 985	www.samsung.com/hu
ITALIA	199 153 153	http://www.samsung.com/it
LUXEMBURG	02 261 03 710	www.samsung.lu
NETHERLANDS	0900 20 200 88 (€0.10/min)	www.samsung.com/nl
NORWAY	231 627 22	www.samsung.com/no
POLAND	0 801 801 881	www.samsung.com/pl
PORTUGAL	80 8 200 128	www.samsung.com/pt
SLOVAKIA	0850 123 989	www.samsung.com/sk
SPAIN	902 10 11 30	www.samsung.com/es
SWEDEN	08 585 367 87	www.samsung.com/se
U.K	0870 242 0303	www.samsung.com/uk
RUSSIA	8-800-200-0400	www.samsung.com.ru
UKRAINE	8-800-502-0000	www.samsung.com/ur