

## REFERENCES BIBLIOGRAPHIQUES

**ANDRIEUX S., JOUSSEMET M. et LORENTZ E. (1996)**

*Une classe de modèle de comportement avec gradients de variables internes : construction par homogénéisation.* Paris : Compte-rendu de l'académie des sciences, T323, Série IIb, 1996, p 629-636.

**ANDERBERG Y. and THELANDERSSON S. (1973)**

*Stress and deformation characteristics of concrete at high temperature.* Lund Institute of Technology (Sweden) : Division of Structural Mechanics and Concrete Construction, 1973, 84p. Internal rep. n° Alba15/04-01.

**BAKER G. and DE BORST R. (1995)**

A thermo-mechanical damage model for concrete at elevated temperatures. *Fracture mechanics of concrete structures, Proc. FRAMCOS 2 Zurich.* Edited by F.H. Wittmann. vol 2 Great Britain : BPC Wheatons Ltd, 1995, p 991-1000.

**BAKER G. and STABLER J. (1998)**

Computational modelling of thermally induced fracture in concrete. *Computational modelling of concrete structures, Proc. EURO-C Badgastein (Austria).* Edited by R. De Borst. vol 1 Netherlands : Balkema Publishers, March 1998, p 491-480.

**BAKER G. (1996)**

The effect of exposure to elevated temperatures on the fracture energy of plain concrete. *Materials and Structures*, 1996, vol 29, n° 190, p 383-388.

**BALMER G.G. (1949)**

Shearing strength of concrete under high triaxial stress-computation of Mohr's envelope as curve. *Struct. Res. Lab.*, 1949, SP-23, p 1-10.

**BALUCH M.H., AL-NOUR L.A.R., AZAD A.K. and al. (1989)**

Concrete degradation due to thermal incompatibility of its components. *Journal of Materials in Civil Engineering*, 1989, vol 1, n° 3, p 105-118.

**BARY B. (1996)**

*Etude du couplage hydraulique-mécanique dans le béton endommagé.* Thèse de Génie Civil : Université de Paris 6, E.N.S. de Cachan, 1996. 156p.

**BATHE K.J. and WILSON E.L. (1976)**

*Numerical Methods in Finite Element Analysis.* Englewood Cliffs, (NJ) : Prentice Hall, 1976. 528p.

**BAZANT Z.P. and THONGUTHAI W. (1978)**

Pore pressure and drying of concrete at high temperature. *Journal of Engineering Mechanics Division*, 1978, vol 104, n° EM5, p 1059-1079.

**BAZANT Z.P. and THONGUTHAI W. (1979)**

Pore pressure in heated concrete walls : theoretical prediction. *Magazine of Concrete Research*, 1979, vol 107, n° 31, p 67-79.

**BAZANT Z.P. and OH B.H. (1983)**

Crack band theory for fracture of concrete. *Materials and Structures*, 1983, vol 16, n° 94, p 155-177.

**BAZANT Z.P. and PRAT P.C. (1988)**

Effect of temperature and humidity on fracture energy of concrete. *ACI Materials Journal*, 1988, vol 85, n° 4, p 262-271.

**BAZANT Z.P. and KAPLAN M. (1996)**

*Concrete at high temperature : Material behaviour and Mathematical Modelling*. London: Longman Concrete Design and Construction Series, 1996. 412p.

**BELYTSCHKO T., FISH J. and ENGLEMAN B.E. (1988)**

A finite element with embedded localisation zones. *Comp. Meth. Appl. Mech. Engng.*, 1988, vol 70, p 59-89.

**BENALLAL A., BILLARDON R. and GEYMONAT G. (1988)**

Some mathematical aspects of the damage softening rate problem. *Cracking and damage*. Edited by J. Mazars and Z.P. Bazant. New York : Elsevier pubs., 1988, p 247-258.

**BENALLAL A. and DE BORST R. (1997)**

A gradient enhanced damage model: Theory and Computation. *Computational plasticity, Proc. CIMNE, Barcelone (Spain)* : Pub. by the International Center for Numerical Methods in Engineering, 1997. p 372-380.

**BENOUNICHE S. (1979)**

*Modélisation de l'endommagement du béton en compression du béton hydraulique par microfissuration en compression*. Thèse de Doctorat 3<sup>ème</sup> cycle : Paris 6 – E.N.S.E.T., 1979. 180p.

**BERTHAUD Y. (1988)**

*Mesure de l'endommagement du béton par une méthode ultrasonore*. Thèse de Génie Civil : Université de Paris 6, 1988. 175p.

**BLIARD F., NAHAS G. and DUONG T.S. (1995)**

*Analyse thermo-mécanique du radier REP2000 sous l'effet du corium*. SOCOTEC Industrie (Paris) : EDF, 1995. 42p.

**BLUNDELL R. (1969)**

Discussions on structure, solid mechanics and engineering design. *Proceedings of a Conference on Civil Engineering Materials*, Southampton (U.K.) : 1969. P 120-127.

**BLUNDELL R., DIAMOND C. and BROWNE R.G. (1976)**

*The properties of concrete subjected to elevated temperatures*. Imperial College (London) : CIRIA Underwater Group, 1976. 20p. Technical note n° 9.

**BURLION N. (1997)**

*Compaction des bétons - Eléments de modélisation et caractérisation expérimentale.* Thèse de Génie Civil : Université de Paris 6 E.N.S. de Cachan, 1997. 205p.

**CAMPBELL-ALLEN D. and DESAI P.M. (1967)**

The influence of aggregate on the behavior of concrete at elevated temperatures. *Nuclear Engineering and Design*, 1967, vol 6, n° 1, p 65-77.

**CHABOCHE J.L. (1992)**

*Une nouvelle condition unilatérale pour décrire le comportement des matériaux avec dommage anisotrope.* Paris : Comptes Rendus de l'Académie des Sciences, T314, Série II, 1992. 6p.

**CHEN W.F. (1982)**

*Plasticity in reinforced concrete.* New York : McGraw-Hill Bookstore, 1982. 465p.

**CHEN W.F. (1994)**

*Constitutive equations for engineering materials - Volume 2, Plasticity and Modeling.* New York : Elsevier pubs., 1994. 1096p.

**COLLET Y. (1977)**

Etude des propriétés du béton soumis à des températures élevées entre 200 et 900°C. *Annales des Travaux Publics Belges*, 1977, n° 4, p 332-338.

**COSSERAT E. and COSSERAT F. (1909)**

*Théorie des corps déformables.* Paris: Herman et fils, 1909. 185p.

**DE BORST R. and PEETERS P.P.J.M. (1989)**

Analysis of concrete structures under thermal loading. *Comp. Meth. Appl. Mech. Engng.*, 1989, vol 77, p 293-310.

**DE BORST R. (1991)**

Simulation of strain localisation: a reappraisal of the Cosserat continuum. *Engng. Comp.*, 1991, vol 8, p 317-332.

**DI MAGGIO F.L. and SANDLER I.S. (1971)**

Materials models for granular soils. *J. Engng. Mech. Div.*, 1971, vol 97, p 935-950.

**DIAS W.P.S., KHOURY G.A. and SULLIVANE P. J. E. (1990)**

Mechanical properties of hardened cement paste exposed to temperature up to 700°C (1292F). *ACI Materials Journal*, 1990, vol 87, n° 2, p 160-166.

**DRAGON A. and HALM D. (1988)**

An anisotropic model of damage and frictional sliding for brittle materials. *Eur. J. Mech. And Solids*, 1988, vol 3, p 439-460.

**DRUCKER D.C. and PRAGER W. (1952)**

Soils mechanics and plastic analysis or limit design. *Quartely of Appl. Math.*, 1952, vol 10, p 157-175.

**EHM C. and SCHNEIDER U. (1985)**

The high temperature behavior of concrete under biaxial conditions. *Cement Concrete Res.*, 1985, vol 15, p 27-34.

**FEENSTRA P.H. (1993)**

*Computational aspects of biaxial stress in plain and reinforced concrete*. PhD Dissertation : Delft University of Technology, The Netherlands, 1993. 149p.

**FELICETTI, R. and GAMBAROVA P. G. (1999)**

On the residual properties of high performance siliceous concrete exposed to high temperature. *Mechanics of Quasi-Brittle Materials and Structures*, Edited by G. Pijaudier-Cabot, Zdenek Bittnar and Bruno Gérard. Paris : Hermes,1999, p 167-186.

**FRANSSEN J.M. (1987)**

*Etude du comportement au feu des structures mixtes acier-béton*. Thèse de Doctorat : Université de Liège, Belgique, 1987. 276p.

**FRANTZISKONIS G. and DESAI C.S. (1987)**

Constitutive model with strain softening. *International Journal of Solids and Structures*, 1987, vol 23, n° 6, p 733-750.

**FREMOND M. et NEDJAR B. (1993)**

*Endommagement et principe des puissances virtuelles*. Paris : Comptes Rendus de l'Académie des Sciences, T317, Série II, 1993. 7p.

**GEORGIN J.F. (1998)**

*Contribution à la modélisation du béton sous sollicitation de dynamique rapide - La prise en compte de l'effet de vitesse par la viscoplasticité*. Thèse de Génie Civil : Institut National des Sciences Appliquées de Lyon et Univ. Lyon I, 1998. 204p.

**GERARD B., PIJAUDIER-CABOT G and LABORDERIE C. (1998)**

Coupled diffusion-damage modelling and the implications on failure due to strain localisation. *International Journal of Solids and Structures*, 1998, vol 35, n° 31-32, 14p.

**GOPALARATNAM V.S. and SHAH S.P. (1985)**

Softening response of plain concrete in direct tension. *ACI Materials Journal*,1985, vol 82, n° 3, p 310-323.

**GROSS H. (1973)**

On high temperature creep of concrete. *International Conference on Structural Mechanics in Reactor Technology, 2<sup>nd</sup> SMIRT vol. 3*, Berlin : Edited by T.A. Jaeger, 1973. Paper H6/5.

**GURSON A.L. (1977)**

Continuum theory of ductile rupture by void nucleation and growth : Part I – Yield criteria and flow rules for porous ductile media. *Engng. Materials Technology*, 1977, vol 99, p 2-15.

**HANSEN T.C. and ERIKSSON L. (1966)**

Temperature change on behavior of cement paste, mortar and concrete under load. *Journal of American Concrete Institute*, 1966, vol 63, n° 4, p 489-504.

**HARADA T., TAKEDA J., YAMANE S. and FURUMURA F. (1972)**

Strength, elasticity and thermal properties of concrete subjected to elevated temperatures. *In International Seminar on Concrete for Nuclear reactors. ACI Special Publication*, 1972, paper SP34, p 377-406.

**HARMATHY T.Z. (1968)**

Determining the temperature history of concrete constructions following fire exposure. *Journal of American Concrete Institute*, 1968, vol 65, n° 11, p 959-964.

**HARMATHY T.Z. (1970)**

Thermal properties of concrete at elevated temperatures. *ASTM Journal of Materials*, 1970, vol 5, p 47-74.

**HARMATHY T.Z. and ALLEN L.W. (1973)**

Thermal properties of selected masonry unit concretes. *Journal of American Concrete Institute*, 1973, vol 70, n° 2, p 132-142.

**HEINFLING G. (1998)**

*Contribution à la modélisation numérique du comportement du béton et des structures en béton armé sous sollicitations thermo-mécaniques à hautes températures.* Thèse de Génie Civil : Institut National des Sciences Appliquées de Lyon et Univ. Lyon I, 1998. 227p.

**HILLERBORG A., MODEER M. and PETERSSON P.E. (1976)**

Analysis of crack formation and crack growth in concrete by means of fracture mechanics and finite elements. *Cement and Concrete Research*, 1976, vol 6, n° 6, p 773-782.

**HOFSTETTER G. and SIMO J.C. (1993)**

A modified cap model : closest point solution algorithm. *Comp. Struct.*, 1993, vol 46, p 203-214.

**HOGGE M.A. (1977)**

Integration operators for first order linear matrix differential equations. *Comp. Meths. Appl. Mech. Engrg.*, 1977, vol 11, p 281-294.

**JAMET P., MILLARD A. and NAHAS G. (1984)**

Triaxial behaviour of a micro-concrete complete stress-strain for confining pressures ranging from 0 to 100 MPa, *Proc. International conference on concrete under multiaxial conditions*, Toulouse (France) : 1984. p 1236-1239.

**JEANVOINE E. et DE GAYFFIER A. (1995)**

*La thermique transitoire et le couplage faible thermique-mécanique dans CASTEM 2000.* Saclay (FR) : CEA, 1995, 63p. Rapport d'études CEA/DMT/LMSS/95-134.

**JU J.W. (1989)**

On energy-based coupled elastoplastic damage theories : Constitutive modelling and computational aspects. *Int. J. Solids and Structures*, 1989, vol 25, n° 7, p 803-833.

**KACHANOV L.M. (1958)**

Time of the rupture process under creep conditions. *Izv. Akad. Nauk. S.S.R., Otd. Tekh. Nauk.*, 1958, n° 8, p 26-31.

**KARSAN P. and JIRSA J.O. (1969)**

Behavior of concrete under compressive loading. *J. Struct. Div. ASCE*, 1969, vol 95, n° ST12, p 2543-2563.

**KHENNANE A. and BAKER G. (1992)**

Thermoplasticity model for concrete under transient temperature and biaxial stress. *Proc. R. Soc. Lond.*, 1992, vol 439, p 59-80.

**KHOURY G.A., GRAINGER B.N. and SULLIVAN P.J.E. (1985)**

Transient thermal strain of concrete: literature review, conditions within specimen and behavior of individual constituents. *Magazine of Concrete Research*, 1985, vol 37, p 131-144.

**KOITER W.T. (1953)**

Stress-strain relations, uniqueness and variational theorems for elastic-plastic materials with a singular yield surface. *Quarterly of Applied Mathematics*, 1953, vol. 11, p. 350-354.

**KORDINA K., EHM C. and SCHNEIDER U. (1985)**

Effect of biaxial loading on the high temperature behavior of concrete, *Proc. 1<sup>st</sup> Symp. Of fire Safety Science*, Gaithersburg, 1985. p 281-290.

**KUPFER H.B., HILSDORF H.K. and RUSCH H. (1969)**

Behavior of concrete under biaxial stresses. *J. Am. Concr. Inst.*, 1969, vol 66 n° 8, p 656-666.

**LA BORDERIE C. (1991)**

*Phénomènes unilatéraux dans un matériaux endommageable - Modélisation et application à l'analyse de structures en béton*. Thèse de Génie Civil : Université de Paris 6 E.N.S. de Cachan, 1991. 149p.

**LABANI J.M., SULLIVAN P J M. (1974)**

*The performance of lightweight aggregate concrete at elevated temperature*. Imperial College (London) : Concrete Structure and Technology, 1974. 100 p. Reports CSTR n° 73/2.

**LANKARD D.R., BIRKIMER D L., FONDRIEST F. and SNYDER M J., (1971)**

Effects of moisture content on the structural properties of Portland cement concrete exposed to temperatures up to 500°F. *ACI special edition Publication*, 1971, paper SP25-3, p 59-102.

**LEE J. (1998)**

*Theory and implementation of plastic-damage model for concrete structures under cyclic and dynamic loading*. PhD Dissertation : University of California, Berkeley, 1998. 151p.

**LEMAITRE J. (1971)**

Evaluation of dissipation and damage in metals submitted to dynamic loading. *Int. Conf. on Mechanical behaviour of materials*, Kyoto (Japan) : Pub. by the Society of Material Science, 1971, 10p.

**LEMAITRE J. et CHABOCHE J.L. (1985)**

*Mécanique des matériaux solides*. Paris :Dunod, 1985. 544p.

**LEMAITRE J. (1992)**

*A course on damage mechanics*. Berlin ; Heidelberg ; New York : Springer Verlag, 1992. 210p.

**LORRAIN M. (1974)**

*Contribution à l'étude de la micromécanique des matériaux granulaires cohérents - Application au béton*. Thèse Doct. Sciences : Université de Toulouse, 1974. 165 p.

**LUBLINER J., OLIVER J., OLLER S. and OÑATE E. (1989)**

A plastic-damage model for concrete. *Int. J. Solids Structures*, 1989, vol 25, n° 3, p 299-326.

**LUCCIONI B., OLLER S. and DANESI R. (1996)**

Coupled plastic-damage model. *Computer methods in applied mechanics and engineering*, 1996, vol 129, p 81-89.

**MAIER G. (1969)**

Linear flow-laws of elastoplasticity - a unified general approach. *Lincei-Rend. Sci. Fis. Mat. Nat.*, 1969, vol 47, p 266-276.

**MAZARS J. (1984)**

*Application de la mécanique de l'endommagement au comportement non linéaire et à la rupture du béton de structure*. Thèse Doct. Sciences : Université de Paris 6 E.N.S. de Cachan, 1984. 283p.

**MEFTAH F. (1997)**

*Contribution à l'étude numérique des modes localisés de rupture dans les structures en béton de type poutre - Approche par la plasticité au gradient*. Thèse de Génie Civil : Institut National des Sciences Appliquées de Lyon et Univ. Lyon I, 1997. 217p.

**MEHTA P.K. (1986)**

*Concrete, structure, properties and materials*. Englewood Cliff (New Jersey) : Prentice Hall, 1986, 600p.

**MILLARD A. (1993)**

*CASTEM 2000, Manuel d'utilisation*, Rapport CEA-LAMBS n° 93/007, Saclay 1993, 186 p.

**MILLARD A. (1996)**

*Contribution à la modélisation à plusieurs échelles des matériaux et des structures*. Mémoire d'Habilitation à diriger des Travaux de Recherches : Institut National des Sciences Appliquées de Lyon et Univ. Lyon I, 1996. 137p.

**MINNE R. and VANDAMME M. (1982)**

Resistance of reinforced concrete floor slabs against fire (in dutch). *Cement*, 1982, vol 34, p 642-646.

**MORLEY P.D. and ROYLES R. (1983)**

Response of the bond in reinforced concrete to high temperatures. *Magazine of Concrete Research*, 1983, vol 35, n° 123, p 67-74.

**NECHNECH W., MEFTAH F. and REYNOUARD J.M. (2000)**

A new thermo-plastic damage model for concrete at elevated temperatures. *Proceedings of Damage and Fracture Mechanics*, Montreal (Canada) : May 2000. p. 567-576.

**NEKRASOV K.D., ZHUKOV V.V. and SHEVCHENKO V.I. (1963)**

Investigation of processes which influence concrete spalling under exposure to heat. *Proceedings of an International Conference on Strength of Concrete*, Dresden (Germany) : 1963. p 125-134.

**NEVILLE A.M. (1990)**

*Properties of concrete*. London: Longman scientific and technical, 1990, 779p.

**NOUMOWE A. (1995)**

*Effet de hautes températures (20-600°C) sur le béton - Cas particulier du béton à hautes performances*. Thèse de Génie Civil : Institut National des Sciences Appliquées de Lyon et Univ. Lyon I, 1995. 231p.

**ORTIZ M. (1985)**

A constitutive theory for the inelastic behaviour of concrete. *Mech. Mater.*, 1985, vol 4, p 67-93.

**ORTIZ M. and SIMO J.C. (1986)**

An analysis of a new class of integration algorithms for elastoplastic constitutive relations. *Int. J. Numer. Methods. Eng.*, 1986, vol 23, p 353-366.

**PARROT L.T. (1979)**

A study of transitionnal thermal creep in hardened cement paste. *Magazine of Concrete Research*, 1979, vol 31, n° 107, p 99-103.

**PERREIRA C.J., RICE R.W., SKALNY J.P. and GRACE W.R. (1989)**

Pore structure and its relationship to properties of materials. *Mat. Res. Symp. Proc.*, 1989, vol 137, p 3-21.

**PHILILEO R. (1958)**

Some physical properties of concrete at high temperatures. *Journal of the American Concrete Institute*, 1958, vol 29, n° 10, p 857-864.

**PIETRUSZAK S.T. and MROZ Z. (1981)**

Finite element analysis of deformation of strain-softening materials. *Int. J. Numer. Methods Eng.*, 1981, vol 17, p 327-334.

**PIHLAJAVAARA S.E. (1972)**

An analysis of the factors exerting effect on strength and other properties of concrete at elevated temperatures. *ACI special Publication*, 1972, paper SP34-19, p 347-354.

**PIJAUDIER-CABOT G. (1985)**

*Caractérisation et modélisation du béton par un essai multiaxial automatique*. Thèse de Génie Civil : Université de Paris 6, 1985. 188p.

**PIJAUDIER-CABOT G. and BODE L. (1992)**

Localization in a nonlocal continuum. *Mechanics Res. Comp.*, 1992, vol 19, p 145-153.

**PIJAUDIER-CABOT G., LA BORDERIE C. and FICHANT S. (1994)**

Damage mechanics for concrete modelling - application and comparisons with plasticity and fracture mechanics. Computational modelling of concrete structures, Proc.EURO-C, Innsbruck (Austria) : Edited by H. Mang, 1994, p17-36.

**RAGUNEAU F. (1999)**

*Fonctionnement dynamique des structures en béton - Influence des comportements hystériques locaux.* Thèse de Génie Civil : Université de Paris 6 E.N.S. de Cachan, 1999. 176p.

**RAMTANI S. (1990)**

*Contribution à la modélisation du comportement multiaxial du béton endommagé avec description du caractère unilatéral.* Thèse de Génie Civil : Université de Paris 6 E.N.S. de Cachan, 1990. 185p.

**REINHARDT H.W. and CORNEILLESSEN H.A.W. (1984)**

Post-peak cyclic behaviour of concrete in uniaxial tensile and alternating tensile and compressive loading. *Cement and Concrete Research*, 1984, vol 14, p 1-6.

**RICHART F.E., BRANDTZAEG A., BROWN R.L. (1928)**

A study of the failure of concrete under combined compressive stresses, Univ. Ill. Eng. Exp. St. Bull. 1928. 6 p.

**RILEY A.M. (1991)**

Assessing fire-damaged concrete. *Concrete International: Design and Construction*, 1991, vol 13, n° 6, p 60-63.

**ROBINSON S.R. (1965)**

Methods of detecting the formation and propagation of microcracks in concrete. *Proceedings of the Int. Conf. On the structure of concrete*, London : 1965. 8p.

**ROSSLER M. and ODLER I. (1985)**

Investigations on the relationship between porosity structure and strength of hydrated Portland cement pastes – 1. Effect of porosity. *Cement and Concrete Research*, 1985, vol 15, n° 2, p 320-330.

**ROSTASY F.S., WEISS R. and WIEDMANN G. (1980)**

Changes of pore structure of cement mortars due to temperature. *Cement and Concrete Research*, 1980, vol 10, n° 2, p 157-164.

**ROTS J.G. (1988)**

Computational modelling of concrete fracture. PhD Dissertation : Delft University of Technology, The Netherlands, 1988. 127p.

**SAOURIDIS C. (1988)**

*Identification et numérisation objectives des comportements adoucissants - approche multiechelle de l'endommagement du béton.* Thèse de Génie Civil : Université de Paris 6 E.N.S. de Cachan, 1988. 129p.

**SCHNEIDER U. (1982)**

*Behaviour of concrete at high temperatures.* Paris: RILEM, 1982. 72p. Report to Committee n° 44-PHT.

**SCHNEIDER U. (1988)**

Concrete at high temperatures : A general review. *Fire safety Journal*, 1988, vol 13, p 55-68.

**SERCOMBE J. (1997)**

*Modélisation du comportement du béton en dynamique rapide - application au calcul des conteneurs a haute integrite.* Thèse de Génie Civil : Ecole Nationale des Ponts et Chaussées, 1997. 272p.

**SLUYS L.J. (1992)**

*Wave propagation, localisation and dispersion in softening solids.* PhD Dissertation : Delft University of Technology, Delft, 1998. 171p.

**SIMO J.C. and TAYLOR R.L. (1986)**

A return mapping algorithm for plane stress elastoplasticity. *Int. J. Numer. Methods Engrg.*, 1986, vol 22, p 649-670.

**SULLIVAN P.J.E. (1979)**

The effects of temperature on concrete. *Developments in Concrete Technology*, vol 1. London: Appl. Sc. Publishers, 1979. p 1-49.

**TERRIEN M. (1980)**

Emission acoustique et comportement mécanique post-critique d'un béton sollicité en traction. *Bulletin de liaison des Ponts et Chaussées*, 1980, n° 105, p 65-72.

**THELANDERSSON S. (1987)**

Modelling of combined thermal and mechanical action in concrete. *Journal of Engineering Mechanics*, 1987, vol 113, p 893-903.

**THIENEL K., ROSTASY F.S and BECKER G. (1993)**

Behaviour of biaxially restrained concretes under high temperature. *Proc. 12<sup>th</sup> SMIRT*, Stuttgart : 1993. p. 139-144.

**TORRENTI J.M. (1993)**

*Comportement mécanique du béton - Bilan de 6 années de recherche.* Mémoire d'Habilitation à diriger des travaux de recherches, : Université de Paris 6, 1993. 158p.

**ULM F.-J. (1996)**

*Un modèle d'endommagement plastique - application aux bétons de structure.* Paris : LCPC, 1996. 271p. Rapport de recherche des laboratoires des ponts et chaussées, série OA19.

**ULM F.-J. et ACKER P. (1997)**

*Incendie eurotunnel - Modélisation numérique des l'écaillage du béton dans les voussoirs du tunnel sous la manche.* Paris : LCPC, 1997. 26p. Rapport de recherche des laboratoires des ponts et chaussées, projet article RFGC.

**VARASTEHPOUR H. (1996)**

*Optimisation du renforcement des ouvrages en béton arme par des matériaux composites.* Thèse de Génie Civil : Université Claude Bernard-Lyon, 1996. 216p.

**VENECANIN S.D. (1978)**

Thermal incompatibility of concrete components in concrete bridges. *Proc. of First Int. Congres on Durability of Construction Materials, RIELEM*, Ottawa (Canada) : August 1978. p 511-531.

**VENECANIN S.D. (1980)**

Analysis of thermal stresses in concrete when it is treated as three-component composite material. *Symp. On Innovation of Yugoslav Codes on Concrete, Metal and Composite Structures*, n° 3, Yugoslav: 1980. p 97-106.

**VENECANIN S.D. (1983)**

Stresses in concrete due to thermal incompatibility of its components. *Proc. Of Int. Colloquium on Material Science and Restoration*, Esslingen (Germany) : 1983, p 93-98.

**VENECANIN S.D. (1984)**

Experimental study of thermal incompatibility of concrete components. *Proc. Third Int. Conf. On the durability of Building Materials and components*, n° 3, Espoo (Helsinki) : August 1984. p 510-520.

**WEIGLER H. and FISCHER R. (1972)**

Influence of high temperature on strength and deformations of concrete. *ACI special Publication*, 1972, Paper SP 34-26, n° 34, vol 1, p 481-493.

**VONK R.A. (1992)**

*Softening of concrete loaded in compression.* PhD Dissertation : Eindhoven University of Technology, The Netherlands, 1992. 163p.

**YANG B.L., DAFALIAS Y.F. and HERRMANN L.R. (1985)**

A bounding surface plasticity model for concrete. *Int. J. Engng. Mech.*, 1985, vol 111, n° 3, p 359-380.

**YAZDANI S. and SCHREYER H.L. (1988)**

An anisotropic damage model with dilation for concrete. *Mechs. Mater.*, 1988, vol 7, p 231-244.

**ZHUKOV V.V. (1980)**

Reasons of explosive sapling of concrete by fire. *Scientific Research Institute for Concrete and Reinforced Concrete - Moscow*, 1980, vol 1, p 1-7.

## **DOCUMENTS REGLEMENTAIRES - NORMES**

---

### **CEB-FIP (1993)**

Model Code 90. Bulletin d'information/Comité Euro-International du Béton. *Colloquium on the CEB-FIP*, n°217, Lausanne (Suisse) : 1993. 65p.

### **EUROCODE 4 (1994)**

Conception et dimensionnement des structures mixtes acier-béton. *P22-391 -Construction mixte acier-béton - Eurocode 4*. Partie 1-1. AFNOR, Paris : Sept 1994, 204 p.

### **P92-701 (1993)**

Résistance au feu des matériaux et éléments de construction. *Règles de calcul – Méthode de prévision par le calcul du comportement au feu des structures en béton*. AFNOR, Paris : 1993, 42p.

### **RILEM TC 50 FMC RECOMMENDATION (1985)**

Determination of the fracture energy of mortar and concrete by means of three-point bend tests on notched beams. *Materials and Structures*, 1985, Vol. 18, n° 106 p 285-290

### **RILEM TC 129 MHT RECOMMENDATION (1995)**

Test methods for mechanical properties of concrete at high temperatures. Part 3 : Compressive strength for service and accident conditions. *Materials and Structures*, 1995, Vol. 28, p 410-414

### **RILEM TC 129 MHT RECOMMENDATION (1997a)**

Test methods for mechanical properties of concrete at high temperatures. Part 1: Introduction. *Saclay (France): CEA, March 1997, 22p.,Draft n°3,Report to comittee TC 129 MH.*

### **RILEM TC 129 MHT RECOMMENDATION (1997b)**

Test methods for mechanical properties of concrete at high temperatures. Part 6: Thermal strain for service and accident conditions. *London: Imperial College, May 1997, 14p.,Draft n°11, Report to comittee TC 129 MHT.*

### **RILEM TC 129 MHT RECOMMENDATION (1997c)**

Test methods for mechanical properties of concrete at high temperatures. Part 7: Transient creep for service and accident conditions. *London: Imperial College, March 1997, 13p.,Draft n°9, Report to comittee TC 129 MHT.*