




Grind*N*Brew

Coffee Systems™

Single & Dual Bean, Decanter & Airpot Grind'n Brew™



www.grindmaster.com



Multi-Functional, Space Saving



Single Bean Airpot Grind'n Brew™

Model GnB 10H

Brews into 2.2L Airpot

(Airpot Sold Separately)

Dual Bean Airpot Grind'n Brew™

Model GnB 20H

Brews into 2.2L Airpot

(Airpot Sold Separately)



Single Bean Decanter Grind'n Brew™

Model GnB 11H

Brews into 64 oz. Decanter

(Decanter Sold Separately)

Dual Bean Decanter Grind'n Brew™

Model GnB 21H

Brews into 64 oz. Decanter

(Decanter Sold Separately)



, Superior Brewing Technology



Less Counter Space

Fresh Grind, Fresh Brew
in only 9.4" (24 cm)
of counter space



only 9.4"
(24 cm) wide

**Grind only, Brew only,
Grind'n Brew**
Multi-functional brewer



PRECISION BREW™ Technology

Pre-infusion/Pulse Brewing
create signature cup of coffee

Shutter Mechanism

Keeps water vapor
separated from grind head



Bean Counter

For inventory control

Large Merchandising Fresh Coffee Bean Hopper(s)

Customers will know you are using fresh
whole beans to brew their coffee



Less Handling, Less Labor

Reduces costs, adds convenience

Specification sheets available by model on our full line of Grind'n Brew™ brewers:



Model 10H/10HE/10HQ



Model 11H/11HE/11HQ



Model 20H/20HE/20HQ



Model 21H/21HE/21HQ

Specifications	Model 10H/10HE	Model 10HQ	Model 11H/11HE	Model 11HQ
Volts / Watts / Amps	10H: 120V / 1710W / 15A 10HE: 230V / 3214W / 14A	120/240V / 3560W / 15A	11H: 120V / 1810W / 15A 11HE: 230V / 3306W / 14.4A	120/240V / 3660W / 16A
No. of Bean Hoppers	1	1	1	1
Hopper Size	5-1/2 lbs. (2.5 kg)			
Brew Capacity	74 oz. (2.2L)	74 oz. (2.2L)	64 oz. (1.9L)	64 oz. (1.9L)
Dimensions (H x W x D)	31" x 9-1/4" x 24-1/4" (78 cm x 23 cm x 61 cm)	31" x 9-1/4" x 24-1/4" (78 cm x 23 cm x 61 cm)	26-1/4" x 9-1/4" x 24-1/4" (66 cm x 23 cm x 61 cm)	26-1/4" x 9-1/4" x 24-1/4" (66 cm x 23 cm x 61 cm)
Ship Dimensions (H x W x D)	32-1/4" x 15-1/2" x 29-3/4" (81 cm x 39 cm x 74 cm)	32-1/4" x 15-1/2" x 29-3/4" (81 cm x 39 cm x 74 cm)	32-1/4" x 15-1/2" x 29-3/4" (81 cm x 39 cm x 74 cm)	32-1/4" x 15-1/2" x 29-3/4" (81 cm x 39 cm x 74 cm)
Weight	75 lbs. (33.75 kg)			
Ship Weight	80 lbs. (36 kg)			
Listings	UL, CUL, UL San., CE, RoHS (E model only)	UL, CUL, UL San., CE	UL, CUL, UL San., CE, RoHS (E model only)	UL, CUL, UL San., CE

Specifications	Model 20H/20HE	Model 20HQ	Model 21H/21HE	Model 21HQ
Volts / Watts / Amps	20H: 120V / 1710W / 15A 20HE: 230V / 3214W / 14A	120/208-240V / 2674/3650W / 20A	21H: 120V / 1810W / 15A 21HE: 230V / 3306W / 14.4A	120/208V-240V / 2749/3660W / 20A
No. of Bean Hoppers	2	2	2	2
Hopper Size	6-1/2 lbs. (2.93 kg) each			
Brew Capacity	74 oz. (2.2L)	74 oz. (2.2L)	64 oz. (1.9L)	64 oz. (1.9L)
Dimensions (H x W x D)	37-1/2" x 9-1/2" x 24-1/4" (94 cm x 24 cm x 61 cm)	37-1/2" x 9-1/2" x 24-1/4" (94 cm x 24 cm x 61 cm)	32-3/4" x 9-1/2" x 24-1/4" (82 cm x 24 cm x 61 cm)	32-3/4" x 9-1/2" x 24-1/4" (82 cm x 24 cm x 61 cm)
Ship Dimensions (H x W x D)	38-1/4" x 15-1/2" x 29-3/4" (96 cm x 39 cm x 74 cm)	38-1/4" x 15-1/2" x 29-3/4" (96 cm x 39 cm x 74 cm)	38-1/4" x 15-1/2" x 29-3/4" (96 cm x 39 cm x 74 cm)	38-1/4" x 15-1/2" x 29-3/4" (96 cm x 39 cm x 74 cm)
Weight	90 lbs. (40.5 kg)			
Ship Weight	95 lbs. (42.75 kg)			
Listings	UL, CUL, UL San., RoHS (E model only)	UL, CUL, UL San	UL, CUL, UL San., RoHS (E model only)	UL, CUL, UL San.

E = Export
Q = High Output

Specifications are subject to improvement or change without notice.



RoHS