

Gas nailer GN900SE

First fix cordless framing nailer



Satisfying the professional's needs



LITHIUM-ION

The new gas nailer designed for the demands of the professional. Suitable for timber frames, roofing, joist and a host of other applications Makita now have a better solution with this easily portable machine.

Gas nailer GN900SE

Fire up to 7,200 nails per hour.

The Makita clipped head gas nailer has arrived! Using tried and tested technology. It is suitable for timber frames, roofing, joist and a host of other applications we now have the answer, in an truly portable machine.

No leads, no hoses, just fast and versatile power.

The GN900SE uses our tried and tested Lithium-ion 7.2 volt battery system with a 30 minute charge time which makes the Makita GN900SE four times quicker than the leading competitor. The small and light weight 7.2 volt battery will allow you to fire up to 4000 nails per charge. The GN900SE features our LED low battery and error detection system, and a shock absorbing battery fitting to protect the terminals

The 40 gram gas cell will allow you to fire up to 1200 shots per cell using our 34° nail and gas packs at a rate of 2-3 nails per second.

In true Makita tradition the gas nailer is light weight, comfortable and perfectly balanced, it is also easy to use and well engineered. All that you have come to expect from Makita.

Charges 4 times quicker than the leading competitor.



The only gas nailer with Lithium-ion battery technology

LITHIUM-ION

Gas cell chamber
Quick and easy load system.



LED light service indicator
Green: Good battery
Red: Low/dead battery
Orange: Error codes



30 minute charge time

Hex wrench
Attached to the machine for easy access to adjust the depth of the nail drive.



Battery BL7010



Charger DC07SA

7.2v Li-ion battery

Use of a li-ion battery allows for compact and lightweight tool design. 30 min charge time.





Air filter

Protects cylinder from dirt and debris to prevent malfunction.

Hook

Easily clipped on to a belt or extends to sit over small joists and scaffolding.

44 nail magazine

Will hold 50mm - 90mm nails with easy view quick load system.

Contact nose

5 stage depth adjustment and anti slip contact.



Choosing the correct nail

TYPE	EXPLANATION
Smooth bright	Good for use on internal jobs where there is no or very little exposure to moisture. Use on non permanent work such as shuttering.
Galvanised	The most popular as it gives good protection against corrosion and can be used for most applications.
Hot Dip Galvanised	Recommended for use on external work or where corrosion could damage the finish or integrity of the joint.

Choosing the correct shank

TYPE	EXPLANATION
Smooth	The most common nail, it can be used for most joints.
Ring	Identified by the rings around the shaft, these nails are generally used where a very strong joint is required.
Unilock	A cross between Smooth and Ring types, for use where a medium strength joint is required.

Nail and fuel packs

2,200 pcs includes 2 gas canisters

3,300 pcs includes 3 gas canisters

PART NUMBER	DESCRIPTION	QUANTITY
● Nails Bright		
194764-7	Clipped Head 2.9 x 51 Ring Bright	3,300
194772-8	Clipped Head 2.9 x 63 Ring Bright	3,300
194776-0	Clipped Head 3.1 x 75 Ring Bright	2,200
194767-1	Clipped Head 3.1 x 90 Smooth Bright	2,200
● Nails Galvanised		
194765-5	Clipped Head 2.9 x 51 Ring Galvanised	3,300
194766-3	Clipped Head 2.9 x 57 Ring Galvanised	3,300
194768-9	Clipped Head 2.9x63 Ring Galvanised	3,300
194770-2	Clipped Head 3.1 x 63 Ring Galvanised	2,200
194773-6	Clipped Head 3.1 x 75 Ring Galvanised	2,200
194777-8	Clipped Head 3.1 x 90 Smooth Galvanised	2,200
● Nails Hot Dip Galvanised		
194769-7	Clipped Head 2.9 x 63 Ring Hot Dip Galvanised	3,300
194771-0	Clipped Head 3.1 x 63 Ring Hot Dip Galvanised	2,200
194774-4	Clipped Head 3.1 x 75 Ring Hot Dip Galvanised	2,200
194775-2	Clipped Head 3.1 x 75 Unilock Hot Dip Galvanised	2,200
194778-6	Clipped Head 3.1 x 90 Smooth Hot Dip Galvanised	2,200

Job packs

1,100 pcs includes 1 gas canister

PART NUMBER	DESCRIPTION	QUANTITY
● Nail Bright		
194780-9	Clipped Head 2.9 x 51 Ring Bright	1,100
194784-1	Clipped Head 2.9 x 63 Ring Bright	1,100
● Nails Galvanised		
194782-5	Clipped Head 2.9 x 51 Ring Galvanised	1,100
194785-9	Clipped Head 2.9 x 63 Ring Galvanised	1,100
194788-3	Clipped Head 3.1 x 63 Ring Galvanised	1,100
194792-2	Clipped Head 3.1 x 75 Ring Galvanised	1,100
194796-4	Clipped Head 3.1 x 90 Smooth Galvanised	1,100
● Nails Hot Dip Galvanised		
194783-3	Clipped Head 2.9 x 57 Ring Hot Dip Galvanised	1,100
194786-7	Clipped Head 2.9 x 63 Ring Hot Dip Galvanised	1,100
194790-6	Clipped Head 3.1 x 63 Ring Hot Dip Galvanised	1,100
194793-0	Clipped Head 3.1 x 75 Ring Hot Dip Galvanised	1,100
194797-2	Clipped Head 3.1 x 90 Smooth Hot Dip Galvanised	1,100



Satisfying the professional's needs

Makita UK

Michigan Drive, Tongwell, Milton Keynes, Buckinghamshire MK15 8JD
T: 01908 211678 F: 01908 211400

www.makitauk.com

98N315 0808