# BookEndz®

Owner's Manual

DOCKING STATION FOR THE APPLE® 13" MacBook®

THANK YOU

Thank you for purchasing the **BookEndz**® Dock for your MacBook® Computer. The purpose of the **BookEndz**® Dock is to eliminate the hassles, headaches, wear & tear, and delays that arise from having to plug in all of your peripheral cables each time you want to use them. Once the cables are plugged into the dock, all you need to do is slide in your **BookEndz**® Dock and you are connected to everything at once.

Prior to using you new **BookEndz**® Dock, take a few minutes to read through this manual. It contains important information regarding the use of your new **BookEndz**® Dock.

TABLE OF CONTENTS

INSTALLING YOUR NEW BookEndz® DOCK

1. Place the **BookEndz** Dock on the flat surface on which it will be used and plug all of your external devices into the **BookEndz** Docking Station (video monitor, network, modem, etc.).

2. Shut down the MacBook and close the LCD screen.

3. Place the MacBook next to the **BookEndz** Dock (with the ports of the MacBook aligning with the connectors of the **BookEndz** Dock). Slowly slide the **BookEndz** Dock into the MacBook.

4. Restart your MacBook and allow your peripheral devices to bootup.

5. To travel with your MacBook, shut down your MacBook and all external devices and close the LCD screen. It is not necessary to unplug them from the dock. Gently pull the dock away from the MacBook and you will be on your way in seconds!

6. Refer to page 10 for more details on docking and undocking.

THE 13" MacBook
FEATURES & PORTS

Your 13" DVI MacBook has nine side panel ports and features as shown:

1. Power
2. Ethernet
3. Mini-DVI port
4. FireWire
5. USB 1
6. USB 2
7. Audio In
8. Audio Out
9. Security Slot

BookEndz® DOCK FEATURES & CONNECTORS
Top View

The connectors shown below mate with those on your MacBook and allow you to easily dock and undock with your external devices.


1. USB 2.0
2. Headphone Out
3. Audio In
4. USB 2.0's
5. Firewire 400
6. Mini DVI
7. Ethernet
8. USB Indicator LED
9. Stacked Dual USB 2.0
10. Full Size VGA Monitor

BookEndz® DOCK FEATURES & PORTS
Rear View

Plug all of your peripherals into the ports shown below on the rear of your **BookEndz** Dock. Be sure all peripherals are turned off prior to connecting them to your **BookEndz** Dock.


1. Full Size DVI
2. FireWire 400
3. Ethernet
4. Audio Line in

5. Headphone/Audio Out
6. Kingston Lock
7. Stacked Dual USB 2.0
8. USB Power

AUDIO HOOKUP

The Headphone Out Connector on your **BookEndz** Dock was designed to allow use of either external speakers or the internal speakers of your MacBook.

To use external speakers, move the Headphone Out Connector to engage into the MacBook:

To use internal speakers, move the Headphone Out Connector to disengage from the MacBook:

SECURITY FOR YOUR MacBook
AND BookEndz® DOCK

Since the **BookEndz** Docking Station allows you to remove your MacBook in a matter of seconds, security should be a concern. Security options for your computer include third party solutions, such as the Kensington Slim MicroSaver® Notebook Security Cable.

The MacBook has its own security slot on the left side towards the front of the computer, and the **BookEndz** Dock has a security slot on its left side near the back of the dock. You may wish to secure one or both items while you are away.

Security devices may be connected to the slot(s) on the side of the **BookEndz** Dock and/or the MacBook.

DOCKING AND UNDOCKING
YOUR BookEndz® DOCK

Docking your **BookEndz** Dock into the MacBook is simple, quick, and easy. With your MacBook shutdown (not asleep), position the dock on the flat surface you intend to use it on. Align the connectors on the **BookEndz** Dock, with the ports on the MacBook, and gently push the **BookEndz** Dock until docking is complete.

To undock, shutdown the MacBook and all in one motion gently pull the **BookEndz** Docking Station away from your MacBook.

LIMITED WARRANTY

OlympicControls Corp. ("Manufacturer") warrants this **BookEndz**® product to be free from defects caused by faulty materials or poor workmanship for a period of one year from the date of shipment to the initial user of the product. This liability of manufacturer under this warranty is limited to replacement or repair at its option.

The foregoing warranty is subject to the following conditions that must be met:

   a) Manufacturer is promptly notified in writing within ten (10) days after the discovery of such defect, and
   b) The defective unit is returned to Manufacturer, freight prepaid, within ten (10) days of the discovery of such defect, and
   c) Manufacturer's examination of such units shall disclose to its reasonable satisfaction that such defects exist and have not been caused by misuse, neglect, improper installation, repair, alteration or accident caused by parties other than manufacturer.

Manufacturer's products are not authorized for use as critical components in life support devices or systems which are intended for surgical implant into the body to sustain life. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system or to affect its safety and effectiveness.

This warranty is the only warranty made to any person by OlympicControl Corp. and is in lieu of all other express warranties. IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. The remedies set forth in this warranty shall be the exclusive remedies available to any person for breach of this warranty. Under no circumstances shall Manufacturer be liable to any person for incidental or consequential damages, whether arising out of breach of warranty or other contract, negligence, strict liability or other tort, or otherwise.

No waiver or modification of the Warranty or any of its terms shall bind OlympicControls Corp. unless in writing and signed by an officer of OlympicControls Corp.

Apple and MacBook are registered trademarks of Apple Computer Inc. **BookEndz**® is a registered trademark of OlympicControls Corp. All other product names are trademarks or registered trademarks of their respective holders.

Features and specifications are subject to change without notice.

BookEndz

1250 Crispin Drive
Elgin, Illinois 60123
USA

Toll Free: 888-622-1199
Phone: 847-742-3566
Fax: 847-742-5686

E-mail: Sales@BookEndzdocks.com
www.BookEndzdocks.com