


USER'S MANUAL Duct Type Series MH***FEEA

Free Joint Multi Air Conditioner (Cooling and Heating)



Safety Precautions

The following safety precautions must be taken when using your air conditioner.

/ WARNING

- Risk of electric shock can cause injury or death. Disconnect all remote electric power supplies before servicing, installing or cleaning.
- This must be done by the manufacturer or its service agent or a similar qualified person in order to avoid a hazard.

DURING OPERATION

- Users of this product are cautioned not to attempt repair of this product at their own discretion. Instead, they are requested to directly contact a designated service center or the outlet at which the product was purchased.
- Never spill any kind of liquid into the unit. Should this happen, unplug or main switch off the unit and contact an authorized service center.
- Do not insert anything between the air outlet blades because the inner fan may be damaged and could cause injury. Keep children away from the unit.
- Do not place any obstacles in front of the unit.
- Do not spray liquid of any kind into the indoor unit. Should this happen, switch off the breaker used for your air conditioner and contact your installation specialist.
- Make sure that the unit is correctly ventilated at all times:
 Do not place clothing or other materials over it.
- If the wireless remote control will not be used for a long time, remove the batteries. (If applicable)
- ♦ When using a wireless remote control, the distance should not be more than 7 meters from the air conditioner. (If applicable)

DISPOSING OF THE UNIT

- ◆ Before throwing out the device, it is necessary to pull back the battery cells and get rid of them safely for recycling reasons.
- When you need to dispose of the unit, consult your dealer. If pipes are removed incorrectly, refrigerant may blow out and come into contact with your skin, causing injury. Releasing refrigerant into the atmosphere also damages the environments.
- Please recycle or dispose of the packaging material for this product in an environmentally responsible manner.

OTHERS

- Never store or ship the air conditioner upside down or sideways to avoid damage to the compressor.
- ◆ The appliance is not intended for use by young children or infirm persons without supervision: Young children should be supervised to ensure that they do not play with the appliance.
- Max current is measured according to IEC standard for safety and current is measured according to ISO standard for energy efficiency.

Contents

•	PREPARING YOUR AIR CONDITIONER
	■ Safety Precautions
	■ View of the Unit
	■ Wireless Remote Controller-Buttons and Display 6
	■ The Receiver & Display Unit
	■ Wired Remote Controller-Buttons and Display 8
	■ Centralized Controller
	■ Function Controller
*	RECOMMENDATIONS FOR USE
	■ Operating Recommendations
	■ Temperature and Humidity Ranges
	■ Cleaning Your Air Conditioner
	■ Solving Common Problems



Correct Disposal of This Product (Waste Electrical & Electronic Equipment)

(Applicable in the European Union and other European countries with separate collection systems)


This marking shown on the product or its literature, indicates that it should not be disposed with other household wastes at the end of its working life. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate this from other types of wastes and recycle it responsibly to promote the sustainable reuse of material resources.

Household users should contact either the retailer where they purchased this product, or their local government office, for details of where and how they can take this item for environmentally safe recycling.


Business users should contact their supplier and check the terms and conditions of the purchase contract. This product should not be mixed with other commercial wastes for disposal.

View of the Unit


The figures are shown in this instruction may differ from yours depending on the model.




Air inlet



Outdoor Unit MH040FXEA2 MH052FXEA2




Outdoor Unit MH068FXEA4 MH080FXEA4



Mote
♦ If the heat exchanger in the outdoor unit gets dusty, cooling efficiency may fall. So clean the heat exchanger with water when it becomes dirty. However, be careful when you wash the surface of the heat exchanger because it is very sharp.

Wireless Remote Controller-Buttons and Display

The wireless remote controller is an optional accessory. To use the wireless remote controller, refer to an appropriate manual.



Note

- ◆ After cleaning the air filter, press the FilterReset button.
- ◆ Duct type air conditioner does not have function of adjusting air flow direction.


 Therefore, the function is not operated even if you press the

 → button.


The Receiver & Display Unit

The Receiver & Display unit is an optional accessory and it is installed on the wall. To use the receiver & display unit, refer to an appropriate manual.

Concealed Type




Standard Type



Wired Remote Controller-Buttons and Display

To use the wired remote controller, refer to an appropriate manual.



Note

- ◆ The (Test) button is for your installation specialist. You must NOT press it.
- ◆ After cleaning the air filter, press the controller will display the FILTER SIGN indicator when the time to clean the air filter; refer to page 13.
- Duct type air conditioner does not have function of adjusting air flow direction.
 Therefore, the function is not operated even if you press the button.


Centralized Controller

The centralized controller is an optional accessory and it is installed on the wall. To use the centralized controller, refer to an appropriate manual.

Operating lamp All On button All Off button On/Off indicators On/Off buttons Index

Note

The operating lamp comes on even when only one air conditioner connected to the centralized controller is operating.



Note


 Choose the appropriate operating mode with the Operating Mode Switch that enables the user to choose between the Cool/Auto/Heat mode.

Function Controller

The function controller is an optional accessory and it is installed on the wall.

The function controller is an additional controller which is used with the centralized controller.

To use the function controller, refer to an appropriate manual.



Note

- ♦ Test button is for your installation specialist. You must NOT press it.
- ◆ After cleaning the air filter, press the (Reset) button. Then the wired remote controller will display the FILTER SIGN indicator when the time to clean the air filter.

Operating Recommendations

Here are a few recommendations that you should follow when operating your air conditioner.

The heat numer function of the air conditionary of south the six
The heat pump function of the air conditioner absorbs heat from outside air and brings it indoors. As the temperature of the outside air drops, the heating performance of air conditioner wil decrease. If you find that the room is not warm enough, using an additional heating appliance is recommended.
When outside temperature is low but humidity is high, frost may form on the outdoor unit at HEAT mode. If this happens: ◆ The heating operation stops. ◆ The defrost mode will be triggered automatically for 5 to 10 minutes. ◆ The steam produced on the outdoor unit in the defrost mode is safe. No intervention is required; after about 10 minutes, the air conditioner operates again normally.
If both indoor and outdoor temperatures are high and the air conditioner is running at HEAT mode, the outdoor unit's fan and compressor may stop at times. This is normal; simply wait until the air conditioner switches on again.
If a power failure occurs while the air conditioner is operating, the unit will be switched off. When the power returns, the air conditioner starts up again automatically.

Temperature and Humidity Ranges

The following table indicates the temperature and humidity ranges, within which the air conditioner can be used.

Low temperature A water leakage or some other malfunction may happen if the heat exchanger freezes. High humidity levels Water may condense on and drip for the surface of the indoor unit if it is for a long periods.	High temperature The automatic protection feature may be triggered and the air conditioner stopped. A water leakage or some other malfunction may happen if the heat exchanger freezes. High humidity levels Water may condense on and drip from the surface of the indoor unit if it is use for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidity Heating -15°C to 24°C approx. 27°C or less -				
Low temperature A water leakage or some other malfunction may happen if the heat exchanger freezes. High humidity levels Water may condense on and drip for the surface of the indoor unit if it is for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidity Heating -15°C to 24°C approx. 27°C or less -	triggered and the air conditioner stopped A water leakage or some other malfunction may happen if the heat exchanger freezes. High humidity levels Water may condense on and drip from the surface of the indoor unit if it is use for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidity Heating -15°C to 24°C approx. 27°C or less - Cooling 5°C to 43°C approx. 21°C to 32°C approx. 80% or less	If the air o	conditioner is used at	. Then	
malfunction may happen if the heat exchanger freezes. High humidity levels Water may condense on and drip for the surface of the indoor unit if it is for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidity Heating -15°C to 24°C approx. 27°C or less -	malfunction may happen if the heat exchanger freezes. High humidity levels Water may condense on and drip from the surface of the indoor unit if it is use for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidity Heating -15°C to 24°C approx. 27°C or less - Cooling 5°C to 43°C approx. 21°C to 32°C approx. 80% or less	High temp	perature	The automatic protection feature may be triggered and the air conditioner stopped.	
the surface of the indoor unit if it is for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidi Heating -15°C to 24°C approx. 27°C or less -	the surface of the indoor unit if it is use for a long periods. Mode Outdoor Temperature Indoor Temperature Indoor Humidity Heating -15°C to 24°C approx. 27°C or less - Cooling 5°C to 43°C approx. 21°C to 32°C approx. 80% or less	Low temp	perature	malfunction may happen if the heat	
Heating -15°C to 24°C approx. 27°C or less -	Heating -15°C to 24°C approx. 27°C or less - Cooling 5°C to 43°C approx. 21°C to 32°C approx. 80% or less	High humidity levels		Water may condense on and drip from the surface of the indoor unit if it is used for a long periods.	
	Cooling 5°C to 43°C approx. 21°C to 32°C approx. 80% or less	Mode	Outdoor Temperature	Indoor Temperature	Indoor Humidity
Cooling 5°C to 43°C approx. 21°C to 32°C approx. 80% or less		Heating	-15°C to 24°C approx.	27°C or less	-
	Drying 5°C to 43°C approx. 18°C to 32°C approx	Cooling	5°C to 43°C approx.	21°C to 32°C approx.	80% or less
Drying 5°C to 43°C approx. 18°C to 32°C approx		Drying	5°C to 43°C approx.	18°C to 32°C approx.	-

^{*} The standardized temperature for heating is 7°C. If the outdoor temperature drops to 0°C or below, the heating capacity can be reduced depending on the temperature condition.

If the cooling operation is used at over 32°C(indoor temperature) then, it does not cool at its full capacity.

Cleaning Your Air Conditioner

To get the best possible use out of your air conditioner, you must clean it regularly to remove the dust that accumulates on the air filter.

CAUTION


Before cleaning your air conditioner, ensure that you have switched off the electric circuit breaker used for the unit.


- 1 Turn the levers to the right or left not to prevent pulling out the air filter.(**023/026/035**)
 - Pull the air filter to the right or left as you want.(**052**)
- 2 Pull out the air filter.
- 3 Remove all dust on air filter with a vacuum cleaner or a brush. In case of serious dust accumulation, put the air filter in warm detergent water and shake it vertically.
- 4 Dry the air filter.
- 5 When you have finished, insert the filter into the unit.
- 6 Return the levers.

Note


- ◆ After cleaning the air conditioner, press the
 □ button.
- ◆ Do not operate the air conditioner without the filter.


023/026/035






052







Solving Common Problems

Before contacting the after-sales service, perform the following simple checks. They may save your time and expense of an unnecessary call.

<u>Problem</u>	Explanation/Solution	
The air conditioner does not operate at all	◆ Check that the breaker used for the air conditioner is switched on.	
Wired Remote Controller The air conditioner does not operate with the remote controller	♦ is displayed on the wired remote controller. In this case, turn the air conditioner off and contact your dealer. • The state of	
Wired Remote Controller When turning on/off the air conditioner, it is not turned On/Off immediately.	In case of using the wired remote controller for a group, the air conditioners connected to the remote controller are turned on/off in order. Thus, it takes some time(up to 32 seconds).	
Wireless Remote Controller The air conditioner does not operate with the remote controller	 ◆ Check that there are no obstacles between you and the remote control sensor. ◆ Check the wireless remote controller batteries. ◆ Check that you are close enough to the remote control sensor. (7 metres/ yards or less). 	
Wireless Remote Controller No beep is heard when you press (On/Off) on the remote controller	 Check that you are pointing the remote controller at the remote control sensor of the receiver & display unit. Replace the remote controller batteries if necessary. 	
The air conditioner does not cool or heat	 Check that the correct operating mode has been selected. The room temperature may be too low or too high. Dust may be blocking the air filter guard; refer to page 13 for cleaning instructions. Check that there is no obstacle in front of the outdoor unit. 	
When heating, the required room temperature is never reached and the air conditioner frequently stops	 ◆ Check that the required temperature has been set correctly. ◆ Increase the fan speed. 	

Memo



Contact SAMSUNG WORLD WIDE

If you have any comments or questions regarding Samsung products, contact the SAMSUNG customer care center.

Country	Customer Care Center 🖀	Web Site
BELGIUM	02 201 2418	www.samsung.com/be
CZECH REPUBLIC	844 000 844	www.samsung.com/cz
DENMARK	38 322 887	www.samsung.com/dk
FINLAND	09 693 79 554	www.samsung.com/fi
FRANCE	08 25 08 65 65 (€ 0,15/min)	www.samsung.com/fr
GERMANY	01805 - 121213 (€0,12/min)	www.samsung.de
HUNGARY	06 40 985 985	www.samsung.com/hu
ITALIA	199 153 153	www.samsung.com/it
LUXEMBURG	02 261 03 710	www.samsung.lu
NETHERLANDS	0900 20 200 88 (€0.10/min)	www.samsung.com/nl
NORWAY	231 627 22	www.samsung.com/no
POLAND	0 801 801 881	www.samsung.com/pl
PORTUGAL	80 8 200 128	www.samsung.com/pt
SLOVAKIA	0850 123 989	www.samsung.com/sk
SPAIN	902 10 11 30	www.samsung.com/es
SWEDEN	08 585 367 87	www.samsung.com/se
U.K	0870 242 0303	www.samsung.com/uk