



- Safety Instructions
- Overview
- Connecting
- Using
- Applications
- Specifications
- ····· Troubleshooting

SPF-105V



















SPF-105V

Safety Instructions

Overview

Connecting

Applications

Specification

Troubleshooting

Safety Instructions

Safety Symbols

Power

Using

| Installation |

Using and Cleaning

■ Safety Symbols

💥 Make sure to follow the directions below to prevent accidents and damage to the product.



Warning

Failure to follow the accompanying directions may lead to serious injury or death.



Attention

Failure to follow the accompanying directions may lead to minor personal injury or property damage.

Safety Symbols

Power

| Installation |

Using and Cleaning

Power

* The images here are for reference only, and are not applicable in all cases (or countries).



Warning



- Insert the power plug correctly until it is firmly in place.
 - Failing to do so, may cause fire.




Do not use a damaged power plug, cord or outlet, as this may cause electric shock or fire.



- Do not touch the power plug with wet hands, as this may cause electric shock.
- Do not connect more than one appliance to a single outlet, as an overheated outlet may cause fire.









Do not use force to pull the power cord. Don't place anything heavy on the power cord, as this may cause electric shock or fire.



- Make sure to turn the power off and disconnect the power plug from the outlet before moving the product. Make sure to disconnect the connection cables from other devices as well.
 - Moving the product without disconnecting the power cord may damage it while moving, and may cause electric shock or fire.



Attention



- Hold and pull out the plug by its body when disconnecting it from the outlet, as pulling the plug out by the cord may cause it to be damaged.
 - Failing to do so, may cause fire, or the product may not turn on normally.



- ▶ Ensure that the power plug is disconnected before cleaning the product.
 - Failing to do so, may cause electric shock or fire.



- Keep the product away from places exposed to oil, smoke or moisture; do not install inside a vehicle.
 - This may cause a malfunction, electric shock or fire.
 - In particular, avoid operating the monitor near water or outdoors where it could be exposed to snow or rain.



- Do not install the product near any heating appliance.
 - There is a risk of fire.

| Safety Symbols | Power | Installation | Using and Cleaning

■ Installation



- When installing the product on a cabinet or shelf, do not let the front end of the product project beyond its front edge.
 - Failing to do so, may cause the product to fall, resulting in a product malfunction or personal injury.





Do not place the power cord near a heater, as the power cord may melt, causing electric shock or fire.



- Do not install the product in a car or a location exposed to oil, smoke, moisture, water, or rainwater.
 - Any contact of these materials with the product may cause electric shock or fire.



- Disconnect the power plug when there is thunder or lightning.
 - Failing to do so, may cause electric shock or fire.



Attention



- ▶ Place the product down gently when installing it.
 - Failing to do so may cause product damage or personal injury.



Avoid dropping the product when moving, as this may cause product damage or personal injury.



- Do not install the product in a location easily reached by children.
 - As the product may fall and cause personal injury.

Safety Symbols | Power

| Installation |

Using and Cleaning

Using and Cleaning



- ▶ Do not insert any metal objects such as forks, wire, or gimlets, or flammable items such as paper or matches into the ports at the back of the product, as this may cause electric shock or fire.
 - If water or any foreign substance enters the product, make sure to turn the product





- Never disassemble, repair, or modify the product yourself.
 - If you need to repair your product, contact a service center. An attempt at repairing
 this product may cause electric shock or fire.



Attention



- If you hear a strange sound, smell anything burning, or see smoke, disconnect the power plug immediately and contact a service center.
 - Failing to disconnect the power plug may cause electric shock or fire.



- Always remove dust and water from the pins and connections of the power plug.
 - Failing to do so may cause electric shock or fire.



- When cleaning the product, first disconnect the power plug and clean it with a soft, dry cloth.
 - Do not use any chemicals such as benzene, alcohol, thinners, mosquito repellant, aromatic, lubricant, detergent or wax.



- When not using the product for a long time, make sure to disconnect the power plug.
 - Heavy accumulated dust may cause electric shock or fire.



- If the product needs to be installed in a location that doesn't satisfy general conditions, make sure to contact one of our service engineers about the installation as the product may encounter serious quality problems due to its environment.
 - This refers to locations exposed to conditions such as heavy fine dust, chemicals, high or low temperature, moisture, or when the product needs to be used continually without a break over a long time.



- If the product has been dropped or the product casing is damaged, turn it off and disconnect the power plug.
 - Using the product without verifying that it has not been damaged may cause electric shock or fire. Please contact a service center.

Correct Disposal of This Product (Waste Electrical & Electronic Equipment) - Europe only

(Applicable in the European Union and other European countries with separate collection systems)



This marking shown on the product or its literature, indicates that it should not be disposed with other household waste at the end of its working life. To prevent possible harm to the environment or damage to health from uncontrolled waste disposal, please separate this from other types of waste and recycle it responsibly to promote the sustainable reuse of material resources.

Household users should contact either the retailer where they purchased this product, or their local government office, for details of where and how they can take this item for environmentally safe recycling.

Business users should contact their supplier and check the terms and conditions of the purchase contract. This product should not be mixed with other commercial wastes for disposal.

Correct disposal of batteries in this product

- Europe only



(Applicable in the European Union and other European countries with separate battery return systems.)

This marking on the battery, manual or packaging indicates that the batteries in this product should not be disposed of with other household waste at the end of their working life. Where marked, the chemical symbols Hg, Cd or Pb indicate that the battery contains mercury, cadmium or lead above the reference levels in EC Directive 2006/66. If batteries are not properly disposed of, these substances can cause harm to human health or the environment.

To protect natural resources and to promote material reuse, please separate batteries from other types of waste and recycle them through your local, free battery return system.

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice. ©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame





SPF-105V

Safety Instructions

Overview

Connecting

Using Applic

Applications Sp

pecification

Troubleshooting

Overview

| Features | Components |

Front

Back

Side

↑ ≅

Features

- Expansion of built-in memory using memory cards. Instant view of stored images.
- Background music function.
- Can be used with the battery for a specific period of time without being connected to a power outlet.
- Provides a Mini-Monitor function.
- Stylish Design
 - A premium, stylish design that can be used as a decoration on a desk or table.
 - A rotating stand that allows vertical/horizontal placement.

| Features | Components | Front | Back | Side

Please check that all components are contained in the delivered package.

If anything is omitted, contact the local distributor where the product was purchased. For optional items, contact a **service center**. Never use a power adapter other than the adapter provided with the product.

Components



Digital Photo Frame

(The product color and shape may vary depending on the model.)

Manual



Quick Start



Warranty (Not available in all locations)



User Manual

Cables



Power cord



USB cable (A-mini B type)



Power Adapter

| Features | Components | Front | Back | Side

■ Front

X The product color and shape may vary depending on the model.



X This product is a touch type product. If you lightly touch the button on the right of the product, the button light is turned on. When the button light is turned on, you can then operate each button's menu.

[MENU] Menu Button
Displays the menu window at the bottom left corner of the screen.

② [▲] Up Button Used for moving up.

(3) [4] Left Button
Used for moving left.

[*] Right Button Used for moving right.

[5] [▼] Down Button Used for moving down.

6 [Enter Button Used for selection.

Return to the previous menu.


8 [4] Slideshow Button Play or pause the Slideshow.

★ When playing a slideshow by pressing the [□] button, the photos in the location of the last played photo are played. If the photos in the location of the last played photo have been removed, they are automatically searched for and then played in a slideshow.

| Features | Components | Front | Back | Side

Back

 $\ensuremath{\mathbb{X}}$ The product color and shape may vary depending on the model.



Connect the power adapter to this jack.

Connect the power cord to the power terminal of the power adapter.

2 [O] Power Button Turns the product on or off.
Hold down the power button for about 2 seconds.

3 Stand You can use the product in a vertical or horizontal direction by using the rotating stand.

Sliding Prevention
 Holder

 Service terminal
 This is a terminal for servicing the product only. Do not operate it arbitrarily.

 The Kensington lock is a device used to physically secure the system when using it in a public place.

(The locking device has to be purchased separately.)

| Features | Components | Front | Back | Side

Side

jack

Memory Card Slot

Kensington lock

 ${\mathbb X}$ The product color and shape may vary depending on the model.



Speaker You can listen to sound without connecting an additional speaker.

You can listen to sound by connecting headphones or earphones to the product. **Headphone connection**

Allows you to insert an optional memory card. (Only applicable for SD/MS/CF card)

3-1 MEMORY CARD

3-2 CF

Connect a PC or an external device using a USB cable.

4-1 Up stream terminal Connect your Digital Photo Frame to a PC's USB terminal with a USB cable.

4-2 Down stream terminal Connect your Digital Photo Frame to a USB-supported storage device.

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice.

©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame





SPF-105V

Safety Instructions

Overview

Connecting

Using

Applications

Specification

Troubleshooting

Connecting

Power

USB

| Memory Card |

■ Connecting the Power




- Onnect the adapter cable to the power terminal on the back of the product.
- 2 Connect the power cord to the power adapter.
- 3 Plug the power cord for the product into a nearby outlet.
- $oldsymbol{4}$ Press the $oldsymbol{[\Phi]}$ button to turn on the power.

Power

USB

| Memory Card |

■ Connecting via USB



Up Stream
Terminal

Used to connect your digital photo frame to a PC.

** When connecting your digital photo frame to a PC through the up stream terminal, make sure to use the USB cable provided with the product.

2 Down Stream Terminal Used to connect an external USB-supporting device to your digital photo frame.

- 💥 Some USB devices may not support Digital Photo Frame.
- * This product does not support USB card readers. Only USB storage is supported.
- * The external devices connected to your Digital Photo Frame are not recognized by your PC.
- 💥 When connecting an external device to the down stream terminal, use the USB cable provided with the external device. (For more information on external devices and their cables, contact a relevant service center.)
- 💥 Samsung carries no liability for external device malfunctions caused by using any cable except the standard cables specified for each device.
- X Some external products provide a cable that does not meet USB standards. Hence, they may cause a
- 💥 If an external storage device does not work normally when connected to your digital photo frame, try to connect it to your PC. If it still does not work normally when connected to your PC, contact a service center for that external device or your PC.



- Connect to the upstream jack of your digital photo frame.
- Connect the USB terminal of your PC.

Folder Structure

When connecting this product to your PC, it is displayed as a removable disk (E:), as shown in the figure below. You can save and play all music and movie files in the following folders.

You can also add and delete folders as required. (However, if you delete the following default folders, they are automatically created when your product is turned on again.)





Only the photos from Web Photos (photos from RSS) corresponding to the free space of the internal memory are saved. If a user manually copies photos from the PC to the .rss folder, the Photoframe will not show the photos.

- X The capacity of this product is 64 MB.
 - If the capacity is exceeded, no further files can be stored.
- 💥 Do not turn off the product while saving, playing, or deleting a file.
- ※ The volume name of the removable disk (for example, E:, F:, G:) may differ depending on your computer environment.

USB Memory Card | **Power**

■ Connecting a Memory Card



 \times Removing the memory card while playing MP3s, movies, or photos, may cause the product to operate abnormally. In this case, turn the product off and on.

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice. ©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame





SPF-105V

Safety Instructions

Overview

Connecting

Applications

Using

ons Specification

Troubleshooting

↑ ТОР



Using

- X If no button is pressed for ten (10) minutes, Slideshow or Clock mode is activated. However, if a music file is being played, Clock mode is activated and the filename of that music file is displayed. You can switch to Clock mode even when the movie is paused. In some cases, you can switch to the Movie List screen.
- imes This product is a touch type product. If you lightly touch the button on the right of the product, the button light is turned on. When the button light is turned on, you can then operate each button's menu.

User		Photo		Music		Movio	Clock & Alarm	Sottings	
Guide	ı	FIIOLO	ı	IVIUSIC	- 1	Movie	Clock & Alarm	Settings	- 1

User Guide

Buttons

Menu	Description
MENU	Enters or exits a menu. Hold the MENU button down for more than five (5) seconds. All the lights of the buttons will blink twice and the button lock function will be activated. To clear the button lock function, hold the MENU button down again for more than five (5) seconds.
▲ , ▼, ◄,►	Moves around the items and adjusts the value.
⊕	Selects a function.
ອ	Returns to the previous screen.
5	Hold down this button for five (5) seconds to return to the Main screen.
Ð	Play or pause a Slideshow. When playing a slideshow by pressing the [

■ Screen Status Indications

Display	Description
Yad	This is displayed differently according to the signal strength when connected to a network.
	If not connected to a network, is displayed.
PC	Displayed when a PC is connected or there is a PC which can be connected to.
Ø	This icon only appears when the network is connected and an Internet connection is available. You can only view RSS photos when this icon is displayed.
	Displayed when a USB device is connected.
	Displayed when an SD/MS memory card is connected.
(F)	Displayed when an CF memory card is connected.

■ Battery Indicators

Display Description



Displayed when the battery is being used with the power cable connected and the battery is being charged.

	Displayed when the battery is fully charged and the power cable is connected.
	Displayed when the battery is fully charged.
	Displayed when about 25% of the battery is consumed.
	Displayed when about 50% of the battery is consumed.
	Displayed when about 75% of the battery is consumed.
(x)	Displayed when about 95% of the battery is consumed. When this occurs, the screen switches to the main screen immediately and the discharged battery icon blinks at the center of the screen and the power is turned off. While the discharged battery icon is blinking, you cannot enter a sub-menu.

- X It takes about two (2) hours to charge the battery fully when it is completely discharged. (If you charge the battery while playing a movie, the charging time will increase.)
- Playing a movie can continue for about thirty (30) minutes and a slideshow for about forty (40) minutes in the default state (volume 70, brightness 70) when the battery is fully charged.
- * The battery usage time may differ according to the settings (Brightness, Volume etc.).
- When the internal battery is fully charged and the power adapter is disconnected for more than 3 days, the internal battery will be discharged. If the internal battery is fully discharged, please connect the power adapter for recharge and set the time again.
- ** The rechargeable battery incorporated in this product is not user replaceable. For information on its replacement, please contact your service provider.

User | Photo | Music | Movie | Clock & Alarm | Settings Guide

Photos

■ When selecting a folder



MenuDescriptionOpenOpens the selected folder.CopyCopies the selected folder.DeleteDeletes the selected folder.

■ The menu displayed when selecting a thumbnail.



Menu	Sub-Menu
Wenu	Description
Start Slideshow	Play or pause a Slideshow.
Сору	Copies the selected file to a different storage device. X At least one storage device must be connected.
Copy All Files	Copies all files to a different storage device. X At least one storage device must be connected.
Delete	Deletes the selected file.
Delete All Files	Deletes all files.
Set as Background	Sets the selected image as the background of the main screen. At this time the mode for the background is automatically changed to Custom mode.

- **When copying a photo from an external memory storage device (SD/MS, USB memory) to the Frame Memory, if [Settings]-[Options]-[Frame Memory Copy] is set to [Resized], the size (screen quality) of the photo is automatically reduced before saving it, to fit it to the screen of your digital photo frame, and the EXIF (camera related information) saved in the photo is removed. Therefore, make sure to only use the photos saved on the Frame Memory with the digital photo frame.
- $\ensuremath{\mathbb{X}}$ It may take a long time if a lot of files are copied at the same time.
- The menu displayed when selecting a thumbnail (PC, RSS).



Monu	Sub-Menu
Menu	Description
Start Slideshow	Play or pause a Slideshow.
Сору	Copies the selected file to a different storage device. X At least one storage device must be connected.
Copy All Files	Copies all files to a different storage device. X At least one storage device must be connected.
Set as Background	Sets the selected image as the background of the main screen. At this time the mode for the background is automatically changed to Custom mode
	All Photos, Folder, Playlist, Tags, Dates, Rating
Browsing Mode	Selects the category to arrange the photos by. X [Browsing Mode] is only displayed on a PC.
	The sub-menus of a mode are subjected to each mode.

Slideshow Menu



** This product can only support up to 4,000 pictures. If there are more than 4,000 pictures, slideshow will not be played for the remaining pictures.

Menu	Sub-Menu	Detailed Menu		
wenu		Description		
Stop Slideshow	Pauses or resumes the slideshow.			
	Slideshow Effect	 No Effect, Fade, Wipe, Slide, Blind, Checker, Box In/Out, Cross Comb, Silk, Circle, Wheel, Diamond, Plus, UnCover, Stairs, Random 		
	Selects a play effect.			
	Speed	• Fast, Normal, Slow		
	Selects a play speed.			
Slideshow Settings	Mode	 All photos, Photos in Folder, Shuffle all photos, Shuffle photos in Folder, Repeat one photo 		
	Selects the play mode.			
	※ This is not availab	le during a Slideshow with PC or RSS photos.		
	Display Clock	• Off, On		
	Selects whether to play	a slideshow and show the current time at the same time.		
Brightness	0~100			
brightness	You can adjust the brig	htness.		
Rotation	You can rotate the monitor screen to 90°, 180° and 270°.			
	Original Fit, Auto I	Fit, Fit to Width, Fit to Screen		
Screen ratio	Original Fit - When the Auto Fit - Photos are fit no distortion. Fit to Width - Photos at there is no distortion.	adjust the size of the photos when displaying them on the screen. photo size is larger than the screen size, it is displayed to fit the screen size. It to the screen size. A horizontal or vertical part of a photo may be cut but there is the fit to the screen width. A horizontal or vertical part of a photo may be cut but there fit to a resolution of 1024*600. (The photo image may be distorted)		
Doloto	Deletes a photo being	displayed in the slideshow.		
Delete	※ This is not availab	le during a Slideshow with PC or RSS photos.		
Set as Background	Sets the currently select	ted image as the background of the main screen.		
	 On, Off, Music Set 	tings		
Background Music	stored on the Frame M When the product is us When the next slidesho is played as the backgr (The location priority or	ings] of [Background Music] by pressing the MENU button and select a music file emory or a connected external memory device. ed for the first time, the built-in music files are used as the background music. w is performed using the [Slideshow] button, the last played background music file		

Direct Functions

Menu	Description
MENU	Opens the on-screen menu and exits from the menu.
•	Plays the next file.
4	Plays the previous.
A V	Adjusts the volume.
라 교	Play or pause a Slideshow.

User | Photo | Music | Movie | Clock & Alarm | Settings |

Music

■ The menu displayed when selecting a list.



Manu	Sub-Menu
Menu	Description
Play Music	Plays a file.
Play Mode	• All musics, Music in Folder, Shuffle all musics, Shuffle music in Folder, Repeat one music
ridy riode	Selects the play mode.
Сору	Copies the selected file to a different storage device. X At least one storage device must be connected.
Copy All Files	Copies all files to a different storage device. X At least one storage device must be connected.
Delete	Deletes the selected file.
Delete All Files	Deletes all files.

□ The menu displayed while playing music.



- $\,\,$ $\,\,$ If you press the Menu button, the menu of the selected item is displayed on the screen.

Menu	Sub-Menu
ivieriu	Description
Plav Mode	• All musics, Music in Folder, Shuffle all musics, Shuffle music in Folder, Repeat one music
riay riode	Selects the play mode.

□ Direct Functions

Menu	Description
MENU	Opens the on-screen menu and exits from the menu.
•	Plays the next. If you hold down the button for a long time, the Fast Forward function operates.
•	Plays the previous. If you hold down the button for a long time, the Rewind function operates.
A V	Adjusts the volume.
⊕	Plays or Pauses a file.

User
Guide | Photo | Music | Movie | Clock & Alarm | Settings

Movies

■ The menu displayed when selecting a list.



× If you press the Menu button, the menu of the selected item is displayed on the screen.

Mana	Sub-Menu
Menu	Description
Play Movie	Plays a file.
Play Mode	• All movies, Movies in Folder, Shuffle all movies, Shuffle movies in Folder, Repeat one movie
ridy riode	Selects the play mode.
Сору	Copies the selected file to a different storage device. X At least one storage device must be connected.
Copy All Files	Copies all files to a different storage device. X At least one storage device must be connected.
Delete	Deletes the selected file.
Delete All Files	Deletes all files.

■ The menu displayed while playing a movie.



Menu	Sub-Menu
	Description
Play Mode	• All movies, Movies in Folder, Shuffle all movies, Shuffle movies in Folder, Repeat one movie
	Selects the play mode.
Brightness	0~100

Direct Function

Menu	Description
MENU	Opens the on-screen menu and exits from the menu.
•	Plays the next. If you hold down the button for a long time, the Fast Forward function operates.
•	Plays the previous. If you hold down the button for a long time, the Rewind function operates.
A V	Adjusts the volume.
0	Plays or Pauses a file.
D	Start Slideshow.

User Guide

Photo

Music

Movie

| Clock & Alarm |

Settings

■ Clock & Alarm



Hours

Minutes

am/pm

Alarm

Menu	Sub-Menu Do	Detailed Menu escription	
Date and Time	 Month, Day, Year, Hours, Minutes, am/pm (Month, Day, Year, Hours, Minutes (when th 	•	
	Sets the date and time.		
Time Zone	You can select a time zone.		
Daylight Saving Time	Off, On		
Daylight Saving Time	You can enable or disable the daylight saving tin	ne.	
	 Auto, Manual, Update Time Now 		
Internet Time Update	Select whether to update the system time of you through the Internet.	r Digital Photo Frame with the time information received	
	• 12 Hours, 24 Hours		
Time Format	For the Time Format, you can select 12 Hours or If 24 hours is selected, am/pm cannot be selected		
Date Format	YYYY/MM/DD, MM/DD/YYYY, DD/MM/YYYY		
Date i offilat	You can select the format in which the date is di	splayed.	
Clock Type	 Analog, Digital, Clock & Calendar 		
Clock Type	You can select the clock type.		
	Activation • Yes, No		
	Set time • Manual, After 10	min, After 20min, After 30min.	

1~12

• 00~59

• am, pm

Repeat • Once, Sat ~Sun, Mon~ Sat, Mon~ Fri, Everyday

Sound • Sound 1, Sound 2, Sound 3

You can set an alarm.

User | Photo | Music | Movie | Clock & Alarm | Settings Guide

Settings

Settings



Menu	Sub-Menu	Detailed Menu
	Description	
	Network Settings	Sets the network. The network information you set is displayed at the bottom. $ \\$
Network	Proxy Required	• Yes, No

You can set whether to use a proxy server.

Language • English, Deutsch, Español, Français, Italiano, Nederlands, Polski, Português, Русский, Svenska, Türkçe, 简体中文, 日本語,한국어

You can select the language for the product.

Brightness • 0~100

Adjusts the brightness of the screen.

Auto Rotation

Off, On

Off: If you set the frame on its edge during a SlideShow, even if the sensor detects the change, the picture does not rotate accordingly.

 $\label{eq:constraints} \text{On: If you set the frame on its edge, the sensor detects the change and rotates the picture automatically.}$

Options Button Sound • Off, Low, Medium, High

You can turn the button operating sound heard when operating the product on or off.

Volume
◆ 0~100

Adjusts the volume.

Frame Memory Copy

Original Size, Resized

When copying a photo from an external memory storage device (SD/MS, USB memory) to the Frame Memory, if [Settings]-[Options]-[Frame Memory Copy] is set to [Resized], the size (screen quality) of the photo is automatically reduced before saving it, so that it can be fit to the screen of your digital photo frame, and the EXIF (camera related information) saved in the photo is removed. Therefore, make sure to only use the photos saved on the Frame Memory with the digital photo frame.

Starting Mode

Home, Last Mode, Slideshow

You can select the first screen to be displayed when the power is turned on.

Screen Saver

* Slideshow, Clock

You can select the screensaver type.

If no button is pressed for ten (10) minutes, the screensaver is activated.

OSD Color Theme

Violet Style, Blue Style, Green Style, Orange Style

You can select a color theme for the menu background screen.

The default color theme is Blue Style.

Home Background

• Default, Custom

You can set the background of the main menu screen.

Preferences

Auto Picture On/Off

Activation, Hours, Minutes, am/pm, Repeat

When the [Off Time] is reached, other operations are stopped and the screen is turned off. When the [On Time] is reached, the screen is turned on and the previous operating status persists.

If the screen is turned off as the time has reached the [Off Time], press any button except the Power button to display the screen again.

If the product is being used as a Mini-Monitor or a Mass Storage device connected to your PC via a USB cable, the screen will not be turned off even if the Off Time is reached.

You can update the product by using a USB memory stick or memory card

Firmware Update (SD/MS

For the latest firmware file, visit www.samsung.com.

Update/Reset

Reset Settings

Yes, No

Initializes the settings except for the time and the network settings.

Product Information •

• Model, Firmware Version, Copyright

You can check the product information.

■ Web Configuration

Help

Onnect to the address (URL) in the [Web Configuration Address] item on the [Settings]-[Network] page of the Digital Photo Frame using Internet Explorer.

If connected, the Welcome page is displayed.

Enter the password in the [Web Configuration Password] item of the [Settings]-[Network] page of the Digital Photo Frame in the [Password] item on the Welcome page. Then click the [sign in] button.

Cub Monu

Hanna Mana	Sub Menu
Upper Menu	Description
	• Password
Welcome	Enter the password displayed in Management Password. Enables case-sensitive mode.
Photo Frame	Now Playing
Thoto Traine	You can monitor the photos which are being displayed in the slide show at the same time.
	 Loading Photos from Photo Feeds
Web Photos	You can enter or remove the address to receive photos on a websitethrough a wireless connection. In this page, you can register a website URL to view the photos of the RSS Feeds.
Storage	 Loading Photos from Photo Feeds
Storage	You can check the size of the photos in the addresses listed in Web Photos.
	Basic, Administrator Password, Date and Time, Network Settings
Settings	You can enter and change the product name, administrator password, time, and network proxy server,

Displays the help section for using Samsung Photo Frame Web Configuration.

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice.

©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame





Applications



- Initial Settings
- Settings for Sharing Photos on your PC Configuring Your Windows
- **■** Settings for Sharing Photos on your PC Configuring Your Photo Frame
- Viewing the Photos via RSS
- Setting up Rating and Tags (VISTA:Tags, XP:Labels) on a PC
- I want to update firmware.
- I want to connect to a monitor by using Mini-Monitor program.

■ Initial Settings

** To use the wireless sharing function provided with this product, Windows Vista must be running on your computer and a wireless LAN access point (AP) must be in your vicinity.

Windows XP

- 01 Windows Media Player 11 or later must be installed.
- Digital Image Library Starter Edition (DISE)
 - : This program allows you to change the ratings for the photos on your Digital Photo Frame via your PC.
- Recommendations when using the Digital Photo Frame: Internet Explorer 7.0 or higher

1. Choose Your Language



Turn on your Digital Photo Frame and select a language. You can change the language via Settings -> Language.

2. Use Wi-Fi network?



Select whether to use a network.

3. Choose your Access Point



The AP list is displayed.

Select the SSID you want to connect to in the [Choose your Access Point] screen. If the SSID you want to connect to is not displayed, refresh the SSID list by pressing [Refresh] and then select the SSID.

4. Choose Computer



The PC list is displayed. If the PC you want to connect to is not in the list, refresh the PC list by pressing [Refresh] and then select the PC.

5. Finish



The selected network and PC are displayed. You can select a menu after completing the operation.

★ Ensure that the Settings are confi gured as shown below.

Otherwise, your PC may not be displayed in the list or you may not be able to connect to it.

- In Vista, select Control Panel > Network and Sharing Center > Customize. Check whether the Location type is set to Private.
- Select Digital Photo Frame from the Windows Media Player > Library > Media Sharing list. Check whether it is set to Allow.

■ Settings for Sharing the Photos on your PC - Configuring Your Windows Vista

Adding Photos to the Library



Run Windows Media Player.

Click the [Library] tab at the top.






O3 Click [Add To Library] in the [Library] tab.



In the [Add To Library] window, select [My personal folders] under the [Select the folders to monitor] section and select the folder containing photos and click [Add].



Select the folder to share and click [OK] to add it.

When you click [OK], the [Add To Library] window is closed and the [Add to Library by Searching Computer] is displayed. Wait until it finishes the operation and click [Close] when it is completed.



In the Windows Media Player, set the Category, which is under the [♠♠] symbol at the top left, to [Picture].



In the [Library], select Recently added, All Pictures, Keywords, Date Taken, Rating, or Folder Settings and check whether the added photos exist in the library.

(III) Sharing Settings for Accepting Connections from Your Photo Frame




1 In the [Library] tab, click on [Media Sharing].



In the [Media Sharing] window, check the [Share my media] checkbox under [Sharing Settings].



- If no [Available device] is displayed in the [Media Sharing] window, proceed to steps 4. If displayed, proceed to step 5.
- In the [Media Sharing] window, click
 [Networking] and check whether the current
 network is set to [Private network]. If not, set it
 to [Private Network].



Only photos can be transmitted via PC sharing.

Settings for Sharing the Photos on Your PC - Configuring Your Photo Frame

OK Cancel

01) Checking Network Connections



Check whether the Network icon is displayed at the left top of the Main screen.



If the Network icon is displayed, proceed to the **Checking Computer Connections** section described below. If it is not displayed, move to [Settings]-[Network]-[Network Settings].

× SSID : Service Set Identifier



Select the SSID you want to connect to in the [Choose your Access Point] screen. If the SSID you want to connect to is not displayed, refresh the SSID list by pressing [Refresh] and then select the SSID.

If you select this when the SSID is encrypted, a password input window is displayed. You can only be connected to the network if you enter the correct password.

02 Checking Computer Connections



01 The PC list is displayed.

If the PC you want to connect to is not in the list, refresh the PC list by pressing [Refresh] and then select the PC.



The configured network and computer are displayed. You can select a menu once the completion window is displayed.

■ Viewing the Photos via RSS





Connect to the address (URL) in the [Web Configuration Address] item on the [Settings]-[Network] page of the Digital Photo Frame using Internet Explorer.



- If connected, the welcome page is displayed.
 Enter the password in the [Remote
 Configuration Password] item of the
 [Settings]-[Network] page of the Digital
 Photo Frame in the [Password] item on the
 Welcome! page. Then click the [sign in]
 - X You can change the password (default: Admin) in the Settings of the Samsung Photo Frame Web Configuration.
- Enter the copied address into the RSSinput box that appears when selecting [Web Photos]-[Photo Feeds] and then click the [Add] button to add the photo.

What is an RSS Address?
It is the address that appears in the address box of the web page (XML) displayed when clicking the FEED icon on a RSS service site where photos are uploaded.

(12) Checking the Photos from RSS on Your Digital Photo Frame



- In the Main screen of your Digital Photo Frame, go to [Photo]-[RSS and Web Feeds].

 A list of feeds you have added to the Web Configuration will be displayed.
- Select a feed from the list. Thumbnails for the photos in the selected feed will be displayed to the right.

■ Setting up Rating and Tags (VISTA:Tags, XP:Labels) on a PC

01 Windows VISTA



- Click Start All Programs Windows Photo Gallery to launch the Windows Photo Gallery.
- If you select Info at the top of the Windows Photo Gallery screen, the photo information pane appears on the right.
- Select a photo and change the **Rating** or **Tags** in the right information pane.

02 Windows XP




- Olick Start All Programs Microsoft Digital Image Starter Edition 2006 - Microsoft Digital Image Starter Edition 2006 Library.
- The Microsoft Digital Image Starter Edition 2006

Library window appears.

Select a photo and configure the **Rating** and **Labels** for the selected photo at the bottom of the screen.

I want to update firmware.



- After boot-up, turn your Digital Photo Frame off, remove the USB memory card, and turn your Digital Photo Frame on again, for maximum safety.
- $\ensuremath{\mathbb{X}}$ $\ensuremath{\mathbb{X}}$ Do not remove the USB, memory card during the update operation.

Do not press any key during the update operation.

Do not insert any other card during the update operation.

Do not turn your Digital Photo Frame off during the update operation.

You can identify whether the update operation has finished successfully or not by checking the firmware version of your Digital Photo Frame is changed to the version of the firmware update.

■ I want to connect to a monitor by using Mini-Monitor program.

The Digital Photo Frame not only allows you to appreciate photos but also provides an additional Mini-Monitor function. The Mini-Monitor is a function for using the Digital Photo Frame as an auxiliary monitor. Its usage is simple as the Digital Photo Frame connects to your PC via a USB cable. This function allows you to work more efficiently at your PC by using an additional monitor. To use your digital photo frame as a Mini-Monitor, first install the Frame Manager program. (However, please note that you can use only one digital photo frame as a Mini-Monitor.)

- Installing Frame Manager
- Frame Manager User's Manual

Using your digital photo frame as a Mini-Monitor.
Using your digital photo frame as Mass Storage.
Changing the current mode to another mode
Adjusting the brightness
Updating the firmware

X System Requirements

• OS: Windows XP SP2, Vista (32bit)

• System Processor Speed: 1.5 GHz

• USB : USB 2.0 Host Controller

• RAM: 256 MB or above

- 1. When using Windows XP, Service Pack 2 must be installed.
 - It might not operate with any operating systems other than Windows XP SP2. We are not liable for problems that may occur when installing it on an operating system other than Windows XP SP2.
- 2. We recommend a CPU speed of 2.4 GHz or higher.
 - Your digital photo frame might not operate normally if the performance specifications of your PC are lower than the recommendations
- 3. Make sure to install it correctly as directed in the Installation Guide.
- 4. Do not use your Mini-Monitor as a primary monitor.
 - We are not liable for any problems that may occur if you do not follow the directions. If it is used as a primary monitor, the screen may be blank.
- 5. Make sure to use the provided USB cable.
- 6. When using your digital photo frame as a Mini-Monitor, all buttons except for the Power button will not operate.
- 7. Move the programs displayed and used on the Mini-Monitor to the primary monitor after you have finished using it.
- 8. For some video cards, the Mini-Monitor may not operate normally. In this case, set Hardware acceleration to None.
 - X To set Hardware acceleration to None: Right-click on the Windows Desktop and select Properties from the displayed menu. The Display Properties window appears. Click Settings > Advanced > Troubleshoot tab. Move the Hardware acceleration slide to None.
- 9. You cannot use the Aero effect of Windows Vista while using the Mini-Monitor.
- 10. When using Windows Vista, some movies cannot be played using the Mini-Monitor.
- 11. If the video card's driver is updated while Frame Manager is installed, the Mini-Monitor function may not operate properly. In this case, remove Frame Manager and install it again.
- 12. If the rotation function of Frame Manager is used, the current location setting of Mini-Monitor may be changed. Even if the rotation function is used, the screen will not be shown to be rotating in the [Display Properties] window.

X Limitation and Recommendation

- Limitation: Hardware graphics acceleration such as DirectX or OpenGL is not supported on the Mini-MonitorDisplay as it would require the emulation of a graphics processor by your standard CPU which would not be favourable. Media players which are using DirectX will not work properly on Mini-Monitor Display.
 - > Example: GOM player, VLC Player
- Recommedation: Do not use/run directX or openGL application on Mini-Monitor display.

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice.

©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame





SPF-105V

Connecting

Using

Applications

Specifications

Troubleshooting

Specifications

Specifications

Specifications

Items		Specifications	
Model Name		SPF-105V	
	Туре	10"(26 cm)TFT	
Panel	Resolution	1024 x 600	
	Contrast Ratio	500:1	
	Interface	Digital 8 bit LVDS	
		JPEG. MPEG4. WMV9	
Supported Forma	ats	JPEG max Image Resolution 3000x2000(6Mb) (Progressive,CMYK JPEG is not supported.)	
		(Flogressive, CMTK JEEG is not supported.)	
Built-in Memory		64 MB	
		Wi-Fi 802.11b/g 2.4GHz 54Mbps	
Network		WEP : Open (64bit, 128bit)	
Network		WPA-PSK: TKIP, AES	
		WPA2-PSK: TKIP, AES	
		USB 2.0	
USB		(One up stream (device 2.0) and one down stream (host 1.1),	
		External Memory Reader is not supported)	
Madia (Mamanu)	Coud	2 in 1(SD≤4GB / MS≤4GB) , CF	
Media (Memory Card)		× SDHC (High-Capacity) cards are not supported.	
	Rating	External Power Adapter (12 V, 2 A, 24 W)	
Power	Battery	7.4V 770mAH	
		Normal mode : under 10W (But, 14 W for battery charging)	
	Consumption	Power off mode : under 1W (Even if the power is turned off, up to 10W may be	
	 	consumed while the battery is being charged.)	
Sound		1W x 2 Stereo Speaker (80hm)	
		10mW Stereo Earphone (16ohm)	
Dimensions (WxHxD)		288.8 x 66.2 x 198.5 mm / 11.4 x 2.6 x 7.8 inch	
Weight		1 Kg / 2.2 lb	

notice for product performance enhancement.





Class B Equipment (Information Communication equipment for residential use)

This product complies with the Electromagnetic Compatibility Directives for residential Use and can be used in all areas including common residential areas. (Class B equipment radiates less electromagnetic influences than class A equipment.)

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice.

©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame





Digital Photo Frame 000000000 SPF-105V

Safety Instructions Overview Connecting Using

Applications Specifications Troubleshooting



Troubleshooting

| Troubleshooting | Terminology |

Other Infomation

| Service Centers |

Declaration of Conformity

■ Troubleshooting

I've tried to change an image rating in

Windows Media Player but it does not

This section lists various problems and solutions encountered by users while using the digital photo frame. When encountering a problem, first check the list below and follow the suggested action if one matches your problem. If the problem still persists, contact or visit the nearest service center.

Symptoms	Causes and Actions Check the connections for the adapter cable and the power terminal of the product.	
The power does not turn on.		
It takes time until an image is displayed after the power is turned on. It takes time to move to the next photo.	 If the resolution is high or the file size is large, the photo may be displayed slowly on the screen. 	
I connected an external device but it is not operating.	 Check the cable connections connecting the product and the external device. The USB device must support Linux. Check whether your USB device supports Linux. 	
There is still space on the Frame Memory but I cannot copy any more photos.	Create a folder in the Frame Memory and copy your photos into the folder.	
The screen color is too dim or dark.	Adjust the brightness in the Settings.	
No slideshow is played automatically.	Set [Starting Mode] of [Settings-Preference] to [Slideshow].	
When playing a movie, the screen is displayed but there is no sound.	 The screen is not displayed because the video codec of the file is not supported. Supported codecs are MPEG4 and WMV9. 	
The movie is played with the sound only. A blank screen is displayed.	Change the volume. Check whether the file contains sound information.	
Auto On and Auto Off do not operate.	If Auto On and Auto Off are set to the same time, they will not operate. Check the time settings.	
The [Button Sound] is set to On but there is no button operating sound.	• The button operating sound will not be heard while a [Background Music, Music, or Movie file] is playing.	
My digital photo frame is not accepting a photo from the Internet.	 Check whether the AP connected to your digital photo frame can connect to the Internet. The maximum permitted file size of a web photo is 4.2 Mb. (The maximum permitted file size is 8.5 Mb.) Only JPEG files are available on the web or Feed (higher than 400X240 pixels) 	

• After changing the rating, turn Windows Media Player off and on.

change.	
I've tried to change the name of my digital photo frame but it will not change.	Remove the product from Windows Media Player (Library/Media Sharing) and reboot your digital photo frame and computer.
I cannot connect my digital photo frame to Windows Media Player of my PC.	Check whether your PC and digital photo frame are connected to the same Access Point (AP). Vista: Check whether [Control Panel/Network and Sharing Center/Customize/Location Type/Personal] is selected. Vista/XP: Select the digital photo frame in the [Library/Media Sharing] of [Windows Media Player] and check whether it is set to [Allow].
The FrameManager icon is not displayed.	Check whether the FrameManager program is installed. Select Start- Programs - Samsung - FrameManager to restart FrameManager. Reboot your computer.
 Check whether the button lock function is activated. If you hold down the MENU button for more than five (5) second lock function is activated. If you press a button it will not operate. To clear the button lock function, hold down MENU button for m (5) seconds again. 	

| Troubleshooting | Terminology | Other | Service Centers | Declaration of Conformity

• A movie with an unsupported codec may have a problem when playing.

■ Terminology

The fast forward and rewind functions do

not operate while a movie is playing.

Description	
 MPEG4 is a movie compression technology for video communications which enables implementing bi-directional multimedia. It was developed to make it possible to transmit movies over low speed lines on the Internet or for mobile communications. It is used widely on PCs, TVs and cell phones. A movie file formatted in the MPEG4 format is called an MPG or MPEG file. 	
A video codec in the MPEG4 format developed by Microsoft	
 MP3 is a high quality audio compression technology. It provides a 50 times higher compression than CD. Because it provides high quality and a low size for its compression ratio, it is commonly used on the Internet and for FM radio transmissions, etc. An audio file formatted in the MP3 format is called an MP3 file. 	
 JPEG is an image compression technology. It provides the smallest loss of all image compression technologies. It is used widely to transmit multimedia files on the Internet and for other uses. An image file formatted in the JPEG format is called a JPEG or JPG file. Usually, a JPEG file is created by taking a picture with a digital camera, by drawing on a computer, or by a graphic package and then by compressing the graphics image into the JPEG format. 	
 An SD card is a Flash memory card the size of a postage stamp. It provides high stability and high capacity. It is widely used in various digital products such as PDAs, digital cameras, MP3 players, cell phones, and notebook PCs. Its appearance is similar to that of MMC, but the number of pins and their thickness is different. It also has a password setting function for data security. 	
 Use the up stream terminal when connecting to a PC. This product supports USB 2.0. An A-mini B type cable which is used to connect your digital photo frame to a PC is provided with the product. The A type is the USB connector used to connect to a PC. The B type is the USB connector used to connect to an external device. You can connect your digital photo frame to a PC using an A-mini B type USB cable. 	

USB Cable 2) Cable for Connecting Other Devices	 Use this type of cable when using the down stream terminal. This product supports USB 2.0. When connecting an external device to the down stream terminal, use the USB cable provided with the external device.
AP (Access Point)	 When using a cell phone, you will hear frequently about a "repeater." In a wireless LAN, AP plays the same role as a repeater. That is, it a intermediate equipment through which wireless LAN cards receive signals. As a cell phone makes a call through a repeater, a wireless LAN card sends and receives data through an AP.
SSID (Service Set Identifier)	 SSID is a 32-bit unique identifier which is attached to each header of every packet being transmitted on a wireless LAN. It is used as a password when a wireless device connects to a Basic Service Set (BBS). Because SSID allows differentiating a wireless LAN from other wireless LANS, all APs and wireless devices that want to access to a wireless LAN must use the same SSID. If a device does not know the unique SSID of a certain BBS, it cannot connect to that BBS.

| Troubleshooting | Terminology | Other | Service Centers | Declaration of Conformity

Other Infomation

This product uses parts of the software from the Independent JPEG Group.
 This product uses parts of the software owned by the Freetype Project (www.freetype.org).
 This product uses some software programs which are distributed under the GPL/LGPL license. Accordingly, the following GPL and LGPL software source codes that have been used in this product can be provided after asking to vdswmanager@samsung.com.

GPL software: Linux Kernel, Busybox, Binutils

LGPL software: Glibc

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors'

reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

• This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

- You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:
 - a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
 - b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
 - c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

- You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This

alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer. in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

- You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any
 attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your
 rights under this License. However, parties who have received copies, or rights, from you under this License will not have
 their licenses terminated so long as such parties remain in full compliance.
- You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to
 modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this
 License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your
 acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or
 works based on it.
- Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license
 from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not
 impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for
 enforcing compliance by third parties to this License.
- If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

- If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
- The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time.
 Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write
to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving
the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

- BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE
 EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS
 AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR
 IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
 PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU.
 SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR
 CORRECTION.
- IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SLICH DAMAGES.

END OF TERMS AND CONDITIONS

Qtopia EVALUATION VERSION LICENSE AGREEMENT Agreement version 1.3

IMPORTANT-READ CAREFULLY:

- This Trolltech End-User License Agreement ("Agreement") is a legal agreement between you (either an individual or a legal entity) ("Licensee") and Trolltech AS ("Trolltech"), and pertains to the Trolltech software product(s) accompanying this Agreement, which include(s) computer software and may include "online" or electronic documentation, associated media, and printed materials, including the source code, example programs and the documentation ("Licensed Software").
- The Licensed Software is protected by copyright laws and international copyright treaties, as well as other intellectual
 property laws and treaties. Trolltech retains all rights not expressly granted. No title, property rights or copyright in the
 Licensed Software or in any modifications to the Licensed Software shall pass to the Licensee under any circumstances.
 The Licensed Software is licensed, not sold.
- By installing, copying, or otherwise using the Licensed Software, Licensee agrees to be bound by the terms of this
 Agreement. If Licensee does not agree to the terms of this Agreement, Licensee should not install, copy, or otherwise use
 the Licensed Software.
- Upon Licensee's acceptance of the terms and conditions of this Agreement, Trolltech grants Licensee the right to use the Licensed Software in the manner provided below.
- Trolltech grants to Licensee a personal, non-exclusive, non-transferable license to make and use copies of the Licensed Software for the sole purpose of evaluating the Licensed Software. Licensee may install copies of the Licensed Software on an unlimited number of computers provided that Licensee is the only individual using the Licensed Software.
- Licensee may not loan, rent, lease, or license the Licensed Software or any copy of it. Licensee may not alter or remove
 any details of ownership, copyright, trademark or other property right connected with the Licensed Software. Licensee
 may not modify or distribute the Licensed Software. Licensee may not distribute any software statically or dynamically
 linked with the Licensed Software.
- Non-Disclosure of Confidential Information: The parties agree that Confidential Information shall mean information covering the following: (i) pricing of the Licensed Software, (ii) the Licensed Software's source code, and (ii) the Licensee's project and business details, disclosed by either of the parties to the other party under this Agreement. Both parties agree to maintain Confidential Information in confidence by using a reasonable degree of care in order to ensure that no unauthorized persons shall have access to the Confidential Information. The parties agree that the terms of this section shall continue in full force and effect irrespective of the expiration or termination of this Agreement for a period of three (3) years from the Effective Date (as specified below) of this Agreement unless otherwise specified in a future agreement between the parties. Trolltech and Licensee further agree that each party shall protect the existence and terms of this Agreement, including information about the evaluation of the Licensed Software in Licensee's business and terms around such use, as Confidential Information. Confidential Information shall not include that information which (i) becomes part of the public domain through no breach by any of the parties; (ii) is independently developed without use of Confidential Information; or (iii) is rightfully disclosed by a third party.
- The right to use the Licensed Software is time-limited. All rights granted to Licensee in this agreement will be void after the end of the evaluation period, which is no later than 31 days after Licensee received the Licensed Software.

- The Licensed Software may provide links to third party libraries, content or code (collectively "Third Party Libraries") to implement various functions. Third Party Libraries do not comprise part of the Licensed Software. Access to Third Party Libraries is included along with the Licensed Software delivery as a convenience only. The source code and libraries in such Third Party Libraries may be listed in the "../src/3rdparty" source tree delivered with the Licensed Software, as may be amended from time to time, and do not comprise any of the Licensed Software. Licensee acknowledges (1) that some Third Party Libraries may require additional licensing from the owners or licensors of such, and (2) that use, copying or distribution of any of the Licensed Software referencing any portion of a Third Party Library may require appropriate licensing from such third parties.
- WARRANTY DISCLAIMER: THE LICENSED SOFTWARE IS LICENSED TO LICENSEE "AS IS". TO THE MAXIMUM EXTENT
 PERMITTED BY APPLICABLE LAW, TROLLTECH ON BEHALF OF ITSELF AND ITS SUPPLIERS, DISCLAIMS ALL
 WARRANTIES AND CONDITIONS, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED
 WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT WITH
 REGARD TO THE LICENSED SOFTWARE. TROLLTECH DOES NOT WARRANT THAT THE LICENSED SOFTWARE WILL
 SATISFY LICENSEE'S REQUIREMENTS OR THAT IT IS WITHOUT DEFECT OR ERROR OR THAT THE OPERATION THEREOF
 WILL BE UNINTERRUPTED. ALL USE OF AND RELIANCE ON THE LICENSED SOFTWARE IS AT THE SOLE RISK OF AND
 RESPONSIBILITY OF LICENSEE.
- LIMITATION OF LIABILITY: IF, TROLLTECH'S WARRANTY DISCLAIMER NOTWITHSTANDING, TROLLTECH IS HELD LIABLE TO LICENSEE, BASED ON THE LICENSED SOFTWARE, TROLLTECH'S ENTIRE LIABILITY TO LICENSEE AND LICENSEE'S EXCLUSIVE REMEDY SHALL BE, AT TROLLTECH'S OPTION, EITHER (A) RETURN OF THE PRICE LICENSEE PAID FOR THE LICENSED SOFTWARE, OR (B) REPAIR OR REPLACEMENT OF THE LICENSED SOFTWARE, PROVIDED LICENSEE RETURNS TO TROLLTECH ALL COPIES OF THE LICENSED SOFTWARE AS ORIGINALLY DELIVERED TO LICENSEE. TROLLTECH SHALL NOT UNDER ANY CIRCUMSTANCES BE LIABLE TO LICENSEE BASED ON FAILURE OF THE LICENSED SOFTWARE IF THE FAILURE RESULTED FROM ACCIDENT, ABUSE OR MISAPPLICATION, NOR SHALL TROLLTECH UNDER ANY CIRCUMSTANCES BE LIABLE FOR SPECIAL DAMAGES, PUNITIVE OR EXEMPLARY DAMAGES, DAMAGES FOR LOSS OF PROFITS OR INTERRUPTION OF BUSINESS OR FOR LOSS OR CORRUPTION OF DATA. ANY AWARD OF DAMAGES FROM TROLLTECH TO YOU SHALL NOT EXCEED THE TOTAL AMOUNT LICENSEE HAS PAID TO TROLLTECH IN CONNECTION WITH THIS AGREFMENT.

GENERAL PROVISIONS

- This Agreement may only be modified in writing signed by authorized representatives of Licensee and Trolltech. In case of a conflict between the Agreement and the terms of any purchase order or other ordering document, the Agreement shall prevail. If any provision of the Agreement is found void or unenforceable, the remainder will remain valid and enforceable according to its terms. If any remedy provided is determined to have failed for its essential purpose, all limitations of liability and exclusions of damages set forth in this Agreement shall remain in effect.
- This Agreement shall be construed, interpreted and governed by the laws of Norway, the legal venue to be Oslo City Court. Trolltech reserves all rights not specifically granted in this Agreement
- Copyright (c) 2000-2003 Intel Corporation All rights reserved.
 Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
 - · Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
 - Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
 - Neither name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANYWAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

| Troubleshooting | Terminology | Other | Service Centers | Declaration of Conformity

Services Contacts

Samsung Electronics web site http://www.samsung.com



If you have any questions or comments relating to Samsung products, please contact the SAMSUNG customer care center.

	North America	
U.S.A	1-800-SAMSUNG (7267864)	http://www.samsung.com/us
CANADA	1-800-SAMSUNG (7267864)	http://www.samsung.com/ca
MEXICO	01-800-SAMSUNG (7267864)	http://www.samsung.com/mx

	Latin America	
ARGENTINE	0800-333-3733	http://www.samsung.com/ar
BRAZIL	0800-124-421 4004-0000	http://www.samsung.com
CHILE	800-SAMSUNG(726-7864)	http://www.samsung.com/cl
COLOMBIA	01-8000112112	http://www.samsung.com/co
COSTA RICA	0-800-507-7267	http://www.samsung.com/latin
ECUADOR	1-800-10-7267	http://www.samsung.com/latin
EL SALVADOR	800-6225	http://www.samsung.com/latin
GUATEMALA	1-800-299-0013	http://www.samsung.com/latin
HONDURAS	800-7919267	http://www.samsung.com/latin
JAMAICA	1-800-234-7267	http://www.samsung.com/latin
NICARAGUA	00-1800-5077267	http://www.samsung.com/latin
PANAMA	800-7267	http://www.samsung.com/latin
PUERTO RICO	1-800-682-3180	http://www.samsung.com/latin
REP. DOMINICA	1-800-751-2676	http://www.samsung.com/latin
TRINIDAD & TOBAGO	1-800-SAMSUNG(726-7864)	http://www.samsung.com/latin
VENEZUELA	0-800-100-5303	http://www.samsung.com/latin

	Europe		
AUSTRIA	0810 - SAMSUNG (7267864, € 0.07/min)	http://www.samsung.com/at	
BELGIUM	02 201 2418	http://www.samsung.com/be (Dutch) http://www.samsung.com/be_fr (French)	
CZECH REPUBLIC	800 - SAMSUNG (800-726786)	http://www.samsung.com/cz	
	Distributor pro Českou republiku: Samsung Zrt., česká organizační složka, Oasis Flor	Distributor pro Českou republiku: Samsung Zrt., česká organizační složka, Oasis Florenc, Sokolovská394/17, 180 00, Praha 8	
DENMARK	8 - SAMSUNG (7267864)	http://www.samsung.com/dk	
EIRE	0818 717 100	http://www.samsung.com/ie	

FINLAND	30 - 6227 515	http://www.samsung.com/fi
FRANCE	01 4863 0000	http://www.samsung.com/fr
GERMANY	01805 - SAMSUNG (7267864, € 0.14/Min)	http://www.samsung.de
HUNGARY	06-80-SAMSUNG(726-7864)	http://www.samsung.com/hu
ITALIA	800-SAMSUNG(726-7864)	http://www.samsung.com/it
LUXEMBURG	02 261 03 710	http://www.samsung.com/lu
NETHERLANDS	0900-SAMSUNG (0900-7267864) (€ 0,10/Min)	http://www.samsung.com/nl
NORWAY	3 - SAMSUNG (7267864)	http://www.samsung.com/no
POLAND	0 801 1SAMSUNG(172678) 022 - 607 - 93 - 33	http://www.samsung.com/pl
PORTUGAL	808 20 - SAMSUNG (7267864)	http://www.samsung.com/pt
SLOVAKIA	0800-SAMSUNG (7267864)	http://www.samsung.com/sk
SPAIN	902 - 1 - SAMSUNG (902 172 678)	http://www.samsung.com/es
SWEDEN	075 - SAMSUNG (726 78 64)	http://www.samsung.com/se
SWITZERLAND	0848 - SAMSUNG(7267864, CHF 0.08/min)	http://www.samsung.com/ch
U.K	0845 SAMSUNG (7267864)	http://www.samsung.com/uk

	CIS	
ESTONIA	800-7267	http://www.samsung.com/ee
LATVIA	8000-7267	http://www.samsung.com/lv
LITHUANIA	8-800-77777	http://www.samsung.com/lt
KAZAKHSTAN	8-10-800-500-55-500	http://www.samsung.com/kz_ru
KYRGYZSTAN	00-800-500-55-500	
RUSSIA	8-800-555-55-55	http://www.samsung.ru
TADJIKISTAN	8-10-800-500-55-500	
UKRAINE	8-800-502-0000	http://www.samsung.ua
UZBEKISTAN	8-10-800-500-55-500	http://www.samsung.com/kz_ru

	Asia Pacific	
AUSTRALIA	1300 362 603	http://www.samsung.com/au
	800-810-5858	
CHINA	400-810-5858	http://www.samsung.com/cn
	010-6475 1880	
	HONG KONG: 3698-4698	http://www.samsung.com/hk
	3030 8282	
INDIA	1800 110011	http://www.samsung.com/in
	1-800-3000-8282	
INDONESIA	0800-112-8888	http://www.samsung.com/id
JAPAN	0120-327-527	http://www.samsung.com/jp
MALAYSIA	1800-88-9999	http://www.samsung.com/my
NEW ZEALAND	0800 SAMSUNG (0800 726 786)	http://www.samsung.com/nz
PHII IPPINES	1-800-10-SAMSUNG(726-7864)	http://www.comcung.com/ph
FILLIFF INES	1-800-3-SAMSUNG(726-7864)	http://www.samsung.com/ph

	02-5805777	
SINGAPORE	1800-SAMSUNG(726-7864)	http://www.samsung.com/sg
THAILAND	1800-29-3232 02-689-3232	http://www.samsung.com/th
TAIWAN	0800-329-999	http://www.samsung.com/tw
VIETNAM	1 800 588 889	http://www.samsung.com/vn

	Middle East & Africa	
SOUTH AFRICA	0860-SAMSUNG(726-7864)	http://www.samsung.com/za
TURKEY	444 77 11	http://www.samsung.com/tr
U.A.E	800-SAMSUNG (726-7864) 8000-4726	http://www.samsung.com/ae

Using, copying or reproducing the whole or part of this manual without written permission from Samsung Electronics is prohibited. The content of this manual is subject to change without prior notice.

©2008 All rights reserved. Samsung Electronics.

Digital Photo Frame