

INSTALLATION MANUAL

propellerhead

The information in this document is subject to change without notice and does not represent a commitment on the part of Propellerhead Software AB. The software described herein is subject to a License Agreement and may not be copied to any other media except as specifically allowed in the License Agreement. No part of this publication may be copied, reproduced or otherwise transmitted or recorded, for any purpose, without prior written permission by Propellerhead Software AB.

©2015 Propellerhead Software and its licensors. All specifications subject to change without notice. Reason, Reason Essentials and Rack Extension are trademarks of Propellerhead Software. All other commercial symbols are protected trademarks and trade names of their respective holders. All rights reserved.

Table of Contents

Introduction 7

Welcome! 8

About the Reason Essentials documentation 8

About the operating system versions 8

What is in the Reason Essentials box? 9

The Reason Essentials installation DVD 9 Product authorization 9

The Reason Essentials download version 9

Using the Reason Essentials download version while waiting for the box 9

Installation 11

Requirements 12

Mac OS X 12 Windows 12

About the Audio Hardware 13

Audio hardware and Mac OS X 13 If you are using the Propellerhead Balance audio interface 13 If you are using the built-in audio hardware in your Macintosh 13 If you are using other audio hardware with your Macintosh 13 Audio hardware and Windows 13 If you are using the Propellerhead Balance audio interface 13 If you are using other audio hardware with your Windows PC 14

About MIDI Interfaces 14

MIDI Connections 14

Installing the Software 16

Installing the full Reason Essentials version from DVD or download 16 About the Sound Bank on Mac OS X (DVD version only) 16 Updating from Reason Essentials Version 2.0 or later 17 The Authorization system 17 Registering Reason Essentials 18 Running Reason Essentials with Internet Verification 18



Authorizing your Computer/Ignition Key (for off-line use) 19 About deauthorizing the computer/Ignition Key 19 Running Reason Essentials on an authorized computer - or with an authorized Ignition Key hardware 20 Running Reason Essentials in Demo Mode 21

Setting Up 23

About this Chapter 24

First run - Reason Essentials Setup Wizard 24

About the Preferences 26

Setting up the Audio Hardware 27 Mac OS X 28 Windows 28 About Latency and other Audio Settings 28

Setting up MIDI Control Surfaces 29

Adding a Control surface 30 If your control surface model isn't listed 32 About the Master Keyboard 32 Master Keyboard Input 33 Other functions 33

Setting up the Default Song 34

Opening the last Song at program launch 34

Reassigning the Function Keys in Mac OS X 35







Chapter 1 Introduction

Welcome!

Thank you for choosing Reason Essentials!

As a streamlined version of Reason, Reason Essentials comes complete with audio recording and editing, great-sounding and versatile effects and instruments devices, as well as all the mixing tools you need to sound great.

In Reason Essentials Version 8 we have focused on speed and workflow enhancements so you can work even faster than before. The new browser is always there, with access to your full library of songs, sounds, samples and instruments all the time. Drag and drop is now available throughout the Reason Essentials program. Create instruments by dragging a synth patch to the sequencer, drag samples directly to Redrum channels or create effects by dragging effect patches to the rack, for example. Reason Essentials Version 8 also comes with brand new amp and speaker models from Softube. Reason Essentials Version 8.1 features the new "Drop to Propellerhead" function, which allows you to upload and share your music on your Propellerhead account.

Reason Essentials Version 8.2 comes with the new automatic update feature, which enables automatic program updates via Internet. We have also added more track and clip colors to improve the visual overview. The new "revert" function allows you to easily get back to the original patch, when you are browsing for new ones.

Also, don't forget to visit the Propellerhead web site at www.propellerheads.se and read up on all the new Rack Extension instruments and effects created by ourselves and others that you can add to your rack.

Yours truly,

The Propellerhead Team

www.propellerheads.se

About the Reason Essentials documentation

This is the Installation Manual where installation of Reason Essentials and basic setting up procedures are described. Detailed features and operations in Reason Essentials are described in the Operation Manual pdf and in the on-line Help system. The Operation Manual and Help also contain reference descriptions of all Reason Essentials devices and commands.

About the operating system versions

Reason Essentials runs under Mac OS X and Windows (for operating system details, see "Requirements" on page 12) and only supports 64-bit operating system versions. All Reason Essentials packages contain program versions for both platforms. Everything said in the manuals applies to both platforms, unless explicitly stated.



What is in the Reason Essentials box?

If you have purchased the boxed version of Reason Essentials, the package contains the following items:

The Reason Essentials installation DVD

This DVD contains the Reason Essentials program installer, sound bank and additional content.

Product authorization

The license number and registration code required for the installation are printed on the DVD sleeve. The registration code is a one-time code used to register your Reason Essentials license to your Propellerhead user account. Once you have registered Reason Essentials to your account and, you don't need the registration code any more.

! Note that if you bought Reason Essentials from the Propellerhead web shop, it is already registered to your account.

The Reason Essentials download version

The full download version of Reason Essentials contains the complete product contents. In other words, there is no need to purchase a boxed version. When you have downloaded the program package and installed the program, all you have to do is register and authorize the program and you are good to go Refer to "Registering Reason Essentials" on page 18 and "Running Reason Essentials with Internet Verification" on page 18 for registration and authorization details.

Using the Reason Essentials download version while waiting for the box

If you have purchased the boxed version of Reason Essentials and are waiting for the shipment, you could still use the download version of the program and run it with full functionality. Refer to "Registering Reason Essentials" on page 18 "Running Reason Essentials with Internet Verification" on page 18 for details on how to proceed.

If this is your first acquaintance with audio recording and music production software, you might also want to check out the "About the Audio Hardware" on page 13 and "About MIDI Interfaces" on page 14 sections before continuing.

! When you receive the Reason Essentials box you should NOT reinstall the Reason Essentials program - everything you need has already been installed from the download version.







Chapter 2 Installation

Requirements

Below you will find the minimum requirements for running Reason Essentials:

! Note that these are the minimum requirements! You will benefit from a fast computer with lots of RAM, since this will allow you to use more devices at the same time.

Mac OS X

- Intel Mac with dual cores (or better)
- 4 GB RAM or more
- DVD drive
- 3 GB free hard disk space (program may use up to 20 GB scratch disk space)
- Mac OS X 10.7 or later
- Monitor with at least 1280x768 resolution
- CoreAudio compliant audio interface, such as Propellerhead Balance, or built-in audio hardware
- · A free USB2.0 port is necessary when using the Propellerhead Balance audio interface
- Internet connection for registration and Rack Extension installation
- MIDI interface and a MIDI keyboard recommended

Windows

- Intel Pentium 4/AMD Opteron with dual cores (or better)
- 4 GB RAM or more
- DVD drive
- 3 GB free hard disk space (program may use up to 20 GB scratch disk space)
- Windows 7 (64-bit) or later
- Monitor with at least 1280x768 resolution
- Audio Interface with ASIO driver, such as Propellerhead Balance
- · A free USB2.0 port is necessary when using the Propellerhead Balance audio interface
- Internet connection for registration and Rack Extension installation
- MIDI interface and a MIDI keyboard recommended



About the Audio Hardware

The audio hardware is the computer equipment that converts the analog signals from instruments and microphones to digital signals that Reason Essentials can work with and store, and back again (for connection to an amplifier, headphones, or similar). This equipment could be a built-in audio card, a 2 channel USB interface, such as Propellerhead Balance, or a Firewire audio interface, or an audio card with several inputs and outputs, digital connectors, etc. Regardless of which, you need to make sure the hardware and its drivers are properly installed:

Audio hardware and Mac OS X

If you are using the Propellerhead Balance audio interface

Please refer to the Propellerhead Balance Operation Manual pdf for information on how to install, connect and use the Propellerhead Balance audio interface.

! Always check the Propellerhead web site for the latest Balance drivers before installing and connecting Balance.

If you are using the built-in audio hardware in your Macintosh

All Mac models come with a built-in audio interface, providing stereo input and output jacks (and in some cases a built-in microphone). Depending on your needs, the quality of these inputs and outputs may be fully sufficient for use with Reason Essentials.

Reason Essentials provides a number of pre-configured Input(s)+Output(s) combinations that can be accessed from the Audio tab in Preferences.

If you are using other audio hardware with your Macintosh

You may want to use other audio hardware with Reason Essentials (e.g. an audio interface with multiple outputs, digital connections, etc.). For this to be possible, the audio hardware must be compatible with Mac OS X, i.e. there must be a Core Audio driver available for the hardware.

- Install the audio hardware drivers as described in its documentation. Note that some audio hardware do not require any special audio drivers. Please, refer to the hardware documentation.
- 2. Connect the stereo outputs of your audio hardware to your listening equipment (speakers, mixer, headphones or similar).

For info about how to use multiple outputs (i.e. more than a stereo output), see the Operation Manual pdf. For now, we stick to standard stereo connections.

3. If possible, test that audio plays back OK with the audio hardware. With some audio hardware, a test application is supplied for this purpose.

Audio hardware and Windows

If you are using the Propellerhead Balance audio interface

Please refer to the Propellerhead Balance Operation Manual pdf for information on how to install, connect and use the Propellerhead Balance audio interface.



If you are using other audio hardware with your Windows PC

! To run Reason Essentials with full audio in and audio out functionality under Windows, an ASIO driver is required for the audio hardware.

Reason Essentials can run with DirectX or MME drivers as well but this will only support audio out and at considerably higher latencies than with ASIO drivers.

- 1. Make sure you have the latest ASIO driver for the audio hardware! Please check the manufacturer's web site for the latest versions.
- 2. Install the audio hardware drivers as described in its documentation.
- 3. Connect the stereo outputs of your audio hardware to your listening equipment (speakers, mixer, headphones or similar). For information about how to use multiple outputs (i.e. more than a stereo output), see the Operation Manual pdf. For now, we stick to standard stereo connections.
- 4. If possible, test that audio plays back properly with the audio hardware. In the case of audio hardware with ASIO drivers, you will need some test application for this (often included with the audio hardware).

About MIDI Interfaces

While it is possible to use Reason Essentials without an external MIDI controller (by only using the "Onscreen Piano Keys" window for playing MIDI notes, or by manually drawing notes and automation in the sequencer), this would not allow you to use the program to its full potential. From now on we assume that you are using a keyboard controller - either a USB keyboard with a built-in MIDI interface, or a separate MIDI interface and a MIDI keyboard.

- → When installing the MIDI interface and its drivers, follow the instructions in its documentation carefully.
- While a MIDI interface with a single input is sufficient, you will benefit from having two or more individual inputs.

This is especially true if you want to manipulate Reason Essentials parameters with additional MIDI control surface devices, or use the program in conjunction with an external, stand-alone sequencer, drum machine or similar.

- For some MIDI interfaces connected via USB, no driver installation is required. Just plug
 in the interface and you're ready to go!
- For other, more advanced MIDI interfaces (or at least to take advantage of more advanced features, like multiple inputs) you will need to install a driver.
 Please consult the documentation that came with the interface for details.

MIDI Connections

→ Simply connect the USB cable from your keyboard to your computer.

Or

→ Connect a MIDI cable from the MIDI Out on your MIDI keyboard (or other MIDI controller) to a MIDI In on your MIDI interface.

This is sufficient to be able to play and record notes and controllers in Reason Essentials from the MIDI keyboard.



 If you are not using a USB keyboard, you may also connect the MIDI Out from the MIDI interface to the MIDI In on your MIDI keyboard.

This is not strictly necessary to use Reason Essentials, but it will enable two-way communication when you run the Reason Essentials Setup Wizard which appears the first time Reason Essentials is launched (see "First run - Reason Essentials Setup Wizard" on page 24), or when using Auto-detect Surfaces in the Preferences (see "Adding a Control surface" on page 30). Whether auto-detecttion works or not depends on the keyboard model.

! If you have several MIDI control surfaces or similar that you want to use, we recommend that you connect them to separate MIDI ports (or directly to the computer using USB).



Installing the Software

Installing the full Reason Essentials version from DVD or download

The full version of Reason Essentials is for you who don't have any previous version of Reason Essentials on your computer - or if you are updating from Reason Essentials pre version 2.0.

→ Insert the Reason Essentials disc into your DVD drive - or unzip the download file (Windows) or mount the disk image file (Mac OS X).

What to do next depends on whether you are installing on a Mac or a Windows computer.

Windows:

- Locate the file called "Install Reason Essentials 8.exe" and double click it. The installer may automatically start when you insert the DVD, depending on your system settings.
- 2. Follow the instructions on screen. Before executing the installation of the software component

Before executing the installation of the software components, you will be asked to select a language, an install location, and whether you wish to create a program shortcut/alias on your desktop. When the installation is complete, you have the option of launching Reason Essentials directly. The installer will place the included Factory Sound Bank and ID8.dat files in the C:ProgramData\Propellerhead Software\Soundbanks folder.

Mac OS X:

→ On the Mac, there is only a folder called "Reason Essentials 8" - simply drag this to the "Applications" folder.

The Factory Sound Bank and ID8.dat files are initially in the Reason Essentials 8 folder, but the first time you run Reason Essentials, they will be automatically moved to the Library/Application Support/ Propellerhead Software/Soundbanks folder.

Both platforms:

• During the installation on Windows, or during the first program launch on Mac OS X, the Authorizer application will be installed on your computer.

This application is necessary for handling the Reason Essentials authorization (see below) and administration of Rack Extension devices.

About the Sound Bank on Mac OS X (DVD version only)

Before you launch Reason Essentials for the first time under Mac OS X, make sure the Reason Essentials DVD is inserted. This will allow the program to copy the Factory Sound Bank to your hard disk.



Updating from Reason Essentials Version 2.0 or later

If you are updating from Reason Essentials, Version 2.0 or later, you can download the "Reason Essentials 8.2 without soundbank" version to minimize the download time (and file size). Proceed as follows to install the "Reason Essentials 8.2 without soundbank" version:

- 1. Download Reason Essentials 8.2 without soundbank.
- 2. Unzip the download file (Windows) or mount the disk image file (Mac OS X).
- → On Windows, double-click the Install Reason Essentials 8.exe file and follow the instructions on screen.
- → On Mac OS X, drag the Reason Essentials 8 folder to the "Applications" folder.
- 3. Drag the Factory Sound Bank ReFill from the old "Reason Essentials" program folder and drop in the new "Reason Essentials 8" folder.
- ! Also, make sure there are no other ReFills left in the old "Reason Essentials" folder!
- 4. On Mac, delete the old "Reason Essentials" folder. On Windows, uninstall the old Reason Essentials version.
- 5. Launch Reason Essentials 8.2.

Reason Essentials asks to download some additional content (ID8.dat). When done, Reason Essentials automatically moves the Factory Sound Bank to a separate sub-folder in the following locations on the hard disk:

Windows: C:\ProgramData\Propellerhead Software\Soundbanks\

Mac OS X:

/Library/Application Support/Propellerhead Software/Soundbanks

The factory sound bank will be located here so that Reason Essentials can be automatically updated in the future without affecting/deleting the existing factory sound bank.

If Reason Essentials shouldn't find the factory sound bank at this location, it will be automatically downloaded from the Propellerhead web site and put there.

The Authorization system

Reason Essentials uses an authorization system designed to be as flexible as possible, while at the same time providing the best possible copy protection for the product. Here's how it works:

- The core of the authorization system is your license number, which is registered to your user account on the Propellerhead web site.
- If you have a working Internet connection you can run Reason Essentials with Internet Verification.

The program will then contact the Propellerhead web site and verify that Reason Essentials is registered to your user account.

 If you need to use Reason Essentials without Internet access, you can download and install the Codemeter application and then authorize your computer (or Ignition Key hardware) from your Propellerhead user page.

During start-up Reason Essentials automatically detects that your computer is authorized. You can also choose to authorize an optional physical Ignition Key (USB stick) or Propellerhead Balance audio interface to run Reason Essentials in authorized mode, anywhere and on any computer.



 Finally, if you don't have an authorized computer or Ignition Key hardware at hand, nor a working Internet connection, you can run Reason Essentials in Demo Mode.
 This is also the mode you use if you are trying out the program but haven't yet purchased it in this

This is also the mode you use if you are trying out the program, but haven't yet purchased it. In this mode, you can work as usual and even save your work. You cannot, however, open songs in Demo Mode (for details, see "Running Reason Essentials in Demo Mode" on page 21).

Registering Reason Essentials

To be able to run Reason Essentials in authorized mode (see "Running Reason Essentials with Internet Verification" on page 18 and "Running Reason Essentials on an authorized computer - or with an authorized Ignition Key hardware" on page 20), the program must be registered to your account on the Propellerhead web site.

- → If you purchased the boxed version of Reason Essentials, follow the instructions printed on the DVD sleeve.
- ! If you purchased Reason Essentials directly from the Propellerhead web shop, the Reason Essentials license has already been registered to your user account and you can use Reason Essentials by running with Internet Verification.

Running Reason Essentials with Internet Verification

If you launch Reason Essentials on an unauthorized computer, or without an authorized Ignition Key hardware connected, the following window appears:

! Note that this requires a working Internet connection (and that your Reason Essentials license has been registered to your user account as described in "Registering Reason Essentials" on page 18).

a stated	
Welcome to Rea	ason Essentials!
User name	
Password	Demo Mode
Remember my password	9°
Log in to use your Properenteed account as authorization, Internet connection required.	In Demo Mode you can record and save your songs, but not open any files.
	More Options

→ Enter the User name and Password for your Propellerhead account and click the Log in button.

Reason Essentials now launches in authorized mode.

! It is not possible to run two instances of Reason Essentials (on different computers) authorized to the same user account. Reason Essentials will then enter Demo Mode.



Authorizing your Computer/Ignition Key (for off-line use)

- ! Note that a working Internet connection is required to be able to perform the following steps.
- 1. Launch Reason Essentials.

When you start Reason Essentials the following window appears:

Welcome to Reas	son Essentials!
User name	
Password	Demo Mode
Remember my password	
Log in to use your Propellerhead account as authorization. Internet connection required.	In Demo Mode you can record and save your songs, but not open any files.

2. Click on the "More options" link.

Your default web browser starts up and takes you to the More Options page on the Propellerhead web site, where the whole authorization process is described in detail.

3. Follow the link on the web page to download and install Codemeter.

If you are updating from a previous version of Reason Essentials, you may already have Codemeter installed on your computer. However, it's a good idea to download and install the latest version of the Codemeter driver.

- 4. When done, return to the More Options page and click the Authorize Computer and Keys link.
- 5. When you launch Reason Essentials again, you will be able to run the program in Authorized mode, without having to log in.

You can now quit the web browser if you like.

About deauthorizing the computer/Ignition Key

You can have one computer and one Ignition Key authorized at a time. If you're moving your work from an authorized computer to another computer, you should first deauthorize the current computer and then authorize the other one. This is done from your account page at the Propellerhead web site:

- 1. Log in on your currently authorized computer and go to your own "Products" page under the user menu.
- Click the Authorize button. On the page that is shown, there should be a Deauthorize button next to the computer icon.
- 3. Click the Deauthorize button next to the computer icon to remove the authorization from your computer.



If you are using an authorized Ignition Key or Propellerhead Balance audio interface instead of an authorized computer, you can just move the Ignition Key/Propellerhead Balance from your old computer to your new one.

! Remember to deauthorize your computer before updating the Operating System or before sending your computer to service or selling it!

Running Reason Essentials on an authorized computer - or with an authorized Ignition Key hardware

If you launch Reason Essentials on an authorized computer, or with an authorized Ignition Key hardware (Propellerhead USB stick or Propellerhead Balance audio interface) connected, the program will simply start without further ado.

If you are using an Ignition Key, always connect the Ignition Key hardware before starting your computer and launching Reason Essentials. This way Reason Essentials will start up immediately, without the Authorization procedure.

If you have an authorized computer or an authorized Ignition Key hardware connected to your computer, it's no longer necessary to have Internet connection when running Reason Essentials.



Running Reason Essentials in Demo Mode

If you don't have a Reason Essentials license, or if you don't have an authorized computer or your optional Ignition Key hardware at hand and don't have a working Internet connection, you can run Reason Essentials in Demo Mode:

1. Launch Reason Essentials.

The following window will show up:

	Reason Essentials!
User name	
Password	Demo Mode
Remember my password	TO
Log in	In Demo Mode you can record and save your

2. Click on the "Demo Mode" button.

Reason Essentials launches in Demo Mode. The Demo Mode indicator lights up to the right on the Sequencer Transport Panel:



Running Reason Essentials in demo mode allows you to perform all operations as in authorized mode, with three exceptions:

- You cannot export audio, drop files to Propellerhead or bounce mixer channels to disk.
- You will not have access to any Rack Extension devices.

You cannot open songs.

The only songs that can be opened in demo mode are the dedicated demo songs (file extension ".reedemo"). These demo songs can be accessed from the "Open Demo Song" item in the File menu.

If you disconnect your Ignition Key hardware on an unauthorized computer, or lose the Internet Connection while running Reason Essentials with Internet Verification, the program will automatically enter Demo Mode. You can continue to work, and save your songs as usual. When you reconnect the Ignition Key hardware or reconnect to the internet, Reason Essentials will automatically revert to authorized mode and the Demo Mode indicator will go off.







Chapter 3 Setting Up

About this Chapter

This chapter describes the settings you need to make before you can start using Reason Essentials. These are necessary in order to get any sounds to and from the program and to be able to play and control Reason Essentials via MIDI.

First run - Reason Essentials Setup Wizard

If you followed the instructions correctly in the last chapter, Reason Essentials should be running, and the first dialog in the "Reason Essentials Setup Wizard" guide should be open.

This only appears the very first time the program is run.

English Deutsch - German	- î
Français - French	
日本語 - Japanese	
	=
	-
if you change the language setting, the on the next page of the Setup Wizard.	e change will take effect

- ! Note that the Language page only appears in the Windows version of Reason Essentials. In Mac OS X, the selected system language is used.
- ! Note that any setting you make in the Setup Wizard can be changed later on in the Preferences dialog.





- → Clicking "Next" will take you through a series of dialogs, where the following happens:
- The Setup Wizard will first try to find a compatible audio driver. It will automatically select the first compatible driver it finds. If this is the driver you wish to use, fine. If it isn't, select your preferred driver from the Audio Card Driver pop-up. If you don't know which driver to use, see "Setting up the Audio Hardware" on page 27.
- Next, Reason Essentials will try to auto-detect a Master Keyboard. If one is found and you want to use this, click "Use" and proceed.
- ! For Reason Essentials to auto-detect a device you need two-way MIDI communication! Non-USB keyboard devices without a MIDI input can of course still be added manually.
- ! Note that your keyboard model might not be auto-detected by Reason Essentials, even though it's a modern one and connects via USB. However, you can still use such a keyboard to control Reason Essentials in the same way as with an auto-detected keyboard.
- If Reason Essentials can't find the keyboard you have connected, or if you clicked "Don't Use", you will be asked to specify a Master Keyboard manually.
 This is done by first selecting a manufacturer, and then a model. If your model keyboard isn't on this list select "Other".
- → You will also have to specify a MIDI port to use. This can be done either by selecting one of the available ports listed in the popup, or by clicking the "Find..." button and pressing some keys on your keyboard.
- Note that if you have additional remote control surface devices in your setup, these will have to be added in the Preferences see "Adding a Control surface" on page 30. The Schup Wignet will ach controlled will be added to the bard device.

The Setup Wizard will only establish a connected Master Keyboard device.

Setup is now complete!

If all went well, you should now have established audio and MIDI communication - the basics needed to record and play back audio and to direct MIDI to Reason Essentials!

However, if for any reason the Setup Wizard failed to establish the necessary settings, or if you wish to add other devices etc., you will have to make your settings in the Preferences dialog (see below).

→ Select which song to open, and if you want to watch the Getting Started Tutorials on the Propellerhead web site.

The final page of the Setup Wizard let's you select if you want to open a Demo Song, a template document, or an empty song directly after finishing the Setup Wizard. It also gives you an option to watch Getting Started video tutorials on the Propellerhead web site.



About the Preferences

The basic settings for audio and MIDI are done in the Preferences dialog. This is opened from the Edit menu (or, if you are running Mac OS X, from the Reason Essentials menu).

eneral	Audio Control Surfaces	Sync Advance	d Language
Editing	9		
Mou	se knob range:		Normal 👻
Auto	mation cleanup level:		Normal 👻
🔽 Tr	igger notes while editing		
Appea	rance		
	e cable clutter setting:		
۲	Show for selected devices	only	
C) Hide auto-routed cables		
-) Hide all cables		
Ca	ble animation		
V Sh	ow parameter value tool tip	p	
🔽 Sh	ow automation indication		
Defaul	t song		
Defaul	-		
© En	-	PlaceholderTemp	olate.reedemo
⊚ En ⊚ Te	npty	PlaceholderTemp	plate.reedemo
⊚ En ⊚ Te ⊽ Lo	npty mplate:	PlaceholderTemp	olate.reedemo
© En ◎ Te ☑ Lo Miscel	mpty mplate: ad last song on startup	PlaceholderTemp	olate.reedemo
© En ◎ Te ▼ Lo Miscel CPU t	mpty implate: iad last song on startup laneous		
 ○ En ◎ Te ☑ Lo Miscel CPU t ☑ No 	npty mplate: aad last song on startup laneous usage limit:	5	
 ○ En ○ Te ✓ Lo Miscel CPU t ✓ Ne ✓ Lo 	npty implate: iad last song on startup laneous usage limit: ew devices get browse focu	s evices	
 ○ En ◎ Te ✓ Lo Miscel CPU t ✓ No ✓ Lo 	npty implate: laad last song on startup laneous usage limit: ew devices get browse focu ad default sound in new de	s evices rowsing location.)	
 En Te Lo Miscel CPU u Na Us 	npty implate: laneous usage limit: ew devices get browse focu sad default sound in new de This also sets the default br	s evices rowsing location.) ng	
 En Te Lo Miscel CPU u Na Us 	npty implate: laneous usage limit: ew devices get browse focu vad default sound in new de This also sets the default br ee multi-core audio renderin	s evices rowsing location.) ng	
 En Te Lo Miscel CPU u Na Us 	npty implate: laneous usage limit: ew devices get browse focu vad default sound in new de This also sets the default br ee multi-core audio renderin	s evices rowsing location.) ng	

The Preferences dialog.

Described herein are only the most important settings in the Preferences. For information about other Preferences settings, see the "Menu and Dialog Reference" chapter in the Reason Essentials Operation Manual pdf.



Setting up the Audio Hardware

In case this wasn't done in the Setup Wizard, you need to establish a connection between Reason Essentials and the audio hardware. This is done by selecting a driver - a software component that acts like a link between the program and the audio hardware. Proceed as follows:

1. In	the Pre	eferences	dialog.	click the	Audio tab.
-------	---------	-----------	---------	-----------	------------

references			
eneral Audio Control surfaces	s Sync Advanced	Language	
Master tune			
		440 Hz +0 cents	*
Audio card driver: ASIO) Balance	•	/
Sample rate:		44 100	•
Buffer size:			
		128 samples	*
Input latency:		4 ms	
Output latency:		2 ms	
Recording latency compensation	on:	0 ms	*
Active input channels:	2 out of 2	Channels	
Active output channels:	2 out of 2	Channels	
Clock source:		Internal	-
	Control panel		
Monitoring O Automatic (Monitor record enabled trac	ks, in record and stop m	node)	
Manual (Use Monitor buttons to active	vate monitoring)		
External (No monitoring through Rea:	son Essentials – use exte	rnal mixer)	
Play in background			
			Help

 Pull down the Audio card driver pop-up menu and select one of the available drivers. Which driver to select depends on the platform and the audio hardware. If an option is not applicable to your setup it will be disabled in the dialog.



Mac OS X

- → Select the option that corresponds to the hardware you want to use (the built-in audio connectors or some additional audio hardware that you have installed).
- A number of predefined combinations of built-in inputs and outputs will also be available in the Audio Card Driver pop-up.
 The number of available input(s)+output(s) combinations depends of your computer's specific audio hardware configuration.

Windows

- ! If you run Reason Essentials under Windows, it's required that the audio hardware supports ASIO drivers, otherwise you won't be able to record any audio.
- Select the option that corresponds to the ASIO hardware you want to use. If you are using audio hardware for which there is a specific ASIO driver, you should select this. With an ASIO driver written specifically for the audio hardware, Reason Essentials can communicate more or less directly with the audio hardware. The benefits are lower latency (see below) and possibly better support for additional hardware features such as multiple inputs and outputs.

About Latency and other Audio Settings

On the Audio tab, you will find a number of additional settings for audio. The most important ones are Buffer Size and the corresponding readouts for Input and Output Latency.

Sample rate:	44 100 🗸
Buffer size:	
	128 samples
Input latency:	6 ms
Output latency:	5 ms
Recording latency compensation:	0 ms

The Input Latency is the delay between when the audio is "sent" from a connected microphone or instrument and when it's received and detected by Reason Essentials. Output Latency is the delay between when audio is "sent" from Reason Essentials and when you actually hear it. The latencies in an audio system depends on your audio hardware, its drivers and their settings.

When you select a driver, its latency values are automatically reported by the audio card and displayed in the on the Audio tab in Preferences. Depending on the audio hardware and the driver, you may be able to adjust these values. If you experience high latency values, you will need to make adjustments to your configuration.

→ If available, use the Buffer Size slider to lower the latency.

The lowest buffer size setting you can choose depends on the audio drivers and your computer's performance. If you get crackles and glitches during playback, the buffer size is set too low for your system - you need to raise the buffer size until you can play back normally.

→ If the Buffer Size slider is disabled, you may be able to lower the buffer size in the control panel for the audio hardware - click the Control Panel button to open this.

For more information, please consult the Reason Essentials Operation Manual pdf.



Setting up MIDI Control Surfaces

In Reason Essentials, MIDI keyboards or remote control devices are called control surfaces. MIDI input from control surfaces is handled by a system called Remote. Here are some of the main features:

- · You can use any number of control surfaces at the same time.
- The program supports a large number of control surfaces out of the box knobs, faders and buttons on the surfaces are automatically mapped to the most useful parameters on the Reason Essentials devices.

You don't have to change the settings on the control surface to control different devices in Reason Essentials - if you change MIDI input from a ID-8 track to a Combinator track, the control surface will automatically adapt. You just set up your control surface once and for all for use with Reason Essentials - the program handles the rest!

 For control surfaces that are not natively supported at this stage, you can use generic drivers.

Note however, that Remote drivers for additional control surfaces will be added continuously - check our web page for more info.

- By default, all control surfaces follow the sequencer Master Keyboard Input. This means that you set MIDI input to a track in the sequencer to route the control surface(s) to the track's device in the rack.
- You can lock a control surface to a specific device in the rack.
 For example, you could have a Master Keyboard that follows MIDI input, while another control surface is locked to the Main Mixer. This way you can control levels and pans at all times. This is described in the Operation Manual.
- You can use remote overrides to map a specific control on a surface to a specific Reason Essentials parameter or function.

For example, you could override-map a knob or fader on your control surface to the Main Mixer's master level fader. Or you could map buttons on your control surface to control Reason Essentials's transport (play, stop, record, etc.) at all times, regardless of which track has Master Keyboard Input in the sequencer. This is described in the Operation Manual.

Remote also supports some control surfaces with MIDI feedback. If you have such a control surface and it is supported by Reason Essentials, you can take full advantage of motorized faders, meters, displays, etc.

In case you specified a Master Keyboard in the Setup Wizard, and you don't have any other control surfaces, you don't have to do anything else. But if you want to add additional control surfaces or edit your settings, this is done in the Preferences.



Adding a Control surface

- 1. Open the Preferences dialog and click the Control surfaces tab.
- 2. If your control surface is connected via USB (or if you have made a two-way MIDI connection), try clicking the Auto-detect Surfaces button.

Reason Essentials scans all MIDI ports and tries to identify the connected control surfaces. Note that not all control surfaces support auto-detection.

eferenc				1				
eneral	Audio	Control	Surfaces	Sync	Advanced	Language		
MIDI ke	boards	will auto		be made	faces, includi the master k ntials.			
Attache	d surfac	es:				Aut	o-detect sur	faces
			"Akai M	PK49"				-
E	ofessio	nal	Model:	Akai MP	K49			
ш								E
M	ΡK	-19	🔽 Use	with Rea	son Essential	s ¥		=
	dd		dit	D	lete	M-L		•
A	aa			De	lete	IVIdK	e master key	Doard
	-	ard input						
-	Standard Master		input to :	elected	track)			
	Separate	-	input to	sciected	cruck)			
			ection and	l master	keyboard inp	out)		
								Help

All found surfaces are listed in the Attached Surfaces list.

3. To add a control surface manually, click the Add button. This brings up a new dialog.



- 4. Select the manufacturer of your control surface from the Manufacturer pop-up menu. If you can't find it on the menu, see below.
- 5. Select the model of your control surface from the Model pop-up menu. If you can't find it on the menu, see below.
- 6. An image of the selected control surface model is shown, often along with some information text - read this carefully.

For some control surfaces, you need to select a specific preset to use the surface with Reason Essentials - this is noted here.

Manufacturer:	Doepfer •
Model:	Drehbank
	When you use the Doepfer Drehbank you need to make sure that Bank 2 is selected, and that it hasn't been changed from the factory default. For more info, please see the "Control Surface Details" document in the Documentation folder.
Name:	Doepfer Drehbank

7. Use the MIDI Input pop-up to select the input port to which you have connected the surface.

If in doubt, you can click the Find button and then tweak a control or play a key on the control surface to have Reason find the correct input port for you.

- Some control surfaces may have more than one MIDI Input pop-up menu. You need to select ports on all MIDI Input pop-up menus.
- Some control surfaces will have a MIDI Output pop-up menu.

In some cases this labeled "Optional" - then you don't have to make a selection. In other cases, a MIDI Output is required. This is the case if the control surface uses MIDI feedback - motor fader, displays, etc.

8. If you like, you can rename your control surface in the Name field.

9. Click OK to add the surface.

Depending on the surface model, alerts may appear, reminding you to select a specific preset etc. In some cases, Reason Essentials can restore a preset in the control surface to factory settings for you - you are then informed of this.

Finally you return to the Control surfaces tab in Preferences, where your added surface is now listed.



If your control surface model isn't listed

If you can't find your control surface listed on the Manufacturer or Model pop-up menus when you try to add it, this means that there's no native support for that model. However, the program supports generic keyboards and controllers. Here's what to do:

→ Select "Other" on the Manufacturer pop-up menu and then select one of the three options on the Model pop-up menu.

Or, if the Manufacturer is listed but not your specific model:

→ Select one of the three "Other" options on the Model pop-up menu:

In both cases, the options are:

MIDI Control Keyboard

Select this if you have a MIDI keyboard with programmable knobs, buttons or faders. You need to set up your MIDI control keyboard so that the controllers send the correct MIDI CC messages, depending on which Reason Essentials device you want to control - check out the MIDI Implementation Chart in the Reason Essentials documentation. If your control surface has templates or presets for different Reason Essentials devices, these can be used.

MIDI Control Surface

Select this if you have a MIDI controller with programmable knobs, buttons or faders (but without keyboard). Again, you need to set your controllers to send the correct MIDI CCs.

• MIDI Keyboard (No Controls)

Select this if you have a MIDI keyboard without programmable knobs, buttons or faders. This is used for playing only (including performance controllers such as pitch bend, mod wheel, etc.) - you cannot adjust Reason Essentials device parameters with this type of control surface.

• MIDI Multichannel Control Keyboard/Surface

These options can be used if your MIDI keyboard or surface can handle multiple MIDI channels simultaneously.

After selecting a model, proceed with selecting MIDI input as described above.

About the Master Keyboard

One of the control surfaces can be the Master Keyboard. This is like any other control surface, but it must have a keyboard and it cannot be locked to a specific Reason Essentials device (in other words, it always follows the MIDI input to the sequencer). This is the surface you use to play the instrument devices in Reason Essentials.

• The first surface with a keyboard that is added (or found by auto-detect) is automatically selected to be the Master Keyboard.

This is shown in the Attached Surfaces list on the Preferences page.

→ If you want to use another surface as Master Keyboard, select it in the list and click the "Make Master Keyboard" button.

You can only have one Master Keyboard.

→ If you don't want to use any Master Keyboard at all, select the current Master Keyboard surface and click the same button (which is now labeled "Use No Master Keyboard").



Master Keyboard Input

This allows you to set a preference for how Master Keyboard Input mode is selected:

Standard mode

This always sets Master Keyboard Input to the selected track.

Separated mode

This will allow you to independently select tracks while Master Keyboard Input is unchanged. When this is mode is active, Master Keyboard Input is set by clicking the device icon in the track list. Selecting another track (by clicking on the track name or somewhere in the track list), leaves Master Keyboard Input unchanged.

Other functions

- → To edit a surface, double-click it in the list (or select it and click Edit). This lets you change its name and MIDI port settings, if needed.
- → To delete a surface, select it in the list and click Delete.
- You can turn off a surface by deactivating its "Use with Reason Essentials" checkbox. This could be useful if the surface is connected to your system but you only want to use it with another program, etc.
- There is also a "Sync" page in the Preferences. This is only used for External Control MIDI buses and for MIDI Clock Sync input. All hands-on MIDI control is set up on the Control surfaces page.



Setting up the Default Song

It's possible to select a default Song which will automatically open as a "template" each time you select "New" from the File menu. The Default Song could be any Song you have created earlier, or a factory made Template Song. You can select this Default Song on the General tab in Preferences.

1. Select "Preferences" from the Edit menu (Win) or "Reason Essentials" menu (Mac) and then click the General tab.



- 2. Click the "Template" radio button in the "Default Song" section.
- 3. Click the folder icon to the right and select the Song you want to use as template when creating new Songs.

Each time you create a new Song (by selecting "New" from the File menu), the selected Song will be loaded and used as a template for your new Song. On Windows platforms, the Song document will be named "Document n" where "n" is an incremental number. On Mac OS X platforms, the document will be named "untitled n" where "n" is an incremental number. You can then save your Song with a new name.

Opening the last Song at program launch

It's possible to instruct Reason Essentials to automatically open the last Song each time you launch Reason Essentials. You select this on the General tab in the Preferences dialog.

1. Select "Preferences" from the Edit menu (Win) or "Reason Essentials" menu (Mac) and then click the General tab.



2. Tick the "Load Last Song On Startup" checkbox.

When you launch Reason Essentials the next time, the last saved Song will automatically open in a document window.





Reassigning the Function Keys in Mac OS X


When you work with Reason Essentials, you will do a lot of navigating between the three main areas - the main mixer, the rack and the sequencer. The quickest way to switch between these areas is to use the function keys F5, F6 and F7 (see "Navigating between the areas" in the "Common Operations and Concepts" chapter in the Operation Manual and Help system for details). Also, the F3, F4 and F8 keys are shortcuts for showing and hiding the Browser, On-screen Piano Keys window and the Tool Window, respectively.

However, on many Macintosh models (especially MacBooks), the function keys double as hardware control buttons. For example, they might control the volume of the built-in speaker, the display brightness or keyboard backlight. To make these keys actually work as function keys for software such as Reason Essentials, you need to hold the "Fn" key while pressing them.

This can work perfectly OK, but to get the best workflow in Reason Essentials we recommend that you change this behavior, so that pressing e.g. the F5 key actually sends "F5" to Reason Essentials (and you hold down the Fn key to get the hardware control functions instead). Here is how you change this:

- Open the System Preferences in Mac OS X and select the "Keyboard" item. The "Keyboard" preferences are shown.
- Select the "Keyboard" tab and make sure the checkbox "Use all F1, F2, etc. keys as standard function keys" is ticked.

Now you can use F3-F8 for controlling functions in Reason Essentials. To use hardware control features such as volume and display brightness, you need to hold down the "Fn" key before pressing the function keys.



Some function keys might also be pre-assigned to Mac OS X keyboard shortcuts, which will have priority over software such as Reason Essentials. This is easily changed:

3. Click the "Keyboard Shortcuts" tab in the "Keyboard" window.

The Keyboards Shortcuts Preferences window shows lists of keyboard shortcuts assigned to system functions. For example, [Cmd]-[F5] in the Accessibility group is assigned to turn VoiceOver on or off. In Reason Essentials, this is the keyboard shortcut for detaching the main mixer into a separate window.



4. Scroll down to the "Turn VoiceOver on or off" item in the Accessibility group and either remove the tick from the checkbox or assign it to another keyboard shortcut.

	Keyboard Keyboard Shortcuts	
	Keyboard Reyboard Shortcard	
o change a chortcut dou	ble-click the shortcut and hold down the new	kove
Launchpad & Dock		keys.
Jisplay	Turn zoom on or off	7.#8
Mission Control	Turn image smoothing on or off	1857
Keyboard & Text	Zoom out	乙೫-
Screen Shots	Zoom in	-第二
🙀 Services	✓ Contrast	
Spotlight	Increase contrast	^乙೫.
Accessibility	Decrease contrast	~℃೫,
Application Shor	Invert colors	~\\#8
	Turn VoiceOver on or off	₩F5
	Show Accessibility controls	℃#F5
		Restore Defaults
Il Keyboard Access: In w	indows and dialogs, press Tab to move keybo	ard focus betwee

5. Now, you're finished with the settings and can close the "Keyboard" window.

From now on, the function keys and keyboard shortcuts will perform their intended functions in Reason Essentials.



36

