


FITBORE DIN69871-EM : FITBORE, center offset adjusting holders with DIN 69871 form AD tapered shanks.



Designation	SS	d2	D1	L	L1	L4	J	G	Kg
FITBORE DIN69871 40 EM16	40	16	72	135.6	116.5	71	M10	M16	3.83
FITBORE DIN69871 40 EM16B	40	16	72	135.6	116.5	71	M10	M16	3.89
FITBORE DIN69871 40 EM20	40	20	72	135.6	116.5	71	M10	M16	3.8
FITBORE DIN69871 40 EM20B	40	20	72	135.6	116.5	71	M10	M16	3.82
FITBORE DIN69871 40 EM25	40	25	72	135.6	116.5	71	M10	M16	3.79
FITBORE DIN69871 40 EM25B	40	25	72	135.6	116.5	71	M10	M16	3.78
FITBORE DIN69871 40 EM32	40	32	72	135.6	116.5	71	M10	M16	3.63
FITBORE DIN69871 40 EM32B	40	32	72	135.6	116.5	71	M10	M16	3.61
FITBORE DIN69871 40 EM40	40	40	72	135.6	116.5	71	M10	M16	3.38
FITBORE DIN69871 40 EM40B	40	40	72	135.6	116.5	71	M10	M16	3.37
FITBORE DIN69871 50 EM16	50	16	72	115.6	96.5	71	M10	M24	6
FITBORE DIN69871 50 EM16B	50	16	72	115.6	96.5	71	M10	M24	0.02
FITBORE DIN69871 50 EM20	50	20	72	115.6	96.5	71	M10	M24	5.43
FITBORE DIN69871 50 EM20B	50	20	72	115.6	96.5	71	M10	M24	0.02
FITBORE DIN69871 50 EM25	50	25	72	115.6	96.5	71	M10	M24	5.88
FITBORE DIN69871 50 EM25B	50	25	72	115.6	96.5	71	M10	M24	5.32
FITBORE DIN69871 50 EM32	50	32	72	115.6	96.5	71	M10	M24	5.2
FITBORE DIN69871 50 EM32B	50	32	72	115.6	96.5	71	M10	M24	5.17
FITBORE DIN69871 50 EM40	50	40	72	115.6	96.5	71	M10	M24	4.91
FITBORE DIN69871 50 EM40B	50	40	72	115.6	96.5	71	M10	M24	3.5



For User guide Click on "More Info".
B is the designation for coolant through flange.