

EVault Software
vSphere Agent
Version 7.1
User Guide



Revision: This manual has been updated for Version 7.10 (December 2012).

Software Version: 7.10

© 1997-2012 EVault Inc.

EVault, A Seagate Company, makes no representations or warranties with respect to the contents hereof and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Furthermore, EVault reserves the right to revise this publication and to make changes from time to time in the content hereof without obligation of EVault to notify any person of such revision of changes. All companies, names and data used in examples herein are fictitious unless otherwise noted.

No part of this document may be reproduced, transmitted, transcribed, stored in a retrieval System or translated into any language including computer language, in any form or by any means electronic, mechanic, magnetic, optical, chemical or otherwise without prior written permission of:

EVault, A Seagate Company
c/o Corporation Trust Center
1209 Orange Street
Wilmington, New Castle
Delaware 19801
www.evault.com

EVault, EVault Software, EVault SaaS, and EVault DeltaPro, are registered trademarks of EVault, A Seagate Company. All other products or company names mentioned in this document are trademarks or registered trademarks of their respective owners.

Acknowledgements: Two encryption methods, DES and TripleDES, include cryptographic software written by Eric Young. The Windows versions of these algorithms also include software written by Tim Hudson. Bruce Schneier designed Blowfish encryption.

“Part of the software embedded in this product is gSOAP software. Portions created by gSOAP are Copyright 2001-2006 Robert A. van Engelen, Genivia Inc. All Rights Reserved. THE SOFTWARE IN THIS PRODUCT WAS IN PART PROVIDED BY GENIVIA INC., AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.”

The EVault Software Agent, EVault Software CentralControl, and EVault Software Director applications provide encryption options for 128/256-bit AES (Advanced Encryption Standard). Advanced Encryption Standard algorithm (named Rijndael, pronounced “Rain Doll”) was developed by cryptographers Dr. Joan Daemen and Dr. Vincent Rijmen. This algorithm has been chosen by the National Institute of Standards and Technology (NIST) of the U.S. Department of Commerce to be the Federal Information Processing Standard (FIPS).

The EVault Software Agent and EVault Software Director applications include the security feature of over-the-wire (OTW) encryption.

Contents

1	EVault vSphere Agent	4
1.1	Introduction	4
1.2	What's New in Version 7.10?.....	5
1.3	What's New in Version 7.01?.....	5
1.4	What's New in Version 7.00?.....	6
2	Deploying and Configuring the vSphere Agent	7
2.1	Deploying the vSphere Agent	7
2.2	Configuring Network Settings for the vSphere Agent	9
2.3	Adding Static Entries on the vSphere Agent for the vCenter and ESX(i) Servers ..	9
2.4	Setting the vSphere Agent Time Zone.....	10
2.5	Registering the vSphere Agent with vCenter Server	10
2.6	Adding the vSphere Agent in Windows CentralControl	11
2.7	Adding the vSphere Agent in Web CentralControl.....	13
2.7.1	Registering the vSphere Agent with Web CentralControl.....	13
2.7.2	Configuring the vSphere Agent in Web CentralControl	14
2.8	Changing the CBT Setting	15
2.8.1	Changing the CBT Setting using Windows CentralControl	15
2.8.2	Changing the CBT Setting using Web CentralControl.....	16
2.9	vCenter User Privileges for Backup and Restore	16
2.9.1	Creating a vCenter Role for a User	17
2.9.2	Assigning a vCenter Role to a User	17
2.9.3	Changing vCenter Credentials on the Agent.....	18
2.9.4	Changing vCenter Credentials in Windows CentralControl	18
2.9.5	Changing vCenter Credentials in Web CentralControl	18
3	Upgrading the vSphere Agent	20
3.1	Upgrading the vSphere Agent Over the Internet.....	20
3.2	Manually Upgrading the vSphere Agent	21
4	Backing Up Virtual Machines	23
4.1	Backing Up Virtual Machines Using Windows CentralControl	23



4.1.1	Creating a Backup Job Using Windows CentralControl	23
4.1.2	Running a Backup Job Using Windows CentralControl	27
4.1.3	Scheduling a Backup Job Using Windows CentralControl	28
4.2	Backing Up Virtual Machines Using Web CentralControl	29
4.2.1	Creating and Scheduling a Backup Job Using Web CentralControl.....	29
4.2.2	Running a Backup Job Using Web CentralControl.....	33
5	Restoring Virtual Machines	35
5.1	Restoring Virtual Machines Using Windows CentralControl	35
5.2	Restoring Virtual Machines Using Web CentralControl	37
6	Restoring VMDKs.....	40
6.1	Restoring VMDKs Using Windows CentralControl	40
6.2	Restoring VMDKs Using Web CentralControl.....	41
7	Restoring Files and Folders	44
7.1	Sharing VMDKs for Restoring Files and Folders	45
7.1.1	Sharing VMDKs Using Windows CentralControl	45
7.1.2	Sharing VMDKs Using Web CentralControl	47
7.2	Accessing Shared VMDKs and Restoring Files.....	48
7.2.1	Accessing Files and Folders Using a UNC Share	49
7.2.2	Accessing Files and Folders Using a Dynamic Disk Tool Mount	50
7.2.3	Installing the Dynamic Disk Tool	52
8	Restoring from Another vSphere Agent's Backup Job	54
8.1	Restoring from Another Agent's Backup Job using Windows CentralControl.....	54
8.2	Restoring from Another Agent's Backup Job using Web CentralControl.....	55
9	Best Practices and Limitations	56
9.1	vCenter Login Credentials	56
9.2	Organization and Naming Conventions	56
9.3	vSphere Agent Settings	56
9.4	vCenter Environment	56
9.5	Changed Block Tracking (CBT)	57
9.6	vMotion and Storage vMotion	57

9.7	Limitations.....	58
9.7.1	Unsupported Features in vSphere 5.1.....	58
9.7.2	Domain Name, Username and Password Limitations	58
9.7.3	vSphere Object Naming Limitations	59
9.7.4	Snapshot Removal	59
9.7.5	Concurrent Backup Session Limit	59
9.7.6	VM Size Limit.....	59
9.7.7	VMDK Size Limit.....	60
9.7.8	Virtual Machine Templates	60
9.7.9	Raw Disk Mapping (RDM) - Virtual and Physical	60
9.7.10	Quick File Scanning Disabled.....	60
9.7.11	Devices with Attached Images	60
9.7.12	Delays in Detecting Changes	61
10	Appendix: Setup Interface.....	62
11	Appendix: Command Line Interface.....	63
11.1	vSphere Agent Commands.....	63
11.1.1	agent.....	63
11.1.2	config.....	63
11.1.3	mount.....	64
11.1.4	net.....	64
11.1.5	ntp.....	65
11.1.6	ssh.....	65
11.1.7	support.....	65
11.1.8	system	65
11.1.9	vcenter.....	66
11.1.10	webcc	66
11.2	Creating a Share and Working with Mounts with the vSphere Agent	67
11.2.1	Creating a Share and Adding External Mounts to the vSphere Agent	67
11.2.2	Viewing Existing Mounts.....	67
11.2.3	Mounts: Remove 1 by 1 or All:	67
11.2.4	Mount Remove All	68
11.3	Creating and Sending a Support Bundle	68
11.4	Restoring a vSphere Agent.....	69


I EVault vSphere Agent

I.1 Introduction

The EVault vSphere Agent 7.1 backs up virtual machines (VMs), and restores VMs, virtual disks (VMDKs), and specific files and folders in VMware vSphere environments.

vSphere Agent 7.1 supports granular file restores. This allows you to select and restore specific files or folders rather than restoring an entire VM or VMDK. For example, you can restore individual files from a My Documents folder (or even the entire My Documents folder) without restoring a whole VM. You can also recover entire VMs and VMDKs with vSphere Agent 7.1.

The vSphere Agent is deployed as a VM in the vCenter environment where you want to back up and restore VMs. As shown in the following diagram, you use Web CentralControl or Windows CentralControl to manage the Agent and jobs, back up VMs to a secure, remote vault, and restore VMs, VMDKs and files and folders.



You do not have to install the vSphere Agent on each VM you want to back up; a single vSphere Agent can support as many as 1000 VMs managed by a vCenter Server. The

Agent supports both ESXi and ESX hosts, and does not require the VMware ESX Service Console.

The Agent performs backups using the VMware vStorage APIs for Data Protection (VADP), ensuring correct backups regardless of the power state of the VM. Backups read only the disk blocks that are being used by the guest operating system, applications and user data. Delta backups use Changed Block Tracking (CBT) to reduce backup time and space required on the vault. For more information, see [Backing Up Virtual Machines](#).

You can restore entire VMs, VMDKs, or specific files and folders from a vSphere Agent backup. For more information, see [Restoring Virtual Machines](#), [Restoring VMDKs](#), and [Restoring Files and Folders](#).

When restoring specific files and folders, you are provided with a UNC path of mounted VMDKs. You can use this UNC path to access and restore required files and folders on the machine where you want to restore files. On supported Windows operating systems, the Dynamic Disk Tool (provided for use with the vSphere Agent) is the preferred way to access all available data. For more information, see [Accessing Shared VMDKs and Restoring Files](#).

1.2 What's New in Version 7.10?

- The vSphere Agent now supports vSphere version 5.1, including the following features:
 - vCenter Single Sign-On server. vSphere Agent 7.10 can authenticate with a vCenter Single Sign-On server configured with multiple Active Directory domains.
 - Hardware version 9. vSphere Agent 7.10 can back up and restore VMs that are running hardware version 9.
 - vCenter Server Appliance. vSphere Agent 7.10 can back up and restore VMs in a vCenter that is managed by the vCenter Server Appliance.
 - vSphere 5.1 vMotion. vSphere Agent 7.10 can back up VMs that have been migrated to another host.

1.3 What's New in Version 7.01?

- The vSphere Agent can now support as many as 1000 VMs managed by a vCenter Server. Previous versions of the Agent could support as many as 250 VMs managed by a vCenter Server. For more information, see [Introduction](#).
- The vSphere Agent now backs up VMs with VMDKs as large as 2032 GB. 2032 GB is the maximum VMDK size recommended by VMware to allow sufficient overhead for snapshots, and snapshots are required for vSphere Agent backups. If

a backup job includes a VM with a VMDK that is larger than 2032 GB, the VM is skipped during the backup. For more information, see [Backing Up Virtual Machines](#).

I.4 What's New in Version 7.00?

- The vSphere Agent now supports granular file and folder recovery. This allows you to restore specific files and folders from a VM backup, rather than restoring an entire VM or VMDK. For example, you can restore individual files from a My Documents folder (or even the entire My Documents folder) instead of restoring the entire VM or VMDK where the folder resides. For more information, see [Restoring Files and Folders](#).

2 Deploying and Configuring the vSphere Agent

The vSphere Agent is pre-installed in a VM, and provided in Open Virtualization Appliance (OVA) format. You can deploy the OVA file and configure the vSphere Agent using the following steps:

1. Deploy the Agent in the vCenter where you want to back up VMs. See [Deploying the vSphere Agent](#).
2. Configure network settings. See [Configuring Network Settings for the vSphere Agent](#).
3. If you are not using a DNS server, add static entries for your vSphere environment. See [Adding Static Entries on the vSphere Agent for the vCenter and ESX/ESXi Servers](#).
4. Configure the time zone. See [Setting the vSphere Agent Time Zone](#).
5. Register with the vCenter Server. See [Registering the vSphere Agent with vCenter Server](#).
6. Add the Agent in Windows CentralControl or Web CentralControl. See [Adding the vSphere Agent in Windows CentralControl](#) or [Adding the vSphere Agent in Web CentralControl](#).
7. By default, the Agent enables Changed Block Tracking (CBT) for VMs. If you want to stop the Agent from enabling CBT, you can change the CBT setting. See [Changing the CBT Setting](#).

2.1 Deploying the vSphere Agent

The vSphere Agent is pre-installed in a VM with 2 virtual CPUs and 2 GB of RAM. The Agent is provided in OVA format, and requires 158 GB of free space.

After obtaining the OVA file from your provider, deploy the file in the vCenter where you want to back up VMs. For a list of supported vSphere platforms, see the vSphere Agent release notes.

The following procedure describes how to deploy the OVA file using one version of the vSphere Client. The procedure can vary depending on the vSphere version.

You can also deploy the OVA file using the VMware OVF Tool or the vSphere Web Client. For more information, see documentation from VMware.

To deploy the OVA file using the vSphere Web Client, you must first install the Client Integration Plug-in on the machine that you are using. When searching for the file to deploy, make sure that the filter includes OVA files; by default, the wizard shows OVF files only.

To deploy the vSphere Agent:

1. Log in to the vCenter using the vSphere Client.
2. From the **File** menu, select **Deploy OVF Template**.
The **Deploy OVF Template** wizard begins with the **Source** screen.
3. Enter the location of the vSphere Agent OVA file, or browse to it.
4. Click **Next**.
The **OVF Template Details** screen shows vSphere Agent information.
5. Review the information. Click **Next**.
The **End User License Agreement** screen appears.
6. Review the license agreement, click **Accept**, and then click **Next**.
The **Name and Location** screen appears.
7. In the **Name** field, enter a name for the vSphere Agent VM.
8. In the Inventory Location tree, specify the location for deploying the Agent. Click **Next**.
The **Host/Cluster** screen appears.
9. Select the host or cluster for running the vSphere Agent. Click **Next**.
The **Storage** screen appears.
10. Select the storage location for the vSphere Agent files. Click **Next**.
The **Disk Format** screen appears.
11. Select one of the following formats for storing virtual disks:
 - Thick Provision Lazy Zeroed
 - Thick Provision Eager Zeroed
 - Thin Provision

By default, the vSphere Agent is deployed as “Thick Provision Lazy-Zeroed”. This is the recommended format.

Note: In vSphere 4.0, the vSphere Agent automatically deploys with thick provisioning. The wizard does not allow you to select a different format.
12. Click **Next**.
The **Ready to Complete** screen appears.
13. Review the deployment settings. Click **Finish**.

Deployment begins and its progress is shown.

14. When the deployment finishes, power on the vSphere Agent.

To view the startup process, open the vSphere Agent console.

2.2 Configuring Network Settings for the vSphere Agent

After deploying the vSphere Agent, configure network settings, including the Agent host name, IP address, and default gateways.

Optionally, you can set up DNS servers and change the IP address assignment method. By default, the Agent is configured to use Dynamic Host Configuration Protocol (DHCP).

There are two ways to configure network settings for the vSphere Agent:

- Using the Agent's Setup interface. For more information, see [Appendix: Setup Interface](#).
- Using commands in the Agent's command line interface (CLI). For more information, see [Appendix: Command Line Interface](#).

2.3 Adding Static Entries on the vSphere Agent for the vCenter and ESX(i) Servers

When you back up VMs or restore data using the vSphere Agent, the vCenter sends ESX and ESXi server host names to the Agent. If the vCenter provides a host name to the Agent and the Agent cannot resolve the host name, connections fail and "Host address lookup" errors occur.

If you are not using a DNS server, ensure that the vSphere Agent can resolve host names by adding a static entry on the Agent for the vCenter and each ESX/ESXi server.

To add a static entry, enter the following command in the Agent CLI:

```
net hosts add <ipaddress> <hostname>
```

Where <ipaddress> is the IP address that is mapped to the <hostname>.

For more information about the CLI, see [Appendix: Command Line Interface](#).

2.4 Setting the vSphere Agent Time Zone

By default, the vSphere Agent time zone is set to Pacific time. To ensure that backup logs show the correct time, and to prevent problems when the Agent communicates with other servers, you must set the correct vSphere Agent time zone using the Agent CLI.

To set the time zone, enter the following command in the Agent CLI:

```
config set timezone <region>/<timezone>
```

Where:

- *<region>* is the region associated with the timezone. Available values are: Africa, America, Antarctica, Arctic, Asia, Atlantic, Australia, Brazil, Canada, Chile, Europe, Indian, Mexico, Mideast, Pacific, and US.
- *<timezone>* is the time zone for the vSphere Agent. To show a list of available time zones in a region, use the following command:

```
config show timezones list <region>
```

Examples of *<region>/<timezone>* combinations include: America/New_York, Europe/Paris, and US/Pacific.

For example, to set the time zone to US Eastern time, use this command:

```
config set timezone US/Eastern
```

Note: Ensure that the Agent date and time are set correctly. To change the Agent date and time, use the following command:

```
config set date <MM>/<DD>/<YYYY> <HH>:<MM> [<:SS>]
```

Where *<MM>/<DD>/<YYYY>* is the current date (month/day/year) and *<HH>:<MM>[<:SS>]* is the current time (hour:minute:second).

2.5 Registering the vSphere Agent with vCenter Server

Before you can back up VMs using the vSphere Agent, you must register the Agent with the vCenter Server where you want to back up VMs. You cannot connect to the vSphere Agent using Web CentralControl or Windows CentralControl unless you register the Agent with vCenter Server.

To register the Agent with vCenter Server, enter the following command in the Agent CLI:

```
vcenter register [<vCenter> [<backupUsername>]]
```

Where:

- *<vCenter>* is the name or IP address of the vCenter where you are registering the vSphere Agent.

- *<backupUsername>* is the name of the user for performing backups and restores. You must use a vCenter or domain account that is mapped to a vCenter role with full administrator permissions. For more information, see [vCenter User Privileges for Backup and Restore](#).

If you do not include the *<vCenter>* or *<backupUsername>* in the command, you are prompted for the information. You are also prompted for the user password.

2.6 Adding the vSphere Agent in Windows CentralControl

To manage the vSphere Agent through Windows CentralControl, add the Agent in Windows CentralControl.

Note: For more information, see the Windows CentralControl guide or online help.

To add the vSphere Agent in Windows CentralControl:

1. In Windows CentralControl, right-click the Workspace icon and choose **New Agent** from the menu.
The **Agent Properties** screen appears.
2. In the **Description** field, enter an Agent name.
3. In the **Network address** field, enter the IP address or host name of the vSphere Agent.
4. In the **User name** and **Password** fields, provide the vCenter credentials that you used to register the vSphere Agent with vCenter Server. See [Registering the vSphere Agent with vCenter Server](#).

The vCenter credentials allow Windows CentralControl to access the vSphere Agent.

The screenshot shows the 'Agent Properties' dialog box. It has a title bar with 'Agent Properties' and a close button. The dialog is divided into two main sections: 'Agent information' and 'Authentication information'.
In the 'Agent information' section:
- 'Description' is 'vSphere Agent'.
- 'Network address' is '192.168.4.19'.
- Under 'VSMP', the 'Default ports' radio button is selected, and the text box contains '808'.
- Under 'BUAgent', the 'Default ports' radio button is selected, and the text box contains '8031'.
In the 'Authentication information' section:
- 'User name' is 'administrator'.
- 'Password' is masked with seven dots.
- The 'Save password' checkbox is checked.
- The 'Domain' field is empty.
On the right side of the dialog, there are three buttons: 'OK', 'Cancel', and 'Get Status...'.

5. Check the Agent connection settings by clicking **Get Status**.

If the settings are correct, the **Agent Status** screen shows Agent information. Click **OK**.

If the IP address or host name information is incorrect, a “Failed to connect to <...>” message appears. Enter a new IP address or host name.

If the authorization information is incorrect, a “Failed to authorize user () or user () possesses insufficient privilege” message appears. Enter a new user name or password.

Note: A Windows domain account is used to register the vSphere Agent with vCenter Server. If the password or domain credentials change, you need to make the same changes on the vSphere Agent (using the vcenter change login command) and in Windows CentralControl (on the vCenter tab in the Agent Configuration screen). For more information, see [vCenter User Privileges for Backup and Restore](#).

6. Click **OK**.

The new Agent appears in the left pane of Windows CentralControl.

2.7 Adding the vSphere Agent in Web CentralControl

To manage the vSphere Agent through Web CentralControl, register the Agent with Web CentralControl using the CLI. You can then configure the vSphere Agent.

2.7.1 Registering the vSphere Agent with Web CentralControl

To register the vSphere Agent with Web CentralControl, enter the following command in the Agent CLI:

```
webcc register [<WebCCAddress>] [<port>] [<login>]
               [<password>]
```

Where:

- *<WebCCAddress>* is the Web CentralControl IP address or host name.
- *<port>* is the port used to communicate with Web CentralControl. The default port is 8086.
- *<login>* is the username for logging in to Web CentralControl.
- *<password>* is the password for logging in to Web CentralControl.

If you do not include the *<WebCCAddress>*, *<port>*, *<login>* or *<password>* parameter in the command, the following questions prompt you for the information:

- What is the Web-based Agent Console address?
- What is the Web-based Agent Console connection port? [8086]

Note: Press **Enter** to accept the default port of 8086.

- What is your Web-based Agent Console username?
- What is your Web-based Agent Console password?

When the registration is complete, a “Registration complete. Agent restarted successfully” message appears.

2.7.2 Configuring the vSphere Agent in Web CentralControl

When you register the vSphere Agent with Web CentralControl, Web CentralControl obtains vCenter credentials from the Agent. You can test and change the credentials and create a backup job through one wizard in Web CentralControl, as described in the following procedure.

You can also change Agent credentials and settings using the Agent Settings screen. For more information, see [Changing vCenter Credentials in Web CentralControl](#).

Note: For more information about configuring an Agent through Web CentralControl, see the online help.

To configure the vSphere Agent in Web CentralControl:

1. In Web CentralControl, select the unconfigured vSphere Agent.
2. Click **This is a new Agent I would like to configure** in the lower pane of the screen.

The **Configure Agent** wizard starts with the **Agent Configuration** screen.

3. In the **Agent Description** field, enter a description for the Agent.
4. Click **Next**.

Web CentralControl tests the vCenter credentials from the Agent.

5. If the vCenter credentials obtained from the Agent are invalid, a “Test Credentials Failed” message appears. Click **Close**.

The **Job Type Selection** screen appears.

The **Backup Source Type** is always VMware vSphere. This is the only available selection because the vSphere Agent only supports backup and recovery in VMware vSphere environments.

vCenter credentials appear in the User Name and Password fields. These credentials are obtained from the vSphere Agent.

If the vCenter credentials are valid, the User Name and Password fields cannot be edited. To change the credentials, see [Changing vCenter Credentials in Web CentralControl](#).

6. If the vCenter credentials are not valid, the **User Name** and **Password** fields can be edited. Enter vCenter credentials in the fields, and then click **Test**.

If the new credentials are valid, a “Success” message appears. Click **Close**.

If the new credentials are not valid, an “Error” message appears. Click **Close**, and then enter new vCenter credentials.

Note: A Windows domain account is used to register the vSphere Agent with vCenter Server. If the password or domain credentials change, you need to make the same changes on the vSphere Agent (using the vcenter change login command) and in Web CentralControl (on the vCenter tab in the Agent Settings screen). For more information, see [vCenter User Privileges for Backup and Restore](#).

7. Click **Next**.
8. On subsequent wizard pages, configure a backup job by entering a job name, adding VMs, and changing encryption and other backup options. For more information, see [Creating and Scheduling a Backup Job Using Web CentralControl](#).

2.8 Changing the CBT Setting

Changed Block Tracking (CBT) is a VMware feature that tracks changed disk sectors and improves the performance of VM backups. By default, the vSphere Agent enables Changed Block Tracking (CBT) for VMs.

However, because CBT requires some virtual disk processing overhead, you can stop the Agent from enabling CBT for VMs. This does not disable CBT for VMs that already have it enabled through the Agent or another mechanism. It only stops the Agent from enabling CBT in the future for VMs that do not already have it enabled.

For detailed information about CBT and the vSphere Agent, see [Changed Block Tracking \(CBT\)](#).

2.8.1 Changing the CBT Setting using Windows CentralControl

To change the CBT setting using Windows CentralControl:

1. In Windows CentralControl, right-click the Agent and choose **Agent Configuration** from the menu.
The **Agent Configuration** screen opens.
2. Click the **vCenter** tab.
3. Choose one of the following CBT settings:
 - To allow the Agent to enable CBT for VMs, select **Change Block Tracking**.

Change Block Tracking is selected by default.

- To stop the Agent from enabling CBT for VMs, clear **Change Block Tracking**.

Note: Clearing this option does not disable CBT for VMs that already have it enabled through the Agent or through another mechanism. It only stops the Agent from enabling CBT in the future for VMs that do not already have it enabled.

4. Click **OK**.

2.8.2 Changing the CBT Setting using Web CentralControl

To change the CBT setting using Web CentralControl:

1. In Web CentralControl, select the vSphere Agent.
2. Point to the **Edit** button and choose **Agent Settings** from the menu.

The **Agent Settings** screen appears.

3. Click the **vCenter** tab.
4. Choose one of the following CBT settings:
 - To allow the Agent to enable CBT for VMs, select the **Enable Changed Block Tracking (CBT) for Virtual Machines** check box.

The CBT check box is selected by default.

- To stop the Agent from enabling CBT for VMs, clear the **Enable Changed Block Tracking (CBT) for Virtual Machines** check box.

Note: Clearing this check box does not disable CBT for VMs that already have it enabled through our software or through another mechanism. It only stops the Agent from enabling CBT for VMs in the future.

5. Click **OK**.

2.9 vCenter User Privileges for Backup and Restore

A Windows domain account is used to register the vSphere Agent with vCenter Server. Full Administrator rights are the minimum requirements for the account that the vSphere Agent uses to back up and restore VMs.

To create a vCenter role with the required permissions and assign it to a user, see [Creating a vCenter Role for a User](#) and [Assigning a vCenter Role to a User](#).

If the password or domain credentials change, you need to make the same changes on the vSphere Agent (using the vcenter change login command) and in CentralControl. For

more information, see [Changing vCenter Credentials on the Agent](#), [Changing vCenter Credentials in Windows CentralControl](#) and [Changing vCenter Credentials in Web CentralControl](#).

2.9.1 Creating a vCenter Role for a User

Full Administrator rights are required for the account that the vSphere Agent uses to back up and restore VMs.

Note: The following procedure describes how to create a vCenter role using one version of the vSphere Client. For complete information, see the documentation from VMware.

To create a vCenter role for a user:

1. Open a vSphere client and select **View > Administration > Roles**.
2. If you wish to create a custom user role, you can clone it from the "Administrator" role. Select the Administrator role and clone it.

To back up the entire vCenter, the administrator role should be propagated from the top level.

To back up VMs in a particular datacenter, the administrator role should be propagated from this level.

2.9.2 Assigning a vCenter Role to a User

After creating a vCenter role for the backup user, you can assign the role to a user.

Note: The following procedure describes how to assign a vCenter role using one version of the vSphere Client. For complete information, see the documentation from VMware.

To assign a vCenter role to a user:

1. Open a vSphere client and select **View > Inventory > Hosts and Clusters**.
2. In the tree panel, select the level at which you want the user permission to start.
3. Select the **Permissions** tab.
4. Right-click to add permissions.
5. Select the role on the right.
6. Click **Add**. On the left, select the new or existing user.
7. Click **OK**.

2.9.3 Changing vCenter Credentials on the Agent

You can change vCenter login credentials by entering the following command in the Agent CLI:

```
vcenter change login [backupUsername]
```

backupUsername is the name of the user for performing backups and restores. You must use a vCenter or domain user account that is mapped to a vCenter role with full administrator permissions. For more information, see [vCenter User Privileges for Backup and Restore](#).

For example, enter:

```
vcenter change login NewUser
```

This command changes the login name to “NewUser”. The change occurs after the password for the new user name has been authenticated.

2.9.4 Changing vCenter Credentials in Windows CentralControl

To change vCenter credentials in Windows CentralControl:

1. In Windows CentralControl, right-click the Agent and choose **Agent Configuration** from the menu.

The **Agent Configuration** screen opens.

2. Click the **vCenter** tab.
3. In the **User name** and **Password** fields, enter the backup user name and password.
4. Click **Test**.

A message indicates whether or not the credentials are valid. Click **OK**. If the credentials are not valid, enter new vCenter credentials.

5. Click **OK**.

2.9.5 Changing vCenter Credentials in Web CentralControl

To change vCenter credentials in Web CentralControl:

1. In Web CentralControl, select the vSphere Agent.
2. Point to the **Edit** button and choose **Agent Settings** from the menu.

The **Agent Settings** screen appears.

3. Click the **vCenter** tab.
4. In the **User Name** and **Password** fields, enter the backup user name and password.
5. Click **Test**.

If the credentials are valid, a “Success” message appears. Click **Close**.

If the credentials are not valid, an “Error” message appears. Click **Close**, then enter new vCenter credentials.

6. Click **OK**.

3 Upgrading the vSphere Agent

You can upgrade previous vSphere Agent versions to version 7.1. When you upgrade the Agent, settings such as vCenter registration and Web CentralControl credentials are preserved.

Note: vSphere Agents prior to version 7.0 were named “Agent for VMware”.

Important: Beginning in version 7.0, the vSphere Agent VM partition that contains Agent files is significantly larger than in previous Agent versions. The larger VM partition ensures sufficient room for catalog and delta files. If you upgrade the vSphere Agent from version 6.91 or earlier, the partition size is not increased and the upgrade might fail if you have a large number of configured jobs and VMs. Instead of upgrading the vSphere Agent, you can remove the previous vSphere Agent version using the vSphere Client, deploy and configure Agent version 7.1, and then re-register the Agent to the vault.

Note: When you upgrade Agent 6.91 for VMware to vSphere Agent 7.1, the tmpfs setting for the Agent VM is increased. This increase enables the Agent to support as many as 1000 VMs managed by a vCenter Server. Previous versions of the Agent could support as many as 250 VMs in a vCenter.

There are two ways to upgrade the vSphere Agent:

- With Internet access, you can enter a command in the Agent CLI. The system then connects to the vSphere Agent upgrade server, and checks for and performs any available updates. For more information, see [Upgrading the vSphere Agent Over the Internet](#).
- If direct internet access is not available, you can download required RPMs from your service provider, and upgrade the vSphere Agent locally. For more information, see [Manually Upgrading the vSphere Agent](#).

3.1 Upgrading the vSphere Agent Over the Internet

With internet access, you can upgrade the vSphere Agent by entering a command in the Agent CLI. The system then checks for Agent updates on the upgrade server, and performs available updates.

Connections to the upgrade server are done through the host name `vraupdate.evault.com`. If name resolution is not configured in your environment, you must manually add a static entry for the upgrade server using the `net hosts` command.

After upgrading the vSphere Agent, you must reboot the vSphere Agent VM.

To upgrade the vSphere Agent over the Internet:

1. If name resolution is not configured in your environment, add a static entry by entering the following command in the Agent CLI:

```
net hosts add 199.87.219.148 vraupdate.evault.com
```

2. Ensure that no backups or restores are running.
3. Enter the following command in the Agent CLI:

```
system upgrade
```

If no updates are available, a “No packages marked for update” message appears.

If updates are available, you will see the updated RPMs on the server. You have the option to select Y or N. If you select Y, then the upgrade will commence.

Note: Do not interrupt the upgrade process or power off the vSphere Agent VM during the upgrade process.

4. After the upgrade is complete, reboot the vSphere Agent VM by entering the following command in the Agent CLI:

```
system reboot
```

3.2 Manually Upgrading the vSphere Agent

If direct Internet access is not available, you can download RPMs from your service provider, create a CIFS share, and upgrade the vSphere Agent locally.

To manually upgrade the vSphere Agent:

1. Create a CIFS share.
2. Download the RPMs from your service provider, and save them in the CIFS share.
3. Enter the following command:

```
system upgrade manual <\\server\share> <username>  
<password>
```

Where:

- <\\server\share> specifies the server and CIFS share where the RPMs are saved.
- <username> is a user with read access to the CIFS share where the RPMs are saved.

- *<password>* is the password for the specified user.

Note: If you do not provide a username and password, the system attempts to connect to the CIFS share as the Guest user. The Guest account must be enabled and have read access to the share, or the upgrade will fail.

4 Backing Up Virtual Machines

After the vSphere Agent is deployed and configured, you can back up virtual machines.

You can create and run backup jobs using Windows CentralControl or Web CentralControl. For more information, see [Backing Up Virtual Machines Using Windows CentralControl](#) and [Backing Up Virtual Machines Using Web CentralControl](#).

The Agent performs crash-consistent backups rather than application-consistent backups.

Note: The vSphere Agent does not back up a VM if it has a VMDK larger than 2032 GB. 2032 GB is the maximum VMDK size recommended by VMware to allow sufficient overhead for snapshots, and snapshots are required for backups. If a backup job includes a VM with a VMDK that is larger than 2032 GB, the VM is skipped during the backup.

Note: Avoid running concurrent backups of the same VM or job from the same or another vSphere Agent. This can cause negative results in CBT and delta backups to be out of synch.

4.1 Backing Up Virtual Machines Using Windows CentralControl

To create and back up virtual machines using Windows CentralControl, see [Creating a Backup Job Using Windows CentralControl](#) and [Running a Backup Job Using Windows CentralControl](#).

You can also schedule backup jobs to run. For more information, see [Scheduling a Backup Job Using Windows CentralControl](#).

4.1.1 Creating a Backup Job Using Windows CentralControl

To create a backup job using Windows CentralControl:

1. In Windows CentralControl, do one of the following:
 - Select a vSphere Agent, and choose **File > New Job**.
 - Right-click the Agent, and choose **New Job**.

The New Job Wizard opens to the **Welcome** page.

Note: If the **Skip this screen in the future** check box is selected, the **Welcome** page does not appear.

2. Click **Next**.

The **Backup Source Type** page appears. The Backup source type is always VMware vSphere. This is the only available selection because the vSphere Agent only supports backup and recovery in VMware vSphere environments.

3. Click **Next**.

The **Vault** page appears.

4. Select a vault from the **Destination** menu, or click **New** to create a new vault destination.

Note: To add a new vault, please refer to the *Windows CentralControl Operations Guide* or *Windows CentralControl Help*.

5. Click **Next**.


The **New Job Name** page appears.

6. In the **Name** field, type a name for the job.
7. In the **Description** field, type a job description.
8. Click **Next**.

The **Source** page appears.

9. Click **Add**.

The **Include/Exclude** screen appears, allowing you to choose which VMs to back up and which to exclude from the backup.



10. To add VMs to the backup job, do one or more of the following:
 - To select specific VMs to back up, expand the **Virtual Machines** list. Select each VM you want to back up, and then click **Include**. The names of VMs you

include appear in the **Virtual Machine** pane. You can include more than one VM in your backup.

- To back up all VMs (including VMs that are added after the backup job is created), select **Virtual Machines**, and then click **Include**. The **Confirm VMs to Include** screen appears. Select **Include all virtual machines**, and then click **Yes**.
- To select VMs to back up by applying filter criteria when the backup runs, select **Virtual Machines**, and then click **Include**. The **Confirm VMs to Include** screen appears. Select **Include only virtual machines with names matching this filter**. In the field, enter a filter for selecting VM names, and then click **Yes**.

You can include the following wildcards in the filter:

* (asterisk) - signifies a wildcard string up to the next separator character

? (question mark) - signifies a single wildcard character

For example, to include all VMs with names that start with “vm”, type `vm*` and then click **Yes**.

11. To exclude VMs from the backup job, do one or more of the following:

- To exclude specific VMs from the backup, expand the **Virtual Machines** tree. Select each VM you want to exclude, and then click **Exclude**.
- To exclude VMs by applying filter criteria when the backup runs, select **Virtual Machines**, and then click **Exclude**. The **Confirm VMs to Exclude** screen appears. Select **Exclude only virtual machines with names matching this filter**. In the field, enter a filter for selecting VM names, and then click **Yes**.

You can include the following wildcards in the filter:


* (asterisk) - signifies a wildcard string up to the next separator character

? (question mark) - signifies a single wildcard character

For example, to exclude all VMs with names that start with “vm”, type `vm*` and then click **Yes**.

12. Click **OK**.

Filters and VM names that you include in the backup job appear in the Virtual Machine pane of the **Source** page, as shown in the following screenshot.



13. Click **Next**.

The **Options** page appears.

14. Choose one of the following deferral options:
 - To allow the backup job to run without a time limit, select **Disable Deferring**.
 - To specify a maximum amount of time that the backup job can run, clear **Disable deferring** and specify the number of hours or minutes that the job can run. The backup job stops after the specified amount of time even if some VMs in the job have not been backed up. When the job runs again, the vSphere Agent first checks for changes in VMs that were previously backed up, and then backs up remaining VMs.

15. Click **Next**.

The **Encryption** page appears.

16. From the **Encryption type** list, select the type of encryption for the backup data. If you encrypt the data, enter an encryption password in the **Password** and **Verify password** fields. The password is case-sensitive. In the **Password Hint** field, enter a password hint to help you remember the encryption password during a restore.

Warning: You must remember the encryption password to recover files. *If you lose your password, you lose access to your data.* The password is not maintained anywhere else.

17. Click **Next**.

The **Log Options** page appears.

18. Specify one of the following logging options:
 - To generate log files for the job, select the **Create log file** check box. From the **Log detail level** list, choose the level of log detail. To automatically delete log files when a backup is deleted, select the **Automatically purge expired log files** check box. To delete the oldest log file after reaching a certain number of log files, enter a number in the **Keep the last x log files** field.
 - To not generate log files for the job, clear the **Create log file** check box.
19. Click **Next**.

The **Finished** page appears.

20. Select one of the following options for running the job, and then click **Finish**:
 - Run the job immediately.
 - Schedule the job. For more information, see [Scheduling a Backup Job Using Windows CentralControl](#).
 - Just exit from this wizard. If you select this option, the job is created but does not start running.

4.1.2 Running a Backup Job Using Windows CentralControl

To run a backup job using Windows CentralControl:

1. In Windows CentralControl, do one of the following:
 - Select the job and click the Backup icon.
 - Select the job and choose **Actions > Backup**.
 - Right-click the job, and select **Backup**.

The Backup Wizard opens to the **Welcome** page. Click **Next**.

Note: If the **Skip this screen in the future** check box is selected, the **Welcome** page does not appear.

The **Destination** page appears.

2. From the **Back up** list, select the vault for saving the backup data or select **Alternate safeset location**.

In order to use the alternate safeset location option, you must create an external CIFS or external mount to a Windows share. For more information, see [Creating a Share and Working with Mounts with the vSphere Agent](#).

3. Do one of the following:
 - To run the job without changing options, click **Back Up Now**.
 - To change retention or backup time options before running the job, click **Next**. The **Options** page appears. Specify retention and backup time options, and then click **Next**. The **Finish** page appears. Click **Finish**.

4.1.3 Scheduling a Backup Job Using Windows CentralControl

To schedule a backup job using Windows CentralControl:

1. In Windows CentralControl, do one of the following:
 - Select an Agent and choose **Tools > Schedule Entries**.
 - Right-click an Agent, and choose **Schedule Entries**.

The **Schedule List** screen appears.

2. Click **New**.

The Schedule Wizard opens to the **Welcome** page.

Note: If the **Skip this screen in the future** check box is selected, the **Welcome** page does not appear.

3. Click **Next**.

The **Command** page appears.

4. Select **Backup**, and click **Next**.

The **Job List** page appears.

5. Select the backup job to schedule, and then click **Next**.

The **Options** page appears.

6. From the **Retention** list, choose a retention scheme that specifies the number of days for keeping backups, number of backups to store online, and days to archive the data.

7. From the **Compression type** list, choose the level of data compression.

Compression levels allow you to optimize the volume of data sent versus the speed of transmission. In some cases it might be better to take the time and CPU cycles to compress the data before sending it at a slower rate, as opposed to not compressing it and sending it at a faster rate. Also, compression reduces the space required to store the data on the vault.

8. Choose one of the following deferral options:
 - To allow the backup job to run without a time limit, select the **Disable Deferring** check box.
 - To specify a maximum amount of time that the backup job can run, clear the **Disable deferring** check box and specify the number of hours or minutes that the job can run. The backup job stops after the specified amount of time even if some VMs in the job have not been backed up. When the job runs again, the vSphere Agent first checks for changes in VMs that were previously backed up, and then backs up remaining VMs.
9. Click **Next**.

The **Command Cycle** page appears.
10. In the **Command cycle** area, select whether you want the job schedule to be **Weekly**, **Monthly**, or **Custom**, and then click **Next**.
11. On the following page, specify when to run the backup job, and then click **Next**.

The **Finish** page appears.
12. Click **Finish**.

When your scheduled job runs on the specified date and time, you can see the job running in the Process Manager.

4.2 Backing Up Virtual Machines Using Web CentralControl

You can create and schedule backup jobs using Web CentralControl, and run backup jobs on demand. For more information, see [Creating and Scheduling a Backup Job Using Web CentralControl](#) and [Running a Backup Job Using Web CentralControl](#).

4.2.1 Creating and Scheduling a Backup Job Using Web CentralControl

To create and schedule a backup job using Web CentralControl:

1. In Web CentralControl, select a vSphere Agent, and choose **Add > Job**.

The New Job wizard opens to the **Job Type Selection** page.

2. In the **Job Name** field, type a name for the job.
3. In the **Job Description** field, type a job description.

Note: The **Backup source type** is always **VMware vSphere**. This is the only available selection because the vSphere Agent only supports backup and recovery in VMware vSphere environments.

4. Click **Next**.

The **Selection** page appears.

5. To add VMs to the backup job, in the vSphere pane, do one or more of the following:
 - To select specific VMs to back up, expand the Virtual Machines list, select the check box for each VM you want to back up, and then click **Include**.
 - To back up all VMs (including VMs that are added after the backup job is created), select the **Virtual Machines** check box, and then click **Include**. The **Include Options** screen opens. Select **Include all virtual machines**, and then click **OK**.
 - To select VMs to back up by applying filter criteria when the backup runs, select the Virtual Machines check box, and then click **Include**. The **Include Options** screen opens. Select **Include only virtual machines with names matching this filter**. In the field, enter a filter for selecting VM names, and then click **OK**.

You can include the following wildcard characters in the filter:

- * (asterisk) - signifies a wildcard string up to the next separator character

? (question mark) - signifies a single wildcard character

For example, to back up all VMs with names that start with “vm”, type `vm*`.

Note: You can enter only one filter in the field. To apply several filters, use the **Include Options** screen several times.

Filters and VM names that you include in the backup job appear with green plus signs (+) in the Backup Set pane, as shown in the following screenshot:

Backup Set	
Include / Exclude	Virtual Machines
+ Include	VM 1
+ Include	a*
- Exclude	VM 2

6. To exclude VMs from the backup job, do one or more of the following:
 - To exclude specific VMs from the backup, expand the **Virtual Machines** list, select the check box for each VM you want to exclude, and then click **Exclude**.
 - To exclude VMs by applying filter criteria when the backup runs, select the Virtual Machines check box, and then click **Exclude**. The **Exclude Options** screen appears. Select **Exclude only virtual machines with names matching this filter**. In the field, enter a filter for selecting VM names, and then click **OK**.

You can include the following wildcards in the filter:

* (asterisk) - signifies a wildcard string up to the next separator character

? (question mark) - signifies a single wildcard character

Note: You can enter only one filter in the field. To apply several filters, use the Exclude Options screen several times.

Filters and VM names that you exclude from the backup job appear with red minus signs (-) in the Backup Set pane.

7. Click **Next**.

The **Options** screen appears.

8. From the **Encryption type** list, select the type of encryption for the backup data. If you encrypt the data, enter an encryption password in the **Password** and **Verify Password** fields. The password is case-sensitive. In the **Password Hint** field, enter a password hint to help you remember the encryption password during a restore.
9. To set retention, compression or logging options, click **Advanced Backup Options**. The **Advanced Options** screen opens.

From the **Retention** list, choose a retention scheme that specifies the number of days for keeping backups, number of backups to store online, and days to archive the data.

From the **Compression** list, choose the level of data compression. Data compression allows you to optimize the volume of data sent against the speed of transmission.

To generate log files for the job, select the **Create log file** check box. From the **Log detail level** list, choose the level of log detail. To automatically delete log files when a backup is deleted, select the **Automatically purge expired log files** check box. To delete the oldest log file after reaching a certain number of log files, enter a number in the **Keep the last x log files** field.

Click **OK**.

10. Click **Next**.

The **Schedule** screen appears.

11. To create a backup schedule and set retention options for the scheduled job, click **Add**. The **Schedule Details** page opens. From the **Schedule View** list, choose **Days of Week**, **Days of Month**, or **Custom**, and specify when to run the backup.

From the **Retention Scheme** menu, choose a retention scheme that specifies the number of days for keeping backups from the scheduled job, number of backups to store online, and days to archive the data.

To specify data compression and deferral options, click **Advanced Schedule Options**. From the **Compress file** data list, choose the file compression level. To allow the backup job to run without a time limit, clear **Use Deferring**. To specify a maximum amount of time that the backup job can run, select **Use Deferring**. In the **Backup Time Window** fields, specify the number of hours or minutes that the job can run. The backup job stops after the specified amount of time even if some VMs in the job have not been backed up. When the job runs again, the vSphere Agent first checks for changes in VMs that were previously backed up, and then backs up remaining VMs. Click **OK** to close the **Advanced Options** page.

Click **OK** to close the **Schedule Details** page.

Note: You can add multiple schedules for the backup job.

12. Click **Next**.

The **Destination** screen appears.


13. Select the vault for saving the backup data. To add a new vault, click **Add**.
14. Click **Save Changes**.

4.2.2 Running a Backup Job Using Web CentralControl

To run a backup job using Web CentralControl:

1. In Web CentralControl, select a backup job.
2. Click **Run Backup**.

The **Run Backup** screen appears.



3. From the **Destination** list, select the vault for saving the backup data or select **Alternate safeset location**.

In order to use the alternate safeset location option, you must create an external CIFS or external mount to a Windows share. For more information, see [Creating a Share and Working with Mounts with the vSphere Agent](#).

4. From the **Retention Scheme** list, choose a retention scheme that specifies the number of days for keeping backups, number of backups to store online, and days to archive the data.

5. To specify deferring options, click **Advanced Backup Options**. To allow the backup job to run without a time limit, clear **Use Deferring**. To specify a maximum amount of time that the backup job can run, select **Use Deferring**. In the **Backup Time Window** fields, specify the number of hours or minutes that the job can run. The backup job stops after the specified amount of time even if some VMs in the job have not been backed up. When the job runs again, the vSphere Agent first checks for changes in VMs that were previously backed up, and then backs up remaining VMs. Click **OK** to close the **Advanced Backup Options** page.
6. Click **Start Backup**.

5 Restoring Virtual Machines

You can restore entire VMs from a backup.

You can also restore a single VMDK or specific files and folders from a backup. For more information, see [Restoring VMDKs](#) and [Restoring Files and Folders](#).

Note: You can only restore VMs with hardware version 8 to a vSphere 5 or later ESXi host.

The Agent performs crash-consistent backups rather than application-consistent backups. VMs are started from the BIOS after they are restored, and may perform forced check-disks after being started.

5.1 Restoring Virtual Machines Using Windows CentralControl

To restore virtual machines using Windows CentralControl:

1. In Windows CentralControl, select a vSphere Agent.
2. Select the backup job from which you want to restore a VM.
3. Click the **Restore** icon, click Ctrl + R, or right-click the backup job and then select **Restore**.

Note: The Restore process requires 15% more space than the size of the VM being restored.

The Restore from a backup workflow begins with the **Choose what you want to restore** screen.

4. Select **Virtual Machines**, and then click **Next**.

The **Select the source from which to restore** screen appears.

5. From the **Source** list, select a source (usually a vault) from which to restore data.
6. From the **Safeset** list, select the safeset from which you want to restore data (i.e., a recovery point).
7. Click **Next**.

The **Select Virtual Machines to restore** screen opens.

8. Select the checkbox for each VM that you want to restore. Click **Include**.

The VM names that you include appear in the right pane of the screen.

Note: You cannot select incomplete VMs to restore.

9. Click **Next**.

The **Select the datastore where you want to restore the Virtual Machines** screen opens.

10. From the list, select the datastore where you want to restore the VMs.
11. Choose one of the following options for restoring VMs to the selected datastore:
 - **Restore all selected Virtual Machines to the selected datastore only**
 - **Restore to the selected datastore only when a Virtual Machine's original datastore is not available.** If a VM contains multiple VMDKs that reside on two or more datastores, and one or more of those datastores is unavailable, the entire VM will be restored to the selected datastore.

Note: If you restore a VM or TEMPLATE to a vCenter, and the original VM is present, it will restore as a clone. The VM will be restored as a clone of the original and named {VMNAME}-vra-restored-{DATE}. The VM will be restored as a clone whether the original VM is powered On, Off, or Suspended. If the original VM is powered on and using a static IP Address, you may encounter an IP Address conflict when the newly restored (cloned) VM is powered on.

12. To view VMs that have been selected for the restore, and their original hosts and datastore locations, click **View Selected Virtual Machines**.
13. Click **Next**.

The **Select the host where you want to register your Virtual Machines** screen opens.

14. From the list, select the host where you want to register the VMs.

Only hosts that have access to the datastore selected on the preceding page appear in the list.
15. Choose one of the following options for registering the VMs with the selected host:
 - **Register all selected Virtual Machines with the selected host only**
 - **Register with the selected host only when a Virtual Machine's original host is not available**

16. To power on the VMs after restoring, select **Power on the VM after restoring**.

Note: When restoring a VM to an alternate host and datastore, when the VM is powered on either manually or through our software, a VMware dialog box might indicate that the VM was moved or copied. If you do not know whether

the VM was moved or copied, choose “Copied”. A new UUID will then be generated which will not cause a conflict with an existing VM.

17. Click **Next**.

The **Customize the restore behavior** screen opens.

18. Choose a log file detail level from the list.
19. To use all available bandwidth, select **Use all available bandwidth**.
20. Click **Next**.

The **Restore Summary** screen shows the restore settings.

21. If you are satisfied with the settings, click **Run Restore**.

5.2 Restoring Virtual Machines Using Web CentralControl

To restore virtual machines using Web CentralControl:

1. In Web CentralControl, select a vSphere Agent.
2. Select the backup job from which you want to restore a VM.
3. Click **Run Restore**.

Note: The Restore process requires 15% more space than the size of the VM being restored.

The Restore from Backup workflow begins with the **Select Restore Mode** screen.

4. Select **Virtual Machines**, and then click **Next**.

The **Source** screen appears.

5. From the **Safeset location** list, choose the vault from which to restore virtual machines.
6. From the **Restore from this backup version** list, choose the safeset from which you want to restore virtual machines.

Alternatively, select **Restore from the safeset entered in the textbox below**, and enter the safeset number in the field.

7. If the safeset is encrypted, enter the encryption password in the **Password** and **Verify Password** fields.
8. To change log detail or bandwidth use options, click **Advanced Restore Options**. The **Advanced Restore Options** page appears.

From the **Log detail level** list, choose the level of logging detail.

Specify one of the following bandwidth settings:

- To use all available bandwidth so that the restore runs as fast as possible, select the **Use all available bandwidth** check box.
- To apply Agent bandwidth settings to the restore, clear the **Use all available bandwidth** check box.

Click **OK** to close the **Advanced Restore Options** page.

9. Click **Next**.

The **Data Selection** screen appears.

10. In the left pane, select the VMs to restore. Click **Include**.

The VMs that you include appear in the right-hand pane. You must include at least one VM to continue.

Note: You cannot select incomplete VMs to restore.

11. Click **Next**.

The **Destination Datastore** screen appears.

12. From the **Datastore** list, choose the datastore where you want to restore the VMs.

13. Choose one of the following datastore options:

- To restore all VMs to the selected datastore, select **Restore all selected Virtual Machines to the selected datastore only**.
- To only restore a VM to the selected datastore if the VM's original datastore no longer exists, select **Restore to the selected datastore only when a Virtual Machine's original datastore is not available**. If a VM contains multiple VMDKs that reside on two or more datastores, and one or more of those datastores is unavailable, the entire VM will be restored to the selected datastore.

14. To view VMs that have been selected for the restore, and their original hosts and datastore locations, click **Show Selected Items**.

15. Click **Next**.

The **Host Selection** screen appears.

16. From the **Host** list, select the host where you want to register the VMs.

Only hosts that have access to the datastore selected on the preceding page appear in the list.

17. Choose one of the following options for registering the VMs with the selected host:
 - To register all of the selected VMs with the selected host, select the **Register all selected Virtual Machines with the selected host only**.
 - To only register VMs to the selected host if the VM's original host no longer exists at restore, select **Register with the selected host only when a Virtual Machine's original host is not available**.
18. To automatically power on all restored VMs when the restore finishes, select the **Power VMs on after restoring** check box.
19. Click **Next**.

The **Summary** screen shows the selected restore settings.
20. Click **Run Restore**.

6 Restoring VMDKs

You can restore VMDKs from a backup.

You can also restore a full VM or specific files and folders from a backup. For more information, see [Restoring Virtual Machines](#) and [Restoring Files and Folders](#).

6.1 Restoring VMDKs Using Windows CentralControl

To restore VMDKs using Windows CentralControl:

1. In Windows CentralControl, select a vSphere Agent.
2. Select the job from which you want to restore one or more VMDKs.
3. Click the **Restore** icon, click Ctrl R, or right click then select Restore.

Note: The Restore process requires 15% more space than the size of the VMDK being restored.

The **Restore from a backup** workflow begins with the **Choose what you want to restore** screen.

4. Select **Virtual Disks**, and then click **Next**.

The **Select the source from which to restore** screen opens.

5. From the **Source** list, select a source (usually a vault) from which to restore data.
6. From the **Safeset** list, select a safeset from which to restore data.
7. Click **Next**.

The **Select Virtual Disks to restore** screen shows VMs that are available for VMDK restore.

8. In the left pane, expand the VMs to show VMDKs that are available for restore.
9. Select the checkbox for each VMDK that you want to restore. Click **Include**.

The VMDK names that you choose appear in the right-hand pane.

10. Click **Next**.

The **Select where to restore the Virtual Disks** screen opens.

11. From the Datastore list, select the datastore where you want to restore the VMDKs.

Folders in the selected datastore appear in the Available Folders list.

12. Specify one of the following locations for restoring VMDKs:
 - To restore the VMDKs to an existing folder, select the folder in the Available Folders list.
 - To restore the VMDKs to a new folder, enter a folder name in the **Use new folder** field, and then click **Apply**.

The datastore and folder names appear in the **Restore to this datastore/folder** field.

Note: When restoring to a new folder, a datastore must be selected before “Use New Folder” becomes available. You can then enter a folder name in the “Use New Folder” section.

13. Click **Next**.

The **Customize the restore behavior** screen opens.

14. From the **Log file detail** level list, choose a log file detail level.
15. To use all available bandwidth, select **Use all available bandwidth**.
16. Click **Next**.

The **Restore Summary** screen shows the restore settings.

17. If you are satisfied with the settings, click **Run Restore**.

6.2 Restoring VMDKs Using Web CentralControl

To restore VMDKs using Web CentralControl:

1. In Web CentralControl, select a vSphere Agent.
2. Select the job from which you want to restore one or more VMDKs.
3. Click **Run Restore**.

Note: The Restore process requires 15% more space than the size of the VMDK being restored.

The Restore from Backup workflow opens with the **Select Restore Mode** screen.

4. Select **Virtual Disks**, and then click **Next**.

The **Source** screen appears.

5. From the **Safeset location** list, choose the vault from which to restore VMDKs.

6. Choose the safeset for restoring files from the **Restore from this backup version** menu.

Alternatively, select **Restore from the safeset entered in the textbox below**, and enter the safeset number in the field.

7. If the safeset is encrypted, enter the encryption password in the **Password** and **Confirm password** fields.
8. To change log detail or bandwidth use options, click **Advanced Restore Options**. The **Advanced Restore Options** page appears.

From the **Log detail level** list, choose the level of logging detail.

Specify one of the following bandwidth settings:

- To use all available bandwidth so that the restore runs as fast as possible, select the **Use all available bandwidth** check box.
- To apply Agent bandwidth settings to the restore, clear the **Use all available bandwidth** check box.

Click **OK** to close the **Advanced Restore Options** page.

9. Click **Next**.

The **Data Selection** screen appears.

10. In the left pane, expand the VMs to show VMDKs that can be restored.
11. Select the checkbox for each VMDK you want to restore. Click **Include**.

The VMDK names that you include appear in the right-hand pane.

12. Click **Next**.

The **Datastore Folder Selection** page appears.

13. From the Datastore list, select the datastore where you want to restore the VMDKs.

Folders in the selected datastore appear in the Available Folders list.

14. Specify where to restore the VMDK by doing one of the following:
 - To restore the VMDK to an existing folder, select the folder in the Available Folders list.
 - To create a new folder in the selected datastore and restore the VMDK to the new folder, enter a folder name in the **Create new folder** field, and then click **Apply**.

The datastore and folder names appear in the **Restore to this datastore/folder** field.

15. Click **Next**.

The **Summary** screen shows the selected restore settings.

16. Click **Run Restore**.

7 Restoring Files and Folders

EVault vSphere Agent 7.1 supports granular file restores. This allows you to select and restore specific files and folders from a VM backup, rather than restoring an entire VM or VMDK. For example, you can restore individual files from a My Documents folder (or even the entire My Documents folder) instead of restoring the entire VM or VMDK where the folder resides.

You can only restore files and folders when both the vSphere Agent and vault versions are 7.00 or later. Files and folders can be restored from safesets that were created using vSphere Agent version 6.90 or later and version 6.x vaults, but only after both the Agent and vault are upgraded to version 7.00 or later.

Note: vSphere Agents prior to version 7.0 were named “Agent for VMware”.

You can restore specific files and folders from a VM backup using the following steps:

1. Using Windows CentralControl or Web CentralControl, from a VM backup, select a VMDK with files and folders you want to restore and share the VMDK. This process provides a Universal Naming Convention (UNC) path (CIFS share) for accessing the VMDK on the machine where you want to restore files.

For more information, see [Sharing VMDKs for Restoring Files and Folders](#).

2. Access the shared VMDK on the machine where you want to restore files. You can access the CIFS share on any supported Windows host, or on a Linux/UNIX host with the Samba client.

Note: Samba is an installable option with some Linux distributions, or you can download the open-source software from www.samba.org.

The preferred method of accessing shared VMDKs on supported Windows operating system is to use the Dynamic Disk Tool (provided with the vSphere Agent). If the shared VMDK is a Windows dynamic disk, you must use the Dynamic Disk Tool to access files and folders on the disk. If you do not use this tool, not all data will be accessible.

Note: The Dynamic Disk Tool is a Windows-based application. It can only be used to mount supported Windows file systems. You cannot use the Dynamic Disk Tool to mount Linux or other file systems. For a list of supported Windows versions, see the release notes.

For more information, see [Accessing Shared VMDKs and Restoring Files](#).

3. Copy files and folders from the shared VMDK to the desired location.

7.1 Sharing VMDKs for Restoring Files and Folders

Using Windows CentralControl or Web CentralControl, you can share a VMDK from a VM backup for restoring files and folders. This process provides a UNC path (CIFS share) for accessing the VMDK on the machine where you want to restore files.

After sharing the VMDK, you can access the disk using the UNC path provided. On supported Windows operating systems, the preferred method of accessing shared disks is to use the Dynamic Disk Tool (provided with the vSphere Agent). For more information, see [Accessing Shared VMDKs and Restoring Files](#).

7.1.1 Sharing VMDKs Using Windows CentralControl

To share a VMDK for restoring files and folders using Windows CentralControl:

1. In Windows CentralControl, select a vSphere Agent.
2. Select a Job.
3. Click the **Restore** icon.

The **Restore from a backup** workflow begins with the **Choose what you want to restore** screen.

4. Select **Files and Folders**, and then click **Next**.

The **Select the source from which to restore** screen appears.

5. From the **Source** list, select a source from which to restore data.
6. From the **Safeset** list, select a safeset from which to restore.
7. If the safeset is encrypted, enter the encryption password in the **Password** and **Verify Password** fields.
8. To change the share idle time or bandwidth options, click **Advanced Share Options**. The **Advanced Share Options** screen appears.

In the **Idle time** field, enter the number of minutes of inactivity after which the shared drive should automatically unshare. The **Idle time** can range from 2 to 180 minutes.

Note: The drive will not unshare as long as new data is being copied. If you copy the same data from a shared drive more than once, the system could time out because no new data is being read.

To use all available bandwidth, select **Use all available bandwidth**.

Click **OK** to close the **Advanced Share Options** screen.

9. Click **Next**.

The **Select a virtual disk to share** screen shows the names of VMs with files and folders that can be restored from the safeset.

10. From the **Virtual Machines** list, choose the VM from which you want to restore files or folders.

The names of the VMDKs associated with the VM appear in the right-hand pane.

11. Select the VMDK from which you want to restore files, and then click **Next**.

The **Share Summary** screen shows settings for the shared disk.

12. If you are satisfied with the settings, click **Share**.

The **Process Information** screen shows the process status. When the disk is shared, a UNC path appears in the **Path** field.

The drive remains shared while files are being copied, until there is no activity for the specified amount of idle time, or until you click the **Unshare** button.

If the shared VMDK is a Windows dynamic disk, a message indicates that the VMDK is a Windows dynamic disk.

13. If the shared VMDK is a Windows dynamic disk, use the Dynamic Disk Tool to access the shared VMDK.
 - To restore files on the machine where Windows CentralControl is installed, click **Start Recovery**. If the Dynamic Disk Tool is installed, the tool starts. If the Dynamic Disk Tool is not installed, the share is shown in Windows Explorer, but you cannot browse all of the data unless you install the Dynamic Disk Tool.
 - To restore files on another machine, click the UNC path to select it, and then right-click the path and choose **Copy** from the menu. Use this path in the Dynamic Disk Tool installed on another machine.

For more information, see [Accessing Files and Folders Using a Dynamic Disk Tool Mount](#).

14. If the shared VMDK is not a Windows dynamic disk, access the shared VMDK by doing one of the following:
 - To restore files on the machine where Windows CentralControl is installed, click **Start Recovery**. The path to the shared VMDK is opened in Windows Explorer. Copy files that you want to restore from the VMDK.
 - To restore files on another machine, click the UNC path to select it, and then right-click the path and choose **Copy** from the menu. Use this path to access

the UNC share, or send the path to another user who can access the shared VMDK and copy files.

For more information, see [Accessing Shared VMDKs and Restoring Files](#).

15. To unshare the drive, click **Unshare**. In the confirmation message box, click **Yes**.

7.1.2 Sharing VMDKs Using Web CentralControl

To share a VMDK for restoring files and folders using Web CentralControl:

1. In Web CentralControl, select a vSphere Agent 7.1.
2. Select the backup job from which you want to restore files and folders.
3. Click **Run Restore**.

The Restore from Backup workflow opens with the **Select Restore Mode** screen.

4. Select **Files and Folders**, and then click **Next**.

The **Source** screen appears.

5. From the **Safeset location** list, choose the vault from which you want to restore files and folders.
6. Choose the safeset for restoring files from the **Restore from this backup version** menu.

Alternatively, select **Restore from the safeset entered in the textbox below**, and enter the safeset number in the field.

7. If the safeset is encrypted, enter the encryption password in the **Password** and **Verify Password** fields.
8. To change the share idle time or bandwidth options, click **Advanced Share Options**. The **Advanced Share Options** screen appears.

In the **Idle time** field, enter the number of minutes of inactivity after which the shared drive should automatically unshare. The **Idle time** can range from 2 to 180 minutes.

Note: The drive will not unshare as long as new data is being copied. If you copy the same data from a shared drive more than once, the system could time out because no new data is being read.

To use all available bandwidth, select **Use all available bandwidth**.

Click **OK** to close the **Advanced Share Options** screen.

9. Click **Next**.

The **Shared Data Selection** screen appears.

10. In the left pane, select the VM with the VMDK that you want to share.
11. In the right pane, select the VMDK with files or folders that you want to restore.
12. Click **Next**.

The **Share Summary** screen shows the selected restore settings.

13. Click **Share**.

The **Process Details** screen shows the progress of sharing the VMDK. When the disk is shared, a UNC path appears in the **Path** field. The drive remains shared while files are being copied, until there has been no activity for the specified amount of idle time, or until you unshare the drive.

If the VMDK is a Windows dynamic disk, a message indicates that the VMDK is a Windows dynamic disk.

14. Click the UNC path to select it, and then right-click the path and choose **Copy** from the menu.

If the shared VMDK is not a Windows dynamic disk, access the shared VMDK using the UNC path on a supported CIFS file system, or send the path to another user who will restore the files.

If the shared VMDK is a Windows dynamic disk, use the Dynamic Disk Tool to access the shared VMDK.

For more information, see [Accessing Shared VMDKs and Restoring Files](#).

15. To unshare the drive, click **Unshare**. A confirmation dialog box appears. To allow the Agent to unshare the drive, click **Yes**.

Note: The **Process Details** dialog box does not indicate when the drive has been unshared. To determine whether the drive has been unshared, view the Process Monitor. A “Restore Completed” message appears for the process when the drive has been unshared.

7.2 Accessing Shared VMDKs and Restoring Files

After sharing a VMDK from a VM backup and obtaining a UNC path (CIFS share), you can access the shared VMDK on the machine where you want to restore files. You can access the CIFS share on any supported Windows host, or on a Linux/UNIX host with the Samba client.

Note: Samba is an installable option with some Linux distributions, or you can download the open-source software from www.samba.org.

On supported Windows operating systems, the preferred method of accessing shared disks is to use the Dynamic Disk Tool (provided with the vSphere Agent). With the Dynamic Disk Tool, you can access files on Windows dynamic disks, mount multiple disks and partitions from Windows VMs, and restore Windows files and folders with advanced permissions. For more information, see [Accessing Files and Folders Using a Dynamic Disk Tool Mount](#).

Note: To restore files from a Linux VMDK, you cannot use the Dynamic Disk Tool (a Windows only tool).

You can access shared VMDKs using the UNC path outside of the Dynamic Disk Tool. For example, on a Windows operating system, you can paste the UNC path in the Windows Explorer address bar or the Map Network Drive tool. No authentication or user name is required. For more information, see [Accessing Files and Folders Using a UNC Share](#).

When you access a file or folder using a UNC share in Linux, file attributes are retained if you copy files using the appropriate flags. Check your Linux man pages for the correct copy command flag for your Linux distribution.

Note: Users do not have to enter credentials to access files on a VMDK that has been shared. You can limit the amount of time that a VMDK is shared using an **Idle time** option. However, if you have security concerns, do not perform file and folder restores; restore entire VMs or VMDKs instead. For information about limiting the amount of time that a VMDK is shared, see [Sharing VMDKs for Restoring Files and Folders](#).

7.2.1 Accessing Files and Folders Using a UNC Share

Most shared VMDKs can be accessed using a standard method on the VM where you want to restore files. For example, on a VM with a Windows guest operating system, you can paste the UNC path into the Windows Explorer address bar, or map the network drive.

When you access the share, each VMDK partition appears as a sequentially-numbered directory. For example, if the VMDK contains three partitions, the directories are named “0”, “1” and “2”. You can then copy the files you want to restore.

Note: Although you can access files and folders on shared VMDKs using this method, the Dynamic Disk Tool is the preferred method for accessing shared VMDKs on supported Windows operating systems, and is required for accessing files and folders on Windows dynamic disks.

7.2.2 Accessing Files and Folders Using a Dynamic Disk Tool Mount

On supported Windows operating systems, the preferred method of accessing shared disks is to use the Dynamic Disk Tool (provided with the vSphere Agent). The Dynamic Disk Tool is required or especially useful in the following cases:

- Windows dynamic disks. If the shared VMDK is a Windows dynamic disk, you must use the Dynamic Disk Tool to access all files and folders on the disk. If you do not use the Dynamic Disk Tool, not all data will be accessible.
- Windows VMs with multiple disks and partitions. The Dynamic Disk Tool mounts all disks and partitions from a VM with Windows basic and dynamic disks.
- Windows files and folders with advanced permissions. If you restore a file using the Dynamic Disk Tool and copy the file using an advanced copy utility or the appropriate switches, advanced permissions on the file are retained. Advanced permissions are not retained on files and folders if you access the files or folders using the UNC path outside of the Dynamic Disk Tool. Instead, the user copying the data from the shared VMDK becomes the file owner.

When you share a VMDK in Windows CentralControl or Web CentralControl, a message indicates if the shared VMDK is a Windows dynamic disk. You can then run the Dynamic Disk Tool on any supported Windows operating system on a VM or in a disaster recovery environment where you want to restore files.

You can also start the Dynamic Disk Tool from within Windows CentralControl so that the UNC path is passed directly to the tool.

After accessing a shared VMDK using the Dynamic Disk tool, you can copy the files you want to restore.

Note: You can only use the Dynamic Disk tool on supported Windows operating systems. The preferred setup is to install the tool on the same machine as Windows CentralControl.

To access files and folders using a Dynamic Disk Tool mount:

1. Using Windows CentralControl or Web CentralControl, share a VMDK from a VM backup.

When the disk is shared, a UNC path appears in the **Path** field.

For more information, see [Sharing VMDKs for Restoring Files and Folders](#).


2. Start the Dynamic Disk Tool by doing one of the following:
 - If you are sharing the VMDK using Windows CentralControl, and the VMDK is a Windows dynamic disk, click **Start Recovery** on the **Process Information** screen.

Windows CentralControl opens the Dynamic Disk Tool and passes the UNC path to the tool (if the Dynamic Disk Tool is installed on the machine where Windows CentralControl is running).

If a warning message indicates that the Dynamic Disk Tool cannot be found, you must install the tool. For more information, see [Installing the Dynamic Disk Tool](#).

- If you are sharing the VMDK using Web CentralControl, or want to run the Dynamic Disk Tool on different machine than the one where Windows CentralControl is running, double-click the Dynamic Disk Tool shortcut on the desktop. The **UNC Share** screen appears. In the **Path to the UNC Share** field, enter the UNC path from the **Path** field in CentralControl. Click **Next**.

The **Virtual Drive Mounting** screen shows drive letters for mapping each virtual disk and disk partition from the protected VM. Each virtual disk and partition is labeled with “Partition” and a number.




Note: The drive letter for each disk is obtained from the available drive letters on the system where you are restoring files. If you run out of available drives on the system, the tool will not map any more drives.

3. For each disk and partition that you want to map as a different drive letter, choose a drive letter from the drop-down list.
4. For each partition that you do not want to mount as a mapped drive, choose “none” from the drive letter drop-down list.

5. Click **Mount**.

The **Mount Status** screen shows the drive letter where each protected virtual disk and partition is mapped. You can then copy the files you want to restore from each mapped drive to the VM.



7.2.3 Installing the Dynamic Disk Tool

The preferred setup is to install the Dynamic Disk Tool on the same machine as Windows CentralControl. However, it can be installed on any supported Windows platform.

The Dynamic Disk Tool can be installed directly on the VM (Windows guest operating system) or in the disaster recovery environment where you want to restore files. You can send the UNC path to the user to access and restore the required data.

Microsoft .NET Framework 3.5 or a later version must be installed on the machine where the Dynamic Disk Tool is installed.

To install the Dynamic Disk Tool:

1. On the computer where you want to restore files and folders, double-click the Dynamic Disk Tool installation executable file.

The Dynamic Disk Tool – InstallShield Wizard screen opens.

2. Click **Install**.

The **Welcome** page appears.

3. Click **Next**.

The **Destination Folder** screen opens.

4. Specify an installation directory, and then click **Next**.

The **Ready to Install the Program** screen appears.

5. Click **Install**.

8 Restoring from Another vSphere Agent's Backup Job

You can restore VMs, VMDKs, or files and folders from a backup using a vSphere Agent that did not create the backup job. This can be useful in a disaster recovery situation.

You can restore VMs, VMDKs, or files and folders in any vCenter that supports the hardware version of the protected VM. For example, if you back up a VM with hardware version 9, you can restore the VM to a vCenter version 5.1 or later and ESXi host version 5.1 or later.

The Agent must be registered with the vCenter where you want to restore the VM, VMDK, or files and folders.

8.1 Restoring from Another Agent's Backup Job using Windows CentralControl

To restore from another Agent's backup job using Windows CentralControl:

1. In Windows CentralControl, select a vSphere Agent.
2. Choose **Actions > Restore from another computer**.

The Restore From Another Computer wizard opens to the **Select the Vault, Computer and Job from which to restore** screen.

Note: The Restore from a computer option is only available if the Agent is registered to a vault.

3. From the **Vault** list, choose the vault with the backup from which you want to restore.

The list only shows vaults that the selected Agent is registered to.

Note: For information about registering the Agent to another vault, see the *Windows CentralControl Operations Guide* or *Windows CentralControl Help*.

4. From the **Computer** list, choose the vSphere Agent with the backup from which you want to restore.
5. From the **Job** list, choose the job from which to restore.
6. Click **Next**.

The Agent downloads job information from the vault. The Restore from a Backup workflow begins with the **Choose what you want to restore** screen.

7. Restore VMs, VMDKs, or files and folders as described in [Restoring Virtual Machines](#), [Restoring VMDKs](#), and [Restoring Files and Folders](#).

8.2 Restoring from Another Agent's Backup Job using Web CentralControl

To restore from another Agent's job using Web CentralControl:

1. In Web CentralControl, select a vSphere Agent.
2. Choose **Advanced > Restore from another Computer**.

The **Restore From Another Computer** screen appears.

Note: The Restore from a computer option is only available if the Agent is registered to a vault.

3. From the **Vault** list, choose the vault with the backup from which you want to restore.

The list only shows vaults that the selected Agent is registered to.

Note: For information about registering the Agent to another vault, see the Web CentralControl Help.

4. From the **Computer** list, choose the vSphere Agent with the backup from which you want to restore.
5. From the **Job** list, choose the job from which to restore.
6. Click **Next**.

The Agent downloads job information from the vault. The **Choose what you want to restore** screen appears.

7. Restore VMs, VMDKs, or files and folders as described in [Restoring Virtual Machines](#), [Restoring VMDKs](#), and [Restoring Files and Folders](#).

9 Best Practices and Limitations

9.1 vCenter Login Credentials

The same user account should be used for registering the vSphere Agent with the vCenter and connecting to the vSphere Agent from Windows CentralControl. If you change to a different user in the vSphere Agent using "vCenter change login", you should also change the account in Windows CentralControl.

In CentralControl, on the **Agent Configuration > vCenter** tab, provide the same credentials that you used for vCenter.

9.2 Organization and Naming Conventions

Use meaningful host names when deploying vSphere Agents to help you distinguish them from other vSphere Agents. Since you can have more than one vSphere Agent in the same vCenter, name your Agents carefully. Names such as **vSphereAgent-Win** and **vSphereAgent-Unix** might be helpful.

On the **Agent Properties** screen of CentralControl, it might be useful for you to make the **Description** field match the name of the vSphere Agent.

Note: In vCenter 5, the following characters cannot be used and are not supported for VM names: # & @ { }

9.3 vSphere Agent Settings

The vSphere Agent is deployed on a VM with 2 GB of RAM and 2 virtual CPUs. You can increase the RAM for the VM higher than the default value. Changing the RAM setting will require you to power off the VM.

The Agent performs best if you choose **Thick provisioned format** when you deploy the vSphere Agent. This is the default behavior. Eager Zeroed is recommended.

9.4 vCenter Environment

Ensure that the vCenter has sufficient resources, including CPU and memory, for the vSphere Agent and all VMs in your vCenter. Ensure that the vCenter configuration follows VMware recommendations and best practices.

Using Microsoft SQL Server Express for the vCenter Server database is not recommended.

We recommend not exceeding 1000 VMs per vCenter.

We recommend one vSphere Agent per vCenter. To distribute the workload, you can have up to four vSphere Agents in a single vCenter.

Avoid removing the original network adapter from a deployed vSphere Agent. If it is removed or replaced, network services may need to be reset from the Agent Setup interface.

If you add a secondary virtual network adapter on a different VLAN to the vSphere Agent, and reboot the vSphere Agent, the new network adapter is not added until you reset the network using the Agent Setup interface. For information about the Setup interface, see [Appendix: Setup Interface](#).

Note: VMs configured with VMware Fault Tolerance or independent disks are not supported.

9.5 Changed Block Tracking (CBT)

To support CBT, VMs must be CBT enabled through CentralControl. Enable CBT through the **Agent Configuration > vCenter** tab. For more information, see [Changing the CBT Setting](#).

The vSphere Agent enables CBT globally for CBT-capable VMs. CBT cannot be enabled in the following cases:

- The hardware of the virtual machine is lower than version 7.
- With any disks that use Virtual Raw Device Mapping.
- If a VM is in SUSPENDED state and has not been previously backed up with CBT, then CBT will not be set on the VM because the Advanced Properties of the VM cannot be accessed in this state. As a result, this VM will not take advantage of CBT until the VM is powered on and a backup is performed.

Note: If you add a VM that has CBT enabled to an existing Job, you will not see any messages regarding CBT until the subsequent backup. This is expected behavior as the VM must be read in full before CBT can be applied.

9.6 vMotion and Storage vMotion

During a backup window, do not migrate a virtual machine's disks to another datastore or migrate a virtual machine, including memory and storage, to another host and datastore. A backup might fail if it occurs while a VM is being migrated to a different datastore.

9.7 Limitations

9.7.1 Unsupported Features in vSphere 5.1

The following vSphere 5.1 features have not been tested with vSphere Agent 7.1, and are not supported:

- The Agent has not been tested with vCenter Single Sign-On servers configured with identity sources other than Active Directory, such as OpenLDAP, NIS, local UNIX or local Windows.
- vSphere Agent 7.10 backs up VMs with vSphere Distributed Switches, but restores the VMs without the switches.

9.7.2 Domain Name, Username and Password Limitations

Domain name:

The Domain field value accepts alphanumeric characters and dash “-“. The value should start with a letter. The maximum length is 15 characters.

The domain field value can be set in two places: the Domain field in the Agent Properties window, and on the vCenter tab of the Agent Configuration window.

Username:

Username field accepts alphanumeric characters and the following special characters:

!#\$%-'().

The maximum length is 20 characters.

The Agent Properties window and Agent Configuration window are two places where the username field is used.

Password:

Accepts alphanumeric characters and the following special characters:

!"#\$%&'()*+,-./~`[]?^<>=

The maximum length is 31 characters in the Agent Properties window.

The Agent Properties window and Agent Configuration window are located in two places where the username field is a user with different limitations:

The Agent Properties window and Agent Configuration window accept up to 31 characters.

9.7.3 vSphere Object Naming Limitations

vSphere Object	Naming Limitation
VM	VM names can contain a maximum of 80 characters.
	In vCenter 5, VM names cannot contain any of the following characters: # & @ { }
VMDK	VMDK names can contain a maximum of 27 characters, including the suffix "-flat.vmdk".
Snapshot	Snapshot names can contain a maximum of 81 characters. The maximum suffix length is 20 characters.
Datastore	Datastore names cannot contain any of the following characters: [] @
Datacenter	In vCenter 5, long datacenter names with multibyte characters are not supported. Datacenter names cannot exceed 255 bytes.
	In vCenter 4, datacenter names cannot contain multibyte characters.
VMware Folder (e.g., Folder/Datacenter/Cluster/Hypervisor or Datacenter/Folder/Cluster/Hypervisor)	In vCenter5, VMware folder names cannot contain wide characters, or any of the following characters: ^)_+={} [] \ / @ < >
	In vCenter 4, VMware folder names cannot contain wide characters, or any of the following characters: \ / []

9.7.4 Snapshot Removal

After VM backups finish, there is a lag before snapshots are removed.

9.7.5 Concurrent Backup Session Limit

VMware allows a limited number of connections to a vCenter. Our recommendation is to not to exceed 10 concurrent connections to the vCenter, including connections for backups, restores, VMware, and 3rd party applications.

9.7.6 VM Size Limit

There is no size limit imposed.

9.7.7 VMDK Size Limit

The vSphere Agent cannot back up a VM if it has a VMDK that is greater than 2032 GB in size. If a backup job includes a VM with a VMDK that is larger than 2032 GB, the VM is skipped during the backup.

2032 GB is the maximum VMDK size recommended by VMware to allow sufficient overhead for snapshots, and snapshots are required for vSphere Agent backups.

9.7.8 Virtual Machine Templates

Virtual machine templates which were backed up in a folder (container created by VMware) are restored outside the folder.

9.7.9 Raw Disk Mapping (RDM) - Virtual and Physical

Backups and restores of physical RDMs are not supported with vSphere Agent. VMware does not allow snapshots of physical RDMs, and snapshots are required for vSphere Agent backups. If you back up a VM with a physical RDM, the VM backup is marked as incomplete. You cannot restore a VM from a backup that is marked as incomplete, but you can restore a VMDK or specific files and folders from the backup.

To back up a physical RDM, you must install an Agent in the VM with the physical RDM.

Backups and restores of virtual RDMs are supported. If you created a backup of a VM with a Virtual Raw Disk Mapping on a different datastore (rather than with the VMDK), upon restore of your VM that contains a virtual RDM disk, the restore will attempt to restore the virtual RDM to the datastore used for the mapping. The total size of the virtual RDM disk is usually larger than the datastore used for storing the mapping. As a result, you may see a warning in the log that indicates that the space maybe insufficient. Since a virtual RDM is restored as a VMDK, please ensure that the datastore used for storing the mapping has sufficient space to store the VMDK. Virtual RDM disks will be restored as VMDKs on an accessible datastore.

9.7.10 Quick File Scanning Disabled

Quick File Scanning (QFS) is disabled globally by the vSphere Agent. It cannot be enabled through CentralControl or any other method.

9.7.11 Devices with Attached Images

If you restore a virtual device such as a CD-ROM or floppy drive with an attached image, the image is not restored.

9.7.12 Delays in Detecting Changes

After a VM or VMDK is added or deleted, the vSphere Agent detects the change as soon as a related backup or other event runs. However, if no related backup or other event occurs, it can take up to an hour to detect the VM or VMDK change.

10 Appendix: Setup Interface

To view or change vSphere Agent network settings, use the Agent Setup interface.


To use the Setup interface:

1. Open the vSphere Agent console.
2. Press **Enter**.

The vSphere Agent Login screen appears.

3. Type the username (sysadmin) and password (sysadmin) in the fields, and then press **Enter**.

The Setup screen appears.



4. Do one or more of the following:
 - To highlight the setting you want to view or change, press the up and down arrow keys.
 - To select a setting, press Enter.
 - To select an option, press the space bar.
 - To change a value, type the new value.
 - To save a setting, press Enter.
 - To exit from the Setup interface, press Esc.

II Appendix: Command Line Interface

To configure and manage the vSphere Agent, use the Agent's Command Line Interface (CLI).

For a list of CLI commands, see [vSphere Agent Commands](#).

To use the CLI:

1. Open the vSphere Agent console.
2. Press **1**.
The Command Line Interface appears.
3. Log in as **sysadmin** (password is sysadmin).
The command prompt appears.
4. Enter commands at the command prompt. For a list of CLI commands, see [vSphere Agent Commands](#).
5. To exit from the CLI, type `Exit`

II.1 vSphere Agent Commands

The following is a list of the commands available in the vSphere Agent CLI.

II.1.1 agent

agent start

- launches the EVault Agent processes

agent stop

- stops running EVault Agent processes

agent restart

- relaunches running EVault Agent processes

agent status

- displays the run status of both the VVAgent and buagent processes as well as their PIDs (Process IDs)
- also reports running backups or restores

II.1.2 config

config set date MM/DD/YYYY HH:MM[:SS]

- manually sets the date and time for the vSphere Agent

config set timezone <timezone>

- sets the timezone of the vSphere Agent. This is necessary for proper operation of the Agent.

**config show timezones [help|regions|all] [list <region-name>]
[search <pattern>]**

- lists available regions such as “Canada”, “America” and “Europe”
- based on the region, you can list available timezones in that region (i.e. Eastern, Pacific, Toronto)

11.1.3 mount

mount add [//host/share [[domain/]username | guest]]

- mount a share from a Unix or Windows host – used when backing up to disk

mount remove [all]

- removes a previously added mount by selection

mount list

- Displays a listing of the existing mounts

11.1.4 net

net hosts add <ipaddr> <hostname>

- lets you map an IP address to a hostname

net hosts del <ipaddr>

- Delete the mapping of the IP address specified

net hosts show

- Lists the IP/Hostname mappings currently configured

net hosts reset

- Clears the entire list of IP/hostname mappings

net nslookup <hostname | ipaddr>

- performs a names server lookup to determine the IP address of a hostname

net ping <host>

- sends a ping to a specified hostname or IP

net reset

- resets all networking configuration to default values

net set hostname <hostname>

- sets the hostname for the vSphere Agent

net show config [all]

- displays current networking configuration of the vSphere Agent

net show dhcp

- displays current dhcp portion of the **networking** configuration of the vSphere Agent

net show hostname

- displays the hostname of the vSphere Agent

net show routes

- displays the routing table of the vSphere Agent

net show status

- displays the current connections as well as open and listening ports on the vSphere Agent

11.1.5 ntp

ntp add <server>

- adds a server address to the list of Network Time Protocol (ntp) servers configured for the vSphere Agent

ntp del <server>

- removes a server address from the ntp list

ntp show

- displays a list of ntp servers currently configured

ntp sync

- manually synchronizes the date/time between the configured ntp servers and the vSphere Agent

ntp reset

- resets the list of ntp servers to the default (pool.ntp.org)

11.1.6 ssh

ssh enable

- enables ssh for the vSphere Agent which is necessary for the SCP portion of the support command

ssh disable

-Disables the SSHD daemon for incoming connections to the vSphere Agent. You will not be able to use SSH (like putty) to connect to the vSphere Agent. Does not disable outgoing SSH connections from the vSphere Agent. You can still use support logs with scp.

ssh status

- displays the run status of the ssh service

11.1.7 support

```
support logs scp [[user@]host[:path]] | copy  
[//hostname/share/path[[domain/]username | guest]]
```

For more information, see [Creating and Sending a Support Bundle](#).

11.1.8 system

system reboot [force]

- reboots the vSphere Agent if there are no backups or restores running – use the [force] option if you wish to reboot the vSphere Agent regardless of backups and restores running. It is **NOT** recommended to force reboot the vSphere Agent.

system show date

- shows the current date/time of the vSphere Agent

system password

- change the password for the <sysadmin> user of the vSphere Agent

system show uptime

- displays total uptime of the vSphere Agent

system shutdown [force]

- shuts down the vSphere Agent if there are no backups or restores running – use the [force] option if you wish to shut down the vSphere Agent regardless of backups and restores running. It is **NOT** recommended to force shutdown the vSphere Agent.

system upgrade [manual username password]

- checks for available vSphere Agent updates and performs the update if available. Username and password are for the share where the downloaded files are located.

11.1.9 vcenter

vcenter register [<vCenter> [<backup username>]]

- registers the vSphere Agent to a vSphere vCenter server – this is required before EVault backups can be performed

vcenter change login [<backup username>]

- enables changing the user and password associated to the vCenter registration

vcenter show

- show which vCenter the vSphere Agent is registered to if any

vcenter unregister vCenter

- unregisters the vSphere Agent from a vSphere vCenter server

vcenter -force unregister

- unregisters the vSphere Agent from a vSphere vCenter server

11.1.10 webcc

webcc register <WebCCAddress> <port> <login> <password>

- registers the vSphere Agent to your Web CentralControl server. Webcc register cannot be run when backups and restores are in progress. vCenter register must be run first, before webcc register.

11.2 Creating a Share and Working with Mounts with the vSphere Agent

In order to use the alternate safeset location option when backing up VMs, you must create an external CIFS or external mount to a Windows share. You can create one or more mounts.

These mounts are per session. If you reboot the vSphere Agent, these mounts will be disconnected and will have to be re-established. Once you create an external mount, you can use Windows CentralControl or Web CentralControl to perform backups to these locations (alternate safeset locations).

11.2.1 Creating a Share and Adding External Mounts to the vSphere Agent

1. Create a Windows share. The share must have write access for the user that you will establish the connect with (or Allow Full Control for Everyone).
2. If you do not have name resolution, use the IP of your Windows machine and run the following command:

```
mount add //<hostname>/megatest SSV/<username>
```

```
Password: {enter password}
```

11.2.2 Viewing Existing Mounts

```
vra-9f0023> mount list
```

```
Mounted shares:
```

```
//<hostname>/megatest
```

```
  Name: <hostname>-megatest
```

```
  User: <username>
```

```
//<hostname>/disk1
```

```
  Name: <hostname>-disk1
```

```
  User: <username>
```

11.2.3 Mounts: Remove 1 by 1 or All:

```
vra-9f0023> mount remove
```

1. <hostname>-megatest (//<hostname>/megatest)
2. <hostname>-disk1 (//<hostname>/disk1)

Specify mount number (1 - 2), "all", or "list". Press ENTER to cancel.

Remove which mount?

11.2.4 Mount Remove All

```
vra-9f0023> mount remove all
```

```
.....
```

```
Successfully removed mounted share
```

```
"//<hostname>/megatest".
```

```
.....
```

```
Successfully removed mounted share "//<hostname>/disk1".
```

11.3 Creating and Sending a Support Bundle

If you should require assistance from Support, they may ask you to create and send them a support bundle. This will assist them in diagnosing the situation.

To create a support bundle:

1. The syntax is:

```
support logs scp [[user@]host[:path]]
```

2. Ensure there is a Windows share accessible with the appropriate permissions set for the user intended (example: /home/evault/support_bundle).
3. Also ensure you can access the destination from the vSphere Agent. This can be checked by pinging the IP address or hostname you wish to reach by typing "net ping <IP or hostname>".
4. At the command line type:

```
support logs scp  
evault@192.168.2.64:/home/evault/support_bundle
```

5. You will see "Collecting Support logs. This may take a while..."

6. At the end of this, you will be asked for your user's password to complete the request.
7. Also, you will be asked if you want to save the RSA key for future sessions.
8. Once completed successfully, you will find a file similar to the following: "support-bundle-20111118-054151.tar.bz2" (the numbers are datestamp and timestamp).

11.4 Restoring a vSphere Agent

If a vSphere Agent is deleted, damaged, or lost, you can restore the vSphere Agent using the following procedure.

Note: This procedure is not recommended for regular upgrades. When you first run an existing backup job using a restored vSphere Agent, the Agent rereads all data for the job rather than using CBT to recognize changed data. Backups after regular upgrades use CBT and do not reread all data.

To restore a vSphere Agent:

1. Ensure the previous vSphere Agent is cleaned up (removed) if necessary.
2. Deploy a new vSphere Agent of the same version or a later version.
3. Configure the new vSphere Agent and register to the vCenter.
4. Connect with Windows or Web CentralControl.
5. Perform a reregister from the Vault.
6. Add the vCenter credentials in Windows or Web CentralControl.
7. If data is encrypted, reset the encryption password.
8. Perform a synchronize for delta recreation of the Job(s).
9. Backups can proceed.