

USER GUIDE CADENAS PARTCOMMUNITY

1. Start PartCommunity

1.1 Enter

http://lechler.partcommunity.com

- 1.2 Select language.
- 1.3 Click on "Register".

Construction of the second sec	nes Internet Explorer			101×
🔆 🔄 🔹 🔲 http://kchier.pertcommunity.com/PARTcommunity	index.phbegeid=64178		• to X I we freach	19+
Onte Bearbeiten gracht Savorten Egitze 1				E) - Line *
🛊 🏟 🚺 Lechler Spray Nuccles and Nuccle Systems - V1.9.9			B • □ · ₩ • □)	Seite - 🕖 Eugen - "
TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	us* 7 min 9 Search 63 feedback		guest i <u>Los in</u>	Receiver Gooversett
	Welcome CAD HODELS		1.9 powered by CADEN	AS PARTsolutions
		Register		
	E-mail	t * [
	Confirm Ernel	n • [6	
	Usemente	n •		
	Passadd	e • [19	
	Confirm passwort	[11	
	Company	n * [
	First Name	· · []	61	
	Last Name	n * [
	Street	ei 🥐 [1	
	214	P] * [
	City	et *		
	Diate	e * []		
	Phone	n * [
	Fai	s) = [
	Country	r: * [[ne country]		
	Language	e: = [English (English)		
	Performance	: * [Normal connection (DSL 1000)	2	
		1	rave read and accepted the scence agreement	
			Submit Reset Cancel	
	* 1.0	guined fields	\bigcirc	

2. User registration

You have to register once.

- **2.1** Fill in requested data.**2.2** Accept "license agreement".
- 2.3 Click on "Submit".

- **2.4** You will receive a message that an email was send to your email address.
 - **2.5** Open the email an click on the link.



Titeret

\$ 200% ·

Lechler Spray Notifes and Notife S	ystems - V1.9.9 - Windows Internet E	spheree				10 ×
🔆 😳 🔹 🖸 Inta-Ulechier pertoammunity.con PARToammunity.index.ph?paged=64995				• + K - e feach	1914	
te Besteten Andrit Severten	Egras 1	100 C				🐑 🔹 Lista '
🔗 🗄 • 🔲 Lectier Spray feat	res and N Dustrier Spray Notzles an	×			日・日・毎・13	Seite - 🕖 Dayan - *
	US* 7 m	in 94 Search Ci feadhach			guest Log in	Anastar Gazymah
La carrai						
	Welco	CAD HODELS			1.9 powered by CADEN	AS PARTsolutions
Symbols		Dearch		Annaton	Previewa Information -	104
u are here: Lechler						
da lennen Eltecher			124			
- Consid						
322						
Imports	(protocol)	and the second s				
A Careeratic acomatic notzles	A Callan core rozzles					
					CAD	
Constant					C PENARD	
A Estiat fan nozzies	Dolid stream nozzles	C Air rotaties				
Target I	langers .	1				
Carla desora	C States	Accessions		0	Generaled CAD MODELS	
	1	1000 C		You must be logged in f	a this action	
0				Rease click here to logar	Looin	
C C Caexciant	Catalog.it			and the second second		
147-84						
			1.1	•	and the second	ك ا
14					A 2nternet	\$ 200% ·

- **2.6** By following the link you will reach this page.
- 2.7 Click on "Login".



2.8 Enter user name and password.**2.9** Click on "Login".



- 3. Setting CAD file format
- 3.1 Click on "Select CAD FORMATS".

echler Spray Nutzles and Nutzle Systems - V2.9.9 - Windows Internet Explorer					-	-1£12
The Index performants con PARTonnunity Index (ePpaged+H53)			_	2 (+)	A glove Search	P
Bearbeiten Arecht Epicenten Egities 2					_	C) - Leta *
🖗 🛞 - 🖸 Lechier Spray faczles and IL 🚺 Lechier Spray faczles an 🗙					□·前·□·	(e + O Ddei + ,
LECHLER	and 12 familiants				vfb	I Loand I Copyrigh
Walcome	CAD HOOELS Settle	ngs		=	# powered by <u>CADENA</u>	E PARTsolutions
Settings	formal Selection	941		DXF/DV/G layer to	tions 2	
You can eatert 1 more formate. you must choose a valid termat						
* Insert CAD MODEL direct into CAD 🖷		Selected Form	ats		Lengue al	
CAD MODEL for download		Type 8	format	Format category	Actions	
= Send CAD HODEL via e-mail						
	33					
				East coole	internet	
					200	

Type Fr

32

.

×

Q-0-

Remove all

Save preferences Oose

Q 1+

1, 200% .

8 • Diete

T Insert CAD MODEL direct into

ad 🖬

R CAD HO

LETCHILER

3.2 Click on "CAD MODEL for download".

3.3 In the left column "Neutral" select 3D format "STEPAP214b".This will be defined as standard format. If a customer needs another format, this can be selected individually per download.

- • × . . 4 B - D+ Q-D-#-LECHLER CAD II I Insert CAD HO Remove all I CAD I ib nts. 🕞 Dente 3.3 . -CAD HODEL via e-mail Save preferences Triarret 1 200% · /
- **3.4** Click on "save preferences"**3.5** Click on "Close"

The setting of the CAD format has to be done by the first registration only.



4. File download

4.1 Select nozzle chapter (same system like Lechler print catalog).



4.2 Select nozzle type.



4.3 Select nozzle series.



4.4 Click on nozzle series.



4.5 Table with nozzle types will be shown.

If you click on the product no. technical information will be shown.



4.6 Click on required nozzle type on the left side of the picture.



4

a

District

TEPAP2140

Detaillerungsgradt hoch Benehert ami 16.06.2010 Sprächet: Deutsch

Ca 😜 Internet

CAD MODELLE

A Baure

0.85

1.10

1.20

1.25

1.35

1.55

Alphabetrac

Areicht Envirten Egras I

🐑 Alle Kataloge 🛛 Alle Kategorien 🏼 🗿 Alle Lander

4 . 🛕 🗅 Axiel_ Volkessidiaan . 😽 😂 880/-811

40317CA \$

1117CA 2 45 465443

CHLER 45048217CA 3

HLER 45050317CA 4

Bitte übergrühen Sie den Blatus Bitrer bereits gemerlerten Telle unter "Generlerte CAD MODELLI",

45

+5

2217GA 1 45

Zelle UMMEL TYPE B Strate Vitesel [7] Typ Bohrung @ (ren

460403

460483 1.35

460503 1.45

460523 1.50

1.20

1.7

befinden sich im Lechler

TECHER ASS

te 1/10 注注

1

2

I - e-Engrieering Portal

4.7 CAD model will be generated.

Click on "Download".

4.8 Click on "Download".





4.10 Select folder and clock on "Save".

E) - Loka

Diges -

Zurlick

1, 200% ·

Q-D-#-

Download is done.