

Tripp Lite 1111 West 35th Street Chicago, IL 60609 USA Telephone: +(773) 869 1234 E-mail: saleshelp@tripplite.com

Model #: TLM615NC20

Power It! Power Strip - Convenient multiple outlets for every application



Highlights

- 6 NEMA 5-15/20R outlets
- Illuminated on/off switch with cover
- Rated for 20-amp electrical service
- 15 ft. power cord with NEMA 5-20P plug
- Rugged metal case
- Keyhole mounting slots

Description

Tripp Lite's Power It! TLM615NC20 power strip offers reliable, convenient and cost-effective power distribution for appliances, power tools, lighting and other electrical equipment requiring heavy-duty 20-amp service. Includes 6 NEMA 5-15/20R outlets, 15-foot AC power cord and keyhole mounting slots. Multi-outlet strip reduces cable clutter and enables the connection of multiple electrical devices to a single AC wall socket. Features rugged metal case to stand up to the most demanding environments, illuminated power switch with transparent cover to prevent accidental shutoff and 20A integrated circuit breaker to prevent dangerous overloads. Lifetime warranty.

INPUT/OUTPUT: Input: NEMA 5-20P/Output: 6 NEMA 5-15/20R

ELECTRICAL: 120V AC, 50/60Hz, 20A

FORMAT: 20A corded power distribution strip

Applications

- Offers a reliable, convenient and cost-effective method of power distribution for appliances, power tools, lighting and other electrical equipment in home, office or worksite.
- Unfiltered electrical pass-through makes the power strip ideal for distributing alternate waveform UPS or generator power to connected equipment.
- Heavy-duty 20-amp rating is compatible with applications requiring 20-amp electrical service and NEMA 5-15/20R outlets also allow standard 15-amp equipment to be connected.

Package Includes

- TLM615NC20 power strip
- Warranty information
- Instruction manual

Features

- Multi-outlet power strip offers reliable, convenient and cost-effective power distribution for appliances, power tools, lighting and other electrical equipment
- Includes 6 NEMA 5-15/20R outlets
- Illuminated on/off switch provides one-touch power control for connected equipment

- Transparent switch cover snaps tight to prevent accidental shutoff
- Convenient keyhole slots provide secure mounting options for a wide variety of surfaces and applications
- Heavy-duty 20A power handling capacity with integrated circuit breaker
- 120V AC, 50/60Hz electrical compatibility
- 15-foot AC power cord
- Rugged metal case provides extra safety and durability
- UL certification
- Lifetime warranty

Specifications

SYSTEM OVERVIEW		
Voltage compatibility	120V AC	
Frequency compatibility	50/60 Hz	
OUTPUT		
Output volt amp capacity (amps)	20A	
Output watts	2400w	
Outlet quantity / type	6 NEMA 5-15/20R	
Outlet orientation	Single row of 6	
Overload protection	20A circuit breaker	
INPUT		
Input connection type	NEMA 5-20P	
Input cord gauge, type	SJT 12AWG	
Input cord length (ft.)	15	
Input cord length (m)	4.5	
Recommended Electrical Service	20A 120V	
LEDS ALARMS & SWITCHES		
Switches	Illuminated on/off switch controls power to all outlets	
Locking switch cover	Transparent switch cover snaps tight to prevent accidental shutoff	
PHYSICAL		
Shipping weight (lbs)	3.8	
Shipping weight (kg)	1.7	
Shipping Dimensions (HWD/in)	15.5 x 6.5 x 2.25	
Shipping Dimensions (HWD/cm)	39.4 x 16.5 x 5.7	
Unit weight (Ibs)	3.6	
Unit weight (kg)	1.6	
Unit Dimensions (HWD/in)	13.75 x 2.5 x 2	
Unit Dimensions (HWD/cm)	35 x 6.35 x 5.1	
Material of construction	Metal case	
Integrated keyhole mounting tabs	Keyhole slots enable mounting to a variety of surfaces	
Receptacle Color	Light Gray	
AC line cord color	Light Gray	
CERTIFICATIONS		

Additional International Approvals	Complies with RoHS (Restriction of Hazardous Substances Directive)
UL1363 (Power Tap)	UL1363
cUL / CSA (Canada)	cUL
WARRANTY	
Product Warranty Period	Lifetime

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=3462.

©2009 Tripp Lite. All Rights Reserved.