

Data Sheet

Fujitsu Port Replicators Components Accessories

Get connected to your peripherals in no time

Flexibility, expandability, desktop replacement and investment protection are just few benefits of Fujitsu's docking options. Our port replicators are the perfect docking solutions for LIFEBOOK notebooks, STYLISTIC tablets and CELSIUS mobile workstations. In the office or at home it takes just a second to attach your device to the port replicator and get connected to peripherals such as an external display, keyboard and mouse. Your workplace is simple and tidy while you are ready to work with your Fujitsu device.

Reliability

- High quality and stability
- Everything you need from one source

Ease of Use

- Connect your notebook or tablet instantly to all your peripherals
- One-hand release mechanism
- Leave your peripherals plugged to the Port Replicator
- Wide range of interfaces
- Hot docking
- Family port replicator which supports several notebooks over several generations (Depending on model)
- Optional power-on button- for convenient switch-on of select notebooks (Depending on model)



Attachable Keyboard STYLIC Q702

Technical details

DC-in	1
Power on switch	1
USB 2.0 total	2
VGA	1
LAN / Ethernet (RJ45)	1
LED	1 x (Power LED)
Dimensions (W x D x H)	305 x 210 x 33 mm
Weight	0.815 kg
Order code	S26391-F1207-L2**, S26391-F1207-E2** (** country specific version)



Attachable Keyboard STYLIC Q704

Technical details

DC-in	1
USB 2.0 total	2
VGA	1
HDMI	1
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	309.7 x 214.8 x 29.9 mm
Weight	1.188 kg
Order code	S26391-F1277-L2** (**country specific version)



Charging Cradle STYLIC Q584

Technical details

DC-in	1 (19V)
Dimensions (W x D x H)	161.2 x 90.3 x 55.9 mm
Weight	0.190 kg
Order code	S26391-F1377-E100 / -L100



Cradle STYLIC M532

Technical details

DC-in	1
Audio: line-out / headphone	1
USB 2.0 total	2
HDMI	1
Dimensions (W x D x H)	122 x 87.8 x 63.5 (w/o rubber foot) mm
Weight	< 0.180 kg
Order code	S26391-F338-L200



Cradle STYLISTIC M702

Technical details

DC-in	1
Dimensions (W x D x H)	105.9 x 82.3 x 46.8 mm
Weight	0.061 kg
Order code	S26391-F339-L200



Cradle STYLISTIC Q572 with EU power cable

Technical details

DC-in	1
USB 2.0 total	3
LAN / Ethernet (RJ45)	1
Weight	0.150 kg
Order code	S26391-F1217-L500
Order code Port Replicator Bundle	S26391-F1217-L510



Cradle STYLISTIC Q704

Technical details

DC-in	1 (19V)
USB 3.0 total	4
VGA	1
HDMI	1
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	251 x 108 x 63.1 mm
Weight	0.396 kg
Order code	S26391-F1367-L100



Multifunctional Cradle STYLISTIC Q584

Technical details

DC-in	1 (19V)
USB 2.0 total	3
VGA	1
HDMI	1
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	161.2 x 90.3 x 55.9 mm
Weight	0.205 kg
Order code	S26391-F1377-E200 or -L200



Port Replicator for CELSIUS H720, H920

Technical details

DC-in	1
Power on switch	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
USB 3.0 total	4
DisplayPort	1
VGA	1
DVI	1 x (Dual link)
Serial (RS-232)	1
Kensington Lock support	2
LAN / Ethernet (RJ45)	1
eSATA	1
LED	1 x (Power LED)
Dimensions (W x D x H)	353 x 138 x 36 mm
Weight	0.690 kg
Order code	S26391-F1177-L100
Order code Port Replicator Bundle	Port replicator with EU Cable Kit, S26391-F1177-L110;



Port Replicator for CELSIUS H910

Technical details

Power on switch	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
USB 2.0 total	4
DisplayPort	1
VGA	1
DVI	1 x (Dual link)
Serial (RS-232)	1
Kensington Lock support	1 x (Port Rep and Notebook)
LAN / Ethernet (RJ45)	1
eSATA	1
LED	1 x (Power LED)
Dimensions (W x D x H)	470 x 120 x 34 mm
Weight	0.620 kg
Order code	S26391-F897-L100



Port Replicator for LIFEBOOK E752, E782, S752, S782

Technical details

DC-in	1
Power on switch	1
0-watt compatibility	Yes
Audio: line-in / microphone	1 (Microphone)
Audio: line-out / headphone	1 (Headphone)
USB 2.0 total	4
DisplayPort	1
VGA	1
DVI	1
Serial (RS-232)	1
Parallel	1
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
LAN / Ethernet (RJ45)	1
eSATA	1
LED	1 x (Power LED)
Compatibility	LIFEBOOK E780, E751, E781; LIFEBOOK S710, S751, S781; CELSIUS H710
Dimensions (W x D x H)	385 x 118 x 40 mm
Weight	0.560 kg
Order code	S26391-F1147-E100 / -L100
Order code Port Replicator Bundle	S26391-F1147-L110: Port replicator + 80W AC Adapter (0-Watt Technology) + EU cable



Port Replicator for LIFEBOOK E Series (E753, E743, E733, E754, E744 and E734) and CELSIUS H730

Technical details

DC-in	1 (19V)
Power on switch	1
0-watt compatibility	Yes
Audio: line-in / microphone	1
Audio: line-out / headphone	1
USB 3.0 total	4
DisplayPort	2 (up to 2560 x 1600) - 1 DP shared with DVI, works exclusive with DVI
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200) - shared with 1 of the display ports - works exclusive with DP
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
LAN / Ethernet (RJ45)	1
eSATA	1
Dimensions (W x D x H)	394 x 108 x 27 mm
Weight	0.540 kg
Order code	For LIFEBOOK E753, E743 and E733: S26391-F1247-E100 or -L100 Port replicator 0-Watt technology support For LIFEBOOK E754, E744 and E734: S26391-F1337-E100 or -L100 Port replicator 0-Watt technology support For CELSIUS H730: S26391-F1337-L100
Order code Port Replicator Bundle	Port replicator/0-Watt AC Adapter with EU-Cable Kit (for LIFEBOOK E753, E743 and E733), S26391-F1247-L110; Port replicator/0-Watt AC Adapter with EU-Cable Kit (for LIFEBOOK E754, E744 and E734), S26391-F1317-L110; Port replicator 150W AC Adapter with EU-Cable (for CELSIUS H730) S26391-F1337-L110



Port Replicator for LIFEBOOK P702

Technical details

DC-in	1
Power on switch	1
0-watt compatibility	Yes
USB 2.0 total	4
DisplayPort	1 (DisplayPort and DVI do not work in parallel)
VGA	1
DVI	1 (DisplayPort and DVI do not work in parallel)
Kensington Lock support	1 (Port Rep only)
LAN / Ethernet (RJ45)	1
eSATA	1
LED	1 x (Power LED)
Compatibility	LIFEBOOK P771, P701, P772
Dimensions (W x D x H)	305 x 120 x 33 mm
Weight	0.340 kg
Order code	S26391-F977-E100 / -L100
Order code Port Replicator Bundle	S26391-F977-L200: Port replicator + 80W AC Adapter (0-Watt Technology) + EU cable



Port Replicator for LIFEBOOK S762, S792

Technical details

DC-in	1
Power on switch	1
0-watt compatibility	Yes
Audio: line-out / headphone	1 (Headphone)
USB 2.0 total	4
VGA	1
DVI	1
Serial (RS-232)	1
Parallel	1
Kensington Lock support	1 (Port Rep only)
LAN / Ethernet (RJ45)	1
eSATA	1
LED	1 x (Power LED)
Compatibility	LIFEBOOK S760, S761
Dimensions (W x D x H)	370 x 114 x 38 mm
Weight	0.5 kg
Order code	S26391-F655-E300 / -L300
Order code Port Replicator Bundle	S26391-F655-L100: Port replicator + 80W AC Adapter (0-Watt Technology) + EU cable



Port Replicator for LIFEBOOK S904

Technical details

DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Kensington Lock support	1 (Port Rep only)
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	343 x 150 x 30 mm
Weight	0.650 kg
Order code	S26391-F1307-L100
Order code Port Replicator Bundle	S26391-F1307-L110: Port Replicator + 80W AC Adapter (0-Watt Technology) + EU Cable



Port Replicator for LIFEBOOK T734

Technical details

DC-in	1 (19V)
Power on switch	1
Audio: line-in / microphone	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200) (not usable in parallel with Display Port)
Kensington Lock support	1
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	338 x 150 x 38 mm
Weight	0.723 kg
Order code	S26391-F1187-L100
Order code Port Replicator Bundle	S26391-F1187-L110: Port Replicator + 80W AC Adapter (0-Watt Technology) + EU cable



Port Replicator for LIFEBOOK U772

Technical details

DC-in	1
Power on switch	1
0-watt compatibility	made4you
USB 3.0 total	4
DisplayPort	1 (DisplayPort and DVI do not work in parallel)
VGA	1
DVI	1 (DisplayPort and DVI do not work in parallel)
Kensington Lock support	2 (Port Rep only)
LAN / Ethernet (RJ45)	1
LED	1 x (Power LED)
Dimensions (W x D x H)	330 x 120 x 32 mm
Weight	0.670 kg
Order code Port Replicator Bundle	S26391-F1137-E100 / -L100: Port replicator + 100W AC Adapter (grounded) // S26391-F1137-L110: Port replicator + 100W AC Adapter (grounded) + EU cable



Port Replicator for LIFEBOOK T904

Technical details

DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Kensington Lock support	2 (Port Rep only)
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	346 x 130 x 30 mm
Weight	0.585 kg
Order code Port Replicator Bundle	S26391-F1327-L100: Port Replicator + 80 W AC Adapter (0-Watt technology)



Port Replicator for LIFEBOOK U904

Technical details

DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Kensington Lock support	1 (Port Rep only)
LAN / Ethernet (RJ45)	1
Dimensions (W x D x H)	341 x 128 x 28 mm
Weight	0.580 kg
Order code	S26391-F1347-L100
Order code Port Replicator Bundle	S26391-F1347-L110: Port Replicator + 80W AC Adapter (0-Watt Technology) + EU Cable Kit



Slice Keyboard STYLIC Q584

Technical details

Dimensions (W x D x H)	267 x 195 x 20 mm
Weight	0.630 kg
Order code	S26391-F1272-L2** (**country specific version)



Slice Keyboard for STYLIC Q704

Technical details

LED	Caps lock, Num lock, Scroll lock
Weight	0.656 kg
Order code	S26391-F1276-L2** (**country specific version)



USB 3.0 Port Replicator PR08**Technical details**

Power on switch	0
Audio: line-in / microphone	3,5 mm front
Audio: line-out / headphone	3,5 mm front
USB 2.0 total	2 rear
USB 3.0 total	2 front
USB upstream	1
DisplayPort	1
VGA	via DVI-to-VGA adapter (included)
DVI	1 (DVI-I)
Kensington Lock support	Industry-standard Kensington® security slot
LAN / Ethernet (RJ45)	1
LED	Power (blue), USB activity (green)
Dimensions (W x D x H)	40 x 78 x 190 mm
Weight	0.350 kg
Order code	S26391-F6007-L400

**USB Port Replicator PR07****Technical details**

Audio: line-in / microphone	1 x microphone (3.5 mm stereo audio in)
Audio: line-out / headphone	1 x headphones/speaker (3.5 mm stereo audio out)
USB downstream	4 x Downstream USB 2.0 Port (Type A female connector)
USB upstream	1 x Upstream USB 2.0 Port (Type B female Connector)
VGA	via DVI-to-VGA adapter (included)
DVI	1 (DVI-I)
HDMI text	via optional HDMI to DVI-D cable (S26391-F6055-L250)
Kensington Lock support	Industry-standard Kensington® security slot
LAN / Ethernet (RJ45)	1
LED	Power
Dimensions (W x D x H)	Main body without base: 35 mm Main body with base: 86 x Main body without base: 90 mm Main body with base: 110 x Main body without base: 153 mm Main body with base: 160 mm
Weight	Approximately 0.204 kg (including base)
Order code	S26391-F6007-L300



More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu , Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu , please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/accessories

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU Technology Solutions

Website: www.fujitsu.com/fts

2014-03-11 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions