


# PITTSBURGH®

## Corner Laser Level

When unpacking, make sure that the product is intact and undamaged. If any parts are missing or broken, please call 1-800-444-3353 as soon as possible.

Item 67803



### Specifications

Range	up to 20' under optimal conditions
Batteries	3 x 'AA'

### Product Labels



### PITTSBURGH CORNER LASER LEVEL

Uses 3 'AA' batteries  
(sold separately)

ITEM 67803



This product complies with  
21 CFR 1040.10 and 1040.11

Laser Diode Mfr:  
Sean & Stephen Corp.,  
4F, NO.3, Ln. 335, Sec. 4,  
Hsin-Yi Rd., Taipei, China  
Manufacture Date:

## INSTRUCTIONS AND PRECAUTIONS

Visit our website at:  
<http://www.harborfreight.com>

### ⚠ WARNING

Read this material before using this product. Failure to do so can result in serious injury. SAVE THIS MANUAL.

Copyright© 2011 by Harbor Freight Tools®. All rights reserved. No portion of this document or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools. Diagrams within this document may not be drawn proportionally. Due to continuing improvements, actual product may differ slightly from the product described herein. Tools required for assembly and service may not be included.

For technical questions,  
please call 1-800-444-3353.

## Important Safety Information

1. Never attach or use any other form of optical device with this product. Use as intended only.
2. Do not modify in any way as this may result in hazardous radiation exposure.
3. This product is not a toy. Do not allow children to play with or near this item.
4. Inspect before every use; do not use if parts are loose or damaged.
5. Maintain product labels and nameplates. These carry important safety information. If unreadable or missing, contact Harbor Freight Tools for a replacement.

- Position batteries in proper polarity and do not install batteries of different types, charge levels, or capacities together.
- People with pacemakers should consult their physician(s) before use. Electromagnetic fields in close proximity to heart pacemaker could cause pacemaker interference or pacemaker failure.
- The **Bulls-eye Level** (see Figure A) can be used to determine if the surface the level is mounted on is level. If the bubble is centered in the circle, the surface is level.
- The **Magnets** (see Figure B) are used to mount the level to a ferrous (iron-containing) metal surface.

## Battery Replacement

Before first use or if laser appears dim, then replace the batteries:

### Instructions



Read the **ENTIRE IMPORTANT SAFETY INFORMATION** section at the beginning of this document before set up or use of this product.




Figure A: Controls

- The **Power Buttons** (see Figure A) allow each of the two lasers to be switched on independently from one another. Point the Laser Openings away from your eyes before turning on. Turn off both lasers after use for safety and to extend battery life.




Figure B: Battery Compartment

- Open the Battery Cover.
- Remove the old Batteries. Dispose of them properly or recharge if rechargeable.
- Install three 'AA' batteries. Position batteries in proper polarity and do not install batteries of different types, charge levels, or capacities together.
- Close the Battery Cover.

### Record Serial Number Here:

---

**Note:** If product has no serial number, record month and year of purchase instead.

**Note:** Replacement parts are not available for this item.