



## Energizer Alkaline

• Eveready's best, longest lasting power source  
• 100% mercury free • Recommended for heavy drain, frequently used devices including portable radios, flashlights and motorized toys

Order #	Size	Pkg. Qty.	(1-4)	(5-9)	(10-up)
291-005	"AAAA"	2	\$2.65	\$2.45	\$2.14
291-010	"AAA"	2	2.62	2.41	2.11
291-015	"AAA"	4	4.74	4.53	4.23
291-020	"AAA"	8	8.29	7.89	7.29
291-025	"AA"	2	2.62	2.41	2.11
291-030	"AA"	4	4.69	4.49	4.19
291-035	"AA"	8	8.29	7.89	7.29
291-040	"C"	2	3.78	3.58	3.27
291-045	"C"	4	6.86	6.66	6.35
291-050	"D"	2	3.78	3.58	3.27
291-055	"D"	4	6.86	6.66	6.35
291-060	9V	1	3.73	3.52	3.22
291-065	9V	2	6.29	5.89	5.29
291-070	"N"	2	2.69	2.49	2.19

## Energizer e<sup>2</sup>

### Titanium Technology Batteries

Today's high-tech devices demand a high-tech battery. Energizer®-e<sup>2</sup> designed with Titanium Technology™ and Advanced Cell Construction for exceptional power in your most power hungry devices. New and improved e<sup>2</sup> delivers massive power to high-tech device like: •MP3 and portable CD players •Digital and flash cameras •Hand held electronic games •Personal organizers •e<sup>2</sup> is also ideal for critical household devices like smoke detectors and flashlights



Order #	Mfr. #	Description	(1-4)	(5-9)	(10-up)
291-805	X91	"AA" 4 pack	\$4.99	\$4.79	\$4.59
291-860	X91	"AA" 6 pack	6.99	6.69	6.49
291-810	X91	"AA" 8 pack	8.99	8.79	8.49
291-815	X92	"AAA" 4 pack	4.99	4.79	4.59
291-865	X92	"AAA" 6 pack	6.99	6.69	6.49
291-820	X92	"AAA" 8 pack	8.99	8.79	8.49
<b>Lithium Batteries</b>					
291-625	L91BP	"AA" 2 pack	5.59	5.39	5.09
291-930	L91	"AA" 4 pack	8.99	8.69	8.49
291-935	L91	"AA" 8 pack	19.99	18.99	17.99



## EVEREADY Alkaline Batteries

Designed to provide an economical power source for today's devices that require heavy current or continuous use. **Features include:** Better discharge rate capability, higher energy and more economical.

Order #	Mfr. #	Description	(1-4)	(5-9)	(10-up)
291-780	A91	"AA" 4 pack	\$2.49	\$2.29	\$2.09
291-870	A91	"AA" 16 pack	8.99	8.69	8.49
291-875	A91	"AA" 24 pack	11.99	11.69	11.49
291-785	A92	"AAA" 4 pack	2.49	2.29	2.09
291-880	A92	"AAA" 16 pack	8.99	8.69	8.49
291-790	A93	"C" 2 pack	2.49	2.29	2.09
291-885	A93	"C" 8 pack	8.99	8.69	8.49
291-795	A95	"D" 2 pack	2.69	2.49	2.29
291-890	A95	"D" 8 pack	9.99	9.69	9.49
291-800	A522	9V	2.29	2.19	1.99
291-895	A522	9V 4 pack	9.99	9.69	9.49

## NEW! NEW! NEW!

### Panasonic Oxyride™ Extreme Power™ Batteries

The first-of-its-kind "AA" and "AAA" size power cells, Oxyride™ Extreme Power™ batteries are specifically designed for the digital era. Featuring the most significant developments in primary battery technology in 40 years since the introduction of alkaline, Oxyride™ Extreme Power™ batteries are more powerful and longer lasting than alkaline. They provide users with a high-powered, long-lasting energy source that is ideal for powering digital devices such as digital cameras, hand held games and portable audio products.



Order #	Size	Qty.	(1-9)	(10-up)
292-425	"AA"	2	\$3.49	\$3.25
292-430	"AA"	4	5.79	5.39
292-435	"AAA"	2	3.49	3.25
292-440	"AAA"	4	5.79	5.39



## Panasonic Alkaline Batteries

Panasonic Alkaline Batteries provide the highest usage life in primary batteries, the best performance at low temperatures, and still maintain a five-year storage life. They work best in personal stereos, cameras, radio control toys and other personal appliances.

Order #	Size	Qty.	(1-4)	(5-9)	(10-up)
292-005	"D"	2	\$2.99	\$2.79	\$2.49
292-010	"C"	2	2.99	2.79	2.49
292-015	"AA"	2	0.99	0.90	0.80
292-020	"AA"	4	1.89	1.69	1.39
292-025	"AAA"	2	1.55	1.45	1.35
292-030	"AAA"	4	1.99	1.69	1.39
292-035	9V	1	1.99	1.89	1.79

## Bulk Packaged Alkaline Batteries

Save money by purchasing batteries in bulk. Panasonic batteries provide the highest usage life in primary batteries and have a five-year storage life.

Order #	Description	(1-4)	(5-9)	(10-up)
292-305	"D" cell 12/pk	\$12.09	\$11.09	\$10.09
292-310	"C" cell 24/pk	20.19	19.19	18.19
292-315	"AA" cell 24/pk	10.09	9.59	8.59
292-320	"AAA" cell 48/pk	20.19	19.19	18.19
292-325	9V 12/pk	20.19	19.19	18.19

## Panasonic Alkaline for Digital Cells

Specially formulated and redesigned for maximum power. Panasonic alkaline for digital cells last longer in high demand devices like digital cameras, CD players and mini-disc players.



Order #	Description	(1-4)	(5-9)	(10-up)
292-370	"AA" 4 pk	\$4.09	\$3.89	\$3.39
292-375	"AA" 8 pk	7.59	7.09	6.59
292-380	"AAA" 4 pk	4.09	3.89	3.39
292-385	"AAA" 8 pk	7.59	7.09	6.59
<b>PowerEdge Digital Camera Alkalines</b>				
292-420	"AA" 4 pk	4.99	4.79	-

## Batteries/Power Products



## Section 8

## Batteries/Power Products

AC/DC Adaptors . . .213, 214	Flashlights . . . . .225-227
Batteries . . . . .207-213	Replacement Cords/Receptacles . . . .215, 216
Battery Holders . . .208, 210	Surge Protection . . . . .217-224
Battery Testers . . .208, 209	Timers . . . . .214
Battery Chargers . . .209, 210, 214	Travel Power Kits . . . .214
DC Inverters . . . . .215	UPS . . . . .220-224
DC Adaptors . . . . .215	Telephone Batteries . . . . .211-213
Digital Camera Batteries . . . . .211	
Extension Cords . .217-219, 221-224	



## DURACELL PROCELL Alkaline Batteries

The #1 rated batteries by AV and broadcast professionals. ProCell batteries can last up to seven years. These batteries can operate in temperatures of -20°C~54°C. They can last up to ten times longer than super heavy duty zinc carbon batteries in power demanding applications.

Order #	Size	Qty.	(1-9)	(10-up)
293-255	"D"	1	\$1.16	\$1.07
293-260	"C"	1	1.16	1.07
293-265	"AA"	1	0.62	0.50
293-270	"AAA"	1	0.62	0.50
293-275	9V	1	1.71	1.67

## Bulk Packaged Alkaline Batteries

Save money by buying batteries in bulk. These batteries come in boxes of 12 or 24.

Order #	Description	(1-9)	(10-up)
293-280	"D" Cell 12/box	\$10.99	\$10.29
293-285	"C" Cell 12/box	10.99	10.29
293-290	"AA" Cell 24/box	12.99	11.29
293-295	"AAA" Cell 24/box	12.99	11.29
293-300	9V Cell 12/box	19.99	18.29

## DURACELL ULTRA

Most of the exciting, high tech devices on the market today drain batteries faster than ever. Duracell Ultra is a high-tech alkaline battery that is specifically designed to meet the unique power requirements of demanding devices.



Order #	Description	(1-4)	(5-9)	(10-up)
293-200	"AAA" per cell	\$1.75	\$1.56	\$1.28
293-205	"AAA" 2pk.	3.41	3.23	2.96
293-190	"AAA" 4pk.	6.25	6.05	5.75
293-210	"AAA" 8pk.	10.88	10.52	9.98
293-195	"AA" per cell	1.94	1.73	1.42
293-180	"AA" 4pk.	6.25	6.05	5.75
293-185	"AA" 8pk.	10.95	10.49	9.99
293-220	"C" 2pk.	5.59	5.39	5.09
293-225	"C" 4pk.	10.09	9.59	9.09
293-235	"D" 4pk.	10.09	9.59	9.09
293-240	9V 1pk.	5.59	5.39	5.09
293-245	9V 2pk.	9.08	8.63	8.18





## Batteries/ Power Products

### Section 8

#### DURACELL® Alkaline Batteries

•Duracell's best longest lasting power source  
•Recommended for heavy drain, frequently used devices including flashlights, radios, pagers, and electronic games



Order #	Size	Qty.	(1-4)	(5-9)	(10-up)
293-050	"AAA"	2	\$2.62	\$2.41	\$2.11
293-055	"AAA"	4	4.74	4.53	4.23
293-060	"AAA"	8	8.29	7.89	7.29
293-025	"AA"	2	2.62	2.41	2.11
293-030	"AA"	4	4.74	4.53	4.23
293-035	"AA"	8	8.29	7.89	7.29
293-015	"C"	2	3.73	3.52	3.22
293-020	"C"	4	6.86	6.66	6.35
293-005	"D"	2	3.78	3.58	3.27
293-010	"D"	4	6.79	6.59	6.29
293-040	9V	1	3.73	3.52	3.22
293-045	9V	2	6.29	5.89	5.29

#### DURACELL® Alkaline Batteries

•Popular Duracell alkaline batteries  
•Common uses include photography, pagers, medical equipment, garage door openers, invisible fence collars etc.



Order #	Mfr. #	Volts	(1-4)	(5-9)	(10-up)
293-155	MN175	7.5	\$6.45	\$6.24	\$6.04
293-160	MN21	12.0	1.20	1.10	1.00
293-165	MN9100	1.5	2.62	2.51	2.31

#### DURACELL® Lithium Photo Cells

•Popular lithium cells used in photography equipment

Order #	Description	Volts	(1-4)	(5-9)	(10-up)
293-075	DL123A	3.0	\$7.06	\$6.86	\$6.55
293-130	PX28L	6.0	5.95	5.75	5.44

#### DURACELL® "J" Type Battery

•Popular battery found in remote controls including Zenith, RCA and others  
•Duracell #7K67B •6V battery



Order #	(1-4)	(5-9)	(10-up)
293-170	\$3.63	\$3.42	\$3.12

**Let Us Quote Your Next Project!**  
Call our Quotes Team  
**1-800-551-1522**  
email: quotes@mcmone.com

#### Panasonic

##### Heavy Duty Batteries

Panasonic Heavy Duty Batteries can be used for all applications associated with general purpose batteries, as well as more demanding uses like: Calculators, radios, flashlights, clocks and remote controls.



Order #	Size	Qty.	(1-4)	(5-9)	(10-up)
292-045	"D"	2	\$1.42	\$1.22	\$1.01
292-055	"AA"	4	1.50	1.30	-
292-060	"AAA"	2	0.70	0.60	0.49
292-065	9V	1	1.53	1.32	1.12
292-070	9V	2	2.51	2.31	2.21
292-075	6V	1	3.83	3.63	3.42



#### Panasonic Lithium Cylindrical Cells

Lithium cylindrical cells provide excellent performance and provide more power than alkaline cells.

Order #	Mfr. #	Volts	(1-4)	(5-9)	(10-up)
292-155	CR-P2	6	\$13.31	\$12.29	\$10.75
292-160	2CR-5M	6	13.12	12.11	10.59
292-165	CR-123A	3	8.19	7.98	7.68
292-170	CR-123A (2 pk)	3	15.36	14.34	12.80
292-175	CR-2	3	8.19	7.98	7.68



#### SAMSUNG

##### Alkaline Batteries

Samsung's alkaline batteries are designed to meet the growing needs of consumers. Upgraded technology allows advanced performance from today's sophisticated battery-powered devices. Samsung's alkaline line is the perfect choice for reliable, long-lasting life for everyday devices like toys, portable tape and CD players, clocks and radios, electronic games, smoke detectors, PDAs and flashlights.

Order #	Size	Quantity	(1-99)	(100-up)
295-0005	"D"	2	\$2.59	\$1.99
295-0010	"C"	2	2.59	1.99
295-0015	9V	1	1.99	1.89
295-0020	"AA"	2	1.00	0.95
295-0025	"AA"	4	1.99	1.89
295-0075	"AA"	28	8.99	-
295-0030	"AAA"	2	1.00	0.95
295-0035	"AAA"	4	1.00	0.95
295-0080	"AAA"	28	8.99	8.29



##### Battery Racks

Organizes and stores up to 40 batteries in all common sizes. Allows for easy and quick battery dispensing. The Battery Rack™ stores regular or rechargeable power cells, and includes a built-in battery tester. It can be mounted in any convenient area and all mounting hardware is included. Molded from high-impact polystyrene.

Order #	Description	(ea.)
29-3980	BatteryRack 40	\$12.95
29-3985	BatteryRack 20	10.95
29-3990	BatteryRack 34 with flashlight	14.95



#### Energizer® Industrial Energizer

•Alkaline •For heavy drain and temperature extremes •Bulk packaging for greater savings!

Order #	Size	Pkg. Qty.	(ea.)	(2-4)	(5-up)
291-150	"AAA"	12	\$11.95	\$10.75	\$8.25
291-155	"AA"	4	3.99	3.59	2.79
291-160	"C"	12	15.66	14.39	14.09
291-165	"D"	12	15.50	14.50	12.95
291-170	9V	12	27.50	26.25	23.95



#### EVEREADY® Super Heavy-Duty

•Premium power at popular prices •Excellent leakage resistance •100% mercury free  
•Recommended for moderate to heavy drain devices including radios, clocks and CD players

Order #	Size	Pkg. Qty.	(1-4)	(5-9)	(10-up)
291-075	"AAA"	4	\$2.51	\$2.31	\$2.11
291-085	"AA"	4	2.51	2.31	2.11
291-900	"C"	2	1.29	1.20	1.15
291-910	"C"	4	2.29	2.20	2.09
291-905	"D"	2	1.29	1.20	1.15
291-915	"D"	4	2.29	2.20	2.09
291-110	9V	2	3.02	2.82	2.51



#### Energizer® Photo Cells

•High energy, long life power source  
•Good low and high temperature operations

Order #	Description	(1-4)	(5-9)	(10-up)
291-580	EL223 6V	\$12.25	\$11.94	\$11.53
291-585	EL123 3V	7.06	6.76	6.35
291-590	EL2CR5 6V	12.25	11.94	11.53
291-595	539 6V (J)	3.68	3.47	3.17
291-605	L544 6V	5.83	-	-
291-615	A23 12V 2-pk	2.62	2.41	2.11
291-620	A76 1.5V	1.40	1.30	1.10
291-625	L91BP-2 "AA" Lithium 2 pk	5.59	5.39	5.09
291-630	A544 6V	3.68	3.47	3.17
291-640	EPX76 1.5V	3.12	2.92	2.62

#### Energizer®

##### 9V Lithium Battery

Today's low drain devices like smoke detectors and wireless alarms will operate longer with lithium batteries. Lithium batteries outlast alkaline batteries making them more economical in low drain applications.

Order #	Mfr. #	(1-4)	(5-9)	(10-up)
291-735	L522FP	\$8.19	\$7.39	\$6.79







## Energizer® Rechargeable Batteries and Chargers

Energizer® Rechargeable™ NiMH round cell batteries' leading-edge technology makes them ideal for the most advanced, high-drain devices such as digital cameras, personal digital assistants (PDAs), hand-held games, portable CD players and palmtop computers. High-capacity cells provide exceptional power per charge and up to 1,000 recharges. And since they're renewable and reusable, Energizer® Rechargeable™ batteries are a good economic and environmental choice.



#291-855



#291-995

Order #	Mfr. #	Description	Capacity	(1-4)	(5-9)
<b>Batteries</b>					
291-740	NH15	"AA" 2pk	1850mAh	\$7.99	\$7.49
291-745	NH15	"AA" 4pk	1850mAh	12.95	12.50
291-750	NH12	"AAA" 2pk	750mAh	7.99	7.49
291-755	NH22	9V 1pk	150mAh	9.99	9.49
291-760	NH35	"C" 2pk	2200mAh	9.99	9.49
291-765	NH50	"D"	2200mAh	9.99	9.49
Order #	Mfr. #	Description		(1-4)	(5-9)
<b>Chargers</b>					
291-775	CHM4FC	"AA", "AAA", 9V, "C", "D"		\$21.19	\$20.19
291-855	CHM39	"AA", "AAA" includes four "AA" batteries		19.95	17.95
291-920	CHCARCP-4	"AA", "AAA" includes four "AA" batteries and car charger		25.99	24.69
291-925	CHM039WOB	"AA", "AAA"		10.99	10.59
291-995	CH15MNC4	15 minute charger includes four "AA" and "AAA"		32.95	29.95

## GP® Nickel Metal Hydride Batteries

Rechargeable NiMH batteries are environmentally friendly and last up to twice as long as NiCd batteries. NiMH batteries do not suffer from "memory" and can be charged and used just like NiCd batteries.



Order #	Description	Capacity	(1-4)	(5-9)
29-3250	"C" 2pk	2.2AH	\$7.13	\$6.93

## GP® Nickel Metal Hydride Batteries

Rechargeable NiMH batteries are environmentally friendly and last up to twice as long as NiCd batteries. NiMH batteries do not suffer from "memory" and can be charged and used just like NiCd batteries. Use NiMH batteries with solder tabs to build custom battery packs for any application.



Order #	Description	Capacity	(ea.)
29-3275	"AA"	1300mAh	\$5.45
29-3280	"2/3AF"	1000mAh	4.42

## Battery Charger

Plug in type battery charger for one or two 9V batteries. Charging current is 15mA.

Order #	(ea.)
29-3305	\$3.05



## SAMSUNG Rechargeable Batteries

Samsung's Nickel-metal Hydride (Ni-MH) rechargeable batteries are one of the most advanced rechargeable battery systems commercially available. They meet the demanding power needs of today's high-tech devices, and they can be recharged up to 1,000 times. Samsung Ni-MH batteries are perfect for portable electronic devices, such as DVD, VCD, MD and CD players, portable audio and video devices, cordless phones, transceivers and digital video cameras.



Order #	Type	Quantity	mAh	(1-99)	(100-up)
295-0060	"AA"	2	2100	\$5.99	\$5.49
295-0065	"AAA"	2	800	5.99	5.49
295-0070	Charger with four "AA" batteries			29.95	27.95

## Panasonic NiMH Rechargeable Batteries

Rechargeable NiMH batteries are environmentally friendly and last up to twice as long as standard Ni-Cd batteries. NiMH batteries are ideal for high power digital applications like CD players, mini-disc players and digital cameras. The dual action charger will charge one or two batteries at a time and will charge both Ni-Cd and NiMH batteries.



Order #	Description	(1-4)	(5-9)	(10-up)
292-395	"AAA" two pk	\$6.99	\$6.79	\$6.29
292-400	Dual action charger w/two "AA" cells	24.95	22.95	19.95



## DURACELL® NiMH Charger

- Charges two "AA" or four "AAA" •Charging time three hours for two "AA" or six hours for four "AAA"
- LED charging indicators

Order #	Description	(1-9)	(10-up)
293-250	Duracell NiMH Charger	\$15.95	\$14.25
293-335	Duracell NiMH "AA" 2 pack	8.95	8.25
293-340	Duracell NiMH "AA" 4 pack	12.95	11.95
293-345	Duracell NiMH "AAA" 2 pack	8.95	8.25

## Battery Tester

- Use with most popular rechargeable and standard batteries •Tests batteries under load conditions
- Easy-to-read meter indicates battery condition at a glance

Order #	(ea.)
29-1050	\$6.17



## Batteries/ Power Products



## Section 8

## 5 Hour Ni-MH Battery Charger with Four "AA" Batteries

Rechargeable NiMH batteries are great for digital cameras and other high drain devices. This dual action charger will charge both "AA" and "AAA" batteries up to four at a time. This unit includes four high capacity 1800mAh "AA" batteries.



Order #	(1-9)	(10-up)
29-4130	\$9.95	\$8.55

## NEW! NEW! NEW!

## Rechargeable Nickel-Metal Hydride Batteries

Nickel-Metal Hydride (Ni-MH) rechargeable batteries are one of the most advanced rechargeable battery systems commercially available and offer several advantages over today's ordinary nickel-cadmium (Ni-Cd) rechargeable batteries, including up to 40 percent longer service life. Ni-MH rechargeable batteries are also an environmentally friendlier alternative to Ni-Cd batteries.



Order #	Description	mAh	List Price	(1-49)	(50-up)
29-4185	"AA" Single	1800	\$4.99	\$1.39	\$1.19
29-4190	"AAA" Single	600	4.99	1.39	1.19

## 9.6 Volt Hobby Pack

High performance replacement Ni-Cad battery used in many popular RC devices. **Contains:** Eight size "AA" cells. 9.6V, 600mA.



Order #	(ea.)
29-1425	\$19.42

## BATTERY CS3 PRISM

## Power Wheel Type Battery

For use in many popular motorized children's toys including power wheels. In-line fuse replaces original battery's fuse on the battery. Each battery is 6V, 12A hour. Most applications require two batteries. Connectors interlock for two battery applications. **Dimensions:** 2.75" (W) x 4.25" (L) x 5.54" (H). Weight: 5.90 lbs. Mfr. #GH130WLF.



Order #	(ea.)
29-1950	\$19.95

Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 209





## Batteries/ Power Products

### Section 8

#### Intelligent Battery Charger

This charger with a built-in microprocessor has features not found in average chargers. This charger monitors changes in voltage and current to provide the strongest charge. Automatic discharge and deep conditioning eliminate memory effects that are problems in all NiCd batteries. The charger starts the cycle in pulse mode and switches to trickle charge when the battery is charged. Automatic detection of battery voltage: 4.8, 6.0 or 7.2V. The charger operates on 12VDC.



Order #	Description	(ea.)
29-3330	12VDC	\$17.72

#### "AA" Battery Adaptors

"AA" battery adaptors allow you to use a size "AA" battery in place of a size "C" or "D". Allows you to save money by buying value pack sizes of "AA" and eliminates the need to purchase multiple sizes of batteries. Four per package.



Order #	Size	(pkg.)
29-2630	"C"	\$1.99
29-2635	"D"	1.99

#### Ni-Cad Pulse Chargers

Battery memory greatly reduces the useful life of Ni-Cad batteries. A pulse charger breaks battery memory by sending DC pulses into the battery. Fast charges batteries up to 95% of capacity and automatically switches to trickle charge. Batteries are automatically discharged before charging. Charges "AAA", "AA" Ni-Cad and Ni-MH.



Order #	(ea.)
29-1685	\$19.52

#### Deluxe Universal Ni-Cad Battery Charger/Tester

•Accepts "D", "C", "AA", "AAA", "N" and 9V Ni-Cad batteries or button cells •Charges batteries individually or simultaneously (up to ten cells) •"Test meter" indicates strength of battery •Test batteries for strength or weakness •110/220VAC input




Order #	(ea.)
28-1415	\$13.91

#### Battery Charger with Manual Discharge

For combinations of one to four "AA", "AAA", "C", "D" with charge current of 120mA or one to two 9V with charge current of 13mA. Built in battery tester to check condition of the battery.



Order #	(ea.)
29-3300	\$7.20




#### Energizer Battery Holders

•Commonly used in radios and other portable electronics •Ideal for electronic projects

Order #	Holds	Connectors	(1-9)	(10-49)
27-1350	(1) "A"	Leads	\$0.83	\$0.61
27-1320	(2) "AA"	9V type	0.80	0.68
29-630	(4) "AA"	9V type	1.03	0.61
27-1335	(8) "AA"	Leads	1.41	1.19
29-1360	(4) "D"	Leads	1.24	1.03
29-130*	(1)	9V Clip	-	0.30
29-1045*	(1)	9V Clip	-	0.30
29-1675	CR2032	Spring clip	0.72	0.61
29-1680	CR2430	Spring clip	0.72	0.61
29-1345	(2) "C"	Leads	1.03	0.83

\*Minimum ten



#### Battery Holders

High quality plastic battery holders for repair and hobby applications. Color is black. Five per package.

Fig.	Order #	Qty / Description	(1-9 pkgs.)	(10 pkgs.-up)
<b>9 Volt Type Snap</b>				
A	BT00813	2 / "AA"	\$2.99	\$2.79
B	BT00829	4 / "AA"	2.95	2.75
C	BT00827	4 / "AA"	1.03	0.98
D	BT00837	6 / "AA"	3.05	2.74
E	BT00839	8 / "AA"	3.87	3.56
F	BT00802	10 / "AA"	6.26	6.16
G	BT00835	4 / "D"	6.79	6.39



#### NP Series - General Purpose Float and Cyclic Sealed Lead-Acid Batteries

Yuasa Inc., a leader in back-up energy, offers a complete line of rechargeable batteries for a wide variety of applications. Use as a supply of back-up energy, or as a portable power source. The NP series can be stored, charged, or operated in any position without leakage. Qualified to non-spillable UN2800 standards. Standard housing is ABS resin. A flame-retardant version (to UL94-VO) is also available.

Order #	Type	Voltage	Nom. Cap. @ 10 hr. Rate (Ah)	H x L x W	Weight (lbs.)	Terminals	(ea.)
29-970	NP1.2-6	6V	1.2	2.15 x 3.82 x 0.98	0.66	Faston Tab 0.187	\$14.09
29-3810	NP3-6	6V	3.0	2.52 x 5.28 x 1.33	1.43	Faston Tab 0.187	15.49
29-775	NP4-6	6V	4.0	4.15 x 2.76 x 1.85	1.87	Faston Tab 0.187	15.95
29-780	NP7-6	6V	7.0	3.84 x 5.95 x 1.33	2.98	Faston Tab 0.187, 0.250 opt.	22.17
29-785	NP10-6	6V	10.0	3.84 x 5.95 x 1.97	4.41	Faston Tab 0.187, 0.250 opt.	23.95
29-3825	NP0.8-12	12V	0.8	2.42 x 3.78 x 0.98	0.77	JST VHR-2N	26.89
29-880	NP1.2-12	12V	1.2	2.15 x 3.82 x 1.89	1.25	Faston Tab 0.187	25.20
29-3830	NP2-12	12V	2.0	3.50 x 5.91 x 0.79	1.54	Faston Tab 0.187	24.89
29-975	NP2.3-12	12V	2.3	2.52 x 7.01 x 1.34	2.05	Faston Tab 0.187	31.26
29-790	NP4-12	12V	4.0	4.17 x 3.54 x 2.76	3.74	Faston Tab 0.187	15.95
29-795	NP7-12	12V	7.0	3.84 x 5.94 x 2.56	5.84	Faston Tab 0.187, 0.250 opt.	19.95
29-3840	NP12-12	12V	12.0	3.86 x 5.94 x 3.86	8.82	Faston Tab 0.250	32.95
29-3850	NP24-12B	12V	24.0	4.92 x 6.54 x 6.89	19.10	0.216 Bolt terminal	69.39
29-3860	NP38-12	12V	38.0	6.89 x 7.74 x 6.50	30.40	0.260 Bolt terminal	103.49

#### KEYSTONE

#### Universal 9V PCB Mount Holder

Snap in, tin plated brass terminals with nylon body.



Order #	Mfr. #	(1-9)	(10-up)
29-3030	1295	\$0.81	\$0.71



#### Sealed Lead Acid Batteries


CSB batteries are used for UPS, emergency lighting, security and any floating application. Maximum charging current is nominal capacity times 0.3. All dimensions are in inches. **Connection:** A=.187" disconnect, B=.250" disconnect, C= bolt and nut.

Order #	Mfr. #	Capacity	Dimensions (L) x (W) x (H)	Contact	(ea.)
<b>6 Volt</b>					
29-3085	GP645	4.5Ah	2.76 x 1.89 x 4.02	A	\$10.95
29-3090	GP672	7.0Ah	5.94 x 1.34 x 3.70	A	14.09
29-3100	GP3120F2	11.0Ah	5.94 x 1.97 x 3.70	B	16.95
<b>12 Volt</b>					
29-3110	GP1222	2.2Ah	7.01 x 1.34 x 2.36	A	22.50
29-1335	GP1245	4.5Ah	3.5 x 2.75 x 4.0	B	26.95
29-3120	GP1270F2	7.0Ah	5.95 x 2.56 x 3.70	B	22.95
29-3125	GP12110F2	11.0Ah	5.94 x 3.98 x 3.70	B	34.95
29-3130	GP12170	17.0Ah	7.13 x 2.99 x 6.57	C	53.95
29-3135	GP12260	26.0Ah	6.54 x 6.89 x 4.92	C	75.70



210

Order Online  
www.mcminone.com



## Panasonic ideas for life

### Cordless Telephone Batteries

Genuine Panasonic replacement batteries are ideal for all Panasonic cordless telephones. Please contact your MCM representative for assistance in finding the correct battery for your needs.

Fig.	Order #	Mfr #	Power	Capacity	Chem.	(ea.)
A	P-P-P501PA/1B	P-P501PA/1B	3.6V	600mAh	NiCd	\$8.96
B	P-P-P511A/1B	P-P511A/1B	3.6V	850mAh	NiCd	10.76
C	P-P-P510A/1B	P-P510A/1B	3.6V	1000mAh	NiCd	13.46
D	P-P-P301PA/1B	P-P301PA/1B	3.6V	300mAh	NiCd	8.96
E	P-P-P305A/1B	P-P305A/1B	2.4V	300mAh	NiCd	6.26
F	P-HHR-P513A/1B <b>NEW!</b>	HHR-P513A/1B	2.4V	1500mAh	NiMH	10.76
G	P-P-P592PA/1B	P-P592PA/1B	3.6V	600mAh	NiCd	16.16
H	P-HHR-P103A/1B	HHR-P103A/1B	3.6V	700mAh	NiMH	12.56
J	P-HHR-P506A/1B	HHR-P506A/1B	2.4V	1500mAh	NiMH	17.96
K	P-HHR-P401A/1B <b>NEW!</b>	HHR-P401A/1B	3.6V	1150mAh	NiMH	17.06

## Panasonic ideas for life Cordless Telephone Battery Cross Reference

Model #	Order #	Model #	Order #	Model #	Order #	Model #	Order #
<b>Battery #P-P501PA/1B</b>		KX-TG2219	P-P-P511A/1B	KX-TCM422	P-P-P301PA/1B	KX-T4350	P-P-P301PA/1B
KXT-3825	P-P-P501PA/1B	KX-TG2227	P-P-P511A/1B	KX-TCM424	P-P-P301PA/1B	KX-T4360	P-P-P301PA/1B
KXT-3835	P-P-P501PA/1B	KX-TG2236	P-P-P511A/1B	KX-TCM440-B	P-P-P301PA/1B	KX-T4365	P-P-P301PA/1B
KXT-3845	P-P-P501PA/1B	KX-TG2237	P-P-P511A/1B	KX-T3610	P-P-P301PA/1B	KX-T4370	P-P-P301PA/1B
KXT-3900	P-P-P501PA/1B	KX-TG2239	P-P-P511A/1B	KX-T3620	P-P-P301PA/1B	KX-T4400	P-P-P301PA/1B
KX-TC901	P-P-P501PA/1B	KX-TG2247	P-P-P511A/1B	KX-T3640	P-P-P301PA/1B	KX-T4410	P-P-P301PA/1B
KX-TC904	P-P-P501PA/1B	KX-TG2257	P-P-P511A/1B	KX-T3702	P-P-P301PA/1B	KX-T4500	P-P-P301PA/1B
KX-TC907-B	P-P-P501PA/1B	KX-TG2267	P-P-P511A/1B	KX-T3705	P-P-P301PA/1B	KX-T4550	P-P-P301PA/1B
KX-TC911	P-P-P501PA/1B	KX-TG2700S	P-P-P511A/1B	KX-T3710	P-P-P301PA/1B	KX-T4600	P-P-P301PA/1B
KX-TC933-B	P-P-P501PA/1B	KX-TG2720S	P-P-P511A/1B	KX-T3712	P-P-P301PA/1B	<b>Battery # P-P305A/1B</b>	
KX-TC934B	P-P-P501PA/1B	KX-TG2730S	P-P-P511A/1B	KX-T3720	P-P-P301PA/1B	KX-TC1000B	P-P-P305A/1B
KX-TC935-B	P-P-P501PA/1B	KX-TG2740S	P-P-P511A/1B	KX-T3725	P-P-P301PA/1B	KX-TC1001W	P-P-P305A/1B
KX-TCM939-B	P-P-P501PA/1B	KX-TG2750S	P-P-P511A/1B	KX-T3730	P-P-P301PA/1B	KX-TC1040W	P-P-P305A/1B
KX-TCM943	P-P-P501PA/1B	KX-TG2770S	P-P-P511A/1B	KX-T3732	P-P-P301PA/1B	KX-TC1000	P-P-P305A/1B
KX-TCM944-B	P-P-P501PA/1B	KX-TGA270S	P-P-P511A/1B	KX-T3848	P-P-P301PA/1B	<b>Battery # P-P592PA/1B</b>	
KX-TCM947-B	P-P-P501PA/1B	KX-TGA273S	P-P-P511A/1B	KX-T3850	P-P-P301PA/1B	KX-TC914	P-P-P592PA/1B
KX-TC1400	P-P-P501PA/1B	KX-TG5100	P-P-P511A/1B	KX-T3855	P-P-P301PA/1B	KX-TCC902	P-P-P592PA/1B
KX-TC1401B	P-P-P501PA/1B	KX-TG5110	P-P-P511A/01B	KX-T3860	P-P-P301PA/1B	KX-TCC912	P-P-P592PA/1B
KX-TC1402W	P-P-P501PA/1B	KX-TGA510	P-P-P511A/1B	KX-T3870	P-P-P301PA/1B	KX-TCC942	P-P-P592PA/1B
KX-TC1403B	P-P-P501PA/1B	<b>Battery # P-P510A/1B</b>		KX-T3875	P-P-P301PA/1B	KX-TCS970	P-P-P592PA/1B
KX-TC1410B	P-P-P501PA/1B	KX-TG2401	P-P-P510A/1B	KX-T3908	P-P-P301PA/1B	KX-TC900	P-P-P592PA/1B
KX-TC1430W	P-P-P501PA/1B	KX-TG2403B	P-P-P510A/1B	KX-T3910	P-P-P301PA/1B	KX-TC900B	P-P-P592PA/1B
KX-TC1431W	P-P-P501PA/1B	KX-TG2451	P-P-P510A/1B	KX-T3912	P-P-P301PA/1B	KX-TC900W	P-P-P592PA/1B
KX-TC1447PK	P-P-P501PA/1B	KX-TG2481	P-P-P510A/1B	KX-T3920	P-P-P301PA/1B	KX-TC909	P-P-P592PA/1B
KX-TC1450	P-P-P501PA/1B	KX-TG2553	P-P-P510A/1B	KX-T3925	P-P-P301PA/1B	KX-TC910	P-P-P592PA/1B
KX-TC1451B	P-P-P501PA/1B	KX-TG2563	P-P-P510A/1B	KX-T3930	P-P-P301PA/1B	KX-TC910B	P-P-P592PA/1B
KX-TC1460W	P-P-P501PA/1B	KX-TG2583	P-P-P510A/1B	KX-T3932	P-P-P301PA/1B	KX-TC910DB	P-P-P592PA/1B
KX-TC1461B	P-P-P501PA/1B	KX-TG2593B	P-P-P510A/1B	KX-T3935	P-P-P301PA/1B	KX-TC919	P-P-P592PA/1B
KX-TC1481B	P-P-P501PA/1B	KX-TG2564	P-P-P510A/1B	KX-T3940	P-P-P301PA/1B	<b>Battery # HHR-P103A/1B</b>	
KX-TC1484B	P-P-P501PA/1B	KX-TG2503	P-P-P510A/1B	KX-T3945	P-P-P301PA/1B	KX-TGA271	P-HHR-P103A/1B
KX-TC1500	P-P-P501PA/1B	KX-TG2551	P-P-P510A/1B	KX-T3950	P-P-P301PA/1B	KX-TGA272	P-HHR-P103A/1B
KX-TC1501B	P-P-P501PA/1B	KX-TC1801	P-P-P510A/1B	KX-T3960	P-P-P301PA/1B	KX-TG2352	P-HHR-P103A/1B
KX-TC1503	P-P-P501PA/1B	KX-TC1811	P-P-P510A/1B	KX-T3962	P-P-P301PA/1B	KX-TG2382	P-HHR-P103A/1B
KX-TC1520B	P-P-P501PA/1B	KX-TC1831	P-P-P510A/1B	KX-T3965	P-P-P301PA/1B	KX-TGA230	P-HHR-P103A/1B
KX-TC1700	P-P-P501PA/1B	KX-TC1851	P-P-P510A/1B	KX-T3967	P-P-P301PA/1B	KX-TG2383	P-HHR-P103A/1B
KX-TC1701B	P-P-P501PA/1B	KX-TC1861	P-P-P510A/1B	KX-T3968	P-P-P301PA/1B	<b>Battery # HHR-P506A/1B</b>	
KX-TC1703	P-P-P501PA/1B	KX-TC1866	P-P-P510A/1B	KX-T3980	P-P-P301PA/1B	KX-TG2000B	P-HHR-P506A/1B
KX-TC1710B	P-P-P501PA/1B	KX-TC1871	P-P-P510A/1B	KX-T4108	P-P-P301PA/1B	KX-TGA400B	P-HHR-P506A/1B
KX-TC1711B	P-P-P501PA/1B	KX-TC1886	P-P-P510A/1B	KX-T4109	P-P-P301PA/1B	KX-TGA400	P-HHR-P506A/1B
KX-TC1713B	P-P-P501PA/1B	KX-TC1891	P-P-P510A/1B	KX-T4168	P-P-P301PA/1B	KX-TGA420	P-HHR-P506A/1B
KX-TC1720B	P-P-P501PA/1B	KX-TC1881	P-P-P510A/1B	KX-T4169	P-P-P301PA/1B	<b>Battery # HHR-P513A/1B</b>	
KX-TC1721B	P-P-P501PA/1B	KX-TC1868	P-P-P510A/1B	KX-TC100	P-P-P301PA/1B	KX-TG2208	P-HHR-P513A/1B
KX-TC1723B	P-P-P501PA/1B	KX-TG2584	P-P-P510A/1B	KX-TC109	P-P-P301PA/1B	KX-TG2214	P-HHR-P513A/1B
KX-TC1731B	P-P-P501PA/1B	KX-TG2562W	P-P-P510A/1B	KX-TC150	P-P-P301PA/1B	KX-TG2216	P-HHR-P513A/1B
KX-TC1733B	P-P-P501PA/1B	<b>Battery # P-P301PA/1B</b>		KX-TC155	P-P-P301PA/1B	KX-TG2224	P-HHR-P513A/1B
KX-TC1740B	P-P-P501PA/1B	KXT-3807	P-P-P301PA/1B	KX-TC157	P-P-P301PA/1B	KX-TG2226	P-HHR-P513A/1B
KX-TC1741B	P-P-P501PA/1B	KXT-3823	P-P-P301PA/1B	KX-TC162B	P-P-P301PA/1B	KX-TG2235	P-HHR-P513A/1B
KX-TC1742B	P-P-P501PA/1B	KXT-3824	P-P-P301PA/1B	KX-TC170	P-P-P301PA/1B	KX-TG2238	P-HHR-P513A/1B
KX-TC1743	P-P-P501PA/1B	KXT-3832	P-P-P301PA/1B	KX-TC180	P-P-P301PA/1B	KX-TG2248	P-HHR-P513A/1B
KX-TC1750B	P-P-P501PA/1B	KXTC-185	P-P-P301PA/1B	KX-TC190	P-P-P301PA/1B	KX-TG2258	P-HHR-P513A/1B
KX-TC1800B	P-P-P501PA/1B	KXTC-187	P-P-P301PA/1B	KX-TC280	P-P-P301PA/1B	<b>Battery # HHR-P401A/1B</b>	
KX-TC1850B	P-P-P501PA/1B	KXTC-106	P-P-P301PA/1B	KX-TC289	P-P-P301PA/1B	KX-TG2397	HHR-P401A/1B
KX-TC1870B	P-P-P501PA/1B	KXTC-116	P-P-P301PA/1B	KX-T4200	P-P-P301PA/1B	KX-TG2400	HHR-P401A/1B
KX-TC1890B	P-P-P501PA/1B	KX-TCM410-W	P-P-P301PA/1B	KX-T4300	P-P-P301PA/1B	KX-TG2400	HHR-P401A/1B
<b>Battery #P-P511A/1B</b>		KX-TCM412-B	P-P-P301PA/1B	KX-T4310	P-P-P301PA/1B	KX-TG2500	HHR-P401A/1B
KX-TG2205	P-P-P511A/1B	KX-TCM415	P-P-P301PA/1B	KX-T4330	P-P-P301PA/1B	KX-TG2550	HHR-P401A/1B
KX-TG2215	P-P-P511A/1B	KX-TCM418	P-P-P301PA/1B	KX-T4340	P-P-P301PA/1B	KX-TG2560	HHR-P401A/1B
KX-TG2217	P-P-P511A/1B	KX-TCM420	P-P-P301PA/1B	KX-T4342	P-P-P301PA/1B	KX-TG2570	HHR-P401A/1B

## Batteries/Power Products



### Section 8



## maxell Digital Camera Batteries

performance • Rechargeable replacement batteries for most camera types • Ideal for adding additional batteries to your collection

Order #	Manufacturer	Replaces	Voltage	Capacity mAh
DC 3710	Olympus	Li-10B	3.7	1090
DC 3711	Toshiba, Fuji, Kodak	NP-80	3.7	1100
DC 3770	Panasonic	CGA-S101A/1B	3.7	700
DC 3772	Kodak	KAA2HR	2.4	1900
DC 3775	Minolta	NP-200	3.7	780
DC 3777	Canon, Elf	NB-1L	3.7	870
DC 3778	Canon	NB-2L	7.4	850
DC 3779				
DC 3780	Fuji, Pentax	NP-40, D-Li8	3.7	710
DC 3781	Fuji, Pentax	NB-120, D-Li7	3.7	1800
DC 3782	Kyocera, Toshiba	BP800S, PDR-BT9	3.7	800
DC 3790	Fuji, Pentax, Panasonic	NP-60, D-Li2, VW-VBA10	3.7	1050
DC 7460	Panasonic	CGA-S602A/1B	7.4	1400
DC 7465	Nikon	EN-EL1	7.4	720
DC 7466	Nikon	EN-EL2	3.7	1100
DC-3776	Casio	NP-20	3.7	780
M 3635	Sony	NP-FC10	3.7	
M 7236	Sony	NP-FN50		1100

Order#	(1-9)	(10-up)
DC3710	\$19.95	\$18.55
DC3711	16.95	15.95
DC3770	24.95	22.55
DC3772	8.95	8.55
DC3775	19.95	19.25
DC3777	16.95	15.95
DC3778	22.95	21.55
DC3779	19.95	18.55
DC3780	19.95	18.55
DC3781	22.95	21.55
DC3782	22.95	21.55
DC3790	19.95	18.55
DC7460	24.95	22.55
DC7465	16.95	15.95
DC7466	19.95	18.55
DC3776	19.95	18.55



### Apple® iPod® Replacement Batteries

• Replace your worn out iPod® batteries with these drop-in batteries • Choose the standard batteries or extend your runtime with the high capacity models

Order #	Dantona#	Apple® #	Capacity mAh	(1-9)	(10-up)
<b>Classic Model</b>					
294-1595	PDA-36LI	UP325385A4H	1600	\$26.95	\$24.95
294-1600	PDA-36LI-HC	UP325385A4H	2200	34.95	32.95
<b>3rd Generation Slim Model</b>					
294-1585	PDA-33LI	616-0159, E225846	550	17.95	16.95
294-1590	PDA-33LI-HC	616-0159, E225846	850	26.95	24.95
<b>4th Generation with click wheel</b>					
294-1625	PDA-94LI	616-0183	950	19.95	18.95
<b>iPod® Mini</b>					
294-1605	PDA-67LI	EC003	850	19.95	18.95
22-8950	iPod® opener tool (required for battery replacement)			1.99	-



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 **211**






## Batteries/ Power Products

### Section 8

Model #	Order #	Model #	Order #	Model #	Order #
<b>AMERIPHONE</b>		CP-310S	294-1095	GP60AAH3BMX	
DIALOG CL40	294-1100	CP-320S	294-1095		294-1365
<b>AT&amp;T</b>		CP-355	294-1095	GP60AAS3BMJ	
00249	294-1310	CP-355S	294-1095		294-1370
90849	294-1320	CP910S	294-1095	GP60AAF3BNL	
91302	294-1350	<b>CODE-A-PHONE</b>			294-1100
00192	294-1320	7130	294-1300	60AAS3BMX	294-1095
90556	294-1370	7010	294-1200	<b>GTE</b>	
24027	294-1155	7015	294-1200	3150	294-1200
24028	294-1200	7110	294-1200	31500	294-1200
90848	294-1100	7210	294-1200	<b>IBM</b>	
24032	294-1095	<b>CONAIR</b>		BE900CHT	294-1305
24032	294-1095	CTP 9000	294-1300	IBM-2.4GIG	294-1305
<b>AT&amp;T</b>		CTP 8325	294-1200	IBM-3415	294-1305
<b>LUCENT TECHNOLOGIES</b>		CTP 6000	294-1300	IBM-3420	294-1305
2230	294-1300	CTP 4000	294-1200	IBM-3445	294-1305
2255	294-1300	CTP 700	294-1200	IBM-3455	294-1305
2422	294-1300	<b>EMERSON</b>		IBM-3460	294-1305
3400	294-1300	TEC-2000	294-1200	IBM-3474	294-1305
3410	294-1300	TEC-3000	294-1200	IBM-5275	294-1305
3N270AA	294-1300	<b>ENERGIZER</b>		IBM-900SP	294-1365
4000X	294-1300	P3303	294-1300	IBM-3050	294-1370
4051	294-1300	P7360	294-1315	IBM-3150	294-1370
4110	294-1300	ER-P290	294-1360	<b>ITT</b>	
4200	294-1300	P3302	294-1155	PC 1510	294-1155
4210	294-1300	P3301	294-1200	PC 1600	294-1155
4300	294-1300	P7301	294-1100	PC 3310	294-1100
4305	294-1300	P7310	294-1135	PC-3320	294-1100
4310	294-1300	P7302	294-1095	PC-3330	294-1100
4315	294-1300	<b>GE SANYO</b>		<b>JASCO</b>	
4320	294-1300	PCH03	294-1300	TL96155	294-1300
4325	294-1300	PCF03	294-1370	TL96562	294-1305
4330	294-1300	PCH02	294-1155	TL96158	294-1325
4331	294-1300	PCH01	294-1200	TL96402	294-1335
4335	294-1300	PCF01	294-1100	TL96511	294-1360
7340	294-1300	PCF02	294-1095	TL96506	294-1370
7345	294-1300	PCF02	294-1095	TL96156	294-1155
7415	294-1300	48596	294-1305	TL96153	294-1200
7420	294-1300	GES-PCF06	294-1305	TL96554	294-1100
7510	294-1300	PCF06	294-1305	TL96502	294-1135
7512	294-1300	49619	294-1315	TL96154	294-1095
7610	294-1300	GES-PC902	294-1315	<b>JVC</b>	
7620	294-1300	PC902	294-1315	TN-61	294-1300
7625	294-1300	49281	294-1325	TNE55	294-1300
7630	294-1300	GES-PC3F03	294-1325	<b>MOTOROLA</b>	
7640	294-1300	PC3F03	294-1325	MA300	294-1370
7650	294-1300	48599	294-1360	MA351	294-1370
7700	294-1300	GES-PC615	294-1360	MA361	294-1370
7710	294-1300	PC615	294-1360	MA303WH	294-1370
7715	294-1300	26305	294-1135	MA352	294-1370
7720	294-1300	GES-PC915	294-1135	<b>NORTHWESTERN BELL</b>	
TL6502	294-1135	PC915	294-1135	32113	294-1300
TL6154	294-1095	<b>GEMINI</b>		3200	294-1155
<b>CASIO</b>		TA246	294-1300	32505	294-1200
CP725	294-1300	TA2431	294-1360	32525	294-1200
CP749	294-1300	TA248	294-1155	32800	294-1200
CP750W	294-1300	TA242	294-1200	32700	294-1100
CP760	294-1300	TA269	294-1100	32600	294-1100
CP820	294-1300	TA266	294-1135	36240	294-1100
TC508	294-1300	TA245	294-1095	36247	294-1100
TC520	294-1300	<b>GENERAL ELECTRIC</b>		36248	294-1100
TC530	294-1300	2-6730	294-1300	39200	294-1100
TC540	294-1300	2-6790	294-1300	39201	294-1100
TC920	294-1300	2-6991GE1	294-1300	39202	294-1100
TC929	294-1370	2-9530	294-1300	39205	294-1100
TC950	294-1370	2-9530A	294-1300	39210	294-1100
<b>COBRA</b>		2-9535A	294-1300	39212	294-1100
213-013-9-001		2-9580	294-1300	39230	294-1100
AN 8525	294-1200	2-9613	294-1300	39230M6	294-1100
AN 8526	294-1200	2-9614	294-1300	39300	294-1100
AN 8630	294-1200	2-9615	294-1300	39360	294-1100
AN 8630-25	294-1200	2-9616	294-1300	39370	294-1100
CP-2500	294-1200	2-9635	294-1300	39500	294-1100
CP-2505	294-1200	2-9638	294-1300	39510	294-1100
CP-2510	294-1200	2-9640	294-1300	39522	294-1100
CP-2570	294-1200	2-9645	294-1300	39525	294-1100
CP-2570	294-1200	2-9650	294-1300	39601	294-1100
CP-438	294-1200	220CT	294-1300	39610	294-1100
CP-464	294-1200	CIRCA 2000	294-1300	39625	294-1100
CP-464S	294-1200	<b>GP</b>		39665	294-1100
CP-468	294-1200	GP30AAK3BMJ		39705	294-1100
CP-468S	294-1200		294-1300	39710	294-1100
CP-470	294-1200	GP60AAAH3BMJ		39720	294-1100
CP-470S	294-1200		294-1325	39765	294-1100
CP-471	294-1200	GP65AAAH3BMJ		93340	294-1100
CP-2055A	294-1095		294-1325	255	294-1095
CP-2058A	294-1095	60AAAH3BML	294-1365	32001	294-1095
CP-205SA	294-1095	GP60AAAH3BMX		<b>PACIFIC BELL</b>	
			294-1365	800	294-1300
		GP60AAAH3BML		810	294-1300
				819	294-1300



### Cordless Telephone Batteries.

Battery failure is the most common cause of cordless telephone problems. Replacing the battery helps reduce or eliminate static, cross talk and reduced range. Dantona offers the broadest range of replacement cordless telephone batteries for today's popular phones.

Fig.	Order #	Con.	Volts.	(ea.)
A	294-1160	4	3.6	\$6.95
A	294-1300	4	3.6	4.95
A	294-1155	3	3.6	6.95
B	294-1325	1	3.6	6.95
B	294-1365	4*	3.6	6.95
B	294-1095	3	3.6	6.95
C	294-1305	4*	3.6	4.95
C	294-1320	3	3.6	4.95
C	294-1370	3	3.6	4.95
C	294-1100	4**	3.6	6.95
D	294-1315	Pressure	3.6	6.95




Fig.	Order #	Con.	Volts.	(ea.)
E	294-1135	Pressure	3.6	\$11.95
F	294-1310	Pressure	3.6	6.95
G	294-1330	Pressure	3.6	6.95
H	294-1335	3	3.6	6.95
J	294-1340	5	2.4	6.95
K	294-1350	3	2.4	6.95
L	294-1345	Pressure	2.4	6.95
M	294-1355	Pressure	3.6	6.95
N	294-1360	Pressure	2.4	6.95

\* #4 connector with black lead on left

\*\* #4 connector with black lead on right

Model #	Order #	Model #	Order #	Model #	Order #	Model #	Order #	Model #	Order #	Model #	Order #
820	294-1300	<b>RADIO SHACK</b>		CL200	294-1095	SPP-930	294-1135	FT-X988BK	294-1135	EX-I7926	294-1095
<b>PANASONIC</b>		23-197	294-1300	CL300	294-1095	SPP-935	294-1135	RC006495	294-1135	EX-I7950	294-1095
HHR-P103	294-1310	43-5502	294-1300	CL400	294-1095	SPP-937	294-1135	SX-2007	294-1135	EX-I7960	294-1095
KX-TG2352W	294-1310	43-5512	294-1300	CL405	294-1095	SPP-A927	294-1135	TRB-9100	294-1135	EX-I8965	294-1095
KX-TG2382B	294-1310	SP 503	294-1300	CL410	294-1095	SPP-A940	294-1135	SG1701	294-1095	EX-I916	294-1095
KX-TGA230B	294-1310	SP 504	294-1300	FT5400	294-1095	SPP-A940BK	294-1135	FD-4809	294-1095	EX-I917	294-1095
KX-TGA230W	294-1310	SP 505	294-1300	FT5410	294-1095	SPP-A941	294-1135	FD-9839	294-1095	EX-I960	294-1095
KX-TGA272	294-1310	SP 506	294-1300	UBATN0128AWZZ		SPP-A945	294-1135	FD-9859	294-1095	EX-L8900	294-1095
KX-TGA272S	294-1310	SP 507	294-1300		294-1095	SPP-A972	294-1135	FD-9859BK	294-1095	EX-L8901	294-1095
N4HHGMB00001		SP 511	294-1300	<b>Southwestern Bell</b>		SPP-A973	294-1135	FT-8006A	294-1095	EX-L8945	294-1095
	294-1310	SP 513	294-1300	S60506	294-1300	SPP-A985	294-1135	FT-8009	294-1095	EX-LA8962	294-1095
KX-TC1800	294-1320	SP 514	294-1300	S60505	294-1370	SPP-ID910	294-1135	FT-8009BK	294-1095	EX-LI8962	294-1095
KX-TC1801	294-1320	SP502	294-1300	S60508	294-1155	SPP-ID970	294-1135	FT-8259	294-1095	EXP-7900	294-1095
KX-TC1811B	294-1320	SP512	294-1300	S60503	294-1200	SPP-ID975	294-1135	FT-8259BK	294-1095	EXP-7901	294-1095
KX-TC1831B	294-1320	23-281	294-1155	FF-905	294-1305	SPP-IDIM977	294-1135	FT-8507BK	294-1095	EXP-91	294-1095
KX-TC1851B	294-1320	23-281A	294-1155	FF-905SH	294-1305	SPP-IM982	294-1135	FT-8509	294-1095	EXP-92	294-1095
KX-TC1861B	294-1320	43-1020	294-1155	FF-906	294-1305	SPP-M920	294-1135	FT-8809	294-1095	EXP-920	294-1095
KX-TC1866B	294-1320	43-1020A	294-1155	FF-907	294-1305	SPP-M932	294-1135	FT-8859	294-1095	XE-985	294-1095
KX-TC1871B	294-1320	43-1036	294-1155	FF-908	294-1305	SPP-S910	294-1135	FT-8859BK	294-1095	<b>VICTOR TECH</b>	
KX-TC1881B	294-1320	43-1047	294-1155	FF-908SH	294-1305	SPP-S933	294-1095	FT-8906	294-1095	912DLC	294-1135
KX-TC1886B	294-1320	43-1049	294-1155	FF-915S	294-1305	<b>TOSHIBA</b>		FT-8906A-BK	294-1095	<b>VTCH</b>	
KX-TC1891B	294-1320	43-1049A	294-1155	FF-915T	294-1305	FT-3803	294-1315	FT-8906BK	294-1095	80-5074-00-00	
KX-TG2401	294-1320	43-1050	294-1155	FF-925	294-1305	FT3808	294-1315	FT-8939	294-1095		294-1300
KX-TG2451	294-1320	CLTA 901	294-1100	FF-925B	294-1305	RC007132	294-1315	FT-8939BK	294-1095	VT-2558	294-1300
KX-TG2481	294-1320	CLTA 902	294-1100	FF-9915	294-1305	TRB-3803	294-1315	FT-8959	294-1095	VT9109 (NEW)	
KX-TG2553	294-1320	CLTA905	294-1100	GH2405MS	294-1305	FT-1000	294-1155	FT-8959BK	294-1095		294-1300
KX-TGA400B	294-1350	GES-PCF01	294-1100	GH2415MS	294-1305	FT-1500	294-1155	FT-8989	294-1095	VT9118 (NEW)	
KX-TGA420B	294-1350	26305	294-1135	GH2430MS	294-1305	FT-200	294-1155	FT-8989BK	294-1095		294-1300
PQHHR150AAZ1		GES-PC915	294-1135	S60520	294-1305	FT-2000	294-1155	RC004931	294-1095	VT9123	294-1300
	294-1350	PC915	294-1135	S60523	294-1315	FT-2500	294-1155	SG1700	294-1095	80-4134-00-00	
KX-TG2355	294-1355	CL410	294-1095	FF-940MS	294-1365	FT-6002	294-1155	TRB-8000	294-1095		294-1315
KX-TG2356	294-1355	CLT 880	294-1095	GH2400C	294-1365	FT-6003	294-1155	<b>TROPEZ</b>		80-4280-00-00	
KX-TG2357	294-1355	<b>SHARP</b>		GH2400C	294-1365	FT-6003BK	294-1155	1064	294-1200		294-1315
KX-TG2386	294-1355	CL150	294-1300	GH24400S	294-1365	FT-6102	294-1155	1064XL	294-1200	80-4314-00-00	
KX-P372DH	294-1155	CL155	294-1300	GH2410C	294-1365	FT-6202	294-1155	<b>UNI</b>			294-1315
KX-T1507W	294-1155	CL160	294-1300	GH2410S	294-1365	FT-6203	294-1155	EXAI-381	294-1320	VT1711	294-1315
KX-T180W	294-1155	CL250	294-1300	GH2420C	294-1365	FT-6302	294-1155	TRU346	294-1320	VT1721	294-1315
KX-T3080R	294-1155	CL255	294-1300	GH2420S	294-1365	FT-6303	294-1155	BT-446	294-1335	VT1733	294-1315
KX-TC917H5B294-1095		CL260	294-1300	S60526	294-1100	FT-6303BK	294-1155	TRU-446	294-1335	VT1922	294-1315
KX-TC933	294-1095	CL265ID	294-1300	S60523	294-1135	FT-6503	294-1155	TRU-446-2	294-1335	VT1923	294-1315
KX-TC934B	294-1095	CL350	294-1300	CM108-0000-18-01		FT-6503BK	294-1155	TRU-4485	294-1335	VT1932	294-1315
KX-TC935	294-1095	CL355	294-1300		294-1095	FT-6603	294-1155	TXC-400	294-1335	VT1962	294-1315
KX-TC943	294-1095	CL500	294-1300	FF-4500	294-1095	FT-7257	294-1155	BBTY-0275001		VT2931	294-1315
KX-TC955RUB294-1095		CL505	294-1300	FF-5000	294-1095	FT-7515	294-1155		294-1155	VT2932	294-1315
KX-TC9568XB294-1095		CL510	294-1300	<b>SONY</b>		FT-7515BK	294-1155	XC-314	294-1155	VT2962	294-1315
KX-TC956RUB294-1095		CL540	294-1300	BP-T27	294-1300	FT-7517	294-1155	XC-315	294-1155	VT9105	294-1315
KX-TC976RUB294-1095		CL550	294-1300	SPPQ-AQ600	294-1300	FT-7807	294-1155	XC-320	294-1155	VT9108	294-1315
KX-TCM943	294-1095	CL555	294-1300	BP-T24	294-1320	FT-7907	294-1155	XC-330	294-1155	VT9111	294-1315
KX-TCM944B	294-1095	FT4150	294-1300	SPP-A2480	294-1320	FT-8900	294-1155	XC-340	294-1155	VT9112	294-1315
KX-TCM947	294-1095	FT4155	294-1300	SPP-A9276	294-1320	FT-9003	294-1155	XC-345	294-1155	VT9115	294-1315
P-P501	294-1095	FT4160	294-1300	SPP-A9278	294-1320	FT-9003BK	294-1155	XC-3510	294-1155	VT9116	294-1315
P-P504	294-1095	FT4250	294-1300	SPP-A957	294-1320	FT-9066	294-1155	XC-3514	294-1155	VT9117	294-1315
<b>PHONE-MATE</b>		FT4255	294-1300	SPP-A967	294-1320	FT-9506	294-1155	XC-3515	294-1155	VT 1961	294-1135
2150	294-1300	FT4350	294-1300	SPP-A968	294-1320	FT6004	294-1155	XCA-550	294-1155	VT 1970	294-1135
2350	294-1300	FT4355	294-1300	SPP-ID990	294-1320	FT7505	294-1155	XCA-555	294-1155	VT 1970CI	294-1135
2780	294-1300	FT5505	294-1300	SPP-S2430	294-1320	RC002203	294-1155	EX-A8955	294-1095	VT 2910	294-1135
2870	294-1300	FT5510	294-1300	SPP-S9226	294-1320	RC003029	294-1155	EX-A915	294-1095	VT 2910C	294-1135
2970	294-1300	FT5555	294-1300	SPP-S5950	294-1320	RC004273	294-1155	EX-A918	294-1095	VT 2920C	294-1135
CP725	294-1300	CL 905	294-1100	SPP-S5951	294-1320	RC004362	294-1155	EX-A950	294-1095	VT 2960	294-1135
CP820	294-1300	CL 980	294-1100	SPPQ-120	294-1155	TRB-6500	294-1155	EX-AI2980	294-1095	VT 2960CI	294-1135
CP850	294-1300	CL960ID	294-1135	SPPQ-150	294-1155	FT-3806	294-1135	EX-AI7980	294-1095	VT 9000	294-1135
TC508	294-1300	CL980ID	294-1135	BP-T26	294-1200	FT-H916	294-1135	EX-AI918	294-1095	VT 9060	294-1135
TC520	294-1300	UBATN0152AWZZ		BP-T33	294-1100	FT-H916BK	294-1135	EX-I980	294-1095	VT 9060I	294-1135
TC530	294-1300		294-1135	BP-T23	294-1135	FT-H918	294-1135	EX-1290	294-1095	VT 912L	294-1135
TC540	294-1300	3600	294-1095	SPP-900	294-1135	FT-H986	294-1135	EX-I376	294-1095		
TC950	294-1300	CL100W	294-1095	SPP-910	294-1135	FT-H986BK	294-1135	EX-I3965	294-1095		

## Energizer

### Watch Batteries (Button Cell)

Order #	Eveready #	Duracell #	Maxell #	Panasonic #	Ray-O-Vac #	(1-4)	(5-9)	(10-up)
291-270	301	D301	SR43SW	SP301	301	\$1.22	\$1.12	\$1.01
291-275	303	D303	SR44SW	SP303	303	1.50	1.40	1.30
291-285	315	D315	SR716SW	SP315	315	1.12	1.01	0.91
291-290	317	D317	SR516SW	SP317	317	1.22	1.12	1.01
291-295	319	D319	SR527SW	SP319	319	1.22	1.12	1.01
291-300	321	D321	SR616SW	SP321	321	1.01	0.91	0.81
291-305	329	D329	SR731SW	-	329	1.12	1.01	0.91
291-345	357	D357	SR44W	SP357	357	1.50	1.40	1.30
291-355	362	D362	SR721SW	SP362	362	0.71	0.60	0.50
291-360	364	D364	SR621SW	SP364	364	0.71	0.60	0.50
291-375	370	D370	SR920W	SP370	370	0.81	0.71	0.60
291-380	371	D371	SR920SW	SP371	371	0.81	0.71	0.60
291-385	373	D373	SR916SW	SP373	373	1.12	1.01	0.91
291-390	376	-	SR626W	SP376	-	0.91	0.81	0.71
291-395	377	D377	SR626SW	SP377	377	0.80	0.70	0.60
291-400	379	D379	SR521SW	SP379	379	1.22	1.12	1.01
291-410	384	D384	SR415W	SP384	384	0.60	0.50	0.40
291-415	386-301TS	D386	SR43W	SP386	386	1.12	1.01	0.91
291-420	389	D389	SR1130W	SP389	389	1.01	0.91	0.81
291-430	391	D391	SR1120W	SP391	391	0.71	0.60	0.50
291-435	392	D392	SR41W	SP392	392	0.71	0.60	0.50
291-440	393	D393	SR754W	SP393	393	1.22	1.12	1.01
291-445	394	D394	SR936SW	-	394	1.01	0.91	0.81
291-450	395	D395	SR927SW	SP395	395	0.81	0.71	0.60
291-455	396	D396	SR726W	SP396	396	0.81	0.71	0.60
291-460	397	D397	SR726SW	SP397	397	0.71	0.50	0.40
291-465	399	D399	SR927W	SP399	399	0.81	0.71	0.60

## Energizer Lithium

•High energy, long life power source •Good low and high temperature operations •Recommended for calculators, cameras, memory back-up, pagers and watches

Order #	Eveready #	Duracell #	Maxell #	Panasonic #	Ray-O-Vac #	(1-4)	(5-9)	(10-up)
291-470	ECR1216	-	-	CR1216	-	\$1.83	\$1.73	\$1.53
291-475	ECR1220	DL1220	CR1220	CR1220	-	1.40	1.30	1.10
291-480	EBR1225	-	-	-	-	1.42	1.32	1.12
291-485	ECR1616	-	CR1616	CR1616	-	1.83	1.73	1.53
291-490	ECR1620	DL1620	CR1620	CR1620	CR1620	1.94	1.73	1.53
291-495	ECR2012	-	CR2012	CR2012	-	2.35	2.24	2.04
291-500	ECR2016	DL2016	CR2016	CR2016	-	1.30	1.20	1.00
291-505	ECR2025	DL2025	R2025	CR2025	CR2025	1.29	1.19	0.99
291-510	ECR2032	DL2032	CR2032	CR2032	CR2032	1.29	1.19	0.99
291-515	ECR2320	-	-	CR2320	-	1.30	1.20	1.00
291-520	ECR2430	DL2430	CR2430	-	CR2430	1.40	1.30	1.10

### Sega Genesis II Type AC/DC Adaptor

Used to replace adaptor for Genesis II original adaptor #MK2103. Output voltage 10VDC, 850mA, positive tip.

Order #	(1-9)	(10-up)
28-3120	\$6.26	\$5.53



### Super Nintendo Type AC/DC Adaptor

•Replacement power adaptor for Super Nintendo game system •Input: 120VAC, 60Hz •Output: 10VDC at 850mA •6' line cord

Order #	(1-9)	(10-up)
28-2095	\$6.79	\$6.27



### Sega Genesis Type AC/DC Adaptor

For use with Sega Genesis video game systems. Replaces Sega #1602-1 "older" style Genesis (I) system, identified by volume control. Input voltage 120VAC, 60Hz. Output voltage 10VDC, 850mA.

Order #	(1-9)	(10-up)
28-1995	\$6.47	\$5.63



### Nintendo Type AC Adaptor

Replacement power adaptor for Nintendo game system. Replaces Nintendo #NES002. Works for system NES001 and NES001. Input voltage 120VAC, 60Hz. Output voltage 9VAC, 1300mA. 6' line cord.

Order #	(1-9)	(10-up)
28-2090	\$6.49	\$5.70



## SONY

### AC Power Adaptor

Sony's Worldwide AC Power Adaptors feature a rated input of 100-240VAC, 50/60Hz and a maximum output current of 1000mA DC. Its slim, lightweight design makes it ideal for traveling abroad and for home use. It is more compact than conventional AC power adaptors, and the AC plug's blade is foldable into the body of the adaptor for convenient storage. Features low waiting-power consumption and large current capacity.

Order #	Output VDC	(1-3)	(4-up)
AC-E45A	4.5V	\$19.00	\$17.50
AC-E60A	6.0V	19.00	17.50
AC-E90A	9.0V	19.00	17.50



## Batteries/Power Products



## Section 8

### DURACELL® Button Cells

Popular Lithium button cells used in watches, calculators, keyless entry remote controls, computers and many other devices.



Order #	Mfr. #	(1-4)	(5-9)	(10-up)
293-070	DL1/3N	\$3.99	\$3.79	\$3.49
293-105	DL2016	1.30	1.20	1.00
293-110	DL2025	1.30	1.20	1.00
293-115	DL2032	1.30	1.20	1.00
293-120	DL2430	1.42	1.32	1.12
293-125	DL2450	2.62	2.41	2.11

### Panasonic Lithium Coin Cells

Lithium cells provide twice the voltage of alkaline cells and are perfect for computer memory back-up, cameras, calculators and watches.

Order #	Mfr. #	Volts	Price Per Pkg. (1-4)	(5-9)	(10-up)
292-245	CR-2025	3	\$1.94	\$1.83	\$1.53
292-250	CR-2032	3	1.94	1.83	1.53



### Panasonic Alkaline Cells

Alkaline cells provide an economical alternative to silver oxide batteries, while still allowing for a wide range of operation at high capacity.

Order #	Mfr. #	Volts	Price Per Pkg. (1-4)	(5-9)	(10-up)
292-210	4LR44	6	\$4.09	\$3.88	\$3.58
292-200	LR-44	1.5	1.01	0.91	0.81
292-205	LR-44(2Pk)	1.5	1.91	1.81	1.40
292-185	G-13PA	1.5	3.06	2.86	2.55



### Energizer® Energizer Hearing Aid Batteries

High energy, long lasting batteries for use in most common hearing aids.

Order #	Size	Pkg. Qty.	Price Per Pkg. (1-4)	(5-9)	(10-up)
291-525	AC675E	4	\$5.04	\$4.84	\$4.53
291-540	AC312E	4	5.04	4.84	4.53
291-940	AC13E	4	4.99	4.69	4.49
291-945	AC10E	4	4.99	4.69	4.49

### Original Sony Lithium Battery

Sony #1-528-120-00 and 1-528-120-01. 3V lithium button cell #CR2025. Attached mounting tabs. Used in models #ST-V7, CDZ-1 and others. Common memory back-up battery.

Order #	(ea.)
29-1490	\$7.00




Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 213






## Batteries/ Power Products

### Section 8



#### AC/DC Adaptors

Fig.	Order #	Description	Output(V)	Amps	Tip Description	Polarity	Length	(1-9)	(10-up)
A	28-2205	6V high power AC/DC adaptor	6VDC	800mA	5.5mm x 2.0mm	Negative	6'	\$5.34	\$4.21
A	28-2780	18V AC to DC adaptor	18VDC	300mA	5.5mm x 2.1mm	Positive	6'	4.68	4.17
A	28-2785	12V AC to DC adaptor	12VDC	200mA	5.5mm x 2.1mm	Positive	6'	4.68	4.17
A	28-2790	9V AC to DC adaptor	9VDC	250mA	5.5mm x 2.1mm	Positive	6'	4.68	4.17
B	28-056	12V high power universal adaptor	12VDC	500mA	Four-way universal plug	Reversible	14'	6.49	5.70
C	28-1440	Tote-Vision type AC/DC adaptor	12VDC	1A	2.5mm x 5.5mm barrel	Positive	6'	8.46	8.04
D	28-058	Atari type video game adaptor (Atari #C014034)	9VDC	500mA	3.5mm plug	Positive	14'	5.43	4.38
E	28-3120	Sega Genesis II type AC/DC adaptor	10VDC	850mA		Positive	6'	6.26	5.53



Actual size



#### Universal AC/DC Adaptors

MCM's unique line of AC/DC adaptors allow the user to select the best adaptor and plug to suit the application. All adaptors are UL listed. Input voltage 120VAC. Cord length 6'. Polarity can easily be changed by reversing the plug. Select the voltage and current rating for the adaptor and select the appropriate plug for your application.

#### Adaptors

Order #	Output V	Output mA	(1-9)	(10-up)
28-3035	3VDC	100mA	\$4.17	\$3.65
28-3040	3VDC	500mA	4.17	3.65
28-3045	6VDC	100mA	4.17	3.65
28-3050	6VDC	300mA	4.17	3.65
28-3055	6VDC	500mA	4.17	3.65
28-3060	9VDC	250mA	4.17	3.65
28-3065	9VDC	500mA	4.17	3.65
28-3070	12VDC	250mA	4.17	3.65
28-3075	12VDC	500mA	4.17	3.65

#### Plugs

Order #	Fig.	Type	(1-9)	(10-up)
28-3080	A	2.5mm male	\$0.51	\$0.41
28-3085	B	3.5mm male	0.51	0.41
28-3090	C	5.0mm x 2.1mm	0.51	0.41
28-3095	D	5.5mm x 2.1mm	0.51	0.41
28-3100	E	5.0mm x 2.5mm	0.51	0.41
28-3105	F	5.5mm x 2.5mm	0.51	0.41
28-3110	G	3.5mm x 1.35mm	0.51	0.41
28-3115	H	5.5mm x 1.5mm	0.51	0.41
28-3250	J	2.5mm, 3.5mm, 5.2 x 2.0, 5.5 x 2.4, 9V	0.93	0.83
28-3240	L	4.0mm x 1.7mm	0.72	0.61
28-3235	M	9V battery clip	0.51	0.41

#### Replacement Digital Camera AC Power Adaptor

- For use with many digital cameras
- Input: 120VAC, 60Hz • Output: 3VDC at 22500mA
- Tip size: Length .95mm, circumference: 3.5 x 1.35mm



Order #	(1-9)	(10-up)
29-4135	\$9.95	\$8.55

#### NEW! NEW! NEW!



#### DC Replacement Power Cords

Save money by repairing your damaged DC power cord. 5', 18AWG shielded wire, UL 1185.

Order#	Description	Plug size	(ea.)
23-735	DC cord without ferrite	6.5mm x 3.0mm	\$2.79
23-736	DC cord with ferrite	5.5mm x 3.0mm	3.29

#### Sharp Type Camcorder Power Cord

- Popular replacement power cord used on Sharp camcorders
- Replaces Sharp #QCNW-1175TAXX. • 6' (L) • Molded right angle barrel plugs • 4.0mm x 1.7mm



Order #	(ea.)	(2-4)	(5-up)
32-7475	\$4.17	\$3.65	\$3.12

#### Panasonic Type Battery Charger

Now you can charge your Panasonic cellular and camcorder batteries. Charges Panasonic batteries PV-BP80, BP88, BP50 and EB-362. 120VAC input, 60Hz output, 12VDC, 500mA.

#### • Limited quantities

Order #	(1-9)	(10-up)
28-2715	\$7.77	\$6.76



#### Digital Outdoor Timer

Turns electrical devices on at dusk and shuts them off at dawn or a predetermined time setting from 1-9 hours. Constant on setting to bypass sensor. The perfect solution for Christmas lights and outdoor lighting. Rated: 125V, 12A, 1200W. Retail packaged.



Order #	(1-4)	(5-up)
28-8278	\$13.35	\$11.92

#### INTERMATIC®

#### Timers

Now you can automatically control your lamps and appliances even when you're out. This heavy-duty switch plugs directly into any wall outlet. You can program one on/off setting per day.



Order #	(ea.)
28-2870	\$7.57

#### INTERMATIC® Digi-Set

With this easy-to-set hand held programmable timer you can program up to four on/off settings per day. This heavy-duty grounded timer controls all types of loads such as TVs, stereos and appliances.

**Features include:** Random setting, LCD digital clock and readout and to-the-minute setting accuracy.



Order #	(ea.)
28-2885	\$29.80

#### Foreign Travel Adaptor Kit

- This travel kit combines the correct adaptor plug with the converter so that 110/120V appliances (50~1600W) can operate overseas
- Comes complete with five adaptors, one converter and deluxe case



Order #	(kit)
28-1425	\$15.81

#### US to Foreign Travel Converter


- Converts standard electricity (110/120V) to foreign electricity (220/240V) • 60/50 cycle • For appliances less than 50W



Order #	(ea.)
28-1435	\$5.43
28-1430	5.43

#### Foreign Travel Adaptors

- Allows for use of electric appliances in foreign countries • #28-1960 can be used with the Foreign to US Travel Converter (#28-1430)
- #28-1940 for use with US to Foreign Travel Converter (#28-1435)



Order #	Type	Description	(1-4)	(5-9)	(10-up)
28-1930	4mm	Round	\$1.24	\$1.14	\$0.93
28-1940	USA	Flat	1.24	1.14	0.93
28-1960	Shuko	Round	1.24	1.14	0.93





## maxell

### Dual Auto Power Adaptor

- Converts one DC outlet to two
- Adjustable position plug
- Includes 3A replaceable fuse

Order #	(1-9)	(10-up)
80-6390	\$6.99	\$4.89



## maxell

### Automobile Accessories

#### Auto Lighter Power Plug:

- Adjustable position plug
- Battery cord use a unified polarity DC plug
- 4.5 or 6V, 1000mA

**CD to Cassette Adaptor:** • Allows you to play CDs through cassette system • Guaranteed to work in all cassette systems

Order #	Description	(1-9)	(10-up)
80-6395	Auto lighter power plug	\$12.99	\$9.09
80-6400	Auto kit includes lighter power plug and CD to cassette adaptor	24.99	17.49
80-6405	CD to cassette adaptor	14.99	10.49



### Car Battery Saver

Don't return to find your car has a dead battery. This battery saver connects in-line with any appliance that draws power from the car battery. If the voltage drops below 11.2VDC, the appliance power is cut off. Power is then restored when the battery's voltage reaches 12.5VDC. Maximum current 10A.

Order #	(ea.)
29-3345	\$9.26



### DC/DC Switching Power Adaptor

Regulated DC/DC adaptor for most applications. Comes complete with the six most popular plugs that can be stored in the internal storage compartment. Input voltage: 12-24VDC. Output voltage: 1.5, 3.0, 4.5, 6.0, 7.5, 9.0 or 12VDC.

Order #	(ea.)
29-3340	\$9.17



### 12 Volt Universal Coiled Power Cord

- Perfect for mini TVs, radar detectors and other equipment requiring 12VDC up to 2A
- Fused protected coiled power cord
- Comes complete with six popular interchangeable tips: 3.5mm, 3.5mm x 1.2mm, 5.0mm x 2.1mm, 5.5mm x 1.5mm, 5.5mm x 2.1mm and 5.0mm x 2.5mm
- Plugs into cigarette lighter
- 6' cord


Order #	(ea.)
28-1395	\$6.47



### Cigarette Lighter "Y"

- Fused lighter plug with 5A fuse to two lighter jacks
- Allows use of two 12VDC devices simultaneously
- 6" length

Order #	(1-9)	(10-up)
23-165	\$4.83	\$4.31



### Automotive Power Inverter


The new, compact Sima Titanium series power inverters provide up to 2500W of AC power to give you the current to run anything from a cell phone charger to a small TV; including work lights, drills, vacuums, laptops, fax machines, soldering irons, and more. Designed for recreational and industrial use, they are ideal for use with consumer electronics such as TVs, PDAs or DVD players, also light construction and emergency power. Sima Titanium Plus Series power inverters are equipped with low battery alarms and shutdowns to protect your battery from complete discharge. Automatic thermal protection prevents overheating from overloads or inadequate ventilation. Two AC outlets are grounded and short circuit protected. The STP-1000 comes with 6' alligator clips and cables for temporary installation. **Features:** • Three year limited consumer warranty • Two short-circuit protected AC outlets • Mounting feet for easy installation in any vehicle • **Note:** #28-10185 will only work with 36W and 40W lamps

Order #	Watts	(1-9)	(10-up)
28-10175	150	\$27.99	\$24.50
28-10180	325	39.99	34.50
28-10185	600	69.99	64.50
28-10190	1000	129.00	113.89
28-10195	1500	197.00	179.00

### 12 Volt Power Cord

- Comes complete with lighter plug
- 22 gauge wire
- Black jacket with polarity markings
- 7 1/2" length


Order #	(1-9)	(10-up)
27-112	\$1.01	\$0.91



### 12 Volt Fused Power Cord

- Comes complete with 5A fused lighter plug to stripped and tinned 18 gauge wire
- Black jacket with polarity markings
- 12' length


Order #	(1-9)	(10-up)
23-240	\$3.08	\$2.88



### Cigarette Lighter Extension Cord

- Fused lighter plug with 3A fuse to lighter jack
- 18 gauge
- 2 conductor
- 12' length



Order #	(1-9)	(10-up)
23-160	\$4.31	\$3.70



### DC Power Jack

- Lighter jack to two battery clips
- Allows hook-up of DC powered accessories with a lighter plug to vehicles without a cigarette lighter
- 10' length

Order #	(1-9)	(10-up)
23-170	\$2.99	\$2.46



### Battery Clips

Battery clips for use with Panasonic type chargers and batteries. Works with BP50 and BP 88 batteries.

Fig.	Order #	Description	(1-9)	(10-up)
A	28-3125	Cigarette socket to battery clip	\$2.08	\$1.56
B	28-3135	Clip to bare leads w/strain relief	1.53	1.22

## Batteries/ Power Products




## Section 8

### Multi Voltage Regulated Power Supply

- Ideal for any device drawing up to 2A
- Fully regulated to deliver constant DC power
- Rotary selector switch selects 3, 4 1/2, 6, 7 1/2, 9 and 12V
- Power projects or small battery operated devices
- Color coded binding posts makes connection easy



Order #	(1-9)	(10-up)
28-2200	\$22.95	\$19.95



### CyberPower

#### AC Mobile Power Units

On-the-road surge protected AC mobile power units converts car cigarette lighter/airline power to AC "plug-in" power! **Features:** • Ultra-compact, lightweight design • Power on LED indicator • No-tangle 36" cord • 12VDC cigarette lighter plug with built-in airline adaptor plug • Fits all standard vehicle cigarette lighter sockets • Built-in surge protection allows for safe car start-up and shutdown • Low battery shutdown when DC voltage falls to 10.5V or less • USB power port (#28-10390 only)



Fig.	Order #	Mfr. #	Description	(ea.)
A	28-10380	CPS140BI	Compact DC to AC adaptor	\$49.99
B	28-10385	CPS140CHI	Mobile DC to AC adaptor	59.99
C	28-10390	CPS120SI	Slim DC to AC adaptor	69.99



### Ultra-Compact PowerVerter DC to AC Inverters

- Convert 12VDC to 120VAC power wherever you need it
- Permanent mount and portable power solutions
- Advanced modified sine wave output ideal for powering anything from laptop computers to small appliances and tools
- Packs reliable technology into a durable lightweight aluminum housing
- "HF" models provide a permanently mounted, convenient power center allowing you to outfit your RV or trailer with an entire kitchen or entertainment system
- Multiple outlets and up to 1800W of available power means you can power several pieces of equipment at the same time



Order #	Mfr. #	Output/ Watts	AC Outlets	(1-9)	(10-up)
28-6647	PV140	150	1	\$49.95	\$47.95
28-6648	PV300	375	2	69.95	67.95
28-8540	PV500	600	3	119.00	117.00
28-8905	PV1000HF	1000	3	259.00	257.00
28-8910	PV1800HF	1800	3	339.00	337.00



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 215



## Batteries/ Power Products

### Section 8

#### Popular Nonpolarized Technics/Panasonic Type Power Cord

- Used for many Technics/Panasonic series audio components
- Also used in many portable electronic devices •18 gauge •6' length
- Replaces Matsushita #SJA170



Order #	(1-9)	(10-49)	(50-up)
23-190	\$2.99	\$2.76	\$2.51

#### Popular Polarized Technics/Panasonic Type Power Cord

- Used for many Technics/Panasonic stereo amplifiers
- 18 gauge •6' length •Replaces Matsushita #SJA 172-1 •Sony #1-751-676-11 and 1-751-815-11



Order #	(1-9)	(10-49)	(50-up)
23-195	\$2.89	\$2.65	\$2.31

#### Popular Polarized Power Cord


- Used by many manufacturers including Sony, Sharp and Magnavox. 18 gauge, 6' length, SPT-2 jacket. Used in many portable electronic devices.



Order #	(1-9)	(10-49)	(50-up)
23-275	\$2.69	\$2.26	\$1.91

#### Panasonic Type Power Cord


- Fits most small Panasonic radio and cassette units •18 gauge •6' length



Order #	(1-9)	(10-49)	(50-up)
23-020	\$1.32	\$1.20	\$1.08

#### Sony Type Power Cord


- 2 conductor •Fits most small Sony products •18 gauge •6' length
- Replaces Sony #1-534-558-XX



Order #	(1-9)	(10-49)	(50-up)
23-040	\$1.46	\$1.34	\$1.21

#### Polarized RCA Type Power Cord


- Popular replacement for RCA type power cord
- Used on newer TVs
- 18 gauge •SPT-2 jacket •6' length •Replaces RCA #187802



Order #	(1-9)	(10-49)	(50-up)
23-255	\$3.70	\$3.08	\$2.56

#### Replacement Cord


- 18 gauge •SPT-1
- 2 conductor wire
- 6' length



Order #	(1-9)	(10-up)
23-095	\$1.18	\$1.06

#### Replacement Cord


- 18 gauge •SPT-22
- conductor wire •6' length
- Polarized plug



Order #	(1-9)	(10-up)
23-270	\$1.17	\$0.94

#### Replacement Power Cord

- Power cord that will replace most 3 prong plug cords •18 gauge •6' length



Order #	(1-9)	(10-49)	(50-up)
23-150	\$2.79	\$2.34	\$2.13

#### Quick-Connect 2 Prong Plugs

- Wire-piercing contacts for easy attachment •Plastic plug with brass contacts •Nonpolarized
- 125V, 10A when used with 18 gauge wire •Brown •Sold in pairs



Order #	(pr.)
64-080	\$3.78

#### Replacement 2 Prong Plugs

- For 18-14 gauge standard wire with maximum diameter of .375" •Nonpolarized •125V, 15A •Sold in pairs



Order #	(pr.)
64-030	\$1.97

#### LEVITON Prong/Receptacle

- Built-in cord clamps •For 18-14 gauge stranded cord with a diameter between .296" ~.562"
- Nonpolarized plug and polarized receptacle •125V, 15A



Order #	Description	(ea.)
64-010	Plug	\$2.82
64-015	Receptacle	3.27

#### 3 Prong Plug/Receptacle

- Built-in cord clamps •For 18-14 gauge stranded cord with a diameter between .396" ~.562" •125V, 15A



Order #	Description	(ea.)
64-020	Plug	\$3.39
64-025	Receptacle	5.45

#### Replacement 3 Prong Plug

- For 18-14 gauge stranded wire with a maximum diameter of .437" •125V, 15A



Order #	(ea.)
64-035	\$1.97

#### 3 Conductor Power Supply Cords

- Beldfoil® shielded, PVC jacketed power supply cords. NEMA 5-15P molded vinyl grounding plug. SJT type cord.




Order #	Mfr. #	AWG	Length	(1-9)	(10-up)
23-385	17614	16	6'7"	\$8.09	\$7.68
23-390	17615	16	9'10"	10.76	10.24
23-395	17616	14	6'7"	9.01	8.50



#### 3 Conductor Power Supply Cords

- Unshielded, PVC jacketed power supply cords. NEMA 5-15P molded vinyl grounding plug. SJT type cord.



Order #	Mfr. #	AWG	Length	(1-9)	(10-up)
23-415	17512	18	6'7"	\$3.63	\$3.32
23-420	17513	18	9'10"	4.53	4.23
23-425	17514	16	6'7"	4.60	4.29
23-430	17515	16	9'10"	5.65	5.24
23-435	17516	14	6'7"	5.73	5.32
23-440	17517	14	9'10"	7.68	7.27



#### Hospital Grade Power Cord

- Hospital grade (green dot) power supply cord. NEMA 5-15P molded PVC clear hospital grade plug. 18AWG (41 x 34), nominal O.D.: .315", Rating: 1250W/10A. Mfr. #17030.



Order #	(1-9)	(10-up)
23-290	\$12.08	\$11.53

#### Computer Power Cords

- Power cords used by many computer and test equipment manufacturers
- 18 gauge





Fig.	Order #	Length	(1-9)	(10-49)	(50-up)
A	23-145	3'	\$2.64	\$2.34	\$2.13
A	23-130	6'	3.05	2.64	2.34
A	23-146	1'	2.27	2.07	1.87
A	23-200	10'	4.29	3.66	3.15
B	23-180	3'	3.70	3.39	3.08
B	23-185	6'	4.11	3.70	3.18



#### "Y" Cords

- Each of these "Y" cords replaces two standard power cords in computer, home entertainment and professional studio applications. Color: Black. Cord: SJT.



Fig.	Order #	Mfr. #	Length	AWG	Rating	(1-9)	(10-up)
A	23-615	17238A	6'	18	125V/10A	\$6.14	\$5.63
A	23-625	17270A	6'	16	125V/13A	6.14	5.63
A	23-630	17271A	10'	16	125V/13A	7.16	6.65
B	23-635	17272A	6'	18	125V/10A	5.99	5.59
B	23-645	17274A	6'	16	125V/13A	6.65	6.14
B	23-650	17275A	10'	16	125V/13A	7.56	7.06



#### Right Angle Power Cord

- Right angle, unshielded power cords. Molded PVC right angle grounding connector PH-390 IEC 320-C-13. NEMA 5-15P molded vinyl grounding plug, PVC jacketed. SJT type cord.



Order #	Mfr. #	Rating	Length	AWG	(1-9)	(10-up)
23-345	17506	1250W/10A	6'7"	18	\$5.34	\$5.04
23-350	17507	1250W/10A	9'10"	18	6.65	6.24
23-355	17508	1625W/13A	6'7"	16	6.45	6.14
23-360	17509	1625W/13A	9'10"	16	7.88	7.37



216

Order Online  
www.mcminone.com





### Right Angle Shielded Power Cord

Right angle, Beldfoil® shielded power cords. Molded PVC right angle grounding connector PH-390 IEC 320-C-13. NEMA 5-15P molded vinyl grounding plug, PVC jacketed.



Order #	Mfr. #	Rating	Length	Cord	(1-9)	(10-up)
23-315	17606	1250W/10A	6'7"	SJT	\$9.62	\$9.21
23-325	17608	1625W/13A	6'7"	SJT	11.16	10.75
23-330	17609	1625W/13A	9'10"	SJT	13.27	12.25
23-335	17745	1250W/10A	6'7"	SVT	8.70	8.29
23-340	17746	1250W/10A	9'10"	SVT	10.76	10.24




### 3 Conductor Power Cords

Molded PVC grounding connector, PH-386, IEC 320-C-13. NEMA 5-15P molded vinyl grounding plug. UL listed. CSA certified.

Order #	Mfr. #	Rating	Length	Cord	(1-9)	(10-up)
<b>Beldfoil Shielded</b>						
23-485	17600	1250W/10A	6'7"	SJT	\$8.07	\$7.56
23-490	17601	1250W/10A	9'10"	SJT	12.25	11.78
23-495	17602	1625W/13A	6'7"	SJT	11.22	10.75
23-505	17604	1875W/15A	6'7"	SJT	12.07	11.60
23-510	17605	1875W/15A	9'10"	SJT	15.10	14.09
23-525	17742	1250W/10A	6'7"	SVT	5.11	4.60
<b>Duofoil &amp; Braid Shielded</b>						
23-535	17660	1250W/10A	6'7"	SVT	14.30	13.27
23-540	17661	1250W/10A	9'10"	SVT	17.37	16.35
<b>Unshielded</b>						
23-545	17250	1250W/10A	7'6"	SVT	3.02	2.51
23-550	17251	1250W/10A	7'6"	SVT	3.06	2.55
23-560	17501	1250W/10A	9'10"	SJT	6.05	5.54
23-575	17503	1625W/13A	9'10"	SJT	7.06	6.55
23-580	17504	1875W/15A	6'7"	SJT	4.09	3.58
23-585	17505	1875W/15A	9'10"	SJT	9.08	8.57

### IBM Type Monitor AC Extension Cord


•Allows user to extend the length of IBM monitor cables



Order #	Length	(1-9)	(10-up)
83-0090	1'	\$4.09	\$3.06
83-0020	6'	5.09	4.49

### AC Adaptors for IBM Type Monitor

•Allows use of monitor other than IBM with IBM PC or XT



Order #	Length	(1-9)	(10-up)
83-0075	1'	\$4.19	\$3.59
83-895	6'	5.32	4.50

LIMITED LIFETIME WARRANTY

### inland AC Cord Adaptor with Rotating Plug

•Converts your standard straight AC plug into a right-angled AC plug •Enables office equipment, furniture, appliances, power tools and other AC powered devices to be positioned within 1/2" from the wall •Rotating plug allows cord to be routed in any direction •Length: 12" •125V, 15A, 1875W



Order #	(1-4)	(5-up)
28-8542	\$4.95	\$3.95



### Grounding Adaptor

•Converts three conductor grounded plugs for use in two conductor ungrounded outlet



Order #	(1-9)	(10-49)	(50-99)
27-310	\$1.33	\$1.02	\$0.82

### IIIWoods® Slimline™ Household Extension Cords

Woods Slimline™ cords have thin male plugs to keep the cord close to the wall. Plug does not block other outlet. Soft strap makes it easy to pull plug from the wall. Color of cord is white.



Order #	Gauge/Cond	Length	125V Rating	(ea.)
28-4476	16/2	13'	13A	\$4.69
28-4477	16/2	7'	13A	3.69
28-4478	16/3	13'	13A	9.49



### IIIWoods® Office Cords

Manufactured with polarized outlets in a solid molded plug. These 13A cords include a safety cover for unused outlets.

Order #	Gauge/Cond	Length/Color	Outlets	(ea.)
28-4481	16/3	25'/Black	Single	\$11.95
28-4482	16/3	10'/Gray	Triple	10.95
28-4483	16/3	20'/Gray	Triple	11.50
28-4484	16/2	10'/Gray	Triple	3.49



### IIIWoods® Tight Spot Six Outlet Tap

Ordinary outlets direct cords straight out into the room, using up to 4" of space. With Tight Spots unique angled side-entry, you can move your furniture closer to the wall, and still have easy access to grounded outlets. •Rated 15A, 125V, 1875W

Order #	(ea.)
28-4509	\$5.04

### IIIWoods® Three Outlet Household Extension Cords

•16 gauge, two conductor wire •125V, 13A •Includes safety cover for unused outlet



Order #	Length	Color	(1-9)	(10-up)
28-8461	6'	Brown	\$1.89	\$1.69
28-8462	6'	White	1.89	1.69
28-8463	9'	Brown	2.10	1.90
28-8464	9'	White	2.39	2.19
28-8465	12'	Brown	2.99	2.59
28-8466	12'	White	3.19	2.89

### IIIWoods® Yellow Jacket® Contractor Grade Cords

Woods' exclusive Yellow Jacket® compound is more flexible and abrasion resistant at any temperature than standard vinyl compounds or blue cold weather cords. Yellow Jacket® cords are the best on the job site, because they are three times as abrasion resistant as standard vinyl. PowerLite power indicator plug glows when the cord has power. Extra heavy, clear molded plugs are rugged and durable.



Order #	Gauge/Cond	Length	125V Rating	(ea.)
28-4465	14/3	25'	15A	\$14.95
28-4466	14/3	50'	15A	24.95
28-4467	14/3	100'	13A	39.95
28-4468	12/3	25'	15A	22.95
28-4469	12/3	50'	15A	34.95
28-4470	12/3	100'	15A	57.95

## Batteries/Power Products



### Section 8



### Power Cord Receptacle

Mates with any belden cord connector PH-386, PH-390 or PH-391, IEC-320-C13. May be used for equipment used in the US, Canada and European countries. Type 17252 rated 15A, 250V; UL listed. Mfr. #17252.



Order #	(1-9)	(10-up)
23-470	\$1.50	\$1.30

### Power Jack

•3 prong •Panel mount •Used in computers and test equipment



Order #	(1-9)	(10-up)
28-0170	\$1.35	\$1.14

### Ferrite Split Sleeve Cable Clamps

A split ferrite sleeve that can easily be fitted around existing cables to reduce the induced noise levels present in the cable. The clamshell package protects the ferrite and ensure that once fitted, the unit will not slip. Suitable for reducing noise problems in computer cables and other digital equipment such as monitors, CD players etc.



Order #	Cable Size	(L) x (W) x (H)	(1-9)	(10-up)
FT-SFC/4	4-5mm	1 1/2" x 5/8" x 3/8"	\$3.70	\$3.52
FT-SFC/8	7.8-8.5mm	1 1/4" x 7/8" x 3/4"	4.29	4.08

## IIIWoods®

### IIIWoods®



### Tough Strip Six Outlet Power Strip

An all steel casing makes this strip the durable choice for the workshop. 15 amp circuit breaker allows you to reset overloads at job site instead of running to your electrical panel. •4' 14/3 cord •Rated 15A, 125V, 1875W

Order #	(ea.)
28-4513	\$9.99

### IIIWoods® Transformer Deck Six Outlet Power Strip

Plugging a transformer into ordinary power strips means losing up to two outlets, but not with this unit. Two transformer ports provide a large, stable area for transformers and allow clear access to all outlets. •Plastic housing •4' 14/3 cord •15A circuit breaker •Rated 15A, 125V, 1875W



Order #	(ea.)
28-4512	\$9.99



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 217



## Batteries/ Power Products

Section 8

### NEW! NEW! NEW! RCA

#### Eight Outlet Surge with Phone and Coaxial Protection

- Eight outlets (three adaptor spacings) • Two coax cable/DBS protection • 2100 joules protection • 45° flat profile plug • 6' power cord • Power switch with circuit breaker • \$100,000 connected equipment guarantee • Rotating safety covers • Surge stat indicator • Phone line protection with splitter • Noise filter • Includes 3' RG-6 cable and 6' telephone cord



Order #	(ea.)
PS83202C2	\$26.95



#### Triple Cube Tap

- Three polarized outlets • AC 125V/15A



Order #	(1-4)	(5-up)
28-5520	\$1.99	\$1.79

#### Double-Sided Wall Tap

Plug your appliance in from either side rather than straight on. Great for behind the couch type requirements. Also, they give you more available outlets for more equipment. 125VAC/15A.




Order #	# of LED MOVs Indicator	Filter	EMI/RF Protection Phone/CATV	(1-4)	(5-up)
28-2825	1	Yes	Yes	No	\$6.05 \$4.79



#### Three Outlet Converter

- Converts one receptacle into three • Swivel plug easily adjusts to almost any angle • Rated at 15A, 125VAC • UL listed



Order #	(1-4)	(5-up)
28-1460	\$2.70	\$2.18



#### Three Outlet Grounded Converter

- Converts one grounded receptacle into three • Rated at 15A, 125VAC • UL listed

Order #	(1-4)	(5-up)
28-1445	\$2.49	\$1.72



#### Six Outlet Wall Tap

- Converts two grounded outlets into six • Rated at 15A, 125VAC • Center screw ensures secure mounting • UL listed

Order #	(1-4)	(5-up)
28-1450	\$3.28	\$3.08



#### Receptacle Analyzer

- Quick and easy way to check standard 3 prong receptacles • Neon lights to indicate wiring connections • Color-coded reference chart



Order #	(1-9)	(10-24)	(25-49)
21-1145	\$7.12	\$6.57	\$5.91

#### Six Outlet Surge Protected Wall Tap

- Converts two grounded outlets into six • Center screw ensures secure mounting • Continuous surge/spike protection • Status indicator light lets you know surge protection is being enforced • Rated at 15A, 125VAC • UL listed



Order #	(1-4)	(5-up)
28-1455	\$6.99	\$6.45



#### Single Outlet Surge Protectors

- Extend the life of computers, TVs, VCRs, and all other electronic equipment • Single outlet with tele-modem or CATV surge protection • Surge LED indicates surge protection is functioning • EMI/RFI noise protection **Specifications:** • Response time: Less than 1nsec • Energy: 210 joules • Peak current: 4,500A • Rated at 15A, 120VAC, 60Hz • UL listed



Order #	Protects	(1-4)	(5-up)
28-5525	AC Only	\$4.99	\$4.20
28-4396	AC/Telephone	5.99	5.20
28-4397	AC/CATV	5.99	5.20



#### Single Outlet Surge Suppressor

- Protect electronic equipment from harmful voltage surges with this easy to use surge suppressor. Surge LED indicates surge protection is functioning. **Specifications:** • Response time: Less than 5nSec • Energy: 114 joules • Peak current: 4,500A • Rated at 15A, 120VAC, 60Hz • UL listed



Order #	(1-4)	(5-up)
28-4395	\$4.49	\$3.79

#### Three Outlet Surge Suppressors

- Helps protect computers, stereos, and other electronic equipment • Suppresses up to 40 joule surges at current levels up to 4500A • Clamping response time: Less than 5nsec • Maximum voltage surge: 6000V • Electrical rating: 15A; 125VAC; 1875W • Full 3 mode surge suppression with EMI/RFI filter



Order #	(1-4)	(5-up)
28-0300	\$7.13	\$6.11

#### Surge Suppressor

- Three outlets • Line to neutral protection mode • Helps protect electronic equipment from voltage transients • 125V, 15A varistor **Specifications:** • Maximum permissible voltage: 225VDC, 175VAC RMS • Maximum surge current: 2500A two times or 4500A one time



Order #	(1-9)	(10-up)
83-755	\$6.11	\$5.09



#### Four Outlet Power Strip

- 3' heavy duty cord with grounded plug • 15A circuit breaker built-in to lighted power switch • Sleeve pack for retail display



Order #	(1-4)	(5-up)
28-8271	\$3.69	\$3.15

#### Four Outlet Surge Protector

- 90 joules (1MOV) • <1ns response time • 3' heavy duty cord with grounded plug • 15A circuit breaker built-in to lighted power switch • Sleeve pack for retail display



Order #	(1-4)	(5-up)
28-8272	\$4.19	\$3.66




#### Power Strips

- ABS fire retardant plastic case • Convenient slim design • Safety circuit breaker prevents overload by automatically cutting off electrical flow • 6' grounded cord • Lighted rocker switch • Rated at 15A, 125VAC • UL listed

Order #	Outlets	(1-4)	(5-up)
28-1480	6	\$6.99	\$6.09
28-1485	8	8.99	8.24

#### Six Outlet Surge Protector

- 90 joules (1MOV) • <1ns response time • 15A circuit breaker built-in to lighted power switch



Order #	(1-4)	(5-up)
28-8470	\$5.99	\$5.27



#### Six Outlet Surge Protector

- Full three line surge protection • EMI/RFI filter • Integrated circuit breaker switch • LED indicator shows working surge protector circuit • AC 125VAC/15A • 270 joules • 330V clamping voltage • Response time: Less than one nanosecond • ABS fire retardant plastic case • 6' heavy duty cord • Built-in brackets for wall mounting

Order #	(1-4)	(5-up)
28-5515	\$9.49	\$8.15



#### Eight Outlet Surge Protector Strip

- Protect valuable electronic equipment from electrical spikes and surges with full three line surge protection • 6' grounded cord • Resettable circuit breaker • Lighted rocker switch • Rated at 15A, 125VAC • ABS fire retardant plastic case • UL listed

Order #	(1-4)	(5-up)
28-1490	\$14.95	\$13.75



218

Order Online  
www.mcminone.com





#28-4401

### Six Outlet Surge Protectors

• Protect all electronic equipment from the danger of voltage surges and noise interference  
• Surge LED indicates surge protection is functioning  
• Wiring LED indicates correct wiring • EMI/RFI noise protection • Resettable circuit breaker • 6' power cord  
**Specifications:** • Response time: Less than 1nsec • Energy: 210 joules • Peak current: 4,500A • Rated at 15A, 120VAC, 60Hz • UL listed


Order #	Description	(1-4)	(5-up)
28-4401	6 outlet	\$8.15	\$7.13
28-4402	6 outlet w/tele-modem	10.29	9.26



### Three Outlet Wall Tap with Night Light

• Rated: 125V, 15A, 1875W • Sensor activated night light • Retail packaged

Order #	(1-4)	(5-up)
28-8277	\$2.64	\$2.13



#28-4402



### Nine Outlet AC/Telephone/CATV Surge Protectors

• Includes three AC adaptor-spaced outlets  
• 840 joules • Full three line AC protection  
• <1ns response time  
• EMI/RFI noise filter  
• Ground and surge LED indicators  
• Safety outlet covers  
• Protects single or two line phone devices • #28-8274 also protects TV/VCR from voltage spikes through coax connection • 6' heavy duty cord with grounded plug • 15A circuit breaker built-in to lighted power switch • Retail boxed

Order #	(1-4)	(5-up)
28-8274	\$14.95	\$13.75
28-8273	12.95	11.75

### Metal Oxide Varistor

• Clamping voltage: 340V  
• Energy: 35 joules • Peak current: 2500A (20sec)  
• Maximum allowable voltage: 130AC, 170VDC  
• Can be added to provide surge suppression to almost any 120VAC operated device • Three per bag



Order #	(1-3 bags)	(4 bags-up)
28-790	\$4.07	\$3.56


### inland Desktop Surge Protector

• Conveniently fits beneath monitor and completely protects computer system with five AC outlets (four surge, one non-surge) and phone line protection with RJ-11 in/out jacks • Metal housing • Full three MOV protection • AC: 270 joules, phone: 72 joules • <1ns reaction time • 6500A current peak • 330V clamping voltage • EMI/RFI protection (150KHz-15MHz) • 15A circuit breaker • Includes master AC on/off switch, four switches that control surge protected outlets on rear panel and surge status and power LEDs on front panel • 6' AC cord and phone cord included • UL 1449, 1363, 497A listed • \$10,000 Connected Equipment Warranty

## Batteries/Power Products



## Section 8



### Surge Protectors with Metal Housings

• Provides surge protection for appliances, tools and other electrical devices used in the home or business • Durable grounded metal housing  
• 15A circuit breaker • Illuminated on/off switch  
• Brackets for wall mounting • 330V clamping voltage • Less than one nanosecond response time • 125V/15A/1875W • EMI/RFI filter and LED surge indicator on #28-1470 only

Order #	Outlets	AC Lines Protected	Joules	Cord Length	(1-4)	(5-up)
28-1470	6	3	270	6'	\$16.95	\$15.05
28-5535	6	1	90	4'	11.95	9.17
28-5540	4	1	90	4'	9.49	8.35



Order #	(1-4)	(5-up)
28-8544	\$29.95	\$24.95



### WIREMOLD® Plug-In Outlet Center® Units

Bring power safely and conveniently to wherever you need it with Cabinet Mate Plug-In Outlet Centers from Wiremold. These units are ideal for use in a wide variety of settings, including relay racks and cabinets, laboratories, workshops, classrooms and offices. Most units are available in both 15 and 20A configurations. **Features:** • Rugged construction • Low profile. CabinetMATE units offer a narrow 1½" x 1⅞" (38mm x 20mm) aluminum housing • Aesthetically pleasing. CabinetMATE units have a gray finish and a black cord • Cord properly rated to load requirements. 15A units have a 14/3 SJT cord and a NEMA 5-15P plug. 20A units have a 12/3 SJT cord and a NEMA 5-20P or NEMA L5-20P plug • Lighted switch. Most units have lighted on/off switch(es) to control power to the unit • Resettable circuit breaker. Provides overload protection • Two-year product warranty • UL recognized or listed and CSA certified. All other units are UL listed and meet UL1363 standards. All 15A units are also CSA certified.

Order #	Model #	Length	Outlets	Cord Length	(1-9)
<b>15 amp units</b>					
28-9685	ULB620-6	10"	6	6'	\$73.95
28-9690	ULB620-15	10"	6	15'	78.95
28-9615	4810ULBC	48"	10	6'	52.95
28-9620	810ULBD	48"	10	15'	56.95
28-9625	7011ULBC	70"	11	6'	60.95
28-9630	7011ULBD	70"	11	15'	64.95
28-9635	7712ULBC	77"	12	15'	68.95
28-9640	7712ULBD	77"	12	15'	72.95
<b>20 amp units</b>					
28-9645	4810ULBC20R	48"	10	6'	68.95
28-9650	4810ULBD20R	48"	10	15'	72.95
28-9655	7011ULBC20R	70"	11	6'	76.95
28-9660	7011ULBD20R	70"	11	15'	80.95
28-9665	7712ULBC20R	77"	12	15'	84.95
28-9670	7712ULBD20R	77"	12	15'	88.95

### WIREMOLD®

#### Hospital Grade 15A Plug-In Outlet Center® Units

Bring power safely and conveniently to wherever you need it with these outlet strips from Wiremold. These units are ideal for use in a wide variety of settings, including cabinets, laboratories, workshops, and offices. Units are available in both 15 and 20A configurations. **Features:** • Rugged construction • Aesthetically pleasing, hospital grade units have a white finish and a white cord • Units have a 14/3 SJT cord and a NEMA 5-15P plug, 20A units have a 12/3 SJT cord and a NEMA 5-20P or NEMA L5-20P plug • Lighted switch, most units have lighted on/off switch(es) to control power to the unit • Resettable circuit breaker provides overload protection • Two year product warranty • UL recognized or listed and CSA certified. • Not for use in critical care environments





Order #	Model #	Length	Outlet#	Cord Length	Amp	(1-9)	(10-up)
28-9675	ULBH6-6	10½"	6	6'	15	\$57.95	\$55.95
28-9680	ULBH6-15	10½"	6	15'	15	62.95	60.95

### WIREMOLD® Industrial Plug-In Outlet Center® Units

Bring power safely and conveniently to wherever you need it with these outlet strips from Wiremold. These are ideal for use in a wide variety of settings, including relay racks and cabinets, laboratories, workshops, classrooms and offices. Most units are available in both 15A and 20A configurations. **Features:** • Rugged construction • Aesthetically pleasing, units have a gray finish and a black cord • Cord properly rated to load requirements; 15A units have a 12/3 SJT cord and a NEMA 5-15P plug; 20A units have a 12/3 SJT cord and a NEMA 5-20P or NEMA L5-20P plug • Lighted switch; Most units have lighted on/off switch(es) to control power to the unit • Resettable circuit breaker provides overload protection • Two year product warranty • UL recognized or listed and CSA certified; All other units are UL listed and meet UL1363 standards; All 15A units are also CSA Certified • Models UL2064 have receptacles 5.25" center to center • Models UL2065 have receptacles 2.50" center to center

Order #	Model #	Outlets	Cord Length	Length	Amp	(1-9)	(10-up)
28-9695	UL401BC	8	6'	48"	15	\$47.95	\$45.95
28-9700	UL401BD	8	15'	48"	15	51.95	49.95
28-9705	UL402BC	16	6'	48"	15	57.95	55.95
28-9710	UL402BD	16	15'	48"	15	61.95	59.95
28-9715	UL2064BC	12	6'	72"	15	49.95	47.95
28-9720	UL2064BD	12	15'	72"	15	53.95	51.95
28-9725	UL2065BC	24	6'	72"	15	69.95	67.95
28-9730	UL2065BD	24	15'	72"	15	73.95	71.95



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 219



## Batteries/ Power Products

### Section 8



#### BC Pro UPS

BC Series UPS System symbolizes the most cost-effective approach to safeguarding a single personal computer or workstation. Reliable battery back-up offers plenty of time to save open files and shut down equipment in the event of a blackout. BC Pro model includes award-winning PowerAlert Software to facilitate graceful unattended shutdown in the event of a prolonged power failure. Peace of mind comes in the form of \$25,000 Ultimate Lifetime Insurance to cover connected equipment against surge damage...for life!



Order #	Mfr. #	(1-9)	(10-up)
28-9900	BC Pro 600	\$122.00	\$119.00



#### Internet Office UPS Systems

•Protect personal computers, modems and peripherals •Six outlets (three UPS/surge, three surge only) protect your entire computer set-up •Built-in RJ-11 jacks provide modem/fax protection on up to two lines simultaneously •DB-9 communication port and free PowerAlert software (web download) for unattended system shutdown •350 and 525VA models offer a new compact cabinet design **Specifications:** •120VAC/60Hz •NEMA 5-15R receptacles •EMI/RFI filtering = 40dB at 1MHz •\$25,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life

Order #	Mfr. #	Outlets	Half Load Runtimes	(1-9)	(10-up)
<b>Tower Units</b>					
28-6640	InternetOffice300	6 + RJ-11	10	\$73.95	\$69.95
28-6643	INTERNETOFFICE700	6 + 2 RJ-11	17	127.95	119.95
<b>Low Profile Serial Monitoring</b>					
28-8870	INTERNETSER350	6 + RJ-11	15	42.95	39.95
28-8875	INTERNET525SER	6 + RJ-11	17	57.95	54.95
<b>USB Monitoring</b>					
28-10090	INTERNET350U	6 + 2 RJ-11, USB	15	42.95	39.95
28-10095	INTERNET525U	6 + 2 RJ-11, USB	17	57.95	54.95
28-10100	INTERNET750U	6 + 2 RJ-11, USB	17	73.95	69.95



#### GOLDX Surge Protection

•Protect your expensive equipment with surge protectors from Gold-X •With EMI/RFI protection and up to 2280 joules, these products can handle any job •All products have a limited lifetime warranty and insurance protection up to \$75,000 dollars •#28-9990 also includes a separate single wall mount surge protector

Order #	MSRP	Outlets	Joules	RJ-11	Coax	(1-9)	(10-up)
28-9990	\$14.99	6	270	2	0	\$12.95	\$12.25
28-9995	23.99	8	1140	2	2	19.95	18.55
28-10000	29.99	8	2280	2	2	26.95	24.55



#### OmniSmart UPS

**OmniSmart VS Value Series:** •VS UPS systems provide basic line-interactive operation at cost effective pricing •All VS UPS systems feature automatic voltage regulation (AVR), which correct brownouts without draining battery power •Every model includes award-winning PowerAlert software •Connected equipment guarantee of up to \$200,000 **OmniSmart:** •Automatic voltage regulation characterizes OmniSmart UPS systems, constantly protecting connected equipment against brownouts and over-voltages without draining battery power •This makes an OmniSmart the ideal solution for poor power environments

Fig.	Order #	Mfr. #	Outlets	(1-9)	(10-up)
<b>OmniSmart Value Series</b>					
A	28-10105	OMNIVS1000	8 + RJ-11, USB	\$189.00	\$186.00
	28-10110	OMNIVS1500XL	8 + RJ-11, USB	245.00	240.00
<b>OmniSmart</b>					
B	28-8880	OmniSmart750	6 + USB	254.00	252.00
	28-8885	OMNISMA71050	6 + USB	449.00	445.00



#### SmartPro UPS


The SmartPro family of intelligent, line-interactive UPS systems is specially designed to provide mission-critical network, telecom and server applications with a superior level of power protection and control. These long lasting battery back-ups support up to four servers during blackouts. Automatic voltage regulation constantly monitors incoming voltage and "trims" or "boosts" to supply consistent power without draining batteries. Powerful surge suppression safeguards against damage from spikes and line noise. Every model includes award-winning PowerAlert Software to facilitate graceful unattended shutdown and unparalleled network management and control, including wireless devices. Peace of mind comes in the form of \$75,000 Ultimate Lifetime Insurance to cover connected equipment against surge damage...for life!

Order #	Mfr. #	Outlets	Runtime	(1-9)	(10-up)
<b>Smart Line Interactive Tower UPS</b>					
28-9905	SMART550USB	6 + RJ-11, USB	15	\$104.00	\$99.95
28-9910	SMART750USB	6 + RJ-11, USB	20	125.00	119.95
<b>Smart Pro Line Interactive UPS</b>					
<b>Tower</b>					
28-10120	SMART700SER	6, DB9	20	208.00	199.00
28-10125	SMART1050SLT	8, USB, SNMP	30	369.00	352.00
28-10535	SMART2200VS	9, USB, SNMP	45	599.00	595.00
<b>Rack-Mount</b>					
28-10115	SMART500R1U	6, USB		166.00	159.00
28-10150	SMART5000RT3U	14 (8 banks), 2 USB, 2 DB9, SNMP		2677.00	2550.00
<b>or Tower (conversion kit included)</b>					
28-10130	SMART1000RM1U	6, USB, DB9	30	479.00	457.00
28-10135	SMART1000RM2U	6 (2 banks), USB, DB9, SNMP	-	425.00	405.00
28-10140	SMART1500RM2U	8 (2 banks), USB, DB9, SNMP	-	555.00	529.00
28-10145	SMART3000RM2U	9 (3 banks), 2 USB, 2 DB9, SNMP	-	912.00	869.00



#### Isolation Transformers

Tripp Lite Isolator series isolation transformers offer complete line isolation, continuous noise filtering and enhanced common mode surge suppression. Internal low-impedance isolation transformer component with Faraday Shield offers 100% isolation from the input AC line. Removes EMI/RFI noise, utility switching transients, background spikes generated by other on-site loads and utility or lightning related surge conditions. Additional surge suppression components placed at both the line input and transformer output combined with full line isolation offers continuous line filtering of a full range of power line noise in all modes. Active transformer filtering with no wearable parts is uniquely able to reduce surges in the worst of power environments to harmless levels. Reduces 6000V IEEE587 Cat A&B ring wave and combination wave test surges to only 0.5V common mode. Two year manufacturers warranty. Model IS1000HG includes hospital grade outlets.



Order #	Mfr. #	Outlets	Wattage	(1-9)	(10-up)
28-10155	IS250	2	250	\$94.95	\$89.95
28-10160	IS500	4	500	115.95	109.95
28-10165	IS1000	4	1000	163.95	155.95
28-10170	IS1000HG	4	1000	294.95	279.95



220

Order Online  
www.mcminone.com





## Line Conditioners

•Tripp Lite Line Conditioners constantly monitor incoming voltage and adjust it to provide connected equipment with consistent 120V power •Also provides premium surge, spike and RFI/EMI line noise filtering •Up to \$25,000 Ultimate Lifetime Insurance covers connected equipment for life

Order #/Mfr.#	Output	Outlets	(1-9)	(10-up)
28-6637/LS606M	600W	6	\$78.95	\$74.95
28-0280/LC1200	1200W	4	115.95	109.95
28-6638/LC1800	1800W	6	163.75	-
28-6639/LC2400	2400W	6	221.00	210.95



## Precision Regulated DC Power Supplies

•Convert 120VAC to 13.8VDC (+/- .5V) •Provides excellent regulation of output voltage •Ideal for use with HAM radio and CB radios, test benches, tape players, and amplifiers •Compact footprint, metal housing and lighted on/off switch

Order #	Mfr. #	Capacity	(1-9)	(10-up)
28-8930	PR3	3A	\$37.95	\$35.95
28-8935	PR4.5	4.5A	42.95	41.25
28-8940	PR7	7A	52.95	51.95
28-8945	PR10	10A	59.95	58.25
28-10550	PR15	15A	99.95	97.95
28-10555	PR25	25A	129.00	125.00
28-10560	PR30	30A	149.00	145.00
28-10565	PR40	40A	159.00	157.00



## PowerVerter Plus Inverter

Harness your vehicle's battery to efficiently power office equipment on the road or power tools at a work site. Continuously supplies up to 500W of 120VAC power to two AC outlets from any 12V battery or automotive DC source. Frequency control locks AC output at 60Hz for operating stability of motor loads. Includes a set of high current DC input terminals for simple, permanent installation. Highly reliable large transformer design specializes in powering motors and other inductive loads with high-current start-up needs. **Features:**

•Allows users to run large, motorized AC appliances from any 12V battery or automotive DC system •Converts 12VDC battery power to 120VAC power •Up to 2000W continuous output power •Up to 4,000W peak output power to start-up heavy motorized/inductive loads •Two outlets; DC input terminals for 12V battery connection (user supplies cable) •Frequency control for operating stability •Diagnostic LEDs indicate load level (high, medium, and low) and battery charge (high, medium, and low)



Order #	Mfr. #	Description	(1-9)	(10-up)
28-10290	PV500FC	500W FC DC Inverter	\$199.00	\$194.00
28-10295	PV1000FC	1000W FC DC Inverter	249.00	242.00
28-10300	PV2000FC	2000W FC DC Inverter	369.00	349.00

\*FC – Frequency Controlled



## Waber by Tripp Lite Surge Suppressors and Power Strips

Waber-by-Tripp Lite Surge Suppressors are housed in extremely heavy duty metal housings, making them ideal for standing up to the harshest working environments. Added features including lighted on/off switches, keyhole mounting slots and diagnostic LEDs allow these models to fit seamlessly into any industrial or office environment

Fig.	Order #	Mfr. #	Description	Outlets	(1-9)	(10-up)
<b>Power Strips</b>						
A	28-10270	3SP	3 outlet power strip	3 NEMA 15-R	\$17.95	\$16.99
B	28-9930	4SPDX	4 outlet power strip	4 Nema 5-15R	17.95	16.45
C	28-9935	602	5 outlet power strip	5 Nema 5-15R	19.95	18.95
D	28-10275	6SP	6 outlet power strip	6 NEMA 15-R	19.95	18.99
D	28-9940	UL24RA-15	6 right angle outlet strip 15' cord	6 Nema 5-15R	44.95	42.55
E	28-9955	UL800CB-15	10 transformer spaced outlet strip 15' cord	10 Nema 5-15R	69.95	68.55
<b>Surge Suppressors</b>						
F	28-9920	PM6SN1	450 joules 6 outlet surge strip	6 Nema 5-15R	19.95	18.75



## ISOBAR® Premium Surge Suppressors

•Protect computers and home/office electronics with the world's most trusted premium surge suppressors, more than 14 million in use worldwide •Isolated filter banks eliminate interference between connected equipment •Cascade circuitry offers increasing levels of protection for more sensitive equipment •All metal housings stand up to the toughest environments •Select models include 3 diagnostic LEDs and 6' power cords **Specifications:** •140VA RMS initial clamping voltage •(0ns) response time •EMI/RFI filtering =>40dB-80 •Up to \$50,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life


Order#	Mfr. #	Outlets	Joules	(1-9)	(10-up)
28-0265	ISOBAR2-6	2	600	\$34.95	\$32.95
28-9915	IBAR4	4	2200	37.95	36.95
28-0270	ISOBAR4ULTRA	4	2200	49.95	47.95
28-6634	ISOBAR6ULTRA	6	2350	62.95	59.95
28-6636	ISOBAR6DBS	6+RJ-11+COAX	2850	69.95	67.95
28-6635	ISOBAR8ULTRA	8	2350	69.95	-



## Batteries/Power Products



## Section 8



## Network Surge Suppressors

Lightning, electrostatic discharges, ground surges and faulty wiring send surges along your network lines, causing glitches, lock-ups and hardware damage on your computer system. Tripp Lite Network Surge Suppressors end the threat of dataline surges. Installed directly at your data ports, they protect your computer's delicate internal circuitry with up to 300% more surge absorbing power than competitive models.

Fig. Order # Mfr. # Description (1-9) (10-up)

A	28-9965	MP	2 RJ-11 wall mount surge protector	\$16.95	\$16.25
B	28-9970	TSB	2 RJ-11 In-line 3 stage surge protector	36.95	34.55
C	28-9960	DCATV	2 "F" connectors 7.5V clamping	26.95	24.55
D	28-10305	DUSB	USB in-line surge protector	19.99	17.99
D	28-10310	DTEL2	2 x RJ-11 in-line surge protector	19.99	17.99
D	28-10315	DNET1	2 x RJ-45 in-line surge protector	19.99	17.99

## NEW! NEW! NEW!



**Tripp Lite Home Theater Power Protection**

Tripp Lite Home Theater surge suppressors safeguard your home theater investment and enhance the audio/video performance of all your components by filtering disruptive line noise traveling on the AC, coaxial or tel/modem/network lines. **Features:**

•Superior surge-blocking architecture/highest joule rating in its class •Exclusive line noise filtering technology •Multiple power-monitoring diagnostic LEDs •Virtually indestructible all-metal housing **Peak performance:** •Sharper, crisper video •Deeper, fuller audio •Longer component lifespan •Up to \$500,000 connected equipment warranty

Fig.	Order#	Mfr. #	(1-4)	(5-up)
A	28-10396	HT706TV	\$19.95	\$17.95
B	28-10400	HT706TSAT	69.95	25.55
C	28-10405	HT1010SAT3	62.95	59.95
D	28-10410	HT10DBS	82.95	79.95
E	28-10415	HTPOWERBAR10	132.00	129.00
F	28-10420	HT1500UPS	132.00	129.00



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960

221



## Batteries/ Power Products

### Section 8



#### Power Strips and Surge Suppressors

•Provides convenient multiple outlets wherever they are needed •All metal housings stand up to the harshest working environments •15' power cords **Specifications:** •15A NEMA 5-15R receptacles •On/off power switch

Order#	Mfr. #	Description	(1-9)	(10-up)
28-9055	PS2408	8 outlet 24" strip	\$31.95	\$29.95
28-9060	PS3612	12 outlet 36" strip	36.95	34.95
28-9065	PS4816	16 outlet 48" strip	39.95	37.95
28-2955	PS7224	24 outlet 72" strip	45.95	42.95
<b>Surge Suppressors</b>				
28-9925	SS-7619-15	450 joules 24 outlet 72" strip	55.95	52.95



#### Rackmount Power Strips

•Provides convenient multiple outlets in a space saving 1U rackmount cabinet •Fits standard 19" rack space •All metal housings stand up to the harshest working environments •15' power cords **Specifications:** •15A NEMA 5-15R receptacles •On/off power switch

Order#	Mfr. #	Description	(1-9)	(10-up)
28-9030	RS-1215	12 outlet 15A	\$36.95	\$34.95
28-9035	RS-1215-20	12 outlet 20A	47.95	44.95
28-9040	RS-1215-RA	12 outlet 15A right angled	36.95	34.95
28-9045	RS-1215-HG	12 outlet 15A hospital grade	64.95	59.95
28-9050	RS-0615-F	6 front outlets 15A	36.95	34.95
28-2980	RS-0615-R	6 rear outlets 15A	36.95	34.95
28-10320	PDU1215	12 rear outlets 15' cord 15A	81.95	77.95
28-10325	PDU1220	12 rear outlets 15' cord 20A	92.95	87.95



#### Rackmount Surge Suppressors


•Protect rackmount equipment with all of the benefits of the Isobar surge line in a space saving 1U rackmount cabinet •Fits standard 19" rack space •A variety of outlet configurations accommodates providing safe power to any situation •All metal housings stand up to the harshest working environments •15' power cords **Specifications:** 15A •140VA RMS initial clamping voltage •Instantaneous (Ons) response time •EMI/RFI filtering =>40~80dB •Up to \$50,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life

Order#	Mfr. #	Outlets	Joules	(1-9)	(10-up)
28-9020	ISOBAR12ULTRA 12	12	1200	\$129.00	\$125.00
28-9025	DRS-1215	12	450	59.95	58.95



Order Online  
www.mcminone.com

222



#### Protect It! Surge Suppressors

•Reliable surge protection at an affordable price •Versatile outlet designs accommodate transformers without blocking remaining outlets •Space saving right angle plugs allow furniture to be placed flush against the wall •Diagnostic LEDs alert you to power problems before sensitive equipment is put at risk •Select models include modem/fax, coax and/or ethernet surge protection •Up to 10' power cords **Specifications:** •150VA RMS initial clamping voltage •>1ns response time •EMI/RFI filtering = 40dB-80 •Up to \$100,000 Ultimate Lifetime Insurance covers connected equipment against surge damage for life

Fig.	Order#	Mfr. #	Outlets	Cord Length	Joules	(1-9)	(10-up)
A	28-9000	STRIKER	7	-	480	\$8.99	\$8.39
A	28-6626	SUPER7	7	-	2350	19.95	18.95
A	28-6629	SUPER7Tel	7AC/1 line RJ-11	-	1522	24.95	22.95
A	28-8995	TLP602	6	-	150	6.99	6.39
A	28-10285	TLP606	6	4'	150	6.99	5.99
A	28-10280	TLP604	6	6'	150	8.99	7.99
B	28-9005	TLP808TEL	8AC/2 line RJ-11	-	2518	27.95	25.95
B	28-9010	TLP810NET	8AC/2 line RJ-11/2 RJ-45/ 2 sets ("F") coax	-	2500	39.95	37.95
B	28-9015	TLP810SAT	8AC/2 line RJ-11/ 2 sets ("F") coax	-	2398	39.95	37.95
C	28-6633	PS5503M	2AC/1 line RJ-11/ direct plug-in	-	870	19.95	18.95
D	28-10020	TMC-6	6AC/1 line RJ-11	-	1850	29.95	27.95



#### Back-UPS ES

•Affordable battery back-up and surge protection for home computers •Enough power for your entire system and built-in phone/fax/modem (DSL compatible) protection •USB 2.0 compatible with PCs and Macs (OS 9 or higher) •Includes \$50,000 Lifetime Equipment Protection warranty •Receptacles: 7

Order #	Mfr. #	VA/Watts	Capacity	Typical runtime @ 100W	(ea.)
28-9845	BE350U	350/225	350/225	8 min.	\$42.95
28-9850	BE500U	500/325	500/325	22 min.	62.95


2 YEAR LIMITED WARRANTY



#### Back-UPS Pro

•Features smart battery back-up and high performance surge suppression for PCs and Macs •Includes Network manageable shutdown software for Windows 98/NT/2000 and XP **Features:** •Communication interface port, modem and ethernet surge protection, site wiring fault indicator and battery condition indicators •Capacity: 280VA/180W •20 minutes of typical run time •Three receptacles •Mfr. #BP280S •Includes a \$25,000 Lifetime Equipment Protection Policy

Order #	(ea.)
28-5910	\$119.95



#### Back-UPS LS

•Leading edge power protection for high performance computers •Features "AVR" automatic power under boost for low voltage brown-outs •Includes USB 2.0 connectivity to monitor power spikes •Also features DSL and modem protection **Features:** •USB communication port and modem surge protection, site wiring fault indicator and battery condition indicators •Includes a \$150,000 Lifetime Equipment Protection Policy

Order #	Mfr. #	Capacity VA/Watts	Typical run time @ 100W	Receptacles	(ea.)
28-9855	BP500CLR (clear)	500/315	27 min.	7	\$119.00
28-9860	BP500UC (charcoal)	500/315	27 min.	7	119.00
28-9865	BP700UC (charcoal)	700/410	44 min.	7	134.00



#### Back-UPS

2 YEAR LIMITED WARRANTY



•Features smart battery back-up and high performance surge suppression for PCs and Macs •USB 2.0 connectivity for the 350 and 500 units **Features:** •USB port, modem and ethernet surge protection, site wiring fault indicator and battery condition indicators •Includes a \$100,000 Lifetime Equipment Protection Policy

Order #	Mfr. #	Capacity VA/Watts	Typical Runtime	Receptacles	(ea.)
28-5896	BK350 CS	350/210	8	6	\$79.95
28-5897	BK500 CS	500/300	12	6	112.95





## APC™ Smart UPS

•Smart-UPS protects your data by supplying network-grade battery back-up when power fails •Includes PowerChute® plus which will safely store data and shut down your network operating system before the battery is fully discharged, whether you're there or not •SmartSlot internal accessory slot allows you to install optional accessories to enhance the performance of your UPS •APC Smart-UPS is the perfect UPS for file servers, minicomputers, UNIX CPUs, internet hubs, telecommunications systems and other mission-critical applications **Features:** •Some models offer USB connectivity •"AVR" automatic power under boost for low voltage brown-outs •Load meter technology to monitor and alert you to UPS overloads •Quick swap batteries which can be swapped out in under 60 seconds •The SC620 models offer protection for modem, ethernet, and serial ports •Ask your salesperson about Smart-UPS XL models which allow for expanding runtime by simply plugging in additional battery packs (these can be special ordered)



Order #	Mfr. #	VA/Watts	Typical runtime @ 100W	Receptacles	USB	(ea.)
<b>Tower Models</b>						
28-9870	SU420NET	420/210	21 min.	4	N	\$214.00
28-9875	SC620	620/390	45 min.	4	N	234.00
28-9880	SUA750	750/450	1 hr.	4	N	339.00
28-10045	SUA1000	1000/670	3.5 hrs.	8	Y	459.00
28-10060	SUA1500	1440/980	4 hrs.	8	Y	559.00
28-9885	SU2200NET	2200/1600	5.5 hrs.	8	N	899.00
28-9890	SU3000NET	3000/1500	5.5 hrs.	8	N	1299.00
<b>Rack Models</b>						
28-10035	SUA750RM1U	750/480	1.5 hrs	4	Y	459.00
28-10040	SUA750RM2U	750/480	1.5 hrs	6	Y	419.00
28-10050	SUA1000RM1U	1000/670	3.5 hrs	4	Y	599.00
28-10055	SUA1000RM2U	1000/670	3.5 hrs	6	Y	545.00
28-10065	SUA1500RM2U	1440/980	4 hrs	6	Y	669.00
28-10070	SUA2200RM2U	2200/1980	5 hrs	6(15A)2(20A)	Y	1050.00
28-10075	SUA3000RM2U	3000/2700	5.5 hrs	6(15A)2(20A)	Y	1199.00

## APC™ SurgeStation™ Professional Surge Protectors

Designed with customer requests in mind, these power stations offer numerous features that aren't found in most ordinary surge protectors. **Features include:** •Eight outlets, three spaced for transformers and two that have constant power •Master on/off switch •Building/site wiring fault indicator •15A circuit breaker •Thermal fuse reacts to sustained overvoltages and fast-acting fuse for lightning strikes and other large surge events •Protection working indicator •Superior EMI/RFI filtering •85V IEEE let through on Pro models and 40 on Net models •Optional fax/modem, cable and ethernet protection •Meets UL 1449 TVSS and UL 1283 EMI filter on all models and UL 497 and UL 1410 on the phone and cable models •Lifetime Equipment Protection (LEPP) •Dimensions: 8" (W) x 5.75" (H) x 1.75" (D)



Order#	Mfr.#	Protection*	Joules	LEPP	(ea.)
28-5925	Pro8	AC only	320	\$10,000	\$35.30
28-5930	Pro8T2	2T	320	10,000	39.95
28-5935	Pro8TV	T.C	320	10,000	42.95
28-5940	Net8	AC only	480	25,000	37.95

\*T=telephone, 2T=2 line telephone, C=cable, E=ethernet



## CyberPower™ Office Series UPS

The Office Series UPS are designed to protect office computers, corporate and departmental servers, computer workstations, as well as peripherals. Automatic voltage regulation insures that your sensitive electronic equipment receives only clean, consistent, regulated power. The UPS provides long-lasting back-up power in the event of a power failure. **Features:** •Automatic voltage regulator (AVR) •Microprocessor based full digital control •Power management software included •Programmable brownout and over voltage protection •EMI, RFI, surge and lightning spike protection •Internet ready, phone/fax/modem and DSL network protection •Scheduled shutdown and restart •User-replaceable batteries •Auto restart/ auto-charge •USB interface

Order #	Mfr. #	Outlets	Runtime*	USB	(1-9)	(10-up)
<b>Tower Models</b>						
28-10470	OP650	6	9min	N	\$98.95	\$97.95
28-10475	OP850	8	12min	Y	125.00	119.00
28-10480	OP1250	8	12min	Y	161.00	159.00
28-10485	OP1500	8	15min	Y	314.00	309.00
28-10490	OP2200	8	15min	Y	386.00	379.00
<b>2U Rackmount Models</b>						
28-10495	OR1500	6	15min	Y	332.00	328.00
28-10500	OR2200	6	15min	Y	422.00	418.00

\*Runtime calculated fully loaded and may vary depending on load

## CyberPower™ PR Series Battery Back-Ups

The Professional Series UPS are designed to provide pure sine wave output protect sensitive components of small office/home office (SOHO) servers, corporate and departmental servers, small business servers, as well as, today's power-hungry multi-media computer systems. **Features:** •Pure sine wave output •Multiple outputs for multiple servers •Automatic voltage regulator (AVR) •Microprocessor based full digital control •Programmable brownout and over voltage protection •EMI, RFI, surge and lightning spike protection •Phone/fax/modem/network protection •Scheduled shutdown and restart •PowerPanel Plus included •User-replaceable batteries •Auto restart/auto-charge •USB interface

Order #	Mfr. #	Outlets	Runtime	Plug	(ea.)
<b>Desktop</b>					
28-10350	PR1500	6	½ hour	5-15P	\$475.00
28-10355	PR2200	6	¾ hour	5-20R	695.00
28-10360	PR3000	6	1 hour	5-30R	875.00



## Batteries/Power Products



## Section 8

## APC™ Back UPS RS

This high performance desktop battery back-up features maximum protection in a versatile design. The fully featured APC Back-UPS RS can be placed on the floor, under a monitor or on a shelf. Six battery back-up outlets with automatic voltage regulation (AVR) enable you to work through even the most frequent brownouts and power sags, keeping 90/110 minutes of battery power for when you need it most. For printers and other devices that do not store or process information, two additional outlets provide surge protection. Both ethernet 10/100BaseT and telephone dataline surge protection safeguards against surges entering via network connections. The PowerChute Personal Edition software features easy-to-use safe system shutdown with sophisticated power management **Features:** •Lightning and surge protection preventing damage to your equipment from power surges and spikes •Internet fax, modem, DSL surge protection provides protection from surges and spikes traveling on the phone line •Resettable circuit breaker •Easy recovery from overloads; no need to replace a fuse •Automatic voltage regulation (AVR) corrects under-voltages and over-voltages without draining the battery •Building wiring fault indicator immediately warns you of wiring problems like improper grounds that could cause shocks or prevent adequately suppressing surges •USB compatibility and connectivity ensures quick and easy installation of the free PowerChute Personal Edition Software •Eight receptacles



Order #	Mfr. #	Capacity VA/Watts	Typical Runtime @ 100W	(1-9)
28-9980	BR1000	1000/600	30 mins	\$199.95
28-9985	BR1500	1500/750	45 mins	234.95
28-10080	BR800	800/540	20 mins	189.00

7 (2 RJ-11, 2 coax)

## 3 YEAR LIMITED WARRANTY



## CyberPower™ SL Series Battery Back-Ups



•Provides critical power protection by combining a high level of surge protection with a UPS in a space-saving compact design •Includes four outlets, two UPS and four surge protected •600 joules •EMI/RFI filter •12A circuit breaker •Includes 12V, 3.6AH hot-swappable battery •Battery runtime: 4-9 minutes •Audible alarm and LED status indicators •Protects two phone, fax or modem devices •6' AC cord, phone and serial cables included •Includes PowerPanel™ software that saves open files and shuts off computer automatically when power is interrupted •\$25,000 Connected Equipment Warranty

Order #	Mfr. #	Outlets	Joules	(ea.)
28-10330	CP425SL	6	330	\$39.99
28-10335	CP525SL	6	560	59.99
28-10340	CP725SL	6	825	89.99



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 **223**



## Batteries/ Power Products

### Section 8

#### CyberPower® Utility Series UPS

The ultra compact Utility Series is ideal for entry-level computer systems. Dependable and



affordable, UPS with software included, these make an exceptional value! **Features:** • Compact design • Power management software included • Microprocessor based full digital control • EMI, RFI, surge and lightning spike protection • Internet ready, phone/fax/modem and DSL network protection • User-replaceable batteries • Auto restart/auto-charge • Scheduled shutdown • USB interface (optional)

Order #	Mfr. #	Outlets	Runtime*	USB	(1-9)	(10-up)
<b>Tower Models</b>						
28-10440	UP425	6	6.5min	N	\$54.95	\$52.95
28-10445	UP625	6	10min	Y	72.95	70.95
28-10450	UP825	6	10min	Y	89.95	86.95
28-10455	UP1200	8	8min	Y	154.00	147.00

<b>Rackmount Models</b>						
28-10460	UR500	4	6min	Y	152.00	143.00
28-10465	UR700	4	4.5min	Y	199.00	189.00

\*Runtime calculated fully loaded and may vary depending on load

#### CyberPower® Eight Outlet Surge Protector with Phone Protection



• Four standard and four transformer-spaced, computer grade outlets with child-safe sliding outlet

covers • Protects two RJ-11 phone, modem or fax devices • 1500 joules, 330V clamping voltage • EMI/RFI noise filter • Thermo fuses • On/off switch with integrated 15A circuit breaker • LED surge and ground indicators • 6' AC cord with right-angled plug • \$75,000 Connected Equipment Warranty • Mfr. #850.

Order #	(ea.)
28-8863	\$19.95



#### CyberPower® Six Outlet Surge Protector

• Five standard and one transformer-spaced surge protected outlets • 500 joules, 330V clamping voltage • EMI/RFI noise filter • Thermo fuses • On/off switch with integrated

15A circuit breaker • LED surge indicator • 4' AC cord with right-angled plug • \$20,000 Connected Equipment Warranty

Order #	Mfr. #	RJ-11	Joules	(ea.)
28-8861	610	0	500	\$9.99
28-10365	650	2	500	12.95



#28-8866

#28-8859



#### CyberPower® AVR Series Battery Back-Ups

#28-8860



Automatic voltage regulator provides high performance power protection and battery back-up. • Features voltage regulation that ensures clean, consistent and computer-safe voltage levels • Includes up to six outlets, three UPS and six surge protected • Up to 2200 joules surge capacity • 12A circuit breaker • Includes two 12V, 7Ah batteries • Battery runtime: 30-80 minutes • Audible alarm for low battery and UPS overload • Wiring fault, power, AVR and using battery LED indicators • Protects two phone, fax, modem or broadband devices with combo RJ-11/RJ-45 connections • 6' AC cord, phone and serial cables included • Includes PowerPanel Plus™ software that monitors input/output voltage, battery capacity, load and unit temperature, saves open files and shuts off computer automatically when power is interrupted • Up to \$250,000 Connected Equipment Warranty

Order #	Mfr. #	Outlets	Joules	(ea.)
<b>Desktop</b>				
28-8857	CPS625AVR	6	600	\$79.95
28-10345	CPS825AVR	6	1260	99.95
28-8866	CPS1100AVR	6	1500	149.99
28-8859	CPS1500AVR/HO	6	1500	179.00
<b>Rackmount</b>				
28-8860	CPS1500AVR/RM	6	2200	299.00



#28-8865



#28-10375

#### CyberPower®

#### Eight Outlet Surge Protector with Phone/Coax Protection


• Four standard and four transformer-spaced, computer grade outlets with child-safe sliding outlet covers • Protects two RJ-11 phone, modem or fax devices and one RJ-45 broadband or network

device • Protects two DSS/CATV devices with two sets of gold plated connections • 2200 joules, 330V clamping voltage • EMI/RFI noise filter • Thermo fuses • On/off switch with integrated 15A circuit breaker • LED surge and ground indicators • 6' AC cord with right-angled plug • \$200,000 Connected Equipment Warranty


Order #	Mfr. #	Joules	(ea.)
28-8865	890	2200	\$34.95
28-10375	895	3600	59.99

For Customer  
Service Call

1-877-626-3532



NEW! NEW! NEW!



#### CyberPower® Ten Outlet Home Theater Surge Protector

Protect your home theater investment with a powerful surge protector. **Features:** • Ten surge protected outlets, four transformer spaced • Signal scrubber to ensure clear picture and clean sound • RJ-45 x 1, RJ-11 x 2 and gold plated DSS/DBS x 3 protection • 6000 joules of surge protection • 8' cord • \$400,000 connected equipment guarantee

Order #	Mfr. #	(1-9)	(10-up)
28-10510	1030HT	\$99.95	\$94.95

#### CyberPower® Rackmount Outlet Strips

CyberPower Systems rackmount outlet and surge protection strips provide additional outlets for your rackmount power needs. The strips are available in 15A or 20A versions with or without surge protection. The units fit standard 19" rack and occupies 1U of rack space.

Order #	Mfr. #	Outlets	Amp	Surge	(1-9)	(10-up)
28-10515	CP1215RM	10	15	N	\$39.95	\$35.95
28-10520	CP1215RMS	10	15	Y	54.95	52.95
28-10525	CP1220RM	10	20	N	49.95	45.95
28-10530	CP1220RMS	10	20	Y	69.95	66.95

#### CyberPower® Ten Outlet Home Theater Surge Protector

Protect your home theater investment with a powerful surge protector. **Features:** • Ten surge protected outlets, four transformer spaced • Signal scrubber to ensure clear picture and clean sound • RJ-45 x 1, RJ-11 x 2 and gold plated DSS/DBS x 3 protection • 4200 joules of surge protection • 8' cord • \$100,000 connected equipment guarantee

Order #	Mfr. #	(1-9)	(10-up)
28-10505	1010HT	\$59.95	\$56.95

#### CyberPower® Eight Outlet Surge Protector with Phone/Coax Protection

• Four standard and four transformer-spaced, computer grade outlets with child-safe sliding outlet covers

• Protects two RJ-11 phone, modem or fax devices

• DSS/CATV protection with one set of gold plated coax connections • 2200 joules, 330V clamping voltage • EMI/RFI noise filter • Thermo fuses • On/off switch with integrated 15A circuit breaker • LED surge and ground indicators • 8' AC cord with right-angled plug • \$100,000 Connected Equipment Warranty • Mfr. #880

Order #	(ea.)
28-8864	\$24.95



224

Order Online  
www.mcminone.com



## CyberPower® Seven Outlet Surge Protector with Phone Protection

- Six standard and one transformer-spaced surge protected outlets
- Protects two RJ-11 phone, modem or fax devices • 1080 joules, 330V clamping voltage • EMI/RFI noise filter • Thermo fuses • On/off switch with integrated 15A circuit breaker • LED surge and ground indicators • 6' AC cord with right-angled plug • \$50,000 Connected Equipment Warranty • Mfr. #750

Order #

28-8862

(ea.)

\$14.95

LIMITED LIFETIME WARRANTY



## Batteries/ Power Products



Section 8

## Flashlights



### Lightwave LED Flashlights



- Lightwave flashlights are built for durability
- Hefty, strong feel with a rubber overmolding on head and body • Waterproof to one foot • Designed for use in all weather conditions • Includes a strap
- Model LW-HT is a 4 LED head torch with headband
- Batteries not included unless noted



Order #	Model	Size	LED	Batteries	(1-9)	(10-up)
29-4005	LW-4000	2" x 10.8"	10	3 "D" cells	\$59.95	\$54.95
29-4010	LW-3000	1 1/2" x 3/4"	7	3 "C" cells	49.95	44.95
29-4015	LWPRO-2000-BLK	1 1/4" x 7"	4	3 "AA" cells	34.95	32.95
29-4020	LW-PB	1 1/4" x 1 1/4"	1	2025 LI-ION	19.95	17.95
29-4180	TEC1000	3/4" x 6"	1	3 "AAAA" (included)	22.95	21.95
29-4025	LW-HT		4	3 "AA" cells	39.95	34.95



### Mag Charger

The Mag Charger is without question the ultimate lighting tool. The rechargeable Mag Charger is the most powerful and durable hand held flashlight of its size. The Mag Charger features a rechargeable battery, up to 1,000 times, a state of the art electro-formed reflector, high intensity halogen lamp and 360° charging ring including 12V and 120V convertor.

Order #	Description	(ea.)
29-2025	Mag charger	\$109.00
29-2070	Battery stick	35.30
29-2071	Lamp assembly	6.14



### Mini Mag Lite

The Mini Mag Lite is the flashlight that changed the industry. Until Mag introduced the Mini Mag Lite no one ever dreamed a flashlight could be so small yet so powerful. The Mini Mag Lite includes a spare lamp and two "AA" batteries.

Order #	Color	(ea.)
29-1970	Black	\$12.63
29-1975	Red	12.63
29-1980	Blue	12.63
Order #	Description	(ea.)
29-2050	Lamp	\$2.51



### "D" Cell

From the beginning Mag Lite has designed products for those who demand more from a flashlight than just a simple source of light. Mag offers a truly balanced and efficient lighting system; superior optics, lamps, reflectors and power source. A Mag customer knows that serious duty demands serious equipment.

Order #	Description	Color	(ea.)
29-1985	2 "D"	Black	\$19.70
29-1990	2 "D"	Red	19.70
29-1995	2 "D"	Blue	19.70
29-2000	3 "D"	Black	21.16
29-2010	3 "D"	Blue	21.16
29-2015	4 "D"	Black	22.17
29-2020	4 "D"	Red	22.17
29-2055	2 cell lamp	-	3.06
29-2060	3 cell lamp	-	3.06
29-2065	4 cell lamp	-	3.06



### Solitaire

Less than an ounce and about three inches in length, the Solitaire offers the precision engineering found in every Mag Lite. Using only a single "AAA" battery, its focusing beam is surprisingly bright. The Solitaire includes a spare lamp in the tail cap along with an Energizer Alkaline battery.



Order #	Color	(ea.)
29-1955	Black	\$8.70
29-1960	Red	8.70
29-1965	Blue	8.70
Order #	Description	(ea.)
29-2045	Lamp	\$2.55

### First Alert®

#### 360° Hands-Free Light Socket

Automatically turns lights on when you enter a room and off when you leave. No wiring required. Screw into standard, uncovered light socket. Ideal for laundry rooms, garages, basements, attics, walk-in closets and stairways. Senses motion within 360°. Microprocessor controlled.



Order #

82-1470

(ea.)

\$29.67

### Panasonic SuperREFLECTOR 2000 Flashlights



SuperReflector 2000 offers you the latest in flashlight technology. Its high-tech spiral reflector provides more even lighting as compared with the fractured glow from most ordinary flashlights.

**Features:** Available in three sizes. Includes batteries and powerful krypton bulb.

Order #	Description	(ea.)
292-405	Two "D" cell	\$8.09
292-410	Two "C" cell	7.09

### Energizer®

#### Rechargeable Flashlights

- Krypton or LED bulb for bright beam
- Crystal lens ring glows for enhanced visibility
- Amber LED locator light

**Features:** • Up to 1,000 charge cycles • 2 hour run time • Powered by two "AA" Nickel Metal Hydride batteries • Better for the environment • Charging indicator

Order #	Description	(ea.)
291-960	Rechargeable LED flashlight	\$14.99
291-965	Rechargeable krypton flashlight	12.99



### Energizer®

#### HardCase Construction Flashlights

**Designed to survive the most rugged conditions:** Survives

15' drop, waterproof, floats. Shock-absorbing PVC base and steel plate sides for added protection. Also includes integrated two-position stand. **Features:** • The toughest lantern you'll ever own™ • Lifetime guarantee • Advanced technology • Bright Krypton bulb and shatterproof lens • Push-button switch



Order #	Mfr. #	Description	(1-9)	(10-up)
291-970	TUF4D1H	4 "D" cell flashlight	\$19.99	\$18.69
291-975	TUF2D1Q	2 "D" cell flashlight	14.99	14.69
291-980	TUF4AA1Q	4 "AA" cell flashlight	14.99	14.69



Need an additional catalog?  
Request one @  
[www.mcminone.com](http://www.mcminone.com)



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 **225**



## Batteries/ Power Products

### Section 8

#### Energizer.



##### Trim Flex LED Reading Light

•Flexible reading light •Versatile spring clip •30 hours on one coin cell battery

Order #	(1-9)	(10-up)
291-990	\$7.99	\$7.69

#### EVEREADY.



##### Toolbox Jr.™ Rubber Light

•Heavy-duty rubber case •Shatterproof lens •Non slip, non roll, one-hand push button switch •Includes two "AA" Eveready heavy-duty batteries (#291-175)

Order #	(1-4)	(5-9)	(10-up)
291-650	\$5.95	\$5.54	\$4.94

#### EVEREADY.

##### Penlight

•Slim "AAA" size •Bright concentrated beam •Push button switch •Includes two "AAA" Energizer batteries (#291-010)

Order #	(1-4)	(5-9)	(10-up)
291-645	\$5.04	\$4.64	\$4.03

#### 12V Fluorescent Light Stick

Ideal for emergency applications and automotive repair/installation work. Built-in hook allows easy placement. Attached cord has cigarette lighter plug on the end for easy use. Includes long life 8W bulb. 12VDC.

Order #	(ea.)	(2-4)	(5-up)
21-2390	\$13.94	\$13.05	\$12.30

#### DURACELL PROCELL

##### Heavy Duty Industrial Light

•Oil and chemical resistant polypropylene body/head/endcap •Reliable slide switch with protective switch guard, prevents accidental "on" and is oil/chemical resistant •Large hanger hook •Spare bulb holder •Requires two "D" cell batteries

Order #	Mfr. #	Description	(1-9)	(10-up)
293-350	PCIND	Yellow light	\$4.73	\$4.28
293-255	PC1300	PROCELL "D" batteries	1.16	1.07

#### DURACELL PROCELL

##### Explosion Proof Safety Light

•Oil and chemical resistant high density Polypropylene light •Reliable slide switch with protective switch guard, prevents accidental ON and is oil/chemical resistant •Bright orange color •US Department of Labor MSHA certified and UL approved •Bright Krypton bulb •Spare bulb holder •Requires two "D" batteries

Order #	Mfr. #	Description	(1-9)	(10-up)
293-370	PCMSHA	Orange light	\$6.26	\$5.81
293-255	PC1300	PROCELL "D" batteries	1.16	1.07

#### DURACELL PROCELL

##### Economy Flashlights

•Oil and chemical resistant polypropylene body/head •"No Roll" hexagon head shape •Light weight •Bright Krypton bulb •PCECON-BM comes with a 20 lb. magnet •Requires two "D" batteries

Fig. Order #	Mfr. #	Description	(1-9)	(10-up)
A	293-355 PCECON-W	White light	\$2.03	\$1.85
B	293-360 PCECON-B	Black light	2.03	1.85
C	293-365 PCECON-BM	Black light with magnet	3.56	3.38
-	293-255 PC1300	PROCELL "D" batteries	1.16	1.07

#### DURACELL PROCELL

##### Aluminum Pen Light

•Slim, lightweight aluminum tube body •Powered by two "AAA" batteries •Sturdy pocket clip •High quality pre-focused bulb

Order #	Mfr. #	Description	(1-9)	(10-up)
293-375	PCPEN	Slim light	\$2.75	\$2.55
293-270	PC2400	PROCELL "AAA" batteries	0.62	0.50



#### DURACELL PROCELL

##### Heavy Duty Rubber Lights

•Heavy-duty construction •Shock absorbent and water resistant •Soft rubber body in ergonomic design •Bright Krypton bulb •Handy lanyard with quick break-off release adjustable knob •Large light requires two "D" batteries, small light requires two "AA" batteries

Fig. Order #	Mfr. #	Description	(1-9)	(10-up)
A	293-385 PCEXPD	Large rubber light	\$4.73	\$4.55
B	293-380 PCVOYA	Small rubber light	3.25	3.05
-	293-255 PC1300	PROCELL "D" batteries	1.16	1.07
-	293-265 PC1500	PROCELL "AA" batteries	0.62	0.50

#### DURACELL PROCELL

##### Lantern Light

•Heavy-duty body with blow molded construction •Floatable •Bright krypton bulb •Battery adaptor holds either four "D" cells or one 6V lantern battery •Specular parabolic reflector and recessed lens for added lens protection

Order #	Mfr. #	Description	(1-9)	(10-up)
293-390	PCL4D	Lantern light	\$6.95	\$6.45
293-255	PC1300	PROCELL "D" batteries	1.16	1.07

#### PHOTON MICRO-LIGHT

##### Micro-Light

Micro size (about the size of a quarter), awesome power and convenient, the Photon Micro-light easily goes anywhere. Its versatility, superior engineering, durability and trouble-free operation make it ideal for daily use. The trouble-free switch, long-lasting lithium battery and super-bright LED mean this flashlight will always be ready when you need it.

Order #	Color	(1-11)	(12-up)
29-3880	Yellow	\$19.95	\$13.09
29-3885	Red	19.95	13.09
29-3895	Blue	19.95	13.09
29-3900	Green	20.19	13.09
29-3905	Turquoise	19.95	13.09
29-3910	White	19.95	13.09



#### STREAMLIGHT



##### Streamlight LiteBox

A world class rechargeable lantern that sets the standard for power, longevity and strength. The LiteBox features Streamlight's new proprietary sealed beam system and has a 360° rotating head. Made of non-conductive, high impact ABS thermoplastic housing with black, rubberized impact bumper, lens ring and cushioned grip handle. It has an exceptionally long run time of up to eight hours between charges and battery is guaranteed for up to 500 charges. 11.5" (L) x 5.1" (W) x 7" (H) and weighs 7.4 lb. Available eight or 20 watt replacement bulb. Includes AC/DC chargers, charging rack and shoulder strap.

Order #	Description	(ea.)
45117	Standard litbox	\$116.19
45901	8W lamp	8.29
45902	20W lamp	8.19



##### Vulcan

The Vulcan lantern is waterproof to 100'. It is made of a non-conductive, high impact ABS thermoplastic housing with a cushioned grip handle and sparkless, solid state switch. Operates up to four hours between charges. Battery is guaranteed for up to 500 charges. Includes: Battery, AC/DC chargers, charging rack and shoulder strap. 7.5" (L) x 5.0" (W) x 5.75" (H) and weighs 3.3 lb. The Vulcan system features a 6W spot halogen lamp which emits 40,000 candlepower.

Order #	Description	(ea.)
44000	Vulcan system	\$87.99

#### STREAMLIGHT Streamlight Jr.

The Streamlight Jr. is made of virtually indestructible machined aluminum anodized inside and out against corrosion. Features a push button switch which allows for one-handed operation and comes with an unbreakable polycarbonate lens. Operates on two "AA" batteries (#292-015). 5.6" and weighs only 3.5 oz.

Order #	Description	(ea.)
71001	Streamlight Jr.	\$11.19
70400	Lamp	2.59
70114	Holster	8.29



The Scorpion is the brightest and lightest personal light ever developed. This compact powerhouse flashlight delivers up to 6500 candlepower for one hour of continuous use. Adjustable head allows for variable spot to flood focus. The scorpion is made of machined aluminum and covered by rubber armored sleeve for a sure grip. Features a triple action button switch at the tail cap and an unbreakable polycarbonate lens with scratch resistant coating. O-ring sealed for water resistance. Includes two lithium batteries and spare bulb. Measures 4.9" and weighs only 4.4 oz.

Order #	Description	(ea.)
85001	Scorpion	\$40.79
85914	Lamp	6.29
85905	Holster	10.39







### Stylus Reach LED Flashlight

The Stylus Reach® has the same great

features as the Stylus® but has a flexible cable extension, allowing you to get deep into the tightest spots. With a waterproof, aircraft aluminum casing and a tough PVC shielded cable, the Stylus Reach is built to illuminate those unforgiving, hard-to-reach areas. It's unbreakable, 100,000-hour LED which never needs replacing is available in white or blue.



Order #	Body Color	LED Color	(1-9)	(10-up)
65658	Black UL listed	White	\$19.95	\$17.95
65622	Black	Blue	19.95	17.95
65616	Silver	Blue	19.95	17.95
65612	Silver	White	19.95	17.95



### Streamlight Stylus Accessories

Order #	Description	(ea.)
65030	"AAAA" batteries six pack	\$6.95
65031-01	Stylus glare guard	1.95



### LED Headlamps

These lightweight headlamps (only 5 oz. and sized under 3")

feature up to three way lighting for short, medium and long distances. A single green LED in the Trident Green lamp gives you excellent low level lighting. A 90° tilting head and spot to flood focus lets you zero in on the source you're illuminating. These lights also include a lifetime warranty and all use three "AAA" alkaline batteries, which are included. These light come in two different configurations: **61060**: Trident Green-Two white LEDs, one green LED and one Xenon bulb **61007**: Septor 7-Seven white LEDs



Order #	Description	(1-9)	(10-up)
61060	Trident Green	\$23.95	\$23.25
61007	Septor 7	32.95	30.95
61004	Xenon replacement bulb	3.29	2.95
61001	Replacement batteries	3.25	2.95



### Keymate LED Flashlights

Super-bright 100,000-hour

LED, machined aircraft aluminum case with weatherproof O-rings. Powder-coated spring steel pocket clip. Up to 96 hour runtime. Batteries included. LED available in white, blue, or green. Lifetime warranty.



Order #	Body Color	LED Color	(1-9)	(10-up)
72001-01	Black	White	\$14.95	\$12.55
72101-01	Titanium	White	14.95	12.55
72004	Black	Blue	14.95	12.55
72104	Titanium	Blue	14.95	12.55
72003	Black	Green	14.95	12.55
72103	Titanium	Green	14.95	12.55
72030	Keymate replacement batteries		2.25	2.15



### Stylus™ Penlight

The elegant Stylus™ combines the convenience of an ultra-slim pen light with a high intensity LED which lasts 100,000 hours and will operate 10 hours continuous on "AAAA" alkaline batteries. Perfect for tactical use and covert operations, while preserving precious night vision. Its waterproof, machined aluminum case has a momentary blink switch plus constant on. Each Stylus™ is individually serialized and features a pocket clip as well as a lifetime warranty. Operates on three "AAAA" batteries, included.



Order #	Body Color	LED Color	(ea.)
65004	Black	Orange	\$11.95
65006	Black	Red	15.95
65018	Black	White	14.95
65012-01	Silver	White	14.95
65024	Gold	White	14.95
65028	Gold	Blue	14.95
65069-01	Black	UV	14.95



### Twin Task LED/Xenon Flashlights

This amazing new Twin Task light offers a patented LED/xenon combination, so you can choose between a super bright light (xenon) and an incredibly long runtime (LED). The Twin-Task is ideal to use in a wide variety of applications, including industrial, automotive, security, household, even recreation. All are constructed of computer machined aluminum with an anodized finish, are O-ring sealed, feature an unbreakable polycarbonate lens, and are water resistant. All Twin Task lights are covered by a lifetime warranty. All alkaline powered lights require batteries. All LEDs are white in color.

Fig.	Order #	Body Color	Size	(1-9)	(10-up)
A	51001-01	Black finish	2 "D" cell	\$39.95	\$37.95
	51011-01	Titanium finish	2 "D" cell	39.95	37.95
B	51002-01	Black finish	3 "C" cell	32.95	30.95
	51012	Titanium finish	3 "C" cell	32.95	30.95
C	51003	Black finish	3 "AA" cell	24.95	23.25
	51013	Titanium finish	3 "AA" cell	24.95	23.25
D	51005	Black finish	2 lithium cell	32.95	30.95
-	51015-01	Titanium finish	2 lithium cell	32.95	30.95
-	51004	Black finish	1 lithium cell	22.95	21.55
-	51014	Titanium finish	1 lithium cell	22.95	21.55

## Batteries/Power Products



## Section 8



STREAMLIGHT

#75024



#76024



### Stinger

The world's most powerful flashlights for their size. The Stinger flashlights each pack a 15,000 candlepower beam. The Stinger and PolyStinger offer up to one hour of continuous use between charges. Features a shock resistant lamp module, spot to flood focus, unbreakable polycarbonate lens and self cleaning switch. Battery is guaranteed for up to 1000 charges. The Stinger is made from virtually indestructible machined aluminum anodized inside and out against corrosion. 7 1/2" long and weighs 10 oz. The PolyStinger is made of a super tough, non-conductive polymer with slip resistant rubber grip. 7 1/2" long and weighs 8.7 oz.

Order #	Description	(ea.)
75024	Stinger	\$110.75
76024	PolyStinger	106.25
75175	Battery stick for Stinger/PolyStinger	22.75
75914	Lamp for Stinger/PolyStinger	7.29
76090	Nylon holster for Stinger series	15.49



### Luxeon LED/Xenon Flashlights

Streamlight 3AA Luxeon Task-Light flashlight provides the longevity of an LED with the brightness and range of a conventional high-powered bulb using a super high-flux Luxeon with a 10,000 hour life. The LED Luxeon Task-Light is ten times brighter than a high-intensity LED. The Streamlight Luxeon Task-Light is durable with an anodized aluminum body, O-ring sealed for water resistance and an unbreakable polycarbonate lens. The Luxeon Task-Light features an enhanced knurled grip and wrist lanyard. **Specifications:** •Battery type: Three "AA" alkaline (included) •Weight: 180 grams (with batteries) •Bulb: Luxeon Star Super High-Flux 10,000 hour LED •Light output: 35 lumens •Run time: Up to 28 hours •Focus: Adjustable spot/flood •Switch: On/off pushbutton •Material: Machined anodized aluminum, unbreakable polycarbonate lens •Dimensions: 1.34" (D) x 8.6" (L)

Order #	Body Color	Battery Size	LED Color	(1-9)	(10-up)
51006	Black	3 "AA"	White	\$39.95	\$37.95
51016	Titanium	3 "AA"	White	39.95	37.95
61004	Xenon replacement bulb			3.29	2.95



### Pelican Mini-MityLite® #1910

Mini MityLite® is only 3" in length, corrosion proof and made of unbreakable space age polycarbonate resin with a prefocused beam. Includes shirt clip and lanyard, perfect for key chains, purses, toolboxes and glove compartments. Submersible to 100 meters. It includes "AAA" cell alkaline battery. Unconditionally guaranteed... forever.



Order#	Color	(1-9)	(10-up)
29-4060	Yellow	\$9.49	\$8.99
29-4065	Orange	9.49	8.99
29-4070	Blue	9.49	8.99



### Pelican MityLite® Mini-System #1950

Includes the MityLite® with batteries, spare lamp, Lite bender, two night vision disks (red and blue/green), spare o-ring and a stainless steel split ring. The container is a very stylish and attractive case that could be used for many applications and the contents are our hi-performance flashlight combined with interesting accessories. Unconditionally guaranteed... forever.



Order#	Description	(1-9)	(10-up)
29-4105	MityLite® kit w/lenses, Oring Black	\$17.95	\$16.25
29-4110	MityLite® kit w/lenses, Oring Yellow	17.95	16.25



Order Toll Free 1-800-543-4330 Fax 1-800-765-6960 **227**