

Diagnostic Equipment & Supply

Instruments & Scales

Thermometers

Sphygmomanometers

Aneroids & Blood Pressure

Stethoscopes & Dopplers

Ophthalmoscopes & Otoscopes

Replacement Lamps

Laryngoscopes

Speculas & Anoscopes

Cyrosurgical

Electrocardiology

Desiccators

Spirometers & Oximeters

Audiometry & Vision Tests

StarLine[®]

The Sensible Alternative



Today you can get premium quality diagnostic products for much less than what you would expect. STARLINE brand stethoscopes, sphygmomanometers, thermometers and laryngoscopes produced by American Diagnostic Corporation, a world leader in value priced diagnostic instruments, combine superior materials with old world craftsmanship and state of the art design.

We offer stethoscopes in nearly a dozen styles in over 100 model options priced from under \$10 to about \$100. ADC scopes suit any clinical need or budget.



Blood pressure instruments in aneroid and mercurial designs in nearly 200 model options with features like ADC's extended scale plate to eliminate parallax; the ADCUFF inflation system with proprietary Size Guide™ marking system, and Lifetime calibration warranties.

Digital and traditional clinical glass thermometers in a variety of packaging options to suit your need and budget.

Beautifully crafted stainless steel laryngoscopes, in standard or fiberoptic illumination. Prices up to 50% lower than the leading brand.



Every ADC diagnostic product meets or exceeds national and international standards like ANSI, ASTM or ISO.



And each and every one is assembled, inspected, and packaged in the U.S.A. to assure you the best of quality available, at a price that really makes sense!

**ADC manufactured, Starline brand products.
Because price really DOES matter.**

ADC diagnostic products available through your local Starline dealer.

ADC
AMERICAN DIAGNOSTIC CORPORATION



1-220



1-200 & 1-202

MILTEX HAMMERS

Percussion

- 1-202 Taylor, 7 1/2", Solid Handle, Chrome
- 1-200 Taylor, 7", Solid Handle, Stainless Steel
- 1-208 Taylor, 9", Hoop Handle, Chrome
- 1-210 Dejerine, 9 1/2", Chrome
- 1-211 Trommer, 9 3/4" w/large & small rubber tips, Hollow Tapered Handle w/sharp point, Chrome

Neurological

- 1-220 Buck, 7 3/4" w/brush & needle (screw into handle), Chrome
- 1-222 Rabiner, 9" w/brush & needle (screw into handle), Chrome
- 1-221-A Needle Only For Buck Hammer
- 1-221-SM Rubber End For Buck Hammer, Small

Neuro Diagnostic Set

- 1-212 Combo-5, Includes Buck Hammer, C-128 Tuning Fork, Pin Wheel, Brush & Needle
- 1-213 Combo-5, Includes Buck Hammer, C-256 Tuning Fork, Pin Wheel, Brush & Needle
- 1-214 Combo-4, Includes Buck Hammer, Pin Wheel, Brush & Needle



MILTEX WARTENBERG PINWHEEL

For neurological examination. Stainless steel.

- 1-226 Pinwheel




OWEN MUMFORD NEUROPEN BRAND LANCING DEVICE

- NT5405 Single Use Neurological Tester




19-100



19-102



19-104



19-106



19-108



19-120

MILTEX ALLOY TUNING FORKS

Aluminum alloy.

- 19-100 C-64 Vibrations
- 19-102 C-128 Vibrations
- 19-104 C-256 Vibrations
- 19-106 C-512 Vibrations
- 19-108 C-1024 Vibrations
- 19-110 C-2048 Vibrations
- 19-112 C-4096 Vibrations
- 19-120 Set of 5 Tuning Forks, C-128, C-256, C-512, C-1024 & C-2048 in Fitted Soft Case
- 19-120A Fitted Zippered Case Only For Tuning Fork Set

MILTEX MEASURING TAPE

- 1-3200 Fiberglass

MILTEX FLEXIBLE STAINLESS RULER

- Graduated in 1/32" fractions and mm.
- 18-660 6" x 1/2"

MILTEX EKG CALIPER

- 1-3015 Economy Line Caliper w/protective black plastic cap, Graduated in mm, Nickel Plated
- 1-3000 Caliper w/protective metal cap & ring, Graduated in mm, Satin Chrome Finish
- 1-3010 Replacement Needle Only



StarLine MEDICAL PENLIGHTS

Penlight with pupil gauge has high-intensity prefocused bulb powered by two AAA batteries. Aluminum contact strip assures good contact for brighter light. Extruded case has a unique V-clip. 1-year shelf life. Useful life is 3- to 6-months with intermittent use. Packaging: 6/pk.

- 6666S Medical Penlights, 6/pk, 24 pk/cs



AARON PHYSICIAN'S PENLIGHT

Penlight has high-intensity prefocused bulb powered by two AAA batteries. Aluminum contact strip assures good contact for brighter light. Extruded case has a unique V-clip. 1-year shelf life. Useful life is 3- to 6-months with intermittent use.

- 666R Re-Pack Replaceable Batteries, Penlight, 6/pk
- 666RN RN Pack Disposable Penlight w/pupil gauge, 6/pk

AARON DELUXE MEDICAL PENLIGHT

Features a krypton bulb that is 70% brighter than ordinary bulbs. Contains two AAA alkaline batteries and a constant on/off switch. Lifetime guarantee in light body and switch. Bulb and batteries are replaceable.

- A238 Black Matte w/gold accents
- 222K Replacement Bulb For A238

AARON SPECIALTY LIGHTS

Individually packaged. Two AA batteries. All lights have a 4-year shelf life.

- 6800 Tech Light™ w/concentric beam
- 6801 White Slit Beam For Cataract Screening
- 6804 1mm Light (for muscle tests)
- 6800A Tech Light™, Reusable
- 6801A White Slit Beam, Reusable
- 6804A 1mm Light, Reusable

AARON DIAGNOSTIC LIGHT EXAM KITS

Disposable. Two AAA batteries. Cobalt blue with Wratten #47A cobalt filter. For use with fluorescein dye. One-year shelf life.

- 6303 Penlights w/cobalt filter, 6/pk

AARON FLUORO-DOT™ PENLIGHT

Battery-operated penlight designed for use with fluorescein dye. Excellent for diagnosing abrasions and fitting contact lenses. Constant on/off switch. Contains two AA alkaline batteries. Penlight has a 4-year shelf life and a 4-hour burn time.

- 6803 Fluoro Slit™
- 6802 Fluoro Dot™ w/wratten cobalt blue filter
- 6802A Fluoro Dot™ Reusable
- 6803A Fluoro Slit Reusable



DETECTO WET DIAPER SCALE/LAP SPONGE SCALE

Fluid output scale has a 4000 gram capacity. Accurate to one gram. For adult incontinence and infant diapers. Red digital 1/2" display. Push buttons simplify accurate readings. Features a roomy, removable stainless steel tray for fast weighing and simple cleanups. Portable, 4.5 lb model. 7"L x 7 1/2"W x 2 3/4"H. AC adapter with 6' power cord.
AP-4KD Diaper Scale



SECA 851 DIAPER SCALE

Will keep tabs on everything in a baby's diaper down to two grams. Its lightning quick digital readout keeps messy job time to a minimum. And it is as easy to clean as it is to store. Capacity: 4 lbs = 6 oz / 2 kg. Dimensions: 5 3/4"W x 1 1/2"H x 9 1/2"D.
Power Supply: Battery operated (9V included).
851 Digital Diaper Scale

SECA 345 INFANT SCALE

Capacity 33 pounds. Battery operated.
345 Electronic Infant Scale



SECA 334 INFANT SCALE

Represents maximum safety and accuracy when weighing babies. Although its weighing tray is designed to be far more generous and comfortable than other models, at only 7 lbs itself, it requires amazingly little space. Has a large, clear LC display and practical handle, which can also be used to hang the scale. Capacity: 44 lbs/20 kg. Dimensions: 25"W x 4"H x 11 3/4"D. Power Supply: battery.
334 Electronic Baby Scale w/practical handle



734



736

SECA 734 INFANT SCALE

The two-weigh digital baby scale is both economical and efficient. This innovative device converts from an infant scale to a toddler scale in one simple step. Lightweight, multi-purpose and battery-operated, it is perfect for the medical office or home health environment. Capacity: 44 lbs/20 kg. Dimensions: 21" x 5" x 16".
734 Electronic Scale For Infants & Small Children w/detachable tray

SECA 736 INFANT SCALE

The baby station's HOLD and TARE features plus the accessible, one-sided opening makes this a perfect fit for the general practitioner. With the baby ruler, this scale becomes a complete, economical, space-saving, weighing and measuring system. Capacity: 33 lbs/15 kg. Dimensions: 21 1/2"W x 6 1/2"H x 16 3/4"D. Power Supply: 6 x 15V alkaline batteries or A/C UL adapter.
736 Electronic Baby Scale w/digital display



727



728



425



725

SECA 727 INFANT SCALE

A large tray and three-button operation – HOLD, TARE, lbs/kg – ensures convenience, precision, comfort and safety. An integrated damping system compensates for movement, and the PC-friendly RS 232 interface eliminates the need for manual input. Capacity: 44 lbs/20kg. Dimensions: 21 1/2"W x 5 1/2"H x 12 1/2"D.
Power Supply: 6 AA rechargeable batteries, A/C UL adapter/recharger.
727 Electronic Baby Scale w/digital display

SECA 728 INFANT SCALE

Specially designed for situations where the smallest weight fluctuation can be critical. From the integrated digital display to the unique tray design, this baby scale has it all. With the seca 231, the scale becomes a complete weighing and measuring station. Capacity: 44 lbs/20 kg. Dimensions: 21 1/2"W x 6 1/2"H x 12 1/2"D.
Power Supply: 6 AA rechargeable batteries, A/C UL adapter/recharger.
728 Electronic Baby Scale w/digital display
425 Carrying Case w/rollers for Seca 727 & 728

SECA 725 INFANT SCALE

Classic design and reliable construction make this mechanical baby scale a favorite for over 50 years. Rugged steel construction and cast levers ensure years of durability and accuracy. Removable tray makes transport and cleaning simple and convenient. Capacity: 32lbs/16kg. Dimensions: 21 3/4"W x 7 1/2"H x 12"D.
725 Baby Scale w/sliding weights



450, 451, 459



6735, 6732

DETECTO HEAVY DUTY PEDIATRIC SCALE

Heavy duty lever and beam construction assures long life and durability. Well suited for heavy usage. Overall size is 27"H x 22"W x 21"D. Equipped with sturdy, washable polystyrene tray. White.
450 130 lb x 1 oz
451 65 kg x 20 g
459 Dual Reading (40 lb x 1/2 oz, 17.5 kg x .01 kg)

DETECTO NEONATAL DIGITAL SCALE

Displays weight in brilliant green digits. Weighs in pounds or kilos at the touch of a button. Measures infant's length with built-in tape measure. Lock-in weight stabilization makes it easy to weigh even the most active baby. Overall size is 7 1/2"H x 22"W x 13 1/2"D. Black.
6735 Dual Reading Digital Scale, 30 lb x 1 oz (13.6 kg x 5 g)
6732 Scale, kg Capacity Only



337 439 2391

DETECTO DUAL-READING PHYSICIAN'S SCALE

A scale with pound and kilo readings on both front and back. Capacity is 350 lb x 4 oz (160 kg x 100 grams). Overall height 59". Platform measures 10 1/2" x 14 1/2". Height rod adjusts 30" to 78" (75 to 192 cm). Specify color for No. 339: white or champagne. Nos. 338, 337 and 349: white only.

- 337 Dual Reading Scale w/o height rod
- 338 Portable Dual Reading Scale w/height rod & wheels
- 339 Dual Reading Scale w/height rod
- 349 Dual Reading Scale w/height rod & handpost

DETECTO PHYSICIAN'S SCALE

Heavy duty scale maintains pinpoint accuracy. Capacity is 350 lb x 4 oz or 140 kg x 100 g. Overall height is 59". Platform measures 10 1/2" x 14 1/2". Height rod adjusts 30" to 78". Specify color for No. 439: white or champagne. Nos. 2391, 437, 2371, 438, 2381, 449 and 2491: white only.

- 437 Scale w/o height rod, White
- 438 Portable Scale w/height rod & wheels
- 439 Scale w/height rod
- 449 Scale w/height rod & hand post
- 2391 Metric Scale w/height rod
- 2371 Metric Scale w/o height rod
- 2381 Portable Metric Scale w/height rod & wheels
- 2491 Metric Scale w/height rod & hand post

Accessories

- 3P7030X Counterweights, Increases Capacity From 350 lb to 450 lb For Models 439, 438, 437 & 449 Only
- 3P7039X Counterweights, Increases Capacity Form 350 lb to 450 lb For Models 337, 338 & 339 Only
- 3P8030X Counterweights, Increases Capacity Form 140 kg to 180 kg For Models 2381, 2391 & 2491 Only
- 3PWHL Wheels For Scale Portability
- 3PHNDPST Handpost (for replacement only)
- 3PRAMP Wheelchair Ramp
- 3PHTROD-1 Height Rod
- 448 Scale w/handpost, height rod & wheels



700



786

SECA 700 COLUMN SCALE

Increased capacity up to 400 lbs. Provides more comfort, to meet the patients' demands. A slip-resistant, heavy-duty, cast-iron base, eliminating the need for a mat. Classic body design and white color with innovative features. Offers long life and a five-year warranty. **Available with lbs, kg or lbs/kg display.** Height rod included. Dimensions: 17"W x 57"H x 14 1/4"D.

- 700 Mechanical Physician Scale

SECA 786 LARGE DIAL MECHANICAL COLUMN SCALE

Designed in the charming style of the turn of the century and has a highly sensitive precision weighing mechanism. The large round dial makes for easy and convenient weight reading. Castors are included. Capacity: 320 lbs/150 kg. Dimensions: 12"W x 35"H 16"D.

- 786 Mechanical Scale w/large round dial, chrome ring, white column



8437



6439

DETECTO DIGITAL PHYSICIAN SCALES

Designed for rugged hospital use. Easy-to-use digital scale features a heavy duty base and switchable lb to kg conversion scale. 6 "C" cell alkaline battery operation.

Capacity: 400 lb x .2 lb (180 kg x .1 kg). Optional 115VAC power adapter.

- 8430 Waist-High Dual Reading Digital Scale
- 8437 Waist-High Dual Reading Digital Scale w/o height rod
- 6439 Eye-Level Dual Reading Digital Scale
- 6437 Eye-Level Dual Reading Digital Scale w/o height rod

Accessories

- 3PHTROD-3 Height Rod For 8430 & 8431



705



706



707



920

SECA 705 ELECTRONIC COLUMN SCALE

This waist-high digital scale was developed with efficiency, durability and style in mind. The displays on top and back make for easier reading and an RS 232 PC interface allows direct transfer of information. Continuous A/C power, steel construction and a classic white finish. Height rod can be attached.

Capacity: 440 lb/200 kg. Dimensions: 11 3/4"W x 34"H x 15"D.

- 705 Electronic Scale w/two digital displays & RS 232 interface

SECA 706 DIGITAL UNISCALE

With optional Smiling Scotty, the scale face, was developed for infants and adults. Utilizing the unique TARE feature, the practitioner can secure the infant's weight while still being safely held. Aluminum construction assures durability.

Capacity: 440 lbs/200 kg. Dimensions: 11 3/4"W x 34"H x 15"D.

Power Supply: 6 AA rechargeable batteries/A/C UL adapter/recharger.

- 706 Waist High Uniscale w/TARE feature

SECA 707 ELECTRONIC COLUMN SCALE

Can accurately detect weight changes as small as 0.2 lb and display results in 3 seconds flat. Constructed of anodized aluminum making it rust- and scratch-resistant. Height rod can be attached. Capacity: 440 lbs/200 kg. Dimensions: 11 3/4"W x 34"H x 14 1/2"D.


- 707 Electronic Scale w/slim column, silver anodized

SECA 920 ELECTRONIC COLUMN SCALE

NTEP-certified as "legal for trade" by the US Department of Commerce. The waist-high digital scale is constructed of anodized aluminum with a white finish for both looks and function. With its accuracy and durability, it will perform capably in a fitness or weight loss center's rigorous setting. Height rod can be attached.

Capacity: 440 lbs. Dimensions: 11 3/4"W x 34"H x 15"D.

- 920 Electronic Scale w/digital display & RS 232 interface



SECA 780 DIGITAL COLUMN SCALE

New technology gives longevity without the need for changing batteries or the inconvenience of outlets. Easy to operate, stylish and priced just right. Height rod can be attached. Capacity: 400 lbs/180 kg. Dimensions: 12"W x 35"H x 15 1/4"D.
780 Electronic Personal Scale w/batteries, Mobile On Two Wheels

SECA 782 ELECTRONIC COLUMN SCALE

Features the same great design and accuracy of the seca 780 and seca 78, with increased corrosion protection for more demanding environments. The included UL-approved A/C adapter allows for continuous operation so there is no need to turn it on and off. Rear wheels provide easy mobility. Height rod can be attached. Capacity: 400 lbs/180 kg. Dimensions: 12"W x 35"H x 15 1/4"D.
782 Electronic Scale w/two sheels, A/C Adapter

SECA 787 ELECTRONIC COLUMN SCALE

Just a gentle "click" of the switch at the back of the head of this column scale and it is ready for continuous operation. Just three seconds later the emerald-colored backlit display shows the measured weight. When the scale is left, the display is automatically reset to zero. Height rod can be attached. Capacity: 440 lbs/200 kg. Dimensions: 12"W x 32 1/2"H x 16"D.
787 Electronic Scale w/autohold function

SECA 789 ELECTRONIC COLUMN SCALE

Features digital accuracy, efficient measuring and sturdy construction all in one. An integrated telescopic rod provides enhanced durability. The display is positioned for the practitioner's view and is battery operation for portability. Capacity: 450 lbs/200 kg. Dimensions: 12"W x 55"H x 16"D.
789 Electronic Scale w/integrated telescopic measuring rod

SECA 781 DIGITAL UNISCALE

This waist-high digital includes the useful tare feature. With its long-life batteries, wheels and mother-child TARE function, the uniscale offers total mobility plus over 80,000 care-free weighings for infants, toddlers and adults. Capacity: 400 lbs/180 kg. Dimensions: 12"W x 35"H x 16"D. Power Supply: 4 AA alkaline batteries.
781 Waist High Uniscale w/TARE feature



750



761

SECA 750 MECHANICAL FLOOR SCALE

Offers both rugged durability and a large, easy-to-read dial. Its design was based on a lower profile and wider platform. Capacity: 320 lbs. Dimensions: 12 1/2"W x 2 1/2"H x 18 1/2"D.
750 Mechanical Scale w/white housing

SECA 761 MECHANICAL FLOOR SCALE

The large easy to read dial displays weight that's accurate to one percent of total body weight. Its rugged all-metal body is enhanced by a heavy-duty lever system. Capacity: 320 lbs. Dimensions: 11 3/4"W x 4 1/4"H x 18"D.
761 Mechanical Scale w/large dial



770



421

SECA 770 HEAVY DUTY ELECTRONIC FLOOR SCALE

Made for serious traffic. The platform's precision sensor activates the scale and the automatic shut-off adds extra convenience. Battery operation and low power consumption make this the perfect portable scale. Capacity: 440 lbs/200 kg. Dimensions: 13"W x 5 1/2"H x 15"D.


770 Electronic Floor Scale w/autohold function, automatic switch off function

Accessories

421 Carrying Case For Flat Scales, Nylon, Fits Models 770, 880, 881 & 882



841



840

SECA 840 & 841 ELECTRONIC PERSONAL FLOOR SCALE

The seca 840 in timeless design and clear LC display with autohold function embodies grace, convenience and precision. It's extra-large LC display and autohold function means that on the seca 841, you can always see the weight quickly and accurate to the gram. Capacity: 308 lbs/ 140 kg. Dimensions: 11 3/4"W x 1 3/4"H x 12"D.

841 Electronic Scale w/large digital display

840 Electronic Floor Scale



SECA 843 ELECTRONIC PERSONAL SCALE

Ergonomically shaped platform and practical handle. Capacity 308 pounds. 14.8"L x 11.8"W x 1.8"H. Battery power supply.

843 Electronic Personal Scale



SECA 882 BODY-MASS-INDEX ELECTRONIC FLOOR SCALE

Recognized by the US Department of Health as the standard for normal values of height and weight. The remote head and handle make the BMI easy to operate and move. Carrying case #421 is available separately. Capacity: 400 lbs/180 kg.

882 Electronic Scale w/BMI & remote display on cable



439
Eye-Level
Beam
Scale



6550
Portable
Wheelchair
Scale



6855
High Capacity
Portable
Digital
Scale

We outweigh the competition.



DETECTO®

A Division of Cardinal Scale Manufacturing Co.

www.detectoscale.com



8432-CH
Digital
Pediatric
Scale



253 Mechanical Baby Scale



6730 Digital Baby Scale



8430
Waist-High
Digital
Scale



Column Scales

Floor Scales

Infant Scales

Adult Stadiometers

Infant Measuring Devices

Infant Growth Accessories

Chair Scales

Bed and Dialysis Scales

Wheelchair Scales

Handrail Scales

Diaper Scales

Platform Scales

Full line...not “the same old line”

No one offers a more complete line of medical weighing and measuring instruments. No one offers more state-of-the-art digital products for medical professionals either. “Others” may try to pass off “re-purposed”, out-of-date technology as their newest answer to the needs of the medical community. seca designs and engineers their products to meet specific needs of healthcare professionals. We also offer full line support as well. Top quality marketing materials coupled with responsive after sale service. Find out why seca is the fastest growing scale company in America today.



880



881

SECA 880 ELECTRONIC PERSONAL FLOOR SCALE

Designed for the private sector. The quick-touch turn on and long-life batteries offer the utmost in operational ease. Carry case #421 available separately.

Capacity: 400 lbs/180 kg. Dimensions: 12"W x 2 1/2"H x 13"D.

880 Digital Floor Scale, Batteries Included

SECA 881 DIGITAL FLOOR UNISCALE

Ideal if you're looking for weighing tiny tots to grown-ups. Combine the large LC display and activation sensor with the convenient TARE function and you have the seca multipurpose uniscale at your feet. Capacity: 400 lbs/180kg.

Dimensions: 12"W x 2 1/2"H x 13"D. Power Supply: 4 AA alkaline batteries.

881 Electronic Floor Scale



954



984



784

SECA 954 DIGITAL CHAIR SCALE

Offers traditional design with added mobility, so it can be brought directly to the patient.

Compact design and locking wheels make the chair maneuverable. Has swiveling armrests for easy seating and the desirable TARE function for taking out extra weight.

Capacity: 440 lbs/200 kg. Dimensions after assembly: 27"W x 22 1/2"H x 23"D.

954 Digital Chair Scale w/locking wheels

SECA 984 BED AND DIALYSIS SCALE

Allows bed-ridden patients to be weighed simply, carefully and accurately and is an indispensable constituent of dialysis and intensive care. Integrated lifts allow four measuring platforms to be placed under the castors of the bed. The previously determined weight of the bed is tared using the pre-TARE function and the patient's precise weight accurately determined. The bed scale stores all the previously determined values and retains the information in the event of a power failure using rechargeable batteries. Package contains: Scale w/digital display, four loaded cells w/integrated mechanical lifters and equipment trolley. Capacity: 1100 lbs/500 kg.

984 Bed & Dialysis Scale

SECA 784 BED AND DIALYSIS SCALE

A medically calibrated electronic bed and dialysis weighing machine with advanced functionality. It has a preselector for critical values involving high fluid turnover and dialysis and compact load sells. With integral handles, it can be manipulated quickly and practically. Unaffected by power supply fluctuations or electromagnetic fields, and has an automatic fail safe system. Capacity: 904 lbs/410 kg.

784 Bed & Dialysis Scale

DETECTO DIALYSIS SCALE

Displays original weight, final weight and the net difference. As many as six bases per indicator may be used, each with their own preset value. Also equipped with bidirectional serial port and printer port for connection to a computer and/or optional printer. Display: dot matrix plasma. Power: 115 VAC.

DS-778 Dialysis Scale

DS-6550 800 lb x .2lb/360 kg x .1 kg. Platform: 36" x 38" w/wheels,

Contains 50 ft Cable & Indicator Mounted PC Card



4750, 4751



6475, 6475K

DETECTO CHAIR SCALE

Ideal for weighing frail, handicapped or elderly patients. Can be used in relatively small spaces on carpet or tile. Lift away arms for easy patient transfer; lift away footrest and oversized wheels for maneuverability. Die-cast beam is easy to read from both sides. 42"H. Black/white. Powered by 6 "C" cell alkaline batteries or optional AC adapter.

4750 350 lb x 4 oz (Rapid Ship)

4751 Dual Reading Beam, 350 lb x 4 oz (140 kg x 100 g)

6475 Digital, Dual Reading, 400 lb x .2 lb (180 kg x .1 kg) (Rapid Ship)

6475K Digital, Metric Reading, 180 kg x .1 kg

6875 Euro Chair Scale, Digital Dual Reading,

400 lb x .2 lb/180 kg x .1 kg, Concealed Wheels




DETECTO PORTABLE WHEELCHAIR SCALE

Fold up scale with four way, dual direction wheels for easier transport. Ambulatory patients hold padded handrails during weighing for added security. Digital display rotates for wide angle viewing. Keypad entry tare, auto power off, auto zero, motion detector, weight lock.

6550 800 lb x .2 lb/360 kg x .1 kg Capacity, 28"L x 32"W Platform

w/non-skid mat, Digital Indicator w/LCD display, Powered By

6 "D" Cell Batteries, Optional 115VAC Power Adapter (Rapid Ship)



SECA 664 ELECTRONIC WHEELCHAIR SCALE

The high capacity of 660 lbs of this wheelchair scale means that even heavy patients can be weighed with ease. Thanks to the extremely flat platform, the scale is easy for wheelchair-users to mount and the side barriers ensure maximum safety. The integrated pre-TARE function determines the patient's net weight in seconds and a real advantage is its HOLD function, which continues to display weight in large, easy-to-read numbers even after the scale is no longer in use. This scale can be folded up in just a few moves and its transport castors make it easy to move.

Capacity: 660 lbs/300 kg. Dimensions: 27"W x 22 1/2"H x 23"D.

664 Collapsible Electronic Wheelchair Scale w/castors

SECA 644 DIGITAL HAND-RAIL SCALE

Low profile platform makes it easy to use and the curved railing provides a stable anchor for unstable patients. With its locking castors and swiveling control/display panel, it provides the medical staff with a high degree of flexibility. Can be transformed into a complete measuring and weighing station with the addition of Seca 242 or Seca 222 measuring rod options. Capacity: 660 lbs/300 kg.

644 Electronic Hand Rail Scale, Transportable By Wheels



DETECTO PATIENT LIFT SCALE - DIGITAL

Designed for patient weighing when used with the PL-425 Patient Lift and PL-450 Sling Seat. Keypad controls on/zero, off and lb/kg display select. .75" high-contrast LCD display with annunciator for lb/kg, zero, low battery & display lock. Powered by one 9V battery. Unit measures 4.125"W x 2.125"D x 4"H (center of eye to center of eye; 5" overall).

- PL-400 400 lb x .2 lb/182 kg x .1 kg
- PL-425 Patient Lift w/4.8"H underbed clearance, Hydraulic Lift Mechanism
- PL-475 Complete 400 Series Patient Lift Scale, Includes PL-400, PL-425 & PL-450



IB400



IB600

DETECTO IN-BED SCALES

Ideal for intensive, coronary, geriatric, surgical and burn care patients. Locking rear casters and base widening stance provide maximum safety. LCD digital indicator powered by 6 "D" cell alkaline batteries has auto sleep mode, auto power shut off, lock/release display, auto/manual zero, motion detector. Thermoplastic Staph Check™ stretcher fabric. Adjustable weighing arm and hydraulic lift mechanism.

- Optional 115 VAC power adapter.
- IB400 400 lb x .01 lb
- IB600 600 lb x 0.2lb/270 kg x 0.1 kg

Accessories

- 0046-C007-08 6 ft Adult Stretcher For IB400 Series
- 0046-C065-08 4 ft Pediatric Stretcher For IB 400 Series
- 0046-C247-08 6 ft Adult Stretcher For IB600



ADC® ADTEMP™ GLASS THERMOMETERS

Stubby bulb, gold backed, colored tri-top glass thermometers made to ASTM E667 standards. Available in °F (range 94°-106°, .2° graduation) or °C (range 35°-42°, .1° graduation), or dual °F/°C scale. Packed in clear plastic pen barrel with color coded top. HYPOTEMP™ model features extended range of 75°-105° with .5° graduations without gold backing.

- 430B-12 ADTEMP™ Glass Thermometer, Blue, °F, 12/bx
- 430BC-12 ADTEMP™ Glass Thermometer, Blue, °C, 12/bx
- 440B-12 ADTEMP™ Glass Thermometer, Blue, °F/°C, 12/bx
- 400 HYPOTEMP™ Hypothermia Thermometer



WELCH ALLYN PRO 3000 INSTANT THERMOMETER

Provides new measurement technology, ergonomic design, built in cross-contamination safeguards, wide range of patient temperature, fast, accurate and durable. Provides 8 temperatures scanned in less than a second for delivery of an accurate temperature in just one second. Probe cover sensor reminds operator to use a new probe cover. Ergonomic design gives a smaller profile and is more comfortable to hold. Wall holder for the unit provides convenient storage.

- 03679-200 Combo Pkg PRO3000 & WA Model 679 SureTemp
- 03000-200 PRO3000 Thermometer
- 03000-300 PRO3000 Thermometer w/security wall mount
- 03000-400 PRO3000 Thermometer w/security roll stand

Accessories

- 23001-1000 PRO3000 Wall Holder
- 08075-100 PRO3000 Security Rolling Stand w/security base
- 80195-0000 PRO3000 Security Tether

Thermometer Probe Covers

- 05074-005 Probe Covers PC-5K, 5000/cs
- 05074-800 Disposable Probe Covers, 20/dispenser bx, 10bx/pk, 4 pk/cs (formerly Braun #PC-800)

EXERGEN LIGHTOUCH EAR THERMOMETERS

- 133810F LTX Arterial
- 133830F LTX Oral
- 133910F LTXP Arterial
- 133930F LTXP Oral
- 124250 LXN Neonatal Axillary Thermometer LXN-1

Don't see what you are looking for?

Call your representative for additional product answers.

EXERGEN OTOTEMP 3000 SPECIAL DUTY TYMPANIC THERMOMETER

Designed specifically for field use in harsh, demanding environments, with proven performance at numerous Marathons, Olympic Games and in Desert Shield. It is the instrument of choice for military and sports medicine, research, firefighting, rescue or any outside activity where thermoregulation function could be at risk. The kit includes waterproof carrying case, 500 disposable probe wraps, neckstrap and spare battery. This model requires the use of a disposable cover.

106500 Ototemp 3000

Accessories

- 124307 Black Coiled Cable
- 129425 Roll-About Pole & Base
- 129455 Roll-About w/basket
- 133815 Locking Wall Mount
- 133816 CH-1 Non-Locking Wall Mount
- 134100 6 ft Security Cable
- 134105 8 ft Security Cable
- 134200 Combination Instrument Holder & Cap Dispenser
- 134201 Instrument Holder
- 134202 Cap Dispenser
- 134300 Baked Enamel Wall Basket
- 134301 Silvertone Wall Basket

EXERGEN DERMATEMP SURFACE SKIN SCANNERS

A high precision hand-held infrared thermographic scanner designed to detect the subtle skin temperature variations caused by underlying perfusion variations. These instruments feature a patented automatic emissivity compensation system for absolute accuracy regardless of skin type or color. This series consists of four models, each optimized to the specific application by probe design. In those applications where cross-contamination is an issue, the use of disposable wraps or sheaths allows even moist or wet tissue to be measured with precision accuracy. Especially recommended for use in plastic and vascular surgery, pain management, rheumatology, neurology, anesthesiology, oncology, and of particular interest in wound management, especially as used in diabetic neuropathy.

- 104900 DT-1001Dermatemp Surface Skin Scanner
- 104910 DT-1001-LN Dermatemp Surface Skin Scanner
- 104920 DT-1001-LT Dermatemp Surface Skin Scanner
- 104950 DT-1001-RS Dermatemp Surface Skin Scanner



EXERGEN TEMPORAL SCANNER

- 140004 TAT-5000 Thermometer
-choice of using disposable covers or cleaning between patients with a disinfectant wipe. Protected by a three year warranty.
- 140003 TAT-5000HP Thermometer
- Designed for patient use at home, one year warranty
- 140005 TAT-5000 Thermometer
-This series is recommended for use in office-based practices, ambulatory care clinics, pheresis and blood donor units, and extended care facilities. Features a stainless steel probe head for optimal durability. This model requires the use of disposable covers. It is protected by a three year warranty.
- 124303 TAT-5000 Thermometer
-exceeds the requirements of office-based practices, ambulatory care units, including pheresis and blood donor units, and for use in extended care facilities. This model requires the use of disposable covers. Rugged enough to be protected by a Lifetime Warranty.

EXERGEN ACCESSORIES

- 134203 Disposable Caps For Temporal Artery Thermometers, 1000/bx
- 128800 Probe Wrap PCT-2550 For Ear Thermometers, 2500/bx
- 129460 Probe Wrap SCT-500 For LTN-2, 500/bx
- 129462 EXERGEN TUBULAR SHEATHS Sheaths, 250/bx



ADC® PACIFIER THERMOMETER

3-minute response time that beeps when complete. Last reading memory. Water resistant. Automatic power-off function conserves battery life. 0.2 °F accuracy. Integral nipple cover. Safer than glass thermometers. 200 hours battery life. Accurate to ASTM 1112 standard. Two year limited warranty. Packaging: 6/case. 5004 Pacifier Thermometer



StarLine® DIGITAL THERMOMETER

Accurately records body temperature in 60 seconds. Liquid crystal display readout displays temperature within 1/10th of a degree. Audible beep signals peak temperature. A replaceable battery provides 200 hours of use. Each package comes complete with thermometer, 5 probe covers, battery, storage case, instructions, and one year limited warranty. Can be used orally, rectally or under the arm. Latex free. 10420410 Digital Thermometer w/beeper, °F



StarLine® THERMOMETER SHEATHS

Manufactured to extraordinary tolerances from the finest materials available. Sheaths can be twisted or peeled off of the thermometer.

- 1045-D1 Digital Type, 100/bx, 50 bx/cs
- 1045-D2 Digital Type, 500/bx, 10 bx/cs
- 1045-1 Glass Type, 100/bx, 50 bx/cs
- 20524 Mercury Oral, 500/bx, 10 bx/cs
- 20521 Mercury Oral, 100/bx, 50 bx/cs
- 20525 Mercury Oral, 5000/cs
- 20713 Prelubricated Mercury Rectal, 500/bx, 10 bx/cs
- 20710 Prelubricated Mercury Rectal, 100/bx, 50 bx/cs
- 20715 Prelubricated Mercury Rectal, 6000/cs
- 20712 Prelubricated Mercury Rectal, 50/bx, 100 bx/cs
- 20714 Prelubricated Mercury Rectal, 5000/cs
- 20777 Digital Rectal, 500/bx, 10 bx/cs
- 20775 Digital Rectal, 100/bx, 50 bx/cs

BD THERMOMETERS

- 522860 Digital, Oral, 12/bx
- 522870 Probe Covers For Oral Thermometer, 50/bx, 20 bx/cs
- 522871 Probe Covers For Rectal Thermometer, 50/bx, 20 bx/cs

FILAC® F-1500 ELECTRONIC THERMOMETER

Fully automatic thermometer provides reading in 27 seconds. Audible "beep" alerts operator when temperature is complete. Bold LCD display for easy reading. Operates on two 3-V lithium batteries. Measures from 90+ -100+F. 2 1/2" H x 5 1/4" L x 3 1/4" W.

- White.
- 005649 Calibrator Assembly
- 103650 Oral Probe
- 103660 Rectal Probe
- 104180 Calibration Plug
- 104190 Base Assembly Locking Device
- 309600 Fahrenheit with rectal probe
- 309700 Centigrade with rectal probe
- 309800 Fahrenheit with oral probe
- 309900 Centigrade with oral probe
- 221000 Probe Covers, 20/pkg, 25 pkg/bx, 10 bx/cs



WELCH ALLYN SURETEMP® THERMOMETER

Welch Allyn SureTemp® 679 Electronic Thermometer - SureTemp® thermometry offers fast, accurate temperatures for all types of patients ... 4 second oral, 10 second axillary for children under 4 years old, and 15 second rectal. Features include: large LCD display, temperatures in F° or C°, last temperature recall, and a standard 2 year warranty. Operates on 3 AAA batteries (included). Measures from 84°F to 108°F.

Thermometers

- 01679-200 Model 679 SureTemp Thermometer w/oral probe
- 01679-201 Model 679 SureTemp Thermometer w/rectal probe
- 01678-200 SureTemp 678 thermometer with oral probe with wall mount
- 01678-201 SureTemp 678 thermometer with rectal probe with wall mount
- 01678-300 SureTemp 678 thermometer with 9ft oral probe with wall mount
- 01678-301 SureTemp 679 thermometer with 9ft rectal probe with wall mount
- 03679-200 Braun ThermoScan Pro3000 ear thermometer and SureTemp 679 electronic thermometer combination package

Probe Covers

- 05031-101 Disposable Probe Covers, 1000/cs

Accessories

- 02678-000 Oral/Axillary Probe with 4 ft cord
- 02678-100 Oral/Axillary Probe with 9 ft cord
- 02679-000 Rectal Probe with 4 ft cord
- 02679-100 Rectal Probe with 9 ft cord
- 06137-000 Calibration key (for 678, 679, 767)
- 08043-200 Spare Probe Holder
- 21013-0000 250 Probe Cover, Wall Holder
- 08043000 Probe Holder For All Other SureTemp
- 08070-000 Stand For SureTemp Units
- 08072000 Thermometer Stand For Model M678
- 21004-2000 Wall Holder Assembly
- 210040000 Additional Wall Mount
- 21012-0000 Neck & Wrist Straps

EXERGEN VETERINARY THERMOMETERS

- 105900 Equine-100
- 129800 VTTS-1000 Tympanic Scanner



K & M DISPOSABLE PROBE COVERS

Non-sterile. Made of FDA approved, virgin polyethylene. Secure fit. Ejects easily after use. Dispenser boxes fit into the storage wells of most brand name thermometer cases.

- 200 For Ivac® Thermometer #811A, 821A, 2000 & 2080A, 20/bx, 10 bx/ctn, 25 ctn/cs
- 221F For Sherwood Filac® F-1500 & F-2000 Thermometers, 20/bx, 25 bx/ctn, 10 ctn/cs



ECLIPSE® PROBE COVER

38-01 2.5"x1.75"W x 9.5"L (64mm/44mm x 241 mm), 100/bx, 6 bx/cs



104272311



104272611

StarLine® PREMIUM ANEROID SPHYGMOMANOMETER

This is our "premier" sphygmomanometer. Features #10428000 lifetime warranted gauge and top quality inflation system, including a nylon velcro cuff and highest quality bulb and valve. Complete with leatherette case.

- 30741 Adult, Black, Latex Free
- 30743 Large Adult, Black, Latex Free
- 30742 Child, Black, Latex Free
- 10428000 Gauge Only, Latex Free
- 104272311 Adult, Gray
- 104272351 Adult, Royal Blue
- 104272371 Adult, Green
- 104272391 Adult, Red
- 104272401 Adult, Pink
- 104272431 Adult, Orange
- 104272621 Adult, Silver
- 104272481 Adult, Brown
- 104272591 Adult, Teal
- 104272601 Adult, Purple
- 104272611 Adult, Black
- 104272561 Adult, Burgundy
- 104272571 Adult, Dark Green
- 104272461 Adult, Magenta
- 30740 Adult, Navy
- 104272631 Adult, Turquoise
- 104272615 Large Adult, Black
- 104272614 Child, Black
- 104272613 Infant, Black
- 104272612 Newborn, Black
- 104272616 Thigh, Black



104277311

StarLine® POCKET ANEROID SPHYGMOMANOMETER

This is our "standard" sphygmomanometer. Features are the same as the premier aneroid series, except for a standard bulb/valve and bladder combination.

- 30941 Adult, Black, Latex Free
- 30943 Large Adult, Black, Latex Free
- 30942 Child, Black, Latex Free
- 104276611 Adult, Black, Latex
- 104276311 Adult, Gray, Latex
- 104276481 Adult, Brown, Latex
- 104276371 Adult, Green, Latex
- 104276391 Adult, Red, Latex
- 104276431 Adult, Orange, Latex
- 104276351 Adult, Royal Blue, Latex
- 104276401 Adult, Pink, Latex
- 104276461 Adult, Magenta, Latex
- 104276591 Adult, Teal, Latex
- 104276601 Adult, Purple, Latex
- 104276561 Adult, Burgundy, Latex
- 104276621 Adult, Silver, Latex
- 104276631 Adult, Turquoise, Latex
- 30940 Adult, Navy, Latex
- 104276615 Large Adult, Black, Latex
- 104276614 Child, Black, Latex
- 104276613 Infant, Black, Latex
- 104276612 Newborn, Black, Latex
- 104276616 Thigh, Black, Latex

StarLine® ANEROID SPHYGMOMANOMETER

Black enamel 300mmHg no-pin stop manometer. Gray cotton cuff with artery label and gauge holder. Latex inflation bladder and bulb. Chrome plated deflation valve. Complete with leatherette zippered carrying case and operating instructions.

Assembled, inspected and packaged in the U.S.A. Ten year calibration warranty.
104277311 Adult, Gray



REGENCY™ AUTOMATIC INFLATE MONITOR WITH FUZZY LOGIC

Advanced fuzzy logic-controlled inflation system eliminates the need for inflation bulbs and pressure presets. Automatically determines level of inflation according to the user's systolic blood pressure and arm size, and adjusts to accommodate changes in blood pressure between readings. Extra large LCD panel registers blood pressure and pulse at the same time. Includes English/Spanish/French instruction manual and 4 "C" batteries or optional AC adapter.

- H-003DF Large Adult Cuff, 13"-17"



752



750

ADC® DIAGNOSTIX™ 750 SERIES

Large, easy to read 6" dial with white scale on contrasting black face for high visibility. Luminescent dial for visibility in low light conditions. Lifetime calibration warranty. Contemporary Euro-style black casing complements any decor. Rear mounting bracket doubles as an inflation system storage compartment. ADCUFF™ inflation system with black nylon cuff, Size Guide™ marking system, premium latex bladder and bulb and 8' (when extended) coiled tubing with luer connectors. Includes all necessary hardware and instructions. Available in wall mount or mobile configurations. Wall bracket swivels through 110° arc for enhanced visibility. Mobile model has a stand that adjusts from 40"-54". Manometer angled back 15° for easy viewing. Spider-Leg™, 5kg stand rolls smoothly and is balanced to prevent tipping. Includes an ABS cuff storage compartment in main unit.

Mobile Aneroid

- 752DBMLF Adult, Navy, Latex Free
- 752MLF Adult, Black, Latex Free
- 752XMLF Large Adult, Black, Latex Free
- 752CMLF Child, Black, Latex Free
- 752M Adult, Black, Latex
- 752DBM Adult, Navy, Latex
- 752XM Large Adult, Black, Latex
- 752CM Child, Black, Latex
- 752IM Infant, Black, Latex
- 752NM Newborn, Black, Latex
- 752TM Thigh, Black, Latex

Wall-Mounted Aneroid

- 750DBWLF Adult, Navy, Latex Free
- 750WLF Adult, Black, Latex Free
- 750XWLF Large Adult, Black, Latex Free
- 750CWLF Child, Black, Latex Free
- 750W Adult, Black, Latex
- 750DBW Adult, Navy, Latex
- 750XW Large Adult, Black, Latex
- 750CW Child, Black, Latex
- 750IW Infant, Black, Latex
- 750NW Newborn, Black, Latex
- 750TW Thigh, Black, Latex



ADC® PROSPHYG HOMECARE™ 780

Black enamel 300mmHg no-pin stop manometer. Navy blue nylon D-Ring self-adjusting cuff for one-handed cuff application. Latex inflation bladder and bulb. Chrome plated deflation valve. Diaphragm only blood pressure scope with black PVC tubing. Complete with leatherette zippered carrying case, operating instructions and blood pressure recording charts. Assembled, inspected and packaged in the U.S.A. Ten year calibration warranty.

- 780 Adult
- 780X Large Adult
- 780C Child



703



705

ADC® DIAGNOSTIX™ 703 SERIES

Revolutionary palm style manometer (#804) with integral latex-free bulb and trigger style release valve for one hand convenience. Precision crafted 300mmHg no-pin stop German mechanism tested to 200,000 cycles. Mechanism housed in a patented double shell ABS impact polymer casing. Ambidextrous infinite control trigger release air valve. Quick release luer slip connector. Six clinical cuff sizes available. ADCUFF™ nylon cuff with Size Guide™ marking system ensures proper cuff positioning and use of correct cuff size. Dip molded inflation bladder withstands heavy use. Complete with leatherette zippered carrying case with nylon zipper. Assembled, inspected, and packaged in the U.S.A from foreign components. Two year inflation system warranty. Lifetime calibration warranty. Aneroids completely latex free have a LF in their number.

- 703LF Adult, Black, Latex Free
- 703DBLF Adult, Navy, Latex Free
- 703XLF Large Adult, Black, Latex Free
- 703CLF Child, Black, Latex Free
- 703 Adult, Black, Latex
- 703DB Adult, Navy, Latex
- 703X Large Adult, Black, Latex
- 703C Child, Black, Latex
- 703I Infant, Black, Latex
- 703N Newborn, Black, Latex
- 703T Thigh, Black, Latex

ADC® GENERAL PRACTICE MULTICUFF KIT

Adult, child, and large adult ADCUFF™ calibrated nylon cuffs with one tube latex inflation bladders and palm style manometer in a compact storage tray. Rugged gauge features precision crafted German mechanism housed in a patented double shell ABS impact polymer casing. Ambidextrous trigger release air valve. Quick release luer slip connectors. Four section smoke gray plexiglass storage tray features a small 14" x 3" footprint to save on counter space or may be wall mounted with included hardware. Assembled, inspected, and packed in the U.S.A. from foreign components. Two year inflation system warranty. Lifetime calibration warranty.

- 705GPK Multicuff Kit, Black, Latex
- 705GPKLF Multicuff Kit, Black, Latex Free
- 705DBGPK Multicuff Kit, Navy, Latex
- 705DBGPKLF Multicuff Kit, Navy, Latex Free

RIESTER® MERCURY WALL SPHYGMOMANOMETER

Wall-mounted unit swivels for optimal viewing. Front-mounted basket stores cuff and 8' coil tubing. Deluxe latex inflation system with calibrated nylon cuff. 4.2 mm glass tube with 300 mm Hg scale. Reservoir lock secures mercury when instrument is not in use. 10 year calibration warranty. 3 mm Hg.

- R-1026 Adult, Black

RIESTER® PRECISA PALM STYLE SPHYGMOMANOMETERS

Lightweight, high-impact, German-made, no stop pin, 300 mm Hg gauge. Bold, black gradations on white faceplate. Tubing connector at 3 o'clock position for easy cuff change. Long-life, calibrated nylon cuff with artery label. Latex inflation system. Standard air release valve. Zippered, leatherette carrying case. 10 year calibration warranty. 3 mm Hg.

- R-1077 Adult, Black



StarLine™ SPHYG/SPRAGUE KIT

Black enamel 300mmHg no-pin stop manometer. Color matched sprague-type stethoscope. Calibrated nylon cuff. Latex bladder and bulb. Chrome plated valve. color matched nylon carrying case that is extra large with one large zippered compartment, outside Velcro® pocket, end strap and handy key ring. Case measures 10" x 6" x 3". Assembled, inspected and packaged in the U.S.A. Two year inflation system warranty. 20 year calibration warranty.

- 30762 Burgundy
- 30761 Black
- 30763 Dark Green
- 30764 Magenta
- 30765 Silver
- 30766 Teal
- 30767 Purple

StarLine™ POCKET SPHYGMOMANOMETER

Comes with #802 private label gauge (lifetime calibration warranty), standard inflation system and generic white one-piece box.

- 1042000SP Pocket Sphygmomanometer w/802 gauge



790



775

ADC® PROSPHYG HOMECARE™ 790

Black enamel 300mmHg no-pin stop manometer. Navy blue nylon D-ring self-adjusting cuff with attached blood pressure scope for one-handed use. Latex inflation bladder and bulb. Chrome plated deflation valve. Scope features adjustable chrome binaurals and black 22" PVC tubing. Complete with leatherette zippered carrying case, operating instructions and blood pressure recording charts. Assembled, inspected and packaged in the U.S.A. Ten year calibration warranty.

- 790 Adult
- 790X Large Adult
- 790C Child

ADC® PROSPHYG™ 775 SERIES ANEROID SPHYGMOMANOMETER

Black enamel 300mmHg no-pin stop manometer. Navy blue nylon cuff with range markings to facilitate selection of correct cuff size; artery label and gauge holder. Latex inflation bladder and bulb. Chrome plated deflation valve. Complete with leatherette zippered carrying case and operating instructions. Assembled, inspected and packaged in the U.S.A. Ten year calibration warranty.

- 775 Adult
- 775X Large Adult
- 775C Child



The Sunlight Omnisense™ 7000S

At Last, a Way to Diagnose and Monitor Osteoporosis at the Point of Care

Introducing the Sunlight Omnisense™ 7000S bone sonometer — with accuracy and patented technology that take it far beyond the one-time bone mineral density snapshot. Low cost and high precision allow more frequent in-office measurements with just a pass over the wrist.

- Osteoporosis diagnosis and monitoring
- Patented Omnipath™ axial transmission technology — eliminates soft tissue effects
- High accuracy and precision
- Use of World Health Organization (WHO) criteria and standard T- and Z-scores
- Comprehensive score factors in multiple bone properties including bone mineral density (BMD), elasticity, cortical thickness, and micro-architecture
- Easy, point-of-care testing and trend tracking
- Built-in data management



The Sunlight Omnisense™ 7000S uses a testing procedure that's fast and non-invasive — sure to be a frequent patient request. So you're sure to enjoy a fast return on investment, in terms of both income and patient health.

 Sunlight



We're here to help you make a difference.

For your patients.

And your practice.

Since 1915, Welch Allyn has been committed to developing some of the most innovative diagnostic instruments for the medical community. Along the way, we also became the company that medical professionals look to first – for the broadest selection of products and for exceptional value. Ultimately, the Welch Allyn name means better instruments for physicians everywhere. And that translates into better health for every patient. For more information about how Welch Allyn can provide you with new ways to make a difference, contact your StarLine representative or visit www.welchallyn.com

WelchAllyn®



ADC® DIAGNOSTIX™ 952B SERIES SPHYGMOMANOMETER

Rugged diecast aluminum housing. Striking black finish complements any decor. Graduated unbreakable plastic cartridge tube (recessed for safety) features 5.00mm inside bore for unrestricted, friction-free mercury flow. Wall bracket swivels through 110° arc for enhanced visibility and viewer comfort. EZ-Tube™ system allows safe, simplified maintenance of the cartridge tube or top cap filters. Locking reservoir secures mercury during transport or maintenance. ADCUFF™ nylon cuff with ADC®'s proprietary Size Guide™ marking system ensures proper cuff positioning and use of correct cuff size. Complete with vinyl coated wire cuff basket, 8 ft length (when extended) of coiled tubing, all mounting hardware and comprehensive owner's manual. Assembled, inspected and package in the U.S.A. Two year inflation system warranty. Lifetime warranty on cartridge tube.

- 952B-00 Manometer Only
- 952BLF Adult, Black, Latex Free
- 952BCLF Child, Black, Latex Free
- 952BXLF Large Adult, Black, Latex Free
- 952BC Child, Black, Latex
- 952DBBLF Adult Cuff System, Navy, Latex Free



OMRON INTELLISENSE™ AUTOMATIC BLOOD PRESSURE MONITOR

Technology offers automated cuff inflation level setting and electronic deflation control. Quiet operation. Large, easy to read display panel. Contoured D-ring cuff with helpful "how to apply" label. Includes zippered carrying case. Operates on 4 "AA" batteries or AC adapter.

- HEM-907 Professional Digital BP Monitor

REPLACEMENT PARTS

- HEM-907-BLDRL Bladder Large Cuff
- HEM-907-BLDRM Bladder Medium Cuff
- HEM-907-BLDRS Bladders Small Cuff
- HEM-907-CL19 Cuff & Bladder Set, Large 32-42cm
- HEM-907-CR19 Cuff & Bladder Set, Medium 22-32cm
- HEM-907-CS19 Cuff & Bladder Set, Small 17-22cm
- HEM-907-CUFFL Cuff Large Bladders 32-42cm
- HEM-907-CUFFM Cuff Medium Bladders 22-32cm
- HEM-907-CUFFS Cuff Small Bladders 17-22cm
- HEM-907-PBAT Battery Pack For HEM-907 BP Unit
- HEM-907-PKIT Pole Mount For HEM-907 BP Unit
- HEM-907-STAND Stand For HEM-907 BP Unit
- HEM-907-WKIT Wall Mount Kit For HEM-907 BP Unit



WELCH ALLYN ECONOMY ANEROID

Tycos quality and accuracy in an affordable cuff-mounted system. Weighs only 15.5 ounces. ±3mmHg accuracy. Zippered leatherette travel case for protection. Five year warranty against manufacturing defects. All latex free.

- 7050-23 Aneroid w/Child Cuff, Latex Free



5098-02



5098-18

WELCH ALLYN CLASSIC HAND ANEROID

Unsurpassed accuracy and durability in the traditional classic design. For more than 30 years, the Tycos Classic Hand Aneroid has delivered performance and reliability in worldwide clinical use. Precision, jewelled bearings resist wear for consistently accurate readings. Every dial face is individually laser-engraved for exact calibration. Crisp white graphics on large charcoal-gray scale for better readability. Unique phosphor-bronze aneroid bellows ensure consistent pressure measurement. Recessed dial brings needle and dial markings close together and eliminates parallax. Single-tube leuc connector allows for easy interchange of cuff sizes. Lifetime calibration and manufacturing warranty. All latex free.

- 5098-02 Aneroid w/Adult Cuff, Latex Free
- 5098-03 Gauge & Bulb Only, Latex Free
- 5098-05 Aneroid w/Child Cuff, Latex Free
- 5098-06 Aneroid w/Infant Cuff, Latex Free
- 5098-11 Aneroid w/Adult Cuff, w/o Case, Latex Free
- 5098-13 Aneroid w/Adult Conductive Cuff (for hazardous atmospheres), Latex Free
- 5098-18 Pediatric Blood Pressure Kit w/case, Includes Newborn, Infant & Child Size Cuffs, Latex Free
- 5098-20 Family Practice Kit w/case, Includes Child, Adult & Large Adult Cuffs, Latex Free
- 5098-23 Family Practice Kit w/case, Includes Child Print Cuff, Adult & Large Adult, Latex Free



WELCH ALLYN CLASSIC POCKET ANEROID

Provides protection to the manometer during the rigors of clinical use. Precision, jewelled bearings resist wear for consistently accurate readings. Gauge attached to cuff protects instrument and prevents cuff and gauge from being easily separated. Laser-engraved dial for precise calibration. Unique phosphor-bronze bellows ensure consistent pressure measurement. Crisp, white graphics on large charcoal-gray scale for better readability. Lifetime warranty on calibration and manufacturing quality. All latex free.

- 5090-01 Aneroid w/Adult Hook Cuff, Latex Free
- 5090-02 Aneroid w/Adult Cuff, Latex Free
- 5090-03 Gauge Only, Latex Free
- 5090-06 Aneroid w/Child Cuff, Latex Free
- 5090-14 Aneroid w/Adult Cuff, w/o case, Latex Free
- 5090-22 Aneroid w/Adult Conductive Cuff (for hazardous atmospheres), Latex Free
- 5090-37 Aneroid w/Thigh Cuff w/o case, Latex Free
- 5090-41 Aneroid w/Large Adult Cuff, Latex Free



ADC® DIAGNOSTIX™ 700 SERIES POCKET ANEROID

Heavily chrome plated precision crafted 300mmHg no-pin stop manometer. Luminescent dial features bold white numerals and extended graduation marks on contrasting black face. ADCUFF™ nylon cuff with ADC's proprietary Size Guide™ marking system ensures proper cuff positioning and use of correct cuff size. Cuff includes convenient gauge holder. ADFLOW™ chrome plated brass air release valve with filter screen protection permits precise deflation control and years of reliable service. Complete with leatherette zippered carrying case with nylon zipper. Assembled, inspected, and packaged in the U.S.A. Two year inflation system warranty. Lifetime calibration warranty. Latex free units are completely free of any latex.

Latex Units - Available in Black - Child, Infant, Newborn, Thigh, Large Adult Adult Colors - Burgundy, Dark Green, Magenta, Pink, Royal, Silver, Teal, Turquoise, Purple, Gray, Brown, Green, Red, Orange

700 Adult, Black
700DB Adult, Navy

Latex Free Units - Available in Black - Child, Infant, Newborn, Thigh, Large Adult Adult Colors - Burgundy, Dark Green, Magenta, Pink, Royal, Silver, Teal, Turquoise, Purple, Gray, Brown, Green, Red, Orange

700LF Adult, Black
700DBLF Adult, Navy



5098-30



5098-75

WELCH ALLYN TYCOS® TR-1 HAND ANEROID

The TR-1 Hand Aneroid makes measuring blood pressure easier than ever. Luer-lock permits quick interchanges among various cuff sizes. Trigger deflation valve provides smooth one-finger control of pressure deflation. Large, easy-to-read dial face. Double-shell ABS housing delivers durability and protection to internal movement. Balanced ergonomic design fits and functions comfortably in either hand. Meets AAMI accuracy of ±3mmHg. 10-year warranty. All latex free.

5098-30 Aneroid w/ Adult Cuff in Zippered Case, Latex Free
5098-27 Adult Cuff

WELCH ALLYN TYCOS® TR-2 HOME ANEROID

Designed for simple and accurate personal blood pressure monitoring at home or work. Built-in stethoscope chestpiece allows for clear detection of blood pressure sounds with minimal training. Easy-to-use trigger deflation valve provides smooth release of air pressure. D-ring cuff for convenient self-application. Large & bright dial face for easy viewing of numbers. Instructional audio cassette and blood pressure recording forms. Meets AAMI accuracy standard of ±3mmHg. Five year warranty. All latex free.

5098-75 Aneroid w/Adult Cuff, Latex Free
5098-76 Aneroid w/Large Adult Cuff, Latex Free
5098-74 Gauge & Bulb Only, Latex Free
5082-67 Adult D-Ring Cuff & Bag, Latex Free
5082-68 Large Adult D-Ring Cuff & Bag, Latex Free



7670-01



7670-03

WELCH ALLYN TYCOS® 767 SERIES WALL AND MOBILE ANEROIDS

The Tycos 767 Wall and Mobile Aneroids offer all the dependability and accuracy of our classic aneroids, along with an updated look. Precision, jewelled-movement manometer that is certified to be accurate within one percent of scale (±3mmHg). Laser-engraved dial face for precision calibration. Built-in basket for securely storing the inflation system. High-impact housing and bezel to protect the movement and crystal. Large dial face (6 1/4") and bright orange pointer for easy reading. 40° side-to-side swivel for clear viewing at all angles. The Mobile aneroid has adjustable height stand and locking collar, 4' coiled tubing and 360° manometer swivel for ease of reading. Lifetime calibration and manufacturing warranty.

Wall Aneroid - Latex Free

7670-01 Aneroid w/Adult Cuff
7670-02 Aneroid Manometer Only w/8 ft tubing
7670-01LF Aneroid w/Adult Cuff, Red Neoprene

Mobile Aneroid - Latex Free

7670-03 Aneroid w/Adult Cuff
7670-04 Aneroid w/weighted base & adult cuff
7670-04T9 Aneroid w/SureTemp Thermometer
7670-06 Mobile Stand & Basket Assembly Only (base weight not included)
7670-07 Inflation System Basket, White
7670-03LF Aneroid w/Adult Cuff, Red Neoprene
7670-04LF Aneroid w/weighted base & adult cuff, Red Neoprene



5091-38



5091-22



5091-13



5091-41

WELCH ALLYN TYCOS® 509 SERIES WALL AND MOBILE ANEROIDS

Tycos 509 Series aneroids provide all the accuracy and reliability you expect from Tycos - at an affordable price. Lifetime calibration and manufacturing warranty. Precision, jeweled bearings resist wear for consistently accurate readings. Unique phosphor-bronze aneroid bellows ensure consistent pressure measurement. Visual check of accuracy on the dial. Strong die-cast zinc internal housing protects mechanism. The Wall style has an 8' coiled tubing with 90° swivel for flexible reading, 10° forward tilt to reduce glare. The Mobile style has 360° swivel with adjustable height stand, and 4' coiled tubing.

Wall Aneroid

5091-38 Charcoal Aneroid w/Adult Cuff, Latex Free
5091-39 Charcoal Aneroid Manometer Only w/8 ft tubing, Latex Free
5091-22 Burnt Orange Aneroid w/Adult Cuff, Latex Free
5091-23 Burnt Orange Aneroid Manometer Only w/8 ft tubing, Latex Free
5091-13 Inflation System Basket, Small, Stainless Steel, Latex Free
5091-47 Inflation System Basket, Large, Black, Latex Free
5091-38LF Aneroid w/Adult Cuff, Latex-Free Red Neoprene

Mobile Aneroid

5091-41 Charcoal Aneroid w/Adult Cuff, Latex Free
5091-41T9 Charcoal Aneroid w/SureTemp Thermometer, Latex Free
5091-48 Aneroid Stand & Basket Assembly Only, Latex Free
7670-05 Mobile Stand Base Weight Only, Latex Free
5091-41LF Aneroid w/Adult Cuff, Latex-Free Red Neoprene Bladder



- 6006 ADC® DIGITAL BLOOD PRESSURE MONITOR
Measures systolic, diastolic and pulse. Self-adjusting D-Ring ADCUFF for Home™ for one-hand application. Size Guide™ marking system ensures optimal accuracy. Latex-free materials. Extra large LCD readout. Automatic deflation valve. Last reading memory. Automatic power-off conserves battery life. Accurate to +/-3mmHg or 2% of reading. Uses 4 "AA" batteries (not included). Two year limited warranty.
- 6006 Digital Blood Pressure Monitor, 1000 Cycle Battery Life
- 6008 Automatic Digital Blood Pressure Monitor, Smart Logic™ Technology, 400 Cycle Battery Life,
- 6009 Printing Automatic Digital Blood Pressure Monitor, Graphic & Regular Printout, 7 Reading (1 week) Memory, Built-in Clock/Calendar & Storage Case, 300 Cycle Battery Life



0320



0820

BAUMANOMETER® DESK MODEL

Full 300 mm/Hg calibration in a portable case model. Calibrated tube is thoroughly annealed glass. End faces are flame glazed to prevent chipping. Permanent numerals on black anodized scale are easy to read. Large diameter mercury reservoir. Large bore (5 mm) calibrated tube prevents separation of mercury reading. Calibrated tube is resiliently mounted and fully recessed. Precision diecast aluminum case and cover. Finished in a warm gray, textured, baked enamel. Measures 2"H x 4 1/4"W x 13 1/2"L. Inflation system consists of a Baumanometer® latex bulb with Air-Flo® control and Baumanometer® latex bag with tubing and Calibrated® V-Lok® cuff.

0320 Adult

BAUMANOMETER® WALL UNIT 33

Swivels through 110+ arc. 300 mm/Hg calibration. Extruded aluminum alloy housing with diecast top and base. Measures 14 3/4"H x 2 1/2"W x 3"D. Includes 8' Extendex® tubing and inflation system holder. Inflation system consists of Baumanometer® latex bulb with Air-Flo® control and Baumanometer® latex bag with tubing and cuff. Specify color: neutral white (standard), silvertone, bright white, pastel rose, pastel blue or pastel green.

0820 Unit w/clip and w/o basket

0850 Unit w/adult Calibrated® V-Lok® Cuff and Wall Basket



6010



6011

ADC® WRIST DIGITAL BLOOD PRESSURE MONITOR

Measures systolic, diastolic and pulse at wrist. Smart Logic™ Technology determines ideal individual inflation level. Automatic inflation and deflation control. Easy to apply wrist cuff. Latex-free materials. Automatic power-off conserves battery life. Compact design with built-in clock/calendar. Accurate to +/-3mmHg or 2% of reading. Two year limited warranty. Batteries not included.

- 6010 Wrist Digital Blood Pressure Monitor w/base, 2 Person/14 Reading or 1 Person/28 Reading Memory, 500 Cycle Battery Life, Uses 4 "AA" Batteries
- 6011 Wristwatch Digital Blood Pressure Monitor, 29 Reading (4 week) Memory, 250 Cycle Battery Life, Uses 2 "AAA" Batteries

OMRON PORTABLE WRIST BLOOD PRESSURE MONITOR

Completely automatic inflation and deflation. Easy-wrap cuff is ideal for arthritics. Large, easy-to-read digital display. Compact and portable, travels anywhere. Includes illustrated instructions and 2 "AAA" batteries. Fits wrists 5 1/4" to 7 3/4" in circumference.
HEM-608 Wrist Monitor



90207



90239A



015-0068-02

BURDICK AMBULATORY BLOOD PRESSURE SYSTEMS

Provides unmatched accuracy for identifying and managing your hypertensive patients.

Monitors

- 90207 ABP Monitor w/accessories
- 90217-1 Ultralite ABP Monitor w/accessories
- Personal Computer Interface (IBM Compatible Only)**
- 90121-1 ABP Report Management System Base Station Interface (for Windows), Features Remote Communication Capability For Data Retrieval & Monitor Programming via Modem

Report Generator

- 90239A ABP Report Generator/Printer
- 040-0549-00 Data Management Option Kit, Permits Storage of up to 40 Reports on the Report Generation Data Card
- 672-0167-00 Report Generation Data Card

Cuffs

- 015-0118-01 Child, 13-20cm
- 015-0067-01 Small Adult, 17-26cm
- 015-0068-02 Standard Adult, 24-32cm
- 016-0077-01 Large Adult, 32-42cm
- 016-0109-01 XL Adult, 38-50cm (includes cuff support harness)
- 015-0070-00 Cuff Support Harness For All Cuffs

Cables

- 012-0097-02 ABP Interface Cable (ABP Monitor to PC)
- 012-0096-01 Modem Interface Cable (ABP Monitor to Modem)
- 012-0105-02 Base Station Interface Cable (PC to Modem)
- 012-0034-03 90239-80 Interface Cable (90239-80 to PC Serial Port)

Accessories

- 016-0410-00 90207 Cloth Pouch
- 016-0340-00 90217 Cloth Pouch
- 016-0080-00 Nylon Belt
- 016-0262-00 Nylon Shoulder Strap
- 146-0008-00 90207 3V Lithium Battery
- 016-0040-00 Calibration T-Tube For ABP
- 006-0210-02 Paper Roll For 90239A, 6 r/1/bx

**Competitive Pricing,
Great Service and
Independently Owned**

StarLine® CALIBRATED NYLON CUFF

Featuring the marking system. For use with most aneroid or mercurial blood pressure instruments. Two year warranty.
104283610 Adult, Black, Latex

StarLine® CUFFS & BLADDERS

For use with most aneroid or mercurial blood pressure instruments. Individually boxed.
104284610 Adult, 2-Tube, Black
104285610 Adult, 1-Tube, Black
30840 Adult, 2-Tube, Black, Latex Free
30850 Adult, 1-Tube, Black, Latex Free

StarLine® INFLATION SYSTEM

Includes nylon cuff, deluxe 2-tube bladder, bulb and valve. For use with most aneroid or mercurial blood pressure instruments. Individually boxed.
104286610 Adult, Black, Latex
30860 Adult, Black, Latex Free



1890-94



1820-25

BAUMANOMETER® BULBS AND VALVES

This pressure source for all blood pressure instruments consists of the Baumanometer® latex bulb and Air-Flo® control.

- 1890 Latex Bulb and Air-Flo® Control
- 1891 Latex Bulb Only
- 1892 Air-Flo® Control Valve Only
- 1893 Large Latex Bulb Only
- 1894 Latex Bulb and Air Flo® Control, Large

BAUMANOMETER® COMPLETE INFLATION SYSTEMS

Comprises cuff, latex inflation bag, latex bulb, Air-Flo® control valve, and Calibrated® V-Lok® cuff.

- 1820 Adult
- 1821 Child
- 1822 Infant
- 1823 Newborn
- 1824 Thigh
- 1825 Large Arm



BAUMANOMETER® INFLATION SYSTEM SETS

Each set contains 3 or more complete Calibrated® V-Lok® inflation systems for rapid, one-step interchangeability of sizes to serve hospital needs (hospital set), general clinical or family practice (clinical set), or pediatric applications (pediatric set). Packed in a snap-lock storage unit made of high-density polyethylene. For use with all blood pressure instruments.

- 1800 Hospital Set (sizes include adult, child/small adult, infant, newborn, large arm and thigh)
- 1801 Clinical Set (sizes include infant, child/small adult, large arm)
- 1803 Pediatric Set (sizes include newborn, infant, child/small adult)



BAUMANOMETER® LATEX INFLATION BAGS

- Dipped, seamless construction.
- 1840 Adult (12 x 23 cm)
 - 1841 Child (9 x 18 cm)
 - 1842 Infant (6 x 12 cm)
 - 1843 Newborn (2.5 x 5 cm)
 - 1844 Thigh (18 x 36 cm)
 - 1845 Large Arm (15 x 33 cm)



104267030



104267630

STETHOSCOPE COLORS:

Black, Gray, Light Blue, Royal Blue, Aqua Blue, Green, Light Green, Red, Pink, Peach, Gold, Lavender, Orchid, Magenta, Yellow, Brown, White, Neon Blue, Neon Green, Neon Orange, Neon Pink, Neon Yellow, Boysenberry, Burgundy, Dark Green, Mint, Teal, Purple, Navy, Turquoise

StarLine® DUAL-HEAD STETHOSCOPES

Combination diaphragm/bell chestpiece for wide frequency response. Bell and diaphragm equipped with non-chill ring for patient comfort. Lightweight, durable construction. Adjustable metal binaurals. Flexible 22" PVC tubing. Plastic eartips. Overall length 31 1/2". Latex free.

- 104267030 Black
- 104267061 Navy

StarLine® INFANT STETHOSCOPES

Infant sized, combination diaphragm/bell chestpiece for wide frequency response. 25mm diaphragm/bell equipped with non-chill ring for patient comfort. Chrome-plated brass chestpiece. Adjustable chrome-plated binaurals. Flexible 22" PVC "Y" tubing. White plastic eartips. Overall length 31". Latex free.

- 104267630 Black
- 104267661 Navy



StarLine® SPRAGUE RAPPAPORT STETHOSCOPES

Threaded chestpiece drum of chrome plated zinc permits the use of five interchangeable chestpiece fittings. 22" tubing length; overall length 30". Latex free, double tube configuration for improved acoustic separation. Proprietary valve mechanism eliminates acoustic leakage. Adjustable chrome plated brass binaurals. Complete with an accessory pouch containing the bell chestpieces, chestpiece key, 2 spare diaphragms, one pair of mushroom eartips and one pair of silicon eartips. Weighs 7.5 oz. Inspected and packaged in the U.S.A. Five year warranty.

- 104264130 Black
- 104264161 Navy



104267530



104266030

StarLine® PEDIATRIC STETHOSCOPES

Pediatric sized, combination diaphragm/bell chestpiece for wide frequency response. 1 1/4" diaphragm/bell equipped with non-chill ring for patient comfort. Lightweight aluminum construction. Adjustable chrome-plated binaurals. Flexible 22" PVC "Y" tubing. White plastic eartips. Overall length 31 1/2". Latex free.

104267530 Black
104267561 Navy

StarLine® SINGLE HEAD NURSE STETHOSCOPES

Diaphragm only aluminum chestpiece. Adjustable chrome-plated binaurals. Flexible 22" PVC "Y" tubing. White plastic eartips. Overall length 31". Latex free.

104266030 Black
104266061 Navy

STETHOSCOPE COLORS:

Black, Gray, Light Blue, Royal Blue, Aqua Blue, Green, Light Green, Red, Pink, Peach, Gold, Lavender, Orchid, Magenta, Yellow, Brown, White, Neon Blue, Neon Green, Neon Orange, Neon Pink, Neon Yellow, Boysenberry, Burgundy, Dark Green, Mint, Teal, Purple, Navy, Turquoise



ADC® PROSCOPE™ TEACHING STETHOSCOPE

Choice of diaphragm only (660 Series) or combination diaphragm/bell (670 Series) PROSCOPE™ chestpiece. Two sets of adjustable chrome plated brass binaurals. Two sets of flexible 22" and one straight 10" length of black PVC tubing. Two spare pair of black mushroom eartips included. Overall length 39". Inspected and packaged in the U.S.A. One year quality performance guarantee. Latex free.

661 PROSCOPE™ 661 Teaching Scope, Nurse Style
671 PROSCOPE™ 671 Teaching Scope, Dualhead

Accessories

661-02 Diaphragm Retaining Ring For 660, 661, 670, 671
661-03 Diaphragm For 660, 661, 670, 671



3M™ LITTMANN® TEACHING STETHOSCOPES

A stethoscope with two headsets which allow instructor and student to perform simultaneous auscultation. Patented tunable diaphragms. Packaging: 3/case.

2138 Classic II S.E. Teaching Stethoscope, Bell & Diaphragm
w/2 headsets, 40" Black Tubing
2139 Master Classic II Teaching Stethoscope, Single-Sided Chestpiece
w/2 headsets, 40" Black Tubing



ADC® ADSCOPE™ 600 CARDIOLOGY STETHOSCOPE

Unique design that combines the acoustic response of a traditional bell and diaphragm into a convenient one-sided chestpiece. Bell-type low frequency response is achieved by simply holding the chestpiece in place with light pressure. Firm pressure will produce diaphragm-type frequency performance. A rubber gasket recessed into the chestpiece alters the diaphragm permitting the scope to achieve multi-frequency response. Custom molded extra thick bilumen 19" PVC tubing stays soft and flexible. Extra thick tubing walls minimize extraneous noise. Includes one pair of plastic eartips and two pair of ADSOFT™ PVC eartips (small and large). Overall length 28". Weight 8.5 oz. Scope ID tag included. Lifetime quality performance guarantee. Latex free.

600BK ADSCOPE™ 600 Cardiology Stethoscope, Black
600-06BK Eartips, Black



ADC® ADSCOPE™ 602 CARDIOLOGY STETHOSCOPE & ACCESSORIES

Stainless steel construction for rugged durability. Combination chestpiece precisely machined to exacting tolerances for outstanding acoustic performance. Extra deep bell for unsurpassed low frequency response. Non-chill bell and diaphragm ring for patient comfort. Custom molded 16" bilumen PVC tubing improves acoustic separation. Internal spring construction reduces bulk. Binaurals fixed at 15° for greater comfort. Includes one pair of plastic eartips and two pair of PVC eartips with threaded metal inserts for the ultimate in wearing comfort and acoustic seal. Weights 9 oz. Overall length 25". Latex free. Lifetime warranty.

- 602BD Burgundy
- 602BK Black
- 602DG Dark Green
- 602G Gray
- 602RB Royal Blue
- Diaphragm Rim For 600, 601, 602, 603, 609, 612**
- 602-02BD Burgundy
- 602-02BK Black
- 602-02DG Dark Green
- 602-02G Gray
- 602-02N Navy
- 602-02LB Lt. Blue
- 602-02LV Lavender
- 602-02M Magenta
- 602-02P Pink
- 602-02R Red
- 602-02RB Royal Blue
- 602-02TL Teal

- Diaphragm**
- 602-03 Diaphragm For 601, 602, 603, 612

Non-Chill Rings For 601, 602

- 602-04BD Burgundy
- 602-04BK Black
- 602-04DG Dark Green
- 602-04RB Royal Blue
- 602-04G Gray

ADSOFT Eartips

- 602-07BK Black, Large
- 602-07G Gray, Large
- 602-08BK Black, Small
- 602-08G Gray, Small
- 602-09 White



3M™ LITTMANN® CARDIOLOGY III STETHOSCOPE

Outstanding acoustic performance and exceptional versatility characterize the Littmann Cardiology III stethoscope. The innovative design offers a patented tunable diaphragm on each side of the chestpiece. The large side can be used for adult patients, while the small side is especially useful for pediatric or thin patients. Features patented Littmann Snap Tight soft-sealing eartips, patient-friendly, nonchill rim and diaphragms. Five-year warranty on chestpiece and binaural, lifetime service and repair policy. Packaging: 3/case.

- 3127 22" Black Tubing
- 3128 27" Black Tubing
- 3129 27" Burgundy Tubing
- 3130 27" Navy Blue Tubing
- 3134 27" Hunter Green Tubing



3M™ LITTMANN® MASTER CARDIOLOGY STETHOSCOPE

A patented tunable diaphragm and superb craftsmanship offer the ultimate performance in a superior-single sided stethoscope meets the exacting standards of health care professionals who demand the highest acoustic response. Features patented Littmann Snap Tight soft-sealing eartips, patient-friendly, nonchill rim and diaphragm and special procedures adapter. Seven-year warranty, plus lifetime service and repair policy. Packaging: 3/case.

- 2160 27" Black Tubing
- 2161 27" Black Plated Chestpiece & Eartubes
- 2163 27" Burgundy Tubing
- 2164 27" Navy Blue Tubing
- 2165 27" Hunter Green Tubing
- 2159 22" Black Tubing



WELCH ALLYN TYCOS® ORIGINAL HARVEY DOUBLE & TRIPLE HEAD STETHOSCOPES

Features a unique, dual-bore, one-piece latex tube. Solid brass chestpieces. Chrome-plated brass binaurals. Double head combines brass bell and flat diaphragm chestpieces to detect a wide frequency range of sounds. Bell is designed to fit into smaller areas to easily detect faint, low-frequency sounds and murmurs. Diaphragm transmits higher frequency heart and lung sounds. Triple head features three easily rotated chestpieces (bell, corrugated diaphragm, flat diaphragm). Clearly detects full range of important sounds from low to high frequency.

- 5079-27 Triple Head
- 5079-28 Double Head



655



665

ADC® ADSOFT™ 655 AMPLIFYING STETHOSCOPE

Diaphragm only type chestpiece fabricated from lightweight acrylic provides up to twice the amplification of conventional acoustic scopes. No electronics to malfunction, no batteries to wear out. Stainless steel binurals with double leaf internal spring fixed at 15° angle for greater comfort. Reinforcing yoke molded into flexible 22" PVC "Y" tubing. ADSOFT™ deluxe PVC eartips in small and large size. Scope ID tag included. Weights 5 oz. Overall length 31". Lifetime quality performance guarantee. Latex free.

- 655M Magenta
- 655LV Lavender
- 655LB Lt. Blue
- 655G Gray
- 655BK Black
- 655BD Burgundy
- 655P Pink
- 655R Red
- 655RB Royal Blue
- 655TL Teal

ADC® ADSOFT™ 665 DISPOSABLE STETHOSCOPE

Nurse style diaphragm only single patient use scope. Acrylresin construction throughout is super-lightweight. Non-toxic. ETO sterilizable. May be safely incinerated. Weighs about 1.5 oz for comfort, yet is remarkably durable. Ultrasensitive diaphragm for outstanding acoustic performance. Individually packaged in a sealed polybag. Available in yellow and royal blue. Latex free.

- 665Y-10 Single Patient Use Scope, Yellow, 10/ctn
- 665Y-100 Single Patient Use Scope, Yellow, 100/cs



3M™ LITTMANN® MASTER CLASSIC II STETHOSCOPE

The excellent acoustic sensitivity of a patented tunable diaphragm is the hallmark of the low-profile Littmann Master Classic II. Award-winning design combines high performance with portable convenience in this single-sided stethoscope. Features patented Littmann Snap Tight soft-sealing eartips, patient friendly, nonchill rim and diaphragm. Three-year warranty, plus lifetime service and repair policy. Packaging: 3/case.

- 2141 27" Black Plated Chestpiece & Eartubes
- 2142G 27" Gold-Plated Chestpiece & Eartubes
- 2143 27" Purple Tubing
- 2144L 27" Black Tubing
- 2630 27" Caribbean Blue Tubing
- 2146 27" Burgundy Tubing
- 2147 27" Navy Blue Tubing
- 2632 27" Hunter Green Tubing

3M™ LITTMANN® VETERINARIAN STETHOSCOPES

Packaging: 3/case.

- 1391 Master Classic II, Single-Sided Chestpiece, 27" Navy Tubing
- 1392 Master Classic II, Single-Sided Chestpiece, 32" Navy Tubing
- 1393 Small Animal, Bell & Diaphragm Chestpiece, 27" Navy Tubing



3M™ LITTMANN® SELECT STETHOSCOPES

A convenient tunable diaphragm in a single-sided coated alloy chestpiece providing reliable and clear acoustics. Packaging: 3/case.
2296 28" Raspberry Tubing



2113



2206

3M™ LITTMANN® CLASSIC II PEDIATRIC AND INFANT STETHOSCOPES

Two-sided models with traditional bell/diaphragm chestpieces are designed, sized and acoustically precise for children and infants. Feature patented Littmann Snap Tight soft-sealing eartips plus patient-friendly nonchill rim. Three-year warranty plus a lifetime service and repair policy. Packaging: 3/case.

Pediatric Stethoscope

- 2113 28" Black Tubing
- 2113R 28" Red Tubing
- 2119 28" Caribbean Blue Tubing
- 2122 28" Raspberry Tubing

Infant Stethoscope

- 2114 28" Black Tubing
- 2114R 28" Red Tubing
- 2125 28" Raspberry Tubing

3M™ LITTMANN® CLASSIC II S.E. STETHOSCOPE

Featuring a two-sided chestpiece, this classic stethoscope offers high acoustic sensitivity for superior performance. A patented tunable diaphragm on one side augments the traditional bell function of the opposite side. Features patented Littmann Snap Tight soft-sealing eartips plus patient friendly nonchill rim and diaphragm. Three-year warranty plus lifetime service and repair policy. Packaging: 3/case.

- 2206 28" Caribbean Blue Tubing
- 2201 28" Black Tubing
- 2203 28" Gray Tubing
- 2205 28" Navy Blue Tubing
- 2211 28" Burgundy Tubing
- 2208 28" Hunter Green Tubing
- 2209 28" Purple Tubing
- 2210 28" Raspberry



3M™ LITTMANN® STETHOSCOPE IDENTIFICATION TAGS

Fits all sizes. Packaging: 5/case.
2171 Gray

3M™ LITTMANN® STETHOSCOPE BINAURALS

Includes eartips, eartubes and tubing.

For Master Cardiology, Cardiology III & Cardiology II S.E.

- 7880786582 22" Black, Short
- 7880786583 27" Black
- 7880786585 27" Navy
- 7880786586 27" Burgundy
- 7880786587 27" Hunter Green
- 7880786621 27" Black, Black Plated Eartubes
- 7880786622 27" Black, 23 Karat Gold-Plated Eartubes

For Master Classic II

- 7880629927 27" Black
- 7880629744 27" Navy
- 7880629745 27" Burgundy
- 7880631137 27" Black, Black Plated Eartubes
- 7880631142 27" Black, 23 Karat Gold-Plated Eartubes
- 7880785846 27" Purple
- 7880788650 27" Caribbean Blue
- 7880788651 27" Hunter Green

For Classic II S.E., Classic II & Classic II Pediatric & Infant

- 7880788635 28" Raspberry
- 1223768527 28" Black
- 1223768528 28" Gray
- 1223768532 28" Red
- 1223768530 28" Navy
- 1223768533 28" Burgundy
- 7880555776 28" Pink
- 7880784516 28" Royal Blue
- 7880786502 28" Hunter Green
- 7880786503 28" Purple
- 7880788636 28" Caribbean Blue

For Select & Lightweight

- 7880788658 28" Raspberry
- 7880781206 28" Black
- 7880781207 28" Pink
- 7880784518 28" Burgundy
- 7880784520 28" Royal Blue
- 7880785839 28" Purple
- 7880788659 28" Caribbean Blue

For Teaching Stethoscope

- 7880780284 40" Black w/2 headsets For Classic II S.E.
- 7880780285 40" Black w/2headsets For Master Classic II



3M™ LITTMANN® STETHOSCOPE EARTIPS

Threaded

- 36534 Soft-Sealing, Black, 10 pr/ctn
- 36535 Soft-Sealing, Black, Small, 10/ctn
- 36536 Soft-Sealing, Gray, Large, 10 pr/ctn
- 36537 Soft-Sealing, Gray, Small, 10 pr/ctn
- 36538 Firm, Gray, Large, 10 pr/bg
- 36539 Firm, Gray, Small, 10 pr/bg
- 36540 Hard, White Plastic, Large, 5 pr/bg
- 36541 Hard, White Plastic, Small, 5 pr/bg

Snap-Tight

- 37809 Soft-Sealing, Black, Small, 10 pr/ctn
- 37810 Soft-Sealing, Gray, Small, 10 pr/ctn
- 37811 Soft-Sealing, Black, Large, 10 pr/ctn
- 37812 Soft-Sealing, Gray, Large, 10 pr/ctn
- 37808 Firm, Gray, Large, 10 pr/bg
- 38742 Firm, Gray, Small, 10 pr/bg



3M™ LITTMANN® STETHOSCOPE DIAPHRAGMS

- 36559 For the Cardiology II, Cardiology, Classic II, Classic, Lightweight, Blood Pressure & Differential Stethoscope, Printed w/Littmann Logo, 10/bg
- 36560 For Classic II Pediatric Stethoscope, Printed w/Littmann Logo, 10/bg
- 36561 For Classic II Infant Stethoscope, Printed w/Littmann Logo, 10/bg
- 1223760679 For Anesthescopes, Not Printed w/Littmann Logo

3M™ LITTMANN® STETHOSCOPE SNAP-ON RIMS

- 36548 For Cardiology III (large side), Cardiology II S.E., Classic II S.E., Select & Lightweight, Black, 10/bg
- 36549 For Cardiology III (large side), Cardiology II S.E., Classic II S.E., Select & Lightweight, Gray, 10/bg
- 36550 For Cardiology III (small side) & Classic II Pediatric, Black, 5/bg
- 36551 For Cardiology III (small side) & Classic II Pediatric, Gray, 5/bg
- 36552 For Classic II Infant, Black, 5/bg
- 36553 For Classic II Infant, Gray, 5/bg

3M™ LITTMANN® STETHOSCOPE REPAIR KIT CASE

- 44525 Stethoscope Repair Kit Case



3M™ LITTMANN® STETHOSCOPE SPECIAL PROCEDURE ADAPTERS

Packaging: 3/bag.

- 36563 For Cardiology II S.E. & Cardiology II, Black
- 36564 For Cardiology II S.E. & Cardiology II, Gray
- 36565 For Master Cardiology, Black
- 36566 For Master Cardiology, Gray



3M™ LITTMANN® TUNABLE DIAPHRAGM & RIM ASSEMBLY

Packaging: 5/bag.

- 36554 For Master Cardiology, Black Rim
- 36555 For Master Cardiology, Gray Rim
- 36556 For Cardiology III (large side), Cardiology II S.E., Master Classic II, Classic II S.E. & Select, Black Rim
- 36557 For Cardiology III (large side), Cardiology II S.E., Master Classic II, Classic II S.E. & Select, Gray Rim
- 36572 For Cardiology III (small side), Black Rim
- 36573 For Cardiology III (small side), Gray Rim

OMRON ECHO+PLUS™ DIGITAL RECORDING STETHOSCOPES

Versatility and digitally-enhanced amplification plus the diagnostic and teaching options of digital record and replay. Allows clinicians to instantly capture critical, unexpected heart sounds for future analysis or instant consultation with colleagues. Assists instructors in teaching students the fundamentals of auscultation. 400% increase in amplification when in digital mode over typical stethoscopes, a heightened frequency response range, and batteries warranted to last up to 100 hours of use. Switches easily between three modes of operation: digital, diaphragm, and bell. Allows fifteen seconds of recording time and two replay speeds. Conventional acoustics accompany the bell and diaphragm modes. Patented dual lumen ENR™ (External Noise Reduction) tube technology significantly reduces the amount of external noise while optimizing internal acoustics. GELseal™ eartips and Anti-Slip™ rings are included. One year warranty.

- EC2B27 Digital Recording Stethoscope, 27" Black Tube



SD50



P200

NICOLET VASCULAR STETHODOP™ DOPPLER SYSTEM

Mounts to most bell-style stethoscopes using a custom non-chill ring. Easy one-hand operation. Momentary on/off actuator operates only when depressed to save battery life. Sliding volume control to adjust to individual user comfort level. Super sensitive Doppler. Custom "pager style" carrying case. Includes one-year labor and parts warranty.

- SD50 Imex StethoDop w/5 MHz Probe
- SS10 Imex Cardiology Stethoscope
- SS20 Imex Classic Stethoscope
- SD52 Imex StethoDop w/Cardiology Style Stethoscope

NICOLET VASCULAR POCKET-DOP II™ DOPPLER SYSTEM

Hand-held ultrasonic Doppler features interchangeable probes and built-in speaker for vascular and obstetrical applications. Supplied in a soft-sided carrying case with 1 or 2 probes, recharger, earphone, gel, batteries and cassette tape of pulse sounds. Includes a five-year parts and one-year labor warranty.

- P200 Unit w/2 MHz OB Probe
- P230 Unit w/2 & 3 MHz Probes
- P250 Unit w/2 & 5 MHz Probes
- P280 Unit w/2 & 8 MHz Probes
- P300 Unit w/3 MHz OB Probe
- P350 Unit w/3 & 5 MHz Probes
- P380 Unit w/3 & 8 MHz Probes
- P500 Unit w/5 MHz Vascular Probe
- P580 Unit w/5 & 8 MHz Probes
- P800 Unit w/8 MHz Vascular Probe
- P2WP Unit w/2 MHz Waterproof OB Probe

NICOLET VASCULAR VERSALAB BI-DIRECTIONAL DOPPLER SYSTEM

Continuous wave doppler transducers optimized for detecting blood flow throughout peripheral parts of the body. Optional color display feature allows quantification, documentation and qualification of blood flow using a color frequency distribution spectral analysis for accurate determination of direction and velocity of blood flow. Fast, built-in printer for quality documentation of all information obtained. A variety of industry standard calculations and indices calculated to complement the diagnostic capabilities of the VersaLab.

LE Bi-Directional Doppler System

- VLL40 Unit w/2 MHz B-Directional Probe
- VLL80 Unit w/8 MHz B-Directional Probe
- VLL48 Unit w/4 & 8 MHz B-Directional Probes

SE Bi-Directional Doppler System

- VLS40 Unit w/2 MHz B-Directional Probe
- VLS80 Unit w/8 MHz B-Directional Probe
- VLS48 Unit w/4 & 8 MHz B-Directional Probes

The Right Doppler for Every Need!



NEW! NICOLET VERSALAB

Nicolet introduces the **NEW VersaLab™**, a bi-directional Doppler with a built-in printer. Battery or line operated, weighing only 1.9 KG, it can be used anywhere. Two models available—color or black and white. Provides fast, complete and accurate results that are ready to submit for reimbursable studies.

Elite

Our versatile *Elite™* Doppler can be used for obstetrical or vascular applications, and configured to your needs with options including a digital heart rate display, battery options and a choice of 5 different probes.



STETHODOP

If your ideal Doppler is **really** small, convenient and specifically designed for determining vascular blood flow, try the **StethoDop™** ...it attaches right to your stethoscope.

Nicolet Vascular, world leader in portable Doppler technology, offers the most complete and well-known Doppler line. When you need Dopplers, you need Nicolet Vascular—your Doppler solution since 1976.

Nicolet
VASCULAR

www.NicoletVascular.com

Solutions for Your Customers... ...Solutions for You.



When a life is on the line and every second counts...
Trust the LifeQuest AED.



- Simple, intuitive design for "no hesitation" response
- Easy, 2-button operation
- Large, 5.7", high-resolution display
- Lightweight portability—only 4.5 lbs.
- Long-life PowerStick4™ (Lithium) non-rechargeable battery

MRL offers sales solutions via CD-ROMs with LifeQuest™ Powerpoint presentations.



The easy-to-use PIC takes the guesswork out of accessing 10 critical parameters.



- Single, lightweight battery...4 hours of performance
- Large, easy-to-view, color display
- Fast charge...for immediate response
- Upgradeable without increasing size or weight of unit
- AED or pass code protected manual defibrillation mode

MRL offers online training solutions at www.eol1.com.



and Sales

The First Choice in Resuscitation Solutions





CT20+



K300

NICOLET VASCULAR IMEXDOP CT+™ DOPPLER SYSTEM

Counter top/wall mount Doppler designed for hospitals, clinics and heavy volume offices. Features interchangeable probes, convenient recharging stand and a fetal heart rate display in easy-to-read digital numbers. Supplied with recharging stand, gel, battery pack, monaural earphone and mounting kit. Includes a five-year parts, one-year labor warranty.

- CT20+ Unit w/2 MHz OB Probe
- CT30+ Unit w/3 MHz OB Probe
- CT50+ Unit w/5 MHz Vascular Probe
- CT80+ Unit w/8 MHz Vascular Probe
- CT23+ Unit w/2 & 3 MHz Probes
- CT25+ Unit w/2 & 5 MHz Probes
- CT28+ Unit w/2 & 8 MHz Probes
- CT35+ Unit w/3 & 5 MHz Probes
- CT38+ Unit w/3 & 8 MHz Probes
- CT58+ Unit w/5 & 8 MHz Probes
- CTWP Unit w/2 MHz Waterproof OB Probe

NICOLET VASCULAR CAREDOP™ DOPPLER SYSTEM

Dual speakers ideal for high volume patient areas. Portable yet large enough to minimize the risk of "walkaways". Special probe makes obtaining a signal easy. Probes can be gas sterilized or sheathed. May be used in the O.R. Includes a 10 year parts and labor warranty for manufacturer defects.

- K300 CareDop™ w/3 MHz Obstetrical Probe
- K500 CareDop™ w/5 MHz Vascular Probe
- K350 CareDop™ w/3 & 5 MHz Probes
- K230 CareDop™ w/2 & 3 MHz Obstetrical Probes
- K250 CareDop™ w/2 & 5 MHz Obstetrical Probes
- K280 CareDop™ w/2 & 8 MHz Probes
- K200 CareDop™ w/2 MHz Obstetrical Probe
- K380 CareDop™ w/3 & 8 MHz Probes
- K580 CareDop™ w/5 & 8 MHz Vascular Probes
- K800 CareDop™ w/8 MHz Vascular Probe
- K2WP CareDop™ w/2 MHz Waterproof Probe



NICOLET VASCULAR FREEDOP™ DOPPLER SYSTEM

Unique cordless Doppler that allows freedom of movement anywhere in the room during obstetrical or vascular exams. One-hand operation with on/off and volume controls on the probe. Available with interchangeable 5 MHz or 8 MHz vascular probes, 2 MHz or 3 MHz obstetrical probes. Supplied with recharging stand, gel, battery pack and earphone. Includes a five-year parts, one-year labor warranty.

- FR20 FreeDop™ w/2 MHz Obstetrical Probe
- FR30 FreeDop™ w/3 MHz Obstetrical Probe
- FR50 FreeDop™ w/5 MHz Vascular Probe
- FR80 FreeDop™ w/8 MHz Vascular Probe
- FR23 FreeDop™ w/2 & 3 MHz Obstetrical Probes
- FR25 FreeDop™ w/2 & 5 MHz Probes
- FR28 FreeDop™ w/2 & 8 MHz Probes
- FR35 FreeDop™ w/3 & 5 MHz Probes
- FR38 FreeDop™ w/3 & 8 MHz Probes
- FR58 FreeDop™ w/5 & 8 MHz Probes

NICOLET VASCULAR VERSLAB BI-DIRECTIONAL DOPPLER ACCESSORIES

- BD40 4 MHz Bi-Directional Probe
- BD80 8 MHz Bi-Directional Probe
- C644 Power Supply 110-250V
- C645 Power Cord, 110V
- C633 Battery Pack
- A350 Printer Pack
- A220 Personal Stereo Headset
- A430 Soft-Sided Carrying Case
- ST30 Tilt Stand

NICOLET VASCULAR DOPPLER ACCESSORIES

- C623 CareDop & Elite Battery 9V Alkaline
- NW20 2 MHz Waterproof Probe For CareDop & Elite
- C643 Replacement Charger & Stand For CT+ & Free Dop
- N800 8 MHz Pointed Vascular Probe For Imex CareDop™ & Elite™



EN30



EN30R



ED30

NICOLET VASCULAR ELITE™

A fully configurable ultrasound Doppler used to determine fetal viability and to assist in monitoring peripheral arterial and venous blood flow. Options include interchangeable OB, vascular and waterproof probes, display or non-display models and alkaline or rechargeable batteries.

Elite 100, Non-Digital Display w/Alkaline Batteries

- EN30 w/3 MHz OB Probe
- EN50 w/5 MHz Vascular Probe
- EN35 w/3 & 5 MHz Probes
- EN2W w/2 MHz Waterproof Probe
- EN23 w/2 & 3 MHz OB Probes
- EN25 w/2 & 5 MHz Probes
- EN28 w/2 & 8 MHz Probes
- EN20 w/2 MHz OB Probe

Elite 100R, Non-Digital Display w/Rechargeable Batteries

- EN30R w/3 MHz OB Probe
- EN50R w/5 MHz Vascular Probe
- EN35R w/3 & 5 MHz Probes
- EN2WR w/2 MHz Waterproof Probe
- EN23R w/2 & 3 MHz OB Probes
- EN25R w/2 & 5 MHz Probes
- EN28R w/2 & 8 MHz Probes
- EN20R w/2 MHz OB Probe

Elite 200, Digital Display w/Alkaline Batteries

- ED30 w/3 MHz OB Probe
- ED50 w/5 MHz Vascular Probe
- ED35 w/3 & 5 MHz Probes
- ED2W w/2 MHz Waterproof Probe
- ED23 w/2 & 3 MHz OB Probes
- ED25 w/2 & 5 MHz Probes
- ED28 w/2 & 8 MHz Probes
- ED20 w/2 MHz OB Probe

Elite 200R, Digital Display w/Rechargeable Batteries

- ED30R w/3 MHz OB Probe
- ED50R w/5 MHz Vascular Probe
- ED35R w/3 & 5 MHz Probes
- ED2WR w/2 MHz Waterproof Probe
- ED23R w/2 & 3 MHz OB Probes
- ED25R w/2 & 5 MHz Probes
- ED28R w/2 & 8 MHz Probes
- ED20R w/2 MHz OB Probe



NICOLET VASCULAR VERSALAB® APM & APM2

The New Nicolet VersaLab® APM is a portable, economical antepartum monitor (APM) for performing non-stress tests. It is the smallest and lightest APM available featuring an integrated printer. Battery or line-operate, it is the ultimate in portability and convenience. Supplied with 2 MHz Doppler probe, Toco probe, patient event marker, tilt-stand, printer paper, transducers belts, and gel. The VersaLab® APM2 monitors twins and includes an additional 1.8 MHz Doppler probe. Includes a one-year parts and labor warranty.

- MVAPM Complete VersaLab® APM System
- MVAPT Complete VersaLab® APM System (twins)

VERSALAB® ACCESSORIES

- A350 Printer Paper (One roll)
- A430 VersaLab® Carrying Case
- ST30 Tilt-Stand
- C644 VersaLab® APM Power Supply
- C645 VersaLab® APM Power Cord
- C633 VersaLab® APM Battery Pack

HUNTLEIGH AQUA DOPPLEX® DOPPLER (WITHOUT DISPLAY)

Dedicated fetal Doppler with fixed 2 MHz waterproof transducer and integral loudspeaker. Includes carry case, headphones, alkaline battery (9V) and gel.

- D920A Aqua Dopplex® w/o display
- D920 Audio Dopplex® w/o display

HUNTLEIGH AQUA DOPPLEX® DOPPLER PLUS

Fetal Doppler with LCD display of fetal heart rate, fixed 2 MHz waterproof transducer and built-in loudspeaker.

- FD1A Aqua Dopplex® Plus

HUNTLEIGH BABY DOPPLEX® DOPPLER 3000

Simple, lightweight, antepartum fetal monitor. Perfect for non-stress test. Includes ultrasound and toco transducers, patient event marker, clinical event marker, non-slip belts and gel.

- BD3000MK2 Baby Dopplex® 3000

Accessories

- ACC-15 Printer Paper, Plain, No Grid, 10/bx
- ACC-30 Carry Case/Shoulder Bag
- ACC-31 Wall Bracket
- ACC-32 Desk Top Tray
- ACC-53 Trolley Cart

HUNTLEIGH DOPPLER ACCESSORIES

- DP100 Dopplex® Stand, Locking Device To Help Prevent The Doppler From Being Mishandled, Dropped or Stolen
- ACC-12 Rechargeable Battery Kit
- ACC-11 Ultrasonic Gel, 12/cz
- ACC-14 Thermal Dopplex® Printa™ Paper, Plain, No Grid, 10 r/l/bx

HUNTLEIGH DOPPLEX® PRINTA™ II DOPPLER

Small, compact, portable, thermal printer for use with MD2 and FD2. Battery or AC operated for high quality print out on 112mm width paper. ACC76 Dopplex® Printa™ II

HUNTLEIGH DOPPLEX® REPORTER™ DOPPLER

Software program designed to run on the Windows™ operating system. The upper/lower limb program enables complete arterial and venous assessment documentation and data storage. Interfaces with MD2 Doppler only.

- DR2 Dopplex® Reporter™

HUNTLEIGH FETAL DOPPLEX® I PLUS DOPPLER

Fetal dopplex with LCD display of fetal heart rate, fixed 2 MHz transducer and built-in loudspeaker.

- FD1+ Fetal Dopplex® I Plus

HUNTLEIGH FETAL DOPPLEX® II DOPPLER

Advanced pocket Doppler offers three Fetal Heart Rate (FHR) modes. LCD display, auto-correlation, active noise reduction, digital interface to Dopplex® Printa™ to produce FHR tracings. Supplied with one transducer of choice.

- FD2/OP-TDR-3 Fetal Dopplex® II w/3 MHz Transducer
- FD2/VP-TDR-4 Fetal Dopplex® II w/4 MHz Transducer
- FD2/VP-TDR-5 Fetal Dopplex® II w/5 MHz Transducer
- FD2/VP-TDR-8 Fetal Dopplex® II w/8 MHz Transducer
- FD2/VP-TDR-10 Fetal Dopplex® II w/10 MHz Transducer

HUNTLEIGH FLEXI DOPPLEX® DOPPLER

Dedicated fetal Doppler with fixed 3 MHz transducer and integral loudspeaker. Includes carry case, headphones, alkaline battery (9V) and gel.

- D930 Flexi Dopplex®

HUNTLEIGH RHEO DOPPLEX® II DOPPLER WITH DR3 SOFTWARE

Venous PPG system and bi-directional Doppler in one unit. Includes Dopplex® unit, DR3 software package, 5 MHz vascular probe and blood pressure cuff.

- RD2DS Rheo Dopplex® II w/DR3 Software Package

HUNTLEIGH RHEO DOPPLEX® II DOPPLER WITH PRINTA™

Venous PPG system and bi-directional Doppler in one unit. Includes Dopplex® unit, Printa™, charger, interface buffer box, paper, 5 MHz vascular probe and blood pressure cuff.

- RD2DP Rheo Dopplex® II w/Printa™

HUNTLEIGH SUPER DOPPLEX® II DOPPLER

Sophisticated pocket Doppler with bi-directional indication of blood flow velocity, LC display, true separated audio signals, clear visual indication of forward and reverse flow, 4 level gain control, active noise reduction, connects to EKG with custom cable. Supplied with one transducer of choice.

- SD2 Super Dopplex® II



BURTON ULTRAVIOLET EXAMINATION LIGHTS

Universally accepted for physicians' offices, emergency rooms, and outpatient facilities. Portable, hand-held lights are used for diagnosing disease and injury to the skin and eye. Focal length of 8". UL listed, CSA certified. Three-year warranty.

- 0001127PK Set of 4 Replacement White Bulbs
- 0315010 Light w/two UV bulbs (no magnifier) - 115V
- 0316020 Light w/3X magnifier & Two UV Bulbs - 115V
- 0316030 Light w/3X magnifier, Two White & Two UV Bulbs - 115V
- 1003073PK Set of 4 Replacement UV Bulbs
- 0316220 Light w/3X magnifier & Two UV Bulbs - 230V
- 0316230 Light w/3X magnifier, Two White & Two UV Bulbs - 230V
- 1007090 Wall Bracket For 31602, 31622, 31603 & 31623



DONEGAN OPTIVISOR

Precision binocular headband magnifier permits unrestricted user efficiency while reducing eye strain. Leaves both hands free and allows three-dimensional vision. Can be worn over safety or prescription eyeglasses. Six different lens powers available.

- DA-2 1 1/2 x at 20"
- DA-3 1 3/4 x at 14"
- DA-4 2x at 10"
- DA-5 2 1/2 x at 8"
- DA-7 2 3/4" x at 6"
- DA-10 3 1/2 x at 4"
- LP1 Optiloupe, Optional Monocular Attachable Lens, Adds 2 1/2x to All Models



46003



49003

WELCH ALLYN DIRECT FOCUSING AND HALOGEN HEADLIGHT

Welch Allyn focused on your needs and now you have two low-cost, lightweight, and portable headlight options for your office exam room. Complete comfort and portability.

- 46003 Direct Focusing Headlight Complete
- 49003 Halogen Headlight Complete
- 02500 2.5v Vacuum lamp (small) (model 46003 only)
- 02600 6v Halogen lamp (model 49003 only)
- 490074 Halogen Headlight without wall transformer



47351



11710

WELCH ALLYN EPISCOPE™

For examining the entire skin surface and making accurate measurements of skin lesions. Bright, 3.5-V halogen illumination and 10x optics system ensure true tissue color and accurate identification of suspicious lesions. Attaches to rechargeable handle. Reticle contact plate allows easy measurement in millimeters. Removable contact plate is autoclavable to eliminate the possibility of cross-contamination. Easy to focus, large knurled focusing ring. Comfortable eyepiece with soft rubber eyewear protector. Fully portable. Soft carrying case accommodates handle and includes pouch for extra front cover. Handles must be ordered separately.

- 47351 EpiScope Set Includes EpiScope, Reticle Contact Plate, Rechargeable Handle, Nickel Cadmium Battery & Soft Carrying Case
- 47300 EpiScope Head Alone

WELCH ALLYN 3.5V TRADITIONAL HALOGEN OPHTHALMOSCOPE

Features high intensity halogen illumination and mirror optical system. 28 lenses with illuminated lens dial. Apertures (microspot, small spot, large spot, fixation, red-free, and slit) for all diagnostic applications.

- 11710 3.5-V Halogen Ophthalmoscope, Head Only
- 11720 3.5V Halogen Coaxial Ophthalmoscope, Head Only (also has cobalt blue and polarizing filter)



WELCH ALLYN PANOPTIC OPHTHALMOSCOPE

The New Welch Allyn PanOptic™ Ophthalmoscope has innovative optics providing a 5X larger view of the fundus in an undiluted eye. Simple to learn and use, the PanOptic Ophthalmoscope makes it easy to enter small, undiluted pupils, provides 26% increased magnification over a standard scope, and offers greater working distance between practitioner and patient, improving comfort for all. This affordable new head is compatible with all existing Welch Allyn 3.5V battery handles and wall transformers.

- 11810 PanOptic Ophthalmoscope w/o cobalt blue filter
- 11820 PanOptic Ophthalmoscope w/ cobalt blue filter and add-on corneal viewing lens
- 11870 Patient Eyecup for PanOptic, box of 5
- 11875 Corneal Viewing Lens (for use w/11820)



92820



71641



7181-P

WELCH ALLYN 2.5V HALOGEN POCKETSCOPE™ DIAGNOSTIC SETS

Complete PocketScope Set with ophthalmoscope, otoscope/throat illuminator, rechargeable battery handles and desk charger (110-130V, 50/60 Hz), in hard case.

- 92820 PocketScope Set Includes Ophthalmoscope, Otoscope Throat Illuminator, "AA" Alkaline Battery Handles, Hard Case (w/o charger)
- 72600 2.5-V Rechargeable Battery

WELCH ALLYN 3.5V UNIVERSAL CHARGER W/ RECHARGEABLE HANDLES

Compact units provide constant, automatic recharging. Can not be overcharged.

- 71641 3.5V Desk Unit, Complete w/ handles & Traditional Heads



WELCH ALLYN 2.5V POCKETSCOPE™ OPHTHALMOSCOPE

Halogen light for true tissue color and consistent, long lasting illumination. Five aperture selections. 48 lenses for better resolution. Polarized filter to reduce corneal reflection. Compact size fits in pocket.

- 12800 PocketScope Ophthalmoscope w/handle & rechargeable battery
- 12820 PocketScope Ophthalmoscope w/handle & AA battery
- 13000 PocketScope Ophthalmoscope w/o handle



WELCH ALLYN 2.5V POCKETSCOPE™ OTOSCOPE/THROAT ILLUMINATOR

Halogen light for true tissue color and consistent, long lasting illumination. Fiber optics for cool light with no reflection, no obstruction. Wide angle viewing lens. Sealed system for pneumatic otoscopy. Built-in throat illuminator/penlight for added versatility.

- 22821 PocketScope Otoroscope/Throat Illuminator w/AA alkaline battery handle & soft case
- 21111 PocketScope Otoroscope/Throat Illuminator w/o handle



97110



97150



05215



97200



97200-C

WELCH ALLYN 3.5V HALOGEN DIAGNOSTIC SETS

Portable 3.5-V halogen diagnostic sets with ophthalmoscopes & otoscopes. Optional nasal illuminator. With plug-in rechargeable handle.

Coaxial Set

- 97200-C 11720 Ophthalmoscope, 20000 Otoroscope w/hard case & convert. handle
- 97200 11720 Ophthalmoscope, 20000 Otoroscope w/hard case

Standard Set

- 97100 11710 Ophthalmoscope, 20000 Otoroscope w/hard case
- 97110 11710 Ophthalmoscope, 20000 Otoroscope, 26550 Nasal Illuminator w/hard case
- 97150 11710 Ophthalmoscope, 25020 Otoroscope, w/hard case

Accessories

- 05259 Hard Case
- 05215 Soft Case



WELCH ALLYN COMPACSET™ PORTABLE DIAGNOSTIC SET

Integrates both a full-featured ophthalmoscope and fiber-optic otoscope into one durable, easy-to-use instrument. Small enough to fit in any pocket, weighs just 8.5 ounces. Fully protected by a durable ABS plastic housing. Halogen illumination provides brighter, whiter, longer-lasting light. Instrument heads swivel to allow access from any position.

- 92000 2.5V CompactSet w/AA batteries
- 92100 2.5V Compact Set w/ Rechargeable batteries
- 72610 2.5V Rechargeable Battery



WELCH ALLYN INTEGRATED DIAGNOSTIC SYSTEMS

- 76791-1P 76791 Integ Diag Sys w/Therm & 11810 Pan Optic
- 76792-1P 76792 Integ Diag Sys w/ 11810 Pan Optic
- 76793 Integ Diag Sys includes Wall Aneroid, transformer, 11720 Ophthalmoscope, 25020 Otoroscope, SureTemp oral thermometer, Klen Spec dispenser and pre-drilled mounting panel for easy install
- 76794 Same as above, without thermometer

WELCH ALLYN 3.5-V HALOGEN INSTRUMENT HANDLE

Rechargeable high performance handles provide constant 3.5-V output. Use rechargeable nickel cadmium batteries. Heads must be ordered separately.



97200-PSM

WELCH ALLYN SMART HANDLE DIAGNOSTIC SETS

Our coaxial ophthalmoscope uses a halogen HPX™ lamp that provides 30% more light output for true tissue color and consistent, long-lasting illumination. It has 18 possible filter aperture combinations for greater versatility. The otoscope uses a halogen HPX™ lamp and fiber optics for cool light with no reflections, no obstruction. It has a wide-angle viewing lens for instrumentation under magnification. The sturdy Cycloloy® resin "Smart" handle is half the weight of current 3.5v handles and provides twice the on-time.

- 97200SM Classic Smart Set, Otoroscope w/Throat Illuminator, Coaxial Ophthalmoscope & Lithium Ion Handle
- 97201SM Classic Smart Set w/soft case
- 97210SM Classic Plus Smart Set, Otoroscope w/Throat Illuminator & Nasal Illuminator, Coaxial Ophthalmoscope & Lithium Ion Handle
- 97211SM Classic Plus Smart Set w/soft case
- 97250SM Basic Smart Set, Otoroscope w/o Throat Illuminator, Coaxial Ophthalmoscope & Lithium Ion Handle
- 97251SM Basic Smart Set w/soft case
- 97300SM Prestige Set, Otoroscope w/Throat Illuminator, Coaxial PLUS Ophthalmoscope & Lithium Ion Handle
- 97310SM Prestige Plus Set, Otoroscope w/Throat Illuminator & Nasal Illuminator, Coaxial PLUS Ophthalmoscope & Lithium Ion Handle

OMRON RI-FORMER® 3.5V FIBER-OPTIC HALOGEN WALL MOUNTED SET

On/off toggle switch and storage compartment for replacement bulbs and specula. Powered by 115V AC through a 6' power cord with a hospital-grade plug. Power handles have individual on/off switch and rheostat for variable light intensity. Wall transformer has contact switches in each wand receptacle for automatic shut-off. Base and heads sold separately.

- R-10601 Otoroscope Bulb For R-6801
- R-10606 Ophthalmoscope Bulb For R-6802
- R-6800 Base Unit w/o heads
- R-6801 Otoroscope Head, 3.5v
- R-6802 Ophthalmoscope Head, 3.5v
- R-6803 Tongue Blade Holder, 3.5v
- R-6805 Bent Arm Illuminator, 3.5v
- R-6806 Nasal Speculum, 3.5v

OMRON RI-MINI® 2.5V HALOGEN FIBER-OPTIC POCKET OTOSCOPE

Lightweight with gray molded plastic handle with stainless steel on/off switch on pocket clip. Bulb and batteries are easily accessible by unscrewing the top of the handle. 2.5X convex magnifying lens that can be removed for operating procedures and a connection for pneumatic testing. Handle operated on 2 "AA" batteries (not included).

- R-6468 Replacement Halogen Bulb
- R-6480 Disposable Specula, 2.5mm, 500/pkg
- R-6490 Disposable Specula, 4.0mm, 500/pkg

OMRON RI-STAR® POCKET 2.5V HALOGEN OTOSCOPE/OPHTHALMOSCOPE SET

Set includes otoscope, ophthalmoscope, specula assortment, and fitted case. Instruments feature screw-type fittings, head interchangeability, and a black matte, non-reflective finish.

- R-6536 Rechargeable Desk Set
- R-6500 Oto/Ophthalmoscope Set w/specula
- R-6510 Otoscope Set w/specula
- R-6520 Ophthalmoscope Set

Replacement Parts

- R-3802 Insufflation Bulb For Pneumatic Otoscopy
- R-3803 Metal Connector For Otoscope
- R-6525 2.5V Ri-Accu Rechargeable Battery
- R-6527 110V Ri-Charger For Ri-Star Instrument
- R-6529 2.5V Halogen Bulb For Oto/Ophthalmoscope
- R-6600 Disposable Specula, 2.5mm, 500/pkg
- R-6610 Disposable Specula, 4.0mm, 500/pkg
- R-6625 Otoscope Head w/bulb

OMRON RI-SCOPE® REPLACEMENT PARTS

Parts for R-6571, R-6581 & R-6591.

- R-6628 Otoscope Head w/3.5V Bulb
- R-6630 Ophthalmoscope Head w/3.5V Bulb
- R-6634 Rechargeable Power Handle 110V w/wall plug
- R-6635 Rechargeable Battery For R-6634
- R-6598 Halogen Bulb For 3.5V Otoscope
- R-6599 Halogen Bulb For 3.5V Ophthalmoscope



72000 72200 76710

WELCH ALLYN REPLACEMENT RECHARGEABLE BATTERIES

Nickel-cadmium rechargeable batteries for Welch Allyn handles. Color coded by voltage.

2.5V, Color-Coded Red

- 72000 For Nos. 70700, 70710, 70715, 70720, 70750, 70751, 70754, 70755, 71500 & Discontinued 60700 Handles

3.5V, Color-Coded Black

- 72200 For Nos. 71000, 71010, 71015, 71020, 71050, 71051, 71054, 71055 & 71670 Handles

WELCH ALLYN 767 WALL TRANSFORMERS

Puts everything needed for fast, accurate diagnoses at arm's length. Convenient, modular package. Handle-based rheostats for quick light-intensity adjustments. Comfortable, contoured handles are easy to hold and maneuver. Modular coiled cords are guaranteed for 10 years. High-impact ABS housing is durable and easy to clean. Improved cradle design featuring OptiSense™, a reliable optical sensor that automatically turns handles on when they are removed from the cradles. New Halogen HPX™ Lamp provides 30% more light output. Optional digital clock and pulse timer. KleenSpec® Plus Dispenser with a large, 200-specula capacity and integral storage area. Optional third handle module makes expansion a snap.

- 76710 3.5V Wall Transformer w/o clock



WELCH ALLYN 3.5V HALOGEN DIAGNOSTIC OTOSCOPE/THROAT ILLUMINATOR

Dual-purpose instrument allows practitioner to examine the ears, then detach otoscope head and have an instant, high-intensity throat illuminator. Wide angle viewing lens slides left or right. Halogen illumination with fiber optic light transmission.

- 20000 3.5-V Halogen Otoscope/Throat Illuminator w/4 polypropylene specula (sizes 2.5, 3, 4, 5 mm)
- 20001 Same as No. 20000, Including Insufflator Bulb & Tube



WELCH ALLYN 3.5V HALOGEN DIAGNOSTIC OTOSCOPE

Halogen illumination with fiber optic light transmission provides brilliant, cool, distal illumination without visual obstruction or specular reflections. Wide angle viewing lens slides left or right for instrumentation under magnification.

- 25020 3.5-V Halogen Otoscope Head w/4 polypropylene specula (sizes 2.5, 3, 4, 5 mm)
- 25021 3.5-V Halogen Otoscope Head w/4 polypropylene specula (sizes 2.5, 3, 4, 5 mm), Insufflator Bulb & Tube
- 21504 Insufflator Bulb & Tube w/tip for 25025 and 20000



WELCH ALLYN 3.5V HALOGEN PNEUMATIC OTOSCOPE

Closed system, with insufflator fitting for pneumatic otoscopy. Large magnifying lens can be easily rotated to facilitate use of swabs, curettes, etc. Halogen illumination with fiber optic light transmission.

- 20200 3.5V Otoscope w/5 polypropylene specula (sizes 2, 3, 4, 5, 9mm)
- 21501 Insufflator Bulb & Tube w/o tip



WELCH ALLYN 3.5V HALOGEN TRANSILLUMINATORS

These instruments use halogen illumination transmitted through fiber optics for brilliant, yet cool illumination. Fits any Welch Allyn 3.5-V power source. May be sterilized by steam, gas or some germicidal solutions.

- 41002 Cobalt Blue Filter Only



BURTON LARYNXVUE® II LARYNGEAL TELESCOPE

Precision optical instrument provides unobstructed view of larynx and nasopharynx for detection of cancers, polyps and epiglottitis. Halogen lamp provides brilliant, color-correct illumination. Outer glass shield prevents heat discomfort to patient. Optional rheostat controls lamp intensity. Designed for one-hand operation. All units include scope, cord with power switch, two halogen lamps and custom wood carrying case.

- 0222070 Wall Plug, Fixed Intensity
- 0222080 Wall Plug, Variable Intensity
- 1006663PK Replacement Bulbs, 4/pk



27250



27200

WELCH ALLYN LARYNX & NASOPHARYNX ILLUMINATORS

Halogen illumination and fiber optics light transmission provide cold, intense light. Wide-angle mirror. Light aperture assists in positioning mirror. Ready for immediate use. Compatible with any Welch Allyn power source.

3.5-V Halogen

- 27200 Larynx Illuminator, Complete
- 27250 Nasopharynx Illuminator, Complete
- 27270 Fiber Optic Illuminator Only

3.5-V or 2.5-V Halogen

- 27010 Larynx Mirror Section Only

BATTERIES AND BATTERY CHARGERS

- UP272 AA Size, Ni-Cad Rechargeable
- UP273 AAA Size, Ni-Cad Rechargeable
- UP276 N Size, Ni-Cad Rechargeable
- UP269 9V, Alkaline
- UP277 9V Charger, Low Profile Design
- UP270 9V Charger, Single Battery
- UP271 AA, AAA, N, 9V Multi-Charger
- UP274 9V Charger, Dual Battery



EN92, EN91, EN93, EN95

INDUSTRIAL ALKALINE BATTERIES

- EN92 AAA Size, 12/bx
- EN91 AA Size, 24/bx
- EN93 C Size, 12/bx
- EN95 D Size, 12/bx
- EN529 6 V, 12/bx
- EN715 7.5 V, 1/bx
- EN22 9 V, 12/b


MEDICAL/ELECTRONIC BATTERIES

- DA146 8.4 V, Zinc Air, 6/ctn
- DA164 5.6 V, Zinc Air, 5/ctn
- PC7K67 6 V, Flatpak®, 6/ctn
- PC9100 N size, Alkaline, 12/ctn

HEARING AID BATTERIES

Zinc Air 1.4V batteries. Packaging: 4/pack.

- AC13E 7.8mm Diameter x 5.35 mm
- AC230E 5.8mm Diameter x 3.55 mm
- AC312E 7.8mm Diameter x 3.6 mm



WELCH ALLYN REPLACEMENT LAMPS

- 00200 Illuminators, Transilluminators fits instruments #20100, #21600, #38800, #380 Series, #385 Series, #395 Series #26030, #41000, #235, #77900, #26000, #42700, #40510
- 00900 Retinoscopes - fits #10600, #121, #110, #17600, #17610
- 01000 Transilluminators - fits #43200, #43000
- 02500 Headlights - fits #46003
- 02600 Headlights - fits #49003
- 03000 Ophthalmoscopes, Retinoscopes, StrabismusScope™, EpiScope™ fits #11710, #12400, #47300, #11600, #11605, #11610, #18000
- 03100 Otoscopes, Illuminators, Transilluminators, Tongue Blade Holder, 3.5v Handle Adapter fits #20000, #25020, #21700, #20200, #20202, #28100, #27000, #27050, #26530, #41100, #43300, #25000, #25200
- 03300 Ophthalmoscopes - fits #11511, #11500
- 03400 Otoscopes, Illuminators, 2.5v Handle Adapter #21110, #24031, #73550, #27200, #27250, #24011, #24020, #24000
- 03600 Disposable Laryngoscope Illuminator - fits #65000
- 03900 Ophthalmoscopes - fits #12810, #11110
- 04050 LX-150 Light Source - fits #45250
- 04100 Examination Lights - fits #48400, #48410
- 04200 Examination Lights - #48600, #48625
- 04900 Ophthalmoscopes - #11720, #11730, #11735, #11620, #11630
- 04400 Ophthalmoscopes - fits #04400
- 06000 Laryngoscope Handles - fits #60813, #60814, #60713, #60815
- 08200 Retinoscopes - fits # 18300
- 08300 Retinoscopes - fits #18300
- 06200 AudioScopes - fits #23300, #23000, #23020, #23040
- 06300 Examination Lights - fits #44100, #44110
- 06400 Examination Lights - fits #44200
- 07200 Retinoscope - fits #17200
- 07600 PenLite - fits #76600
- 07800 Vaginal Specula Illuminator, Sigmoidoscope, Anoscope
- Light Handle fits #78000, #73210, #73200

**Your One Stop Solution
No need
to call anyone else.**

ADC® DIAGNOSTIC REPLACEMENT LAMPS

Available in a wide variety of styles for use in many of today's most popular diagnostic instruments including ophthalmoscopes, otoscopes, and laryngoscopes by many of the industry's leading manufacturers. The incandescent and halogen lamps fit most of the instruments in use today. Manufactured to provide extra long life and reliable illumination. Each lamp unconditionally guaranteed to be free from defects and give trouble free service. Packaged in foam lined boxes. Rated for 20 hours continuous use. Packaging: 6/package unless noted.

- 4502-6 For 2.5V WA Otoloscope, Finoff & Briggs Translum, Tongue Depressor Anoscopes, Bivalve Nasal Spec, Spec Illum, Ocular Pocket Light
- 4503-6 For 2.5V Distal Proctoscope, Sigmoidoscope
- 4504-3 For 6V Halogen Vaginal Spec, 3/pkg
- 4505-6 For 2.5V Ophthalmoscopes
- 4506-6 For 2.5V Transluminator
- 4509-6 For 2.5V Ophthalmoscopes
- 4510-3 For 2.5V Otoloscopes, 3/pkg
- 4512-6 For 2.5V Pneumatic Fiberoptic Otoloscope
- 4513-6 For 3.5V Halogen Ophthalmoscope
- 4514-6 For 3.5V Halogen Otoloscope
- 4515-6 For 3.5V Halogen Ophthalmoscope
- 4516-6 For 2.5V Halogen Otoloscope
- 4517-6 For 3.5V Halogen Streak Retinoscope
- 4518-6 For 2.5V WA Ophthalmoscope
- 4519-3 For 6V Halogen Fiberoptic Proctological Instruments, 3/pkg
- 4520-6 For 2.5V Halogen Ophthalmoscope
- 4521-6 For 3.5V Halogen Retinoscope
- 4522-6 For 3.5V Halogen Ophthalmoscope
- 4523-6 For 2.5V Halogen Fiberoptic Laryngoscope
- 4530-6 For 2.5V Halogen For ADC Pocket Otoloscope
- 4531-6 For 2.5V Halogen For ADC Pocket Ophthalmoscope



60200

60300

60305


60710

60400

60813, 60814, 60815

WELCH ALLYN LARYNGOSCOPE HANDLES

- 06000 Halogen Replacement Lamp
- 60200 D - Size Battery
- 60300 C - Size Battery
- 60305 Stubby Handle
- 60400 AA - Size Battery
- 60710 2.5V Rechargeable Handle Only
- 60713 2.5V Rechargeable Handle Only
- 60715 Rechargeable Battery Handle & Transformer
- 60813 Uses C - Size Batteries
- 60814 Uses AA - Size Batteries
- 60815 Stubby Handle



66471, 66482, 66483, 66484

67471

68040

68060 - 68064

68696

69041

69061, 69062, 69063, 69064

69211, 69212, 69213, 69214

69696

69697

WELCH ALLYN LARYNGOSCOPE BLADES

- 05681 Case
- 05691 Case
- 05701 Universal Case
- 05791 Standard Case
- 63470 Size 0
- 63471 Size 1
- 63482 Size 2
- 63483 Size 3
- 63484 Size 4
- 66471 Size 1
- 66482 Size 2
- 66483 Size 3
- 66484 Size 4
- 67471 Size 1
- 67482 Size 2
- 67483 Size 3
- 67484 Size 4
- 68040 Size 0
- 68041 Size 1
- 68042 Size 2
- 68043 Size 3
- 68044 Size 4
- 68060 Size 0
- 68061 Size 1
- 68062 Size 2
- 68063 Size 3
- 68064 Size 4
- 68470 Size 0 (Neo-natal)
- 68696 Complete Set w/medium & small handles, 05681 Case
- 69041 Size 1
- 69042 Size 2
- 69043 Size 3
- 69044 Size 4
- 69061 Size 1
- 69062 Size 2
- 69063 Size 3
- 69064 Size 4
- 69211 Size 1
- 69212 Size 2
- 69213 Size 3
- 69214 Size 4
- 69241 Size 1
- 69242 Size 2
- 69243 Size 3
- 69244 Size 4
- 69696 Complete Set w/medium & small handles, 05691 Case
- 69697 Complete Set w/medium & small handles, 05791 Case



ADC® FIBEROPTIC LARYNGOSCOPES

Fiberoptic light transmission provides clear obstruction free viewing. 2.5V halogen illumination for true tissue color and consistent long lasting lamp performance. Stainless steel. Satin, non-glare finish. Lightweight design. Fully compatible with all fiberoptic hook on handles that conform to ASTM (F965) and ISO (7376-1). Color coded green to signify compatibility and differentiate from standard hook on models.

Macintosh

- 4071F Size 1, Infant
- 4072F Size 2, Child
- 4073F Size 3, Med. Adult
- 4074F Size 4, Lg. Adult

Miller

- 4080F Size 0, Preemie
- 4081F Size 1, Infant
- 4082F Size 2, Child
- 4083F Size 3, Med. Adult
- 4084F Size 4, Lg. Adult

ADC® FIBEROPTIC LARYNGOSCOPE BATTERY HANDLES

Lightsource in handle simplifies blade cleaning and reduces risk of lost lamp. Main body crafted from stainless steel. Unique stain finished, non-textured grip reduces risk of glove puncture. Fully compatible with all fiberoptic hook on blades that conform to ASTM (F965) and ISO (7376-1). Color coded green to signify compatibility and differentiate from standard hook on models. Uses lamp #4523 (included). Batteries not included.

- 4060F Medium "C" Size Battery Handle
- 4061F Small "AA" Size Battery Handle

ADC® DIAGNOSTIC REPLACEMENT LARYNGOSCOPE LAMPS

Manufactured to provide extra long life and reliable illumination. Unconditionally guaranteed to be free from defects and give trouble free service. Rated for 20 hours continuous use. Packaged in foam lined boxes of 6 lamps.

- 4500-6 Lamp, WA#00100,04700, For Use w/Mac 0-2, Miller 00-1, 6/bx
- 4501-6 Lamp, WA#00400,04800, For Use w/Mac 3-4, Miller 2-4, 6/bx



52401



52400

WELCH ALLYN KLENSPEC® DISPOSABLE OTOSCOPE SPECULA

Make of nontoxic plastic; to be used once then discarded. No adapter required. Black.

For Use With Pneumatic, Operating & Consulting Otoscopes


- 52133 3 mm Specula, 500/bg, 10 bg/cs
- 52134 4 mm Specula, 500/bg, 10 bg/cs

For Use With 20000 & 25020 Otoscopes & Pocketscopes

- 52432 2.5 mm Specula, 1000/bg, 10 bg/cs
- 52434 4 mm Specula, 1000/bg, 10 bg/cs

Wall Mount Dispensers For Diagnostic Style Specula, 10/cs

- 52401 Dispenser For Specula No. 52432, 52434, w/storage compartment
- 52400 Dispenser For Specula No. 52432, 52434 for use with 20000 Otoscope



24302

22002

WELCH ALLYN POLYPROPYLENE REUSABLE SPECULA

Material is lightweight and durable. Can be autoclaved, boiled or cleaned with standard germicides.

For Use With Diagnostic Otoscopes, Black

- 24302 2 mm Speculum
- 24303 3 mm Speculum
- 24304 4 mm Speculum
- 24305 5 mm Speculum
- 24400 Set of Above 4 Specula

For Use With Pneumatic, Operating & Consulting Otoscopes, Dark Green

- 22002 2 mm Speculum
- 22003 3 mm Speculum
- 22004 4 mm Speculum
- 22005 5 mm Speculum
- 22009 9 mm Speculum (nasal)
- 22100 Set of Above 5 Specula



WELCH ALLYN SOFSPEC™ OTOSCOPE SPECULA

Polypropylene base with soft, flexible tip provides improved seal for pneumatic otoscopy. Can be autoclaved, boiled or cleaned with standard germicides.

Use With Diagnostic Otoscopes

- 24323 3 mm Speculum
- 24325 5 mm Speculum
- 24327 7 mm Speculum
- 24420 Set of Above 3 Specula



7225



7250

SPECLINC OTREC® DISPOSABLE OTOSCOPE SPECULA

Complete speculum is disposable, providing a clean tip for each use. No covers or adapters are needed. Black color for less reflection and greater clarity.

For Use With Consulting & Operating Otoscopes

- 7225 2.5 mm, 500/pk, 10 pk/cs (5000/cs) Plus Free Dispenser
- 7333 3 mm (cross reference #52133), 500/pk, 10 pk/cs (5000/cs) Plus Free Dispenser
- 7444 4 mm (cross reference #51234), 500/pk, 10 pk/cs (5000/cs) Plus Free Dispenser
- 7555 5 mm (cross reference #52135), 500/pk, 10 pk/cs (5000/cs) Plus Free Dispenser
- 7666 6 mm, 500/pk, 10 pk/cs (5000/cs) Plus Free Dispenser
- 7999 9 mm, 500/pk, 10 pk/cs (5000/cs) Plus Free Dispenser

For Use With Diagnostic Otoscopes

- 7250 Pediatric, 2.5 mm, (cross reference #52432), 1000/pk, 10 pk/cs (10,000/cs) Plus Free Dispenser
- 7300 Youth, 3 mm, 1000/pk, 10 pk/cs (10,000/cs) Plus Free Dispenser
- 7400 Med. Adult, 4 mm (cross reference #52434), 1000/pk, 10 pk/cs (10,000/cs) Plus Free Dispenser
- 7500 Lg. Adult, 5 mm, 1000/pk, 10 pk/cs (10,000/cs) Plus Free Dispenser



StarLine VAGINAL SPECULA

Recommended for routine gynecological exams. Disposable. Allows the examination of the vaginal mucosa at 360° angle without rotation. Wide range of adjustability. Ease of operation and manipulation with one hand. Self-holding in various opening positions. Made from hard, clear and non-toxic plastic resin of high strength. Packaging: 10/bag, 10 bags/case.

- 16108311 Large
- 16108309 Small
- 16108310 Medium

StarLine GRAVES VAGINAL SPECULA

Manufactured to German standards with exceptional value. Lifetime guarantee against defects in material or workmanship assures years of serviceability from each instrument. Selection of the most popular patterns of surgical instruments.

- 59116 Medium

StarLine PEDERSON VAGINAL SPECULA

Manufactured to German standards with exceptional value. Lifetime guarantee against defects in material or workmanship assures years of serviceability from each instrument. Selection of the most popular patterns of surgical instruments.

- 59119 Medium
- 59118 Small



58000



58001

WELCH ALLYN KLEENSPEC® 580 SERIES DISPOSABLE VAGINAL SPECULA

Halogen light for true tissue color and consistent, long lasting illumination. Disposable for economy, safety and convenience. One-hand operation with angulation and elevation for convenience. Especially narrow blade width available for adolescent and geriatric patients. Individually wrapped specula.

- 58000 Small Specula (Graves Style), 25/bx, 4 bx/cs
- 58001 Medium Specula (Graves Style), 25/bx, 4 bx/cs
- 58004 Large Specula (Graves Style), 20/bx, 4 bx/cs

WELCH ALLYN KLEENSPEC® DISPOSABLE VAGINAL SPECULA ILLUMINATION SYSTEM

Permanent light carrier projects intense beam of light through plastic light guide. No external light source necessary.

- 78010 Complete System w/73308 line switch assembly for WA Vaginal Specula

COOPER SURGICAL SANI-SPEC® SPEC LIGHT

- 82355 Spec Light System



53110



38850

WELCH ALLYN KLEENSPEC® DISPOSABLE ANOSCOPE

45° bevel end. Individually wrapped. 19mm x 10cm with obturators.


- Packaging: 25/box, 4 boxes/case.
- 53110 Disposable Anoscope

WELCH ALLYN STANDARD ANOSCOPES

Halogen light for true tissue color and consistent, long-lasting illumination. Autoclavable. Comes with obturator.

Rotating Speculum

- 38850 20mm ID, 22mm OD, 68mm Length to Taper, Rotating Anoscope w/fiber optic light carrier



GALENICA ANOSCOPES

Easy manipulation for septic anal/rectal examinations. Decreases the risks of cross-infections. 56° bevel at the insertion end. Adaptable to fiber optic lighthouse. Made from hard non-toxic plastic resin of fine medical grade. Disposable and lightweight.

- Packaging: 25/box, 4 boxes/case.
- 8607 Anoscope



WELCH ALLYN KLEENSPEC® FIBER OPTIC DISPOSABLE SIGMOIDOSCOPE

Speculum attaches to fiber optic light head; no delicate or protruding light carriers to obstruct vision. Brilliant distal illumination is shadow free, without color distortion. For use with any Welch Allyn 3.5V or 2.5V power source and handle adapter or 6.5V handle and transformer.

- 53130 Disposable Specula (19 mm x 25 cm) w/obturators, 25/bx, 4 bx/cs
- 34000 Rectal Probe, 7 1/2"

CRYOSURGERY VERRUCA-FREEZE™ CLINICAL FREEZING SYSTEM

- BKIT 355ml Kit
- BUDL CryoBuds™ Large, 8-10mm, 50/pk
- BUDM CryoBuds™ Medium, 4-6mm, 50/pk
- BUDS CryoBuds™ Small, 2mm, 50/pk
- C 140ml Canister
- CONES Cones, Set of 6
- INSLTR Insulator For 355ml
- K 140ml Kit
- KNSLTR Insulator For 140ml
- PAD Patient Instruction Pad, 10/pk
- R 355ml Canister
- TK 60ml Trial Kit
- TN Trigger Nozzle
- TUBE Extender Tube, 5/pk

WALLACH GENERAL PURPOSE CRYOSURGICAL SYSTEM WITH BASE & TISSUE/TEMP. MONITORING

Attractive and practical mobile cart completes the confidence-inspiring, professional look, cart can conceal a single 20 lb cylinder or twin "E" cylinders. Compact, lightweight and rugged, the cart features large diameter wheels for easy movement over door thresholds and thick carpet. Console designed with all of Wallach's state-of-the-art technology, Offers the ideal combination of easy-to-use controls and built in safety features. Uses the powerful LL100 Two-Trigger Freezer, color coded gauge provides gas pressure reading at a glance. Removable stainless steel soaking well to hold the cryotip and stem in a disinfecting solution of the physician's choice. Instant digital cryotip and tissue temperature read-out available, precise read-out of the tip temperature on the thermocoupled tips.

- 900506-1 System with Base & Tissue with Temperature Monitoring

WALLACH QUANTUM 2000 ELECTROSURGICAL PACKAGE - INCLUDES QUANTUM 2000 GENERATOR, INTEGRATOR AND BIOVAC

Full featured portable unit that is safe, simple to use, dependable and affordable, exclusive, state-of-the-art microprocessor offers the latest in technology. Constantly and accurately monitors power levels for smoother, drag free cuts, high resistance tissue can be excised without bending the electrode. Minimal thermal damage for superior histological specimen for pathology. Coagulation mode supplies powerful (4000 volts at up to 100 watts) spray fulguration that can seal bleeders without tissue contact, can be controlled by a footswitch or hand control. LED's on the front panel will precisely pinpoint any error, and a clearly audible alarm will sound, a split grounding pad offers extra patient safety.

- 909077A QUANTUM 2000 Electrosurgical Package -includes Quantum 2000 Generator, Integrator and Biovac



WALLACH PULSE DEFROSTING 2-TRIGGER CRYOSURGICAL INSTRUMENT

Employs unique 2-trigger system (one for freezing, one for defrosting). There's never any gas in the instrument when it's not in use. Angle design allows unobstructed view of treatment area, both tip and tissue. Unit is lightweight and shaped for easy handling and visibility. Non-electric instant freeze/defrost system uses either nitrous oxide or carbon dioxide gas. Correct porting vents off the gas with a scavenger hose. Insulated probe stem protects adjacent tissue. Cryotips may be changed without turning valves or venting high pressures.

- 900000 LL100 Cryo Freezer, Unpinned Yoke
- 900001 LL100 Cryo Freezer, N2O QC
- 900002 LL100 Cryo Freezer, CO2 QC

Cryo Accessories

- 900690 Independent Thermocouple (29 ga x 2 cm)
- 900698 Independent Thermocouple (26 ga x 4 cm)
- 901015 Scavenger Hose
- 901050 Carrying Case (LL-100)

For 20# Cylinder (approx. 80 minutes of freeze time)

- 901011 Cart
- 901060 N2O Cylinders (empty)
- 901061 CO2 Cylinders (empty)

WALLACH LOOP ELECTRODES

Electrode For GYN (5 Pack)

- 909038 3 mm BALL
- 909003 5 mm BALL
- 909136 5mm BALL (6cm shaft)
- 909007 10 mm x 10 mm LOOP (1.0 cm x 1.0 cm)
- 909009 20 mm x 15 mm LOOP (2.0 cm x 1.5 cm)
- 909011 15 mm x 8 mm LOOP (1.5 cm x 0.8 cm)
- 909013 20 mm x 8 mm LOOP (2.0 cm x 0.8 cm)
- 909017 10 mm x 8 mm SQUARE (1.0 cm x 0.8 cm)
- 909005 6 inch NEEDLE
- 909131 10mm x 10mm SQUARE (1.0cm x 1.0cm)
- 909132 20mm x 10mm LOOP (2.0cm x 1.0cm)
- 909134 15mm x 15mm LOOP (1.5cm x 1.5cm)
- 909135 .8mm x 16mm NEEDLE (5.5cm shaft)

Special Value

- 909154 10mm x 8mm square loop
- 909155 15mm x 8mm Loop
- 909156 20mm x 8mm Loop
- 909157 20mm x 15mm Loop



WELCH ALLYN VIDEO COLPOSCOPE

Direct-to-screen colposcope that gives you full-screen and high-resolution images. Solar™ lighting generates 50% whiter and brighter light for true tissue color. Patented filters remove glare and red from image for accurate assessment. Also featuring push-button on-screen magnification. Store, retrieve, compare, annotate and transmit images with advanced image management.

- 88000A with Vertical Stand
- 89000A with Swing Arm
- 88001A with Vertical Arm Stand and Monitor
- 89001A with Swing Arm Stand and Monitor
- 88701 Image Management System, HP LaserJet Printer



906057



906043

WALLACH ZOOMSTAR

Stereoscopic Nikon head with Nikon zoom optics. Zoom optical system gives you correct magnification and field of view at all times. Full range of magnification from 5x to 20x. 30+ angle eyepiece for physician comfort. Laser-compatible. Transformerless halogen fiber optic light source with continuous adjustment. Compact center post suspension with both fine and coarse height adjustment. New 5-point base for stability, maneuverability. Uses standard projection bulbs. Built-in green filter. Priced as an alternative to single-magnification colposcopes.

- 906057 Zoomstar

WALLACH ZOOMSCOPE COLPOSCOPE/OPERATING MICROSCOPE

Converts in seconds. Features Nikon head with Nikon optics, zoom optical system for correct magnification available from 2 1/3x to 33x. Transformerless halogen fiber optic light source uses standard projection bulbs. Built-in green filter. Special suspension eliminates adjustment knobs or dials. Super stable base. Unit is light and very maneuverable. 110-V unit.

- 906043 20x w/floorstand, 110-V (220-V available)
- 906043-70 Video Zoomscope w/Power Zoom and Power Focus
- 906045 10x Eyepiece
- 906046 15x Eyepiece
- 906047 20x Eyepiece
- 906049 Dust Cover
- 906117 ESD Replacement Light Bulb

SEILER COLPOSCOPE 931

Includes inclined binocular tube, UL listed fiber optic illumination source, adjustable 300mm working distance, wide field eye pieces (15x), five magnifications (3x, 5x, 8x, 14.5x, 30x), star shaped base is moveable and has lockable casters, Height of vertical post is 15", length of vertical arm is 19", vertical arm has lamp brackets, green filter, coarse focus arm has 14" vertical movement range and is lockable, rotatable and lockable vertical 8" mounting fork, vinyl cover.

- 607102 Model 931 Colposcope



CSI-105



900-302

SEILER COLPOSCOPE CSI-105

Includes inclined binocular head with locked in widefield focusable eyepieces. Optical pod .6x, 1.0x, 1.6x with spiral fine focus mechanism for magnifications of 6x, 10x and 16x with 250 mm, 300 mm, and 400 mm working distance objective lens. Illumination arm with 200 mm, 15V/150W lamp on stable floor stand with locking wheels. Ceiling model also available.

- CSI-105 Floor Stand Colposcope CSI-105

SEILER MC-M900 SERIES MICROSCOPES

Microscope designed for examination and surgical procedures in the dental, ENT and endodontic office. Inclined 45° binocular head, 12.5x widefield eyepieces with diopic locks, manual fine focus and papillary distance of 55-75 mm. 15V/150W halogen lamp with coaxial thru-the-lens fiber optics. Spring counter balanced pantographic arm with 340° rotation and accessories for documentation and co-observation available. Magnifications of 4x, 6x, 10x, 16x and 25x.

- 900-301 MC-M903 Wall Model
- 900-302 MC-M902 Floor Model
- 900-304 MC-M904 Ceiling Model



BURDICK VISION PREMIER SERIES

Includes: Pentium computer, 17" SVGA color display, LaserJet printer P6L, fax/modem, one 6732 PC card recorder with interface, operating instructions, one year warranty on parts and labor.

- 143284 Vision Premier PX System Includes Vision Premier P System Plus Cassette Playback Interface, One PC Card Recorder w/Interface Included.
- 92500-1AKNO Vision Premier System - CPU/Monitor/Printer w/software
- 92501-1G Vision Premier Software Only - Digital



92400-1AKP



92401

SPACELABS BURDICK QUEST® EXERCISE STRESS SYSTEM

System offers easy-to-use touchscreen user interface. Large, high resolution 15" color monitor. Logistep™ on-screen user prompts. Artifact elimination without waveform distortion. Accurate ST level and slope determinations for all 12 leads, optional T-wave alternan. Customized user setups and display formats. Comprehensive, user-defined report formats. Future software upgrades using a PCMCIA card reader. Interfaces with the T600 whisper-quiet treadmill. System includes: 15" Touch Screen Color Monitor with Tilt Swivel, Console (digital writer, keyboard, treadmill controller), Treadmill, Mobile Stand, Patient Module, Belt with extension, Paper Catcher, Start-Up Kit Supplies, Operator's Manual, Three Year Limited Warranty.

- 004115 Emergency Stop Switch For T600
- 92400-1AKP Quest® Stress System w/treadmill
- 92400-1AKPT T-Wave Alternan
- 92400-1AP Add Quest To An Existing T600 Treadmill
- 92401 T600 Treadmill w/standard handrails

Accessories

- 007772 Patient Module
- 004217 Black Belt w/buckle, 48"
- 004218 Extension For Belt, 24"
- 040121900 T-Wave Alternan



01110-200



01110-500

WELCH ALLYN AT-10, RESTING & EXERCISE ECG

- 01110-200 AT-10 Interpretive EKG Machine
- 01110-201 AT-10 Exercise System Analysis Program
- 01110-300 AT-10 Interpretive EKG w/spirometer & disposable flow sensor
- 01110-301 AT-10 Combo ECG Exercise System Analysis Program & Spirometry w/disposable flow sensor
- 01110-500 AT-10 Exercise Testing System
- 01110-600 AT-10 Exercise Testing System w/spirometry & disposable flow sensor
- 01110-700 AT-10 Exercise Testing System w/spirometry & reusable flow sensor



92502-1AHLRQ



92510-1B

SPACELABS BURDICK HOLTER MONITORING SYSTEMS

Holter Office System

92502-1AHLKRQ Vision 8200 Office Holter System, Digital & Tape

Accessories

- 143207 Interface Kit For 6732 & 6632 PC Card Recorder
- 043113 Interface Kit For 6300 Cassette Recorder
- 043229 Signal Averaging/Late Potential Software

Recorders

92510-1B Digital Recorder, 24 hr - 40mg

Accessories For 6632

- 043140 3 Channel Lead Set, 7 Safety Wires
- 043092 Test Box For 6532, 6632, 6300

Manuals

- 086419 Altair Simplicity Holter Operating Manual
- 086418 Altair PC Holter System Operating Manual
- 086531 Holter Card Operating Instructions
- 086421 6500 DISC Recorder Operators Manual
- 086420 Altair 6100 Cassette Recorder Operators Manual
- 086422 Altair 6300 Cassette Recorder Operators Manual
- 086487 6600 Series PC Card Recorder Operators Manual
- 086412 SAEKG Operators Manual



WELCH ALLYN AT-1 THREE-CHANNEL ECG SYSTEM

Offers 23-lead ECG analysis in a three-channel format. Perfect for office use, hospital bedside and ambulatory fieldwork. Crisp, clear, accurate ECG tracings on 3 1/2" Z-fold thermal paper. Perforated reports are ready to file. Fully automatic with easy-touch keyboard and one-button operation. Fast and accurate analysis using Schiller's proven measurement and interpretation program (optional). Allows remote interpretation upgrade at any time. Comes with a built-in rechargeable battery with low battery indicator. Three-year warranty.

- 01101-200 AT-1 ECG Non-Interpretive
- 01101-500 AT-1 ECG Interpretive
- 01105-200 AT-5 Notebook-Style ECG System



WELCH ALLYN AT-2 ECG SYSTEM

Crisp, clear, accurate ECG tracings on 8 1/2" x 11" Z-fold thermal paper. Full-size reports file patient charts. Provides a real-time printout of 6 channels with 5, 25 or 50 mm/s, and automatic printout of all 12 channels on one or two pages. Advanced print functions include printouts in less than 20 seconds and a copy function that allows an unlimited number of copies. Powerful built-in rechargeable battery delivers 400 reports on a single charge on AT-2plus and AT-2plusTX. Three-year warranty.

- 01102-200 AT-2 Non-Interpretive
- 01102-500 AT-2 Interpretive
- 01102-400 AT-2plus Non-Interpretive
- 01102-700 AT-2plus Interpretive

SPACELABS BURDICK LIGHT DUTY ECG CART

An economical alternative to a custom cart. Injection molded thermoplastic will not chip, warp, crack or peel. Three shelves, four 4" ball bearing casters. Shipped unassembled.

008008 Light Duty Cart, 18"W x 34"H x 24"D



008022



008021

SPACELABS BURDICK CLINIC ECG CARTS

Designed to accommodate all Burdick ECG products. Electrocardiographs mount securely to the carts. Their sturdy design make these carts a functional and attractive addition to the primary care office. Shipped fully assembled. Mar-resistant finish. Large bottom tray for supply storage. Specify the Universal Clinic Cart for the following electrocardiographs: EK 10, Elite II, Eclipse LE, Eclipse LEi, E350, E350i, E560. Specify the Eclipse Clinic Cart for the following electrocardiographs: Eclipse 4, 400, 8, 800 and 850.

008022 Universal Clinic ECG Cart, 34"H x 16"W x 26"D

008021 Eclipse Clinic ECG Cart, 34"H x 13"W x 26"D

NIKOMED STANDARD HOLTER KITS

HK-Custom Nikomed Produces Custom Made Holter & Stress Kits To Meet Individual Customer Specifications. This Custom Service is in Addition to the Two Standard Kits

HK-4AA 4-AA Batteries, 5 Foam Strips, 2 Prep Pads, 1 Patient Diary, 1 Gallant Safety Prep Razor, 5-4500 Electrodes, 1 C/60 Holter Cassette, 25/cs

HK-9V 9V Battery, 5 Foam Strips, 2 Prep Pads, 1 Patient Diary, 1 Gallant Safety Prep Razor, 5-4500 Electrodes, 1 C/60 Holter Cassette, 25/cs



WELCH ALLYN HOLTER SYSTEM

Holter system combines an ultra-lightweight, digital recording unit with 32-bit Windows® software for comprehensive, precise analysis of ambulatory ECG. The MT-100 recorder weighs less than 5 oz, and is very comfortable to wear. Patients can wear the device under their clothes and retain procedure privacy. Because it is so small, normal daily activities are not altered, and better recording information is captured. The MT-200 holter software can process large amount of data efficiently with incredible speed. You can verify the quality of your patient hook-up very easily, directly on the screen, prior to discharging your patient. Offers a fiber optic link system. A 24-hour data download takes just 90 seconds. Patient demographics are programmed into the recorder before the recording is initiated. The MT-100 recorder has an internal flash memory that will hold patient data even if power is lost. The entire 24-hour recording is displayed on an easy-to-read screen. Now with USB Connector.

- 01420-300 MT-200 Holter System Complete w/PC, 17" Color Monitor, Printer & Mt-100 Recorder
- 01420-200 MT-200 Conversion Kit, Includes MT-100 Recorder & USB Connector
- 08238-0000 MT-100 Recorder, Two Channel, Digital
- 08239-0000 Template Matching, Software Option
- 08259-0000 Heart Rate Variability, Software Option
- 08241-0000 Holter Hook-Up Kit, Includes 1.5V AA Batteries, Patient Diary, Razor, Abrading Pad, Alcohol Prep Pads, 5 Disp. Holter Electrodes
- 80188-0000 Patient Cable, Short, MT-100
- 80188-0001 Patient Cable, Long, MT-100
- 80189-0000 Fiber Optic Transfer Cable, MT-200
- 08240-0000 Pouch For MT-100



92304-1DIQ09



92300-1BKP09

BURDICK ECLIPSE LE II ELECTROCARDIOGRAPHS

Multi-channel, interpretative electrocardiograph produces full 8 1/2" x 11" reports in 3, 4, or 6 channel formats. 12-Channel copy available. Thermal printer produces crisp, accurate traces. Continuous 3 & 6 channel rhythm capability. Runs on battery/AC power. Stress compatible with M330 monitor. Includes: Eclipse LE II Electrocardiograph, Patient Cable, CardioSens/Ultra ECG Sensors, Assurance 50 Paper Z-Fold, Adapter Clips, Operator's Manual, and Three Year Warranty on Parts and Labor. 92304-1DIQ09 Eclipse LE II Int. EKG (same as 101412)

BURDICK ECLIPSE™ 850 ELECTROCARDIOGRAPHS

Multi-channel electrocardiograph with preview screen. Thermal printer produces crisp accurate 3, 4, 6 or 12 channel ECG reports and continuous rhythm reports on 8 1/2" paper. Acquires and prints on battery and/or AC power. Optional internal modem with fax and SCP-ECG communications. Includes: 10-Lead patient cable with 90 day warranty, power cord, one pad assurance 50 paper, cardiosens/ultra sensors & adapter clips, manual, handbook and video. Three year warranty on parts and labor.

Interpretive

92300-1BKP09 Eclipse 850i w/SCP-ECG & fax communications, internal modem & storage for 1 ECG

Non-Interpretive

92300-1BLP09 Eclipse 850 w/SCP-ECG & fax communications, internal modem & storage for 1 ECG



BURDICK ELITE II INTERPRETATIVE ECG RECORDER

Simultaneously acquires 10 seconds of ECG data for all 12 leads. Prints interpretive reports in 4-channel format. Menu displays guide user through all functions. Stores up to 30 ECGs in memory. 11" x 13" x 3 1/4". 120/240 VAC, 50/60 Hz. Includes 10 lead accessory group and 12.5-V nickel cadmium battery. Compact and portable. Optional internal fax and communication modem.

- 101158 Elite II, Single Channel Interpretative Electrocardiograph
- 101185 Elite II, Single Channel Interpretative Electrocardiograph w/internal fax & communication modem
- 007697 Elite II Factory Installed Fax Option
- 086245 ECG Interpretation Criteria, GRI
- 086136 Elite II Operators Manual
- 086175 Elite II Service Manual



WELCH ALLYN SPOT VITAL SIGNS

Spot Vital Signs was designed for the customer who routinely performs vital signs. Spot Vital Signs provides an accurate, easy to use device to meet your needs. Performs all vital signs in 30 seconds. Configure Spot Vital Signs the way you want it. Choose from a base unit with NIBP and heart rate, or add SureTemp thermometry and/or NellCor Pulse Oximetry. Mobile Stand, Wall Mount or I.V. Pole mount options. External printer option. Weighs 4 pounds. *All units include heart rate and MAP

- 4200B-E1 NIBP, heart rate, MAP
- 42N0B-E1 NIBP, and NellCor SpO2
- 42NTB-E1 NIBP, SpO2 and temperature

We've Got You Covered!

Office-based Electrosurgery...



Aaron 800-EU



Aaron 1200



Aaron 1250



Aaron 2100



Aaron Smoke Shark



Pads/Loops/Ball



Pencils/Holster



Electrodes/Forceps

The Aaron 900 by Bovie *Change Power in One Step, Not Four*



The Aaron 900 high frequency desiccator forever removes the need to go through a tedious multi-step process to change from low to high power. The 900's digital power control system allows you to change from low to high by simply rotating the power control knob or pushing the up/down buttons on the handpiece. If you need to use a foot control just to plug it in. There is no need for a separate handpiece and you can still control the power setting from the handpiece while using the foot control.

The 900 is one of a growing family of office-based electrosurgical generators from Bovie/Aaron. In this arena, we've got you covered.

Check out these features:

- Change power in one step, not four
- Autoclavable 3-button power control handpiece
- Same great handpiece in foot control mode
- Digital error detection

Dedicated to Distributionsm

Bovie
ISO 9001 CERTIFIED
**AARON
MEDICAL**

www.aaronmed.com

Affordable Assurance.

• 3301 Hand-Held Pulse Oximeter •



Keep close watch on the pulse rate and SpO₂ levels of all your patients – from neonates to adults – with the 3301 Hand-Held Pulse Oximeter from SIMS BCI.

Lightweight and portable, the 3301 Pulse Oximeter is designed for fast and accurate spot-checking in any environment. And, with its affordable price, the 3301 fits any budget.

- Low Cost with High Reliability
- Fast and Simple
- Quantitative Pulse Strength Bar
- Easy-to-read LED Display
- Requires Only 3 C-Cell Alkaline Batteries





BURDICK EK-10 SINGLE-CHANNEL ELECTROCARDIOGRAPH

Combines the cost advantages of a single-channel electrocardiograph with the increased productivity of automatic operation. Features a thermal array printer, liquid crystal display, 'soft-touch' membrane pad and 50 ECG acquisition/print on battery (optional). Compact and portable.

101070 EK-10 Single-Channel Electrocardiograph

Accessories

- 086063 Operators Manual For EK-10
- 086027 Service Manual For EK-10
- 007175 1V Output Cable



BURDICK MEDIC 6 PORTABLE DEFIBRILLATOR

Compact, streamlined design that provides easy to use, comprehensive defibrillation therapies in a compact 13 1/2 lb package. A radiant 6.4", non-glare screen makes functions easy to use in a variety of light settings. The easy to follow function keys, make system feature selections quick and easy to navigate. Includes a powerful rechargeable battery, which delivers 40+ consecutive discharges at 360j or 2 hours of continuous monitoring operation. "Sync" and a broad range of "joule" (energy) selections are available for emergency resuscitation, internal electrode procedures or other cardiac therapeutic modalities. Offers ECG capabilities via 3-lead (included) patient cable. Comprehensive "pre/post" treatment summary documentation which is provided on 50mm paper and stored into internal memory.

92450-1A Medic-6 Defibrillator



BURDICK DC 200 DEFIBRILLATOR

Dependable, fast action emergency defibrillation. Quick to respond, it operates on AC voltage and can charge to a maximum 360 joules in 10 seconds. It is specifically designed for exercise stress testing or patient-monitored emergency situations. Charge button on apex paddle. Weighs less than 17 lbs. Adult/pediatric paddles. Includes: 5 oz tube of Cor-Gel, power cord and operator's manual.

161075 DC-200 Defibrillator

MRL LIFEQUEST AUTOMATED EXTERNAL DEFIBRILLATOR (AED) BASIC

Includes advanced operator's manual, basic users manual, one-pair multipurpose defibrillation pads and a comprehensive five year warranty.

- 970211E LifeQuest AED Basic w/One Long Life PowerStick4 Non-Chargeable Lithium Battery
- 970212E LifeQuest AED Basic w/One Long Life PowerStick Rechargeable Battery & PowerStick Charging Station
- 980139 LifeQuest 3 Lead AED Patient Simulator

MRL LIFEQUEST AUTOMATED EXTERNAL DEFIBRILLATOR (AED) DELUXE

Includes expanded pass code protected ALS manual operation, large ECG display, software upgradeable for future expanded functions and comprehensive data communications flexibility. Also includes: advanced operator's manual, basic users manual, one-pair disposable defibrillation/pacing/monitoring pads and a five year limited warranty.

- 970216E LifeQuest AED Deluxe w/One Long Life PowerStick Rechargeable Battery & PowerStick Charging Station
- 970215E LifeQuest AED Deluxe w/One PowerStick4 Non-Rechargeable Battery



MRL LIFEQUEST AUTOMATED EXTERNAL DEFIBRILLATOR (AED) BASIC PLUS


Includes large ECG display, software upgradeable for future expanded functions and comprehensive data communications flexibility. Also includes: advanced operator's manual, basic users manual, one-pair disposable defibrillation/pacing/monitoring pads and a five year limited warranty.

- 970213E LifeQuest AED Basic Plus w/One PowerStick4 Non-Rechargeable Lithium Battery
- 970214E LifeQuest AED Basic Plus w/One Long Life PowerStick Rechargeable Battery & PowerStick Charging Station

Accessories

- 002125 Rescue Station w/alarm
- 900216 Carry Case For LifeQuest AED Units
- 001788 Multipurpose Defibrillation Pads, Single Use, 10 pr/bx
- 002119 Parallel Communications Kit
- 002120 PC Data Transfer/Serial Comm Kit
- 001910 Smartview 2.0 Software Review Program
- 981113 PowerStick Battery Charging Station
- 001829 PowerStick Rechargeable Battery
- 001830 PowerStick4 Non-Rechargeable Battery
- 970201 ECG Display Only
- 970202 ALS Manual Defibrillation & ECG Display

**Your One
Stop Solution
No need to
call anyone else.**



BURDICK BLUEMAX ELECTRODES, HOLTER/STRESS

Offset snap.

- 097001 40mm Dia., Vinyl, 25/pch, 40 pch/cs
- 097002 50mm Dia., Foam, 25/pch, 40 pch/cs
- 097010 68mm Dia., Micropore, 25/pch, 40 pch/cs



047029



47036

BURDICK CARDIOSENS™ DISPOSABLE SENSORS

Three styles of disposable sensors: CardioSens™/Ultra II has aggressive adhesive. Fast signal stabilization with rapid defibrillator recovery and superior conductivity. CardioSens™/K has an exceptionally high conductive performance with natural Karaya adhesive. CardioSens™/Advantage has a narrow design, special formulation adhesive and unique, high conductivity tin backing. Packaging: 500/box, 10 boxes/case.

- 047029 CardioSens/Ultra II
- 047866 CardioSens/K
- 047881 CardioSens/Advantage (replaces 047057)

Accessories

- 047036 Astro-Trace Adapter Universal Clip, 10/pk

BURDICK SINGLE CHANNEL ECG MOUNTS

Packaging: 100 mounts/box, 5 boxes/case.


- 007036 Elite Folder, Pressure-Sensitive, Full Information
- 007037 Card, Pressure-Sensitive, EK10 or Abridged Elite
- 007857 Card, Pressure-Sensitive, 12-Lead
- 007909 Card, Pressure-Sensitive, 3 Sec., 12-Lead
- 007911 Folder, Pressure-Sensitive, 3 Sec., 12-Lead



BURDICK HEARTLINE® MONITORING ELECTRODES

Designed to deliver high quality, easy-to-read tracings and long-lasting adhesion for consistent, dependable performance. Choose from give versatile electrodes, each offering a variety of performance possibilities. Packaging: 30/resealable pouch, 600/case.

- 007784 HeartLine SensaCloth, 30mm
- 007782 HeartLine Radiolucent Universal Electrode
- 007783 HeartLine DuraCloth, 48mm
- 007778 HeartLine Comfort Tape Wet Gel, 48mm
- 007781 HeartLine DuraFoam Wet Gel, 48mm



PDI ELECTRODE SKIN PREP PADS

These disposable pads cleanse the skin area in preparation for electrode placement. Pumice enhances ECG electrode to skin contact by removing excess skin oil-assuring longer interface and free contact. Saturated with non-irritating, non-corrosive electrolyte solution which will not damage electrodes or soil clothing. Pads measure 1 1/4" x 2 5/8".

- B59800 ECG Skin Prep Pads, 1/pk, 100 pk/bx, 10 bx/cg



NIKOMED DIAGNOSTIC TAB ELECTRODES

The Nikotab System with Nikomed diagnostic ECG is easy. Unique design allows for quick and easy prep. The highest quality adhesive and innovative shape prevent twisting and deliver the greatest percentage of first time recordings. Wide-body design holds Nikotab absolutely flat, securing it in place to eliminate "the twist".

- 0515 Nikotabs E Synthetic, Foil, 500/bx, 5000/cs
- 0715 Nikotabs II Synthetic, Foil, Larger Size, 500/bx, 5000/cs
- 0315 Economy Size, 500/bx, 5000/cs
- 0615 Super Tack Tab Clear, 5000/cs
- 0815 Pediatric Tab, 500/bx, 5000/cs

NIKOMED ECG ACCESSORIES

- NIK-10M Niko Clip Adapter, Fits 3-4mm, Modified, 10/pk
- 2121-E Niko-Prep, Individual, 500/cs
- EZ-123 Diagnostic Enhancement Kit (1 pk NIK-10, 1 pk NIKOTabs, 1 card 2121)
- NIK-10 Niko-Clip, 10/pk
- 2121 Niko-Prep, 10/card, 100/pk, 500/cs



NIKOMED GALLANT SAFETY PREP RAZOR


Safe contoured handle with sure grip ridges provides precise optimal fingertip control.

- D-845 Safety Prep Razor, 50/bx, 300/cs



NIKOMED LONG TERM MONITORING ELECTRODES

- 1013 Solid Gel, Non-Woven Cloth, Helps Eliminate Artifacts, 38 x 38 mm, 30/pk, 300/box, 1200/cs
- 1014 Solid Gel, Clear Tape, Multi-Purpose, 38 x 38mm, 30/pk, 300/bx, 1200/cs



NIKOMED SHORT TERM FOAM MONITORING ELECTRODES

- 4500 Stress/Holter, 50mm, Super-Tack Disphoretic Adhesive, Eyeball Shape, 60/pk, 300/cs
- 4560 Stress, 38 x 60mm, Super-Tack Disphoretic Adhesive, 60/pk, 300/cs
- 4570 Pediatric Monitoring, 38 x 60mm, Easy-Tack Patient-Friendly Adhesive, 60/pk, 300/cs
- 4530 Diagnostic Resting ECG, 32 x 45mm, Easy-Tack Patient-Friendly Adhesive, Direct Connection To 3mm Receptors, 60/pk, 300/cs
- 4533-3 General Purpose, 32 x 45mm, Super-Tack Diaphoretic Adhesive, 3 Per Strip, 60/pk, 300/cs
- 4533-5 General Purpose, 32 x 45mm, Super-Tack Diaphoretic Adhesive, 5 Per Strip, 60/pk, 300/cs
- 4535 Diagnostic Resting ECG, Pediatric Monitoring, 32 x 45mm, easy-Tack Patient-Friendly Adhesive, 60/pk, 300/cs
- 4539-3 Thallium Stress, Cardiac Cath., 28 x 45mm, Super-Tack Diaphoretic Adhesive, Radio-Translucent X-Ray Opaque Snap/Sensor System, 3 Per Strip, 60/pk, 300/cs
- 4539-5 Thallium Stress, Cardiac Cath., 28 x 45mm, Super-Tack Diaphoretic Adhesive, Radio-Translucent X-Ray Opaque Snap/Sensor System, 5 Per Strip, 60/pk, 300/cs
- 1010 Foam Solid Gel Stress/Holter, 38 x 38mm, Helps Eliminate Artifacts, 30/pk, 300/bx, 1200/cs
- 1015 Solid Gel Foam, 38 x 32mm, Helps Eliminate Artifacts, 60/pk, 600/bx, 2400/cs
- 1010-28 Solid Gel, Foam Diagnostic Resting ECG, Specialty 28mm Diameter, 30/pk, 300/bx, 1200/cs
- 2001 Specialty Nonwoven, 7/8" x 7/8", 4/pk, 100 pk/cs
- 2002 Specialty Nonwoven, 1 7/8" x 7/8", 4/pk, 100 pk/cs
- 1012 Solid Gel, Clear Tape, Radio Translucent X-Ray Opaque, 38 x 38mm, 30/pk, 300/bx, 1200/cs
- 1016 ICU/CCU Monitoring Cloth, 30/pk, 300/bx, 1200/cs



BURDICK ASSURANCE 50™ ECG RECORDING PAPER

Guaranteed to hold a trace for 50 years. Single and multi-channel formats. Special thermal paper resists effects of alcohol, sunlight, plastics and other common contaminant that degrades image quality on standard thermal papers.

- 007975 Single Channel, Matrix, 45mm, Red Grid/Black Trace, 150 ft/rl, 100 rl/cs
- 007976 Multi-Channel w/blank header, Perf, Matrix, Matrix, Red Grid/Black Trace, 200 sheets/pad, 10 pd/cs
- 007981 Multi-Channel w/blank header, Z-Fold, Perf, Matrix, Red Grid/Black Trace, 8.5" x 5.5", 300 sheets/pad, 10 pd/cs
- 007972 Single Channel, Matrix, 50mm, Orange Grid/Black Trace, 150 ft/rl, 100 rl/cs
- 007973 Multi-Channel w/header, Perf, Matrix, Red Grid/Black Trace, 150 ft/rl, 20 rl/cs
- 007989 Assurance 50 "Fade-Free" Paper, Multi-Channel w/blank header, Z-Fold, Reinforced Perf, Matrix, Red Grid/Black Trace, 8.5" x 5.5", 300 sheets/pad, 10 pd/cs
- 007987 Assurance 50 "Fade-Free" Paper, Multi-Channel, Perf, Matrix, Red Grid/Black Trace, 200 sheets/pad, 10 pd/cs
- 007984 Assurance 50 "Fade-Free" Paper, Multi-Channel w/blank header, Perf, Matrix, Red Grid/Black Trace, 8.5" x 5.5", 200 sheets/pad, 10 pd/cs
- 007970 Multi-Channel w/blank header, Z-Fold, Perf, Matrix, Red Grid/Black Trace, 4" x 5.5", 200 sheets/pad, 40 pd/cs

BURDICK STANDARD THERMAL PAPER

- 007940 Single Channel, Grid, 45mm, Red Grid/Black Trace, 100/roll, 100 rl/cs
- 007941 Single Channel, Grid, 50mm, Orange Grid/Black Trace, 150/rl, 100 rl/cs
- 007958 Single Channel, Dot Matrix, 45mm, Red Grid/Black Trace, 150/rl, 80 rl/cs
- 007944 Multi-Channel w/header, Perf, Red Grid/Black Trace, 150 ft/rl, 20 rl/cs
- 007006 Single Page, Plotter, 8 1/2" x 11", Red Grid/Black Trace, 100 shts/bx, 10 bx/cs
- 007868 Chemical/Thermal Heavyweight Paper, Perf, Multi-Channel w/blank header, Matrix, Red Grid/Black Trace, 200 shts/pd, 10 pd/cs
- 007966 Chemical/Thermal, Perf, Multi-Channel Header, Matrix, Red Grid/Black Trace, 200 shts/pd, 10 pd/cs
- 007961 Chemical/Thermal, Perf, Multi-Channel w/blank header, Grid, Red Grid/Black Trace, 200 shts/pd, 10 pd/cs
- 007932 Single Channel, Grid, 50mm, Black Grid/Black Trace, 150/rl, 100 rl/cs
- 007943 Multi-Channel w/header, Perf, Orange Grid/Black Trace, 150 ft/rl, 20 rl/cs
- 007988 Chemical/Thermal, Reinforced Perf, Multi-Channel, No Header, 8.5" x 5.5", Red Grid/Black Trace, 300 shts/pd, 10 pd/cs
- 007983 Chemical/Thermal, Perf, Multi-Channel w/blank header, Matrix, Red Grid/Black Trace, 200 shts/pd, 10 pd/cs
- 007971 Chemical/Thermal, Perf, Multi-Channel, No Header, 4" x 5.5", Red Grid/Black Trace, 200 shts/pd, 40 pd/cs



BURDICK LIQUI-COR ECG CONDUCTOR

Stainless, water-soluble liquid provides excellent conductivity between skin and electrodes. Contains no oil, offers easy cleanup.

- 007886 6 oz Bottle, 12/bx, 4 bx/cs
- 007887 16 oz Bottle, 16 btl/cs
- 007884 Cor-Gel, 5 oz Tube, 48/cs

PARKER LABS REDUX® ELECTROLYTE GEL

Non-abrasive, water-based gel for routine ECG and defibrillation. Highly conductive. Water soluble, non-staining, non-gritty.

- 65-04 114g (4 oz) Tube, 10/bx, 5 bx/cs

PARKER LABS REDUX® ELECTROLYTE CRÈME

For routine ECG. Cosmetic quality, pleasing to patients. Non-irritating. Highly conductive electrode cream.

- 66-04 114g (4 oz) Tube, 10/bx, 5 bx/cs

PARKER LABS REDUX® ELECTROLYTE PASTE

Water-based, abrasive gel for short term monitoring, ECG and defibrillation. Highly conductive and water soluble.

- 67-05 142g (5 oz) Tube, 10/bx, 5 bx/cs



004008



12-02, 12-08

CHESTER LABS STATSIGN® ELECTRODE CONDUCTIVITY GEL

Skin resistance is significantly diminished with this gel, providing more accurate results. Effective for all ECG or Tens unit procedures.

- 004008 8 oz, 12/cs

PARKER LABS SPECTRA® 360 ELECTRODE GEL

Salt-free, chloride-free electrically conductive gel recommended for all electromedical procedures. Especially suitable for long-term applications and pediatric use. Non-gritty, stay-wet formula reduces skin resistance.

- 12-02 60g Tube, 12 dz/cs
- 12-08 250g Tube, 12/bx, 6 bx/cs

PARKER LABS SIGNASPRAY® ELECTRODE SOLUTION AND SKIN PREP

Highly conductive, multi-purpose spray electrolyte and non-gritty skin prep which provides superior conduction between skin and electrodes. For ECG and muscle stimulation. Assures clean, artifact-free ECG tracings. Bacteriostatic, hypoallergenic, non-staining. No residue build-up.

- 18-04 Signaspray Pac® w/4 gallon containers, 2 Spray Dispenser Bottles, 1 Pump, 1/cs
- 18-25 250-ml Spray Dispenser Bottle, 12/bx, 6 dz/cs
- 18-28 Gallon w/spray dispenser bottle, 4/cs



AARON HI-TIP™ REPLACEMENT TIPS

Each sterile tip comes with a sterile drape to cover the non-sterile handle. Excellent for office, emergency room and clinic procedures. Low temperature tips for use with power handle No. HIT0. High temperature tips for use with power handle HIT1.

High Temperature, 2200°F

- H101 Fine Tip, 10/bx
- H103 Loop Tip, 10/bx
- H105 2" Flex Loop Tip, 10/bx
- H106 Fine Tip, 2" Flex Tip, 10/bx
- H109 5" Loop Tip, 10/bx
- H110 Contra Angle Fine Tip, 10/bx
- H111 Circular™ Tip, 10/bx
- H112 5" Loop Tip, 10/bx
- H121 Vasectomy Tip, 10/bx
- CH05 2" C Tip, 10/bx
- H109L 5" Loop Tip, w/light, 10/bx
- H101-ADH Fine Tip w/sheath seal, 10/bx

Low Temperature

- H100 Fine Tip, 1300°F, 10/bx
- H104 Fine Elongated Tip, 1100°F, 10/bx



AARON 1250 ELECTROSURGICAL GENERATOR

Five output settings: Cutting (120W), Blended Cutting (90W), Coagulating (80W), Fulgurating (40W) and Bipolar (30W) Modes. Easy-touch color-coded membrane pads located on the front panel. Rotary power-control dial. Post-procedure cleanup is simple because of the unit's nonabsorbent, stain-resistant, high-impact plastic case. All standard 3/32" disposable or reusable electrodes fit the handpiece. Autoclavable and cold sterilizable. Standard equipment includes the unit with power cord, reusable handpiece, five disposable active electrodes, reusable dispersive cord, five disposable dispersive electrodes, operator's manual, and wall-mount kit.

A1250 Electrosurgical Generator

AARON ELECTROSURGICAL PENCILS

- A2000 Autoclavable 3 Button Power Control Pencil For 2000, Reusable
- A797 Autoclavable 3 Button Power Control Pencil For 797, Reusable
- A801EU Reusable Pencil For A900 & A800EU
- ESP1 Push Button Pencil, Disposable, 50/bx
- ESP1H Push Button Pencil w/holder, Disposable, 40/bx
- ESP1HN Push Button Pencil w/holder & needle, Disposable, 40/bx
- ESP1HS Push Button Pencil w/holder & scratch pad, Disposable, 40/bx
- ESP1N Push Button Pencil w/needle, Disposable, 50/bx
- ESP2NR Pencil, Smoke/Fluid, Disposable, 5/bx
- ESP4 Cut N Clear, Smoke & Fluid Evaporator, Disposable, 5/bx
- ESP6 Rocker Pencil, Disposable, 50/bx
- ESP6H Rocker Pencil w/holder, Disposable, 40/bx
- ESP6HN Rocker Pencil w/holder & needle, Disposable, 40/bx

AARON ELECTROSURGICAL PENCILS CONT.

- ESP6HS Rocker Pencil w/holder & scratch pad, Disposable, 40/bx
- ESP6N Rocker Pencil w/needle, Disposable, 50/bx
- ESP7 Foot Control Pencil, Disposable, 50/bx
- ESP7H Foot Control Pencil w/holder, Disposable, 40/bx
- ESP7HN Foot Control Pencil w/holder & needle, Disposable, 40/bx
- ESP7HS Foot Control Pencil w/holder & scratch pad, Disposable, 40/bx
- ESP7N Foot Control Pencil w/needle, Disposable, 50/bx
- ESPH Holster For ES Pencil, Sterile, Reusable, 40/bx
- ESPR Push Button Pencil (Top 40), Reusable
- ESSP Scratch Pads, Sterile, Reusable, 40/bx



AARON 1200 ELECTROSURGICAL GENERATOR

Five output settings: Cutting (120W), Blended Cutting (90W), Coagulating (80W), Fulgurating (40W) and Bipolar (30W) Modes. Easy-touch color-coded membrane pads located on the front panel. Rotary power-control dial. Post-procedure cleanup is simple because of the unit's nonabsorbent, stain-resistant, high-impact plastic case. All standard 3/32" disposable or reusable electrodes fit the handpiece. Autoclavable and cold sterilizable. Standard equipment includes the unit with power cord, reusable handpiece, five disposable active electrodes, reusable dispersive cord, five disposable dispersive electrodes, operator's manual, and wall-mount kit.

A1200 Electrosurgical Generator



AARON STERILE CAUTERIES

Battery operated cauteries. Lightweight, disposable surgical instruments provide pinpoint hemostasis with minimum trauma to surrounding tissue. Provides consistent temperature. Locking safety cap prevents cautery from being accidentally turned on. Disposable. Four-year shelf life.

High Temperature

- AA01 Surgical, Fine Tip, 2200°F, 10/bx
- AA03 Surgical, Regular Loop Tip, 2200°F, 10/bx
- AA21 Vasectomy, 2200°F, Elongated Fine Tip, 10/bx
- AA05 2" Loop Tip, 2200°F, Flexible Extended Shaft, 10/bx
- AA09 5" Loop Tip, 2200°F, 10/bx
- AA11 Adjust-A-Temp, 1500°-2100°F, Fine Tip, 10/bx
- AA25 Micro Temp, Fine Tip 2000°F High Temp, 10/bx
- AA45 C-Temp™, 2500°F, Individually Packaged Non-sterile, Replaceable Tip and Battery
- AA27 Micro-Temp, Loop Tip 2000°F, High Temp, 10/bx
- AA29 Micro-Temp, Vasectomy Tip, 2000°F, High-Temp, 10/bx
- AA09L 5" Loop Tip, w/light, 2200°F, 10/bx

Low Temperature

- AA04 1100°F, Ophthalmic, Elongated Fine Tip, 10/bx
- AA90 Micro 850°F, Fine Tip, 10/bx
- AA02 Variable 700°-1300°F, Fine Tip, 10/bx
- AA00 1300°F, Ophthalmic, Fine Tip, 10/bx



A800EU-110



A808T



A802



A803



A837



A813



A809



A812-E



A812



A812C



A812-BT

AARON 800 HIGH FREQUENCY DESICCATOR AND ACCESSORIES

Utilizes a large rotary dial for rapid and precise power control. Output is displayed numerically via an unobstructed easy-to-read LED. In addition, power may be adjusted in one-tenth increments in the often used under 10 watt range. Unlike other available units, high and low outputs have been combined into a single port. By incorporating the latest in chip technology and reducing the number of internal parts, less internal heat is generated, adding to the life of each instrument. The handpiece holds all standard 3/32" electrodes securely. When not in use, the handpiece rests conveniently in a holder specifically designed to reduce contact with potentially contaminated areas outside the sterile field. The handpiece is both autoclavable and cold sterilizable. The unit may be either wall-mounted or attached to a sturdy five-caster mobile stand.

- A801 Pencil, Reusable For A800 & A1200
- A800EU Desiccator
- A802 Reusable Dispersive Electrode For A800
- A803 Footswitch For A800 & A900
- A808T Top Tray & Clamp For A812
- A837 Wall Mount Kit For A800, A900, A1200
- A813 Table Top Stainless Steel Stand For A800, A900, A1200
- A809 Grounding Wristlet & Cord
- A812 Mobile Stand For A800, A900 & A1200
- A812-C Mobile Stand For A800, A900 & A1200
- A812-E 12" Height Extension
- A812-BT Bottom Tray For A812



SE01

AARON SMOKE EVACUATOR UNIT

- SE01 Smoke Evacuator Unit
- SE01-220 Smoke Evacuator Unit 220V

Accessories

- 786T 7/8" x 6 ft Tube, Non-Sterile, 24/bx
- 786TS 7/8" x 6 ft Tube, Sterile, 24/bx
- FSSE Foot Switch
- SEAS Arm Stand
- SEFC Fluid Collection Cannister, 1200cc, 6/bx
- SEFM Particle Respirator Cone Mask, 20/bx
- SELKS Laparoscopic Tubing Kit, Sterile, 12/bx
- SELM Laser Mask, 50/bx
- SELVS Laparoscopic Tubing Kit w/valve, Sterile, 12/bx
- SELW Laser Resistant Wand, 7/8" x 8", Non-Sterile, 3/bx
- SELWS Laser Wand, Sterile, 10/bx
- SERF Reducer Fitting, 7/8" to 1/4" x 24" Tubing, 10/bx
- SERFS Reducer Fitting, Sterile, 10/bx
- SERH Canister Ring Holder
- SERS Remote Switch Activator
- SETW 7/8" x 6" Tube w/wand & tip, Non-Sterile, 24/bx
- SETWS 7/8" x 6" Tube w/wand & tip, Sterile, 24/bx
- SEVL 7/8" x 6 ft Tubing Reduced to 3/8" for Valley Lab & IEC Pencil, 5/bx
- SEWP Wall Plate to Hold Cannister
- SF18 Filter, 18 Hr.



A900



A901



A802EU

AARON 900 HIGH FREQUENCY DESICCATOR AND ACCESSORIES

New autoclavable three-button power control handpiece. New improved Collet. Digital technology for increase accuracy and stability. Single monopolar handpiece connection removes the need to switch back and forth between high and low output power settings. Output power displayed in increments of .1 watts from 0 to 10 watts for fine control. Each unit contains autoclavable three button power control handpiece, sample box of 50 each non-sterile sharp and 50 each non-sterile blunt dermal tips, wall mount kit, operators manual and removable power cord.

- A900 Desiccator
- A901 A900 Three Button Power Control Pencil
- A802EU Reusable Dispersive Electrode For A800EU & A900

WELCH ALLYN SPIROMETER FLOW TUBES

- 260010000 Disposable Flow Tubes, SP-150/SP-160, 10/bx
- 260010001 Disposable Flow Tubes, SP-150/SP-160, 100/bx



WELCH ALLYN SP-1 SPIROMETER

Patient incentive screen, printer, memory and battery all in a single, compact unit. Prints ready-to-file reports in seconds on 3.5" Z-fold thermal paper. Internal memory stores up to 100 tests.

- 01301-200 SP-1 Spirometer w/disposable flow sensor



WELCH ALLYN SP-2 SPIROMETER

Weighs just over one pound and is easy to hold for adults and children. Takes both expiratory and inspiratory measurements, and can do flow volume loops. Just point and send data wirelessly from the SP-2 to an infrared printer adapter or printer. Choose from three different reports- Flow/Volume, Volume/Time and/or Measurement Value.

- 01302-000 SP-2 Handheld Spirometer
- 01302-100 SP-2 Handheld Spirometer w/ Calibration Syringe
- 01302-200 SP-2 Handheld Spirometer w/ Infrared Adapter and Syringe



WELCH ALLYN SP-10 SPIROMETER

Fast, light and easy to use. Designed for clinical use in the office, at the bedside or in the field. Built-in printer for full size 8 1/2" x 11" reports. Large patient incentive screen with real-time display encourages best test effort.

01310-200 SP-10 Spirometer w/disposable flow sensor



92520-1DK



92521-1A

BURDICK SPIROTOUCH® SPIROMETER

Large, bright graphic display and dynamic touchscreen. Real-time graphs provide instant diagnostic information. Unit comes with integral thermal printer. Includes: hand-held flow sensor and cable, single-piece PFT filters, noseclips and paper.

92520-1AK Spirotouch® Spirometer



NELLCOR PURITAN BENNETT RENAISSANCE SPIROMETRY SYSTEM

Spirometry system features a hand held, portable spirometer with rechargeable batteries. The patient data memory card stores between 70 and 100 patients to allow testing of multiple patients of offsite testing. The base station is used to download patient information to most IBM, Epson, or Hewlett Packard compatible printers. Data management software adds long-term trending, database query, and enhanced printing to the Renaissance Spirometry System and your personal computer. Choice of components for a custom system design or order a pre-packaged starter kit. Five-year warranty/exchange program.

- 000100 PB100 Portable Spirometer
- 000110 PB110 Base Station
- 000130 PB130 Patient Data Memory Card
- 000170 Soft Nylon Carry Case
- 000190 Renaissance BD Data Management Software
- 000220 Starter Kit I, Includes Spirometer, Base Station, Memory Card, and 1 Case Expiratory Pneumotachs, 50/bx
- 000221 Starter Kit II, Includes Spirometer, Base Station, Memory Card, and 1 Case Expiratory Pneumotachs 50/bx, plus Calibration Syringe
- 000200 FS 200 Disposable Expiratory Pneumotachs, 50/bx
- 000201 FS 200 Disposable Expiratory Pneumotachs, 250/bx
- 000250 BD 250 Disposable Bi-Directional Pneumotachs, 25/bx
- 000251 BD 250 Disposable Bi-Directional Pneumotachs, 100/bx



BCI HAND-HELD PULSE OXIMETER

Portable pulse oximetry monitoring system includes: 3301 Monitor; 3044 Oximetry Finger Sensor; 1818 Operation/Service Manual; (3) Alkaline "C" Cell Batteries.

3301 Hand-Held Pulse Oximeter

BCI FINGERPRINT® HAND-HELD PULSE OXIMETER

Portable pulse oximetry monitoring system with built-in printer includes: 3401 Monitor (with 3 rolls of paper); 1884 Operation Manual; 3418 Protective Rubber Boot; 3044 Oximetry Finger Sensor; (4) Alkaline "AA" Cell Batteries. 3401-000 FingerPrint® Hand-Held Pulse Oximeter



BCI MINICORR DIGITAL HAND-HELD PULSE OXIMETER

Designed to provide fast, reliable measurements on challenging patients. The device rejects spontaneous motion and other artifacts. Informs the operator of excess artifacts and improper sensor positioning and processes low perfusion signals. Designed for spot-checking or bedside monitoring. This portable unit is ideal for use in home care and clinical environments, as well as during sleep screening. Easy to use, 5-key operation. Infrared link to printer. Battery or charger. Boot is available. System includes 3402 Monitor; 3311 Oximetry Cable, 5 ft.; 3044 Oximetry Finger Sensor; 1896 Operation Manual.

3402 MiniCorr Digital Hand-Held Pulse Oximeter

BURDICK OXY100 PULSE OXIMETER

Fast, accurate SpO2 levels whenever and wherever needed. Displays SpO2 level, pulse rate and pulse strength on an easy to read LED screen. Uses 3 "C" cell batteries and automatically switches off when not in use. Compact, portable and durable. Up to 99 individual tests can be stored for printout using the optional printer.

- 92521-1A Pulse Oximeter 100 w/finger sensor
- 047172 Reusable Universal Y Probe
- 047299 Printer Kit
- 047187 Printer Interface Cable
- 047190 Printer Paper, 20/bx
- 047186 Patient Cable Extension
- 047173 Finger Sensor, Adult, Reusable
- 047174 Ear Sensor, Adult, Reusable
- 047171 Neonate Sensor, Foot, Reusable
- 047170 Infant Sensor, Toe, Reusable
- 047175 Pediatric Sensor, Disposable, 10/bx
- 047176 Adult Sensor, Disposable, 10/bx
- 047177 Neonate Sensor, Disposable, 10/bx
- 047178 Infant Sensor, Disposable, 10/bx
- 047180 Carrying Case
- 086409 Operators Manual For Model 100



WELCH ALLYN SPOT VITAL SIGNS

Spot Vital Signs was designed for the customer who routinely performs vital signs. Spot Vital Signs provides an accurate, easy to use device to meet your needs. Performs all vital signs in 30 seconds. Configure Spot Vital Signs the way you want it. Choose from a base unit with NIBP and heart rate, or add SureTemp thermometry and/or NellCor Pulse Oximetry. Mobile Stand, Wall Mount or I.V. Pole mount options. External printer option. Weighs 4 pounds. *All units include heart rate and MAP

- 4200B-E1 NIBP, heart rate, MAP
- 42N0B-E1 NIBP, and NellCor SpO2
- 42NTB-E1 NIBP, SpO2 and temperature



8200

BCI CAPNOCHECK® HAND-HELD CAPNOMETER

Hand-held portable capnometer includes: 8200 Monitor; 8210 AC Charger, 105-125V 60Hz; 1835 Operation Manual; 1836 Service Manual; 8214 Patient Attachment Kit Includes: 8208 Capnocheck Filters (10); 8211 Capnocheck Sample Lines, 4 ft (10); 1100 Airway Adapter, straight without filter (10).
8200 Capnocheck® Hand-Held Capnometer

BCI CAPNOCHECK® II CAPNOGRAPH/OXIMETER

Hand-held capnograph/oximeter is a full-featured monitor providing ETCO₂, Inspired CO₂, Respiration Rate SpO₂, and Heart Rate measurements. Ideal for use in and out of the hospital environment. A back-light feature on the display enables easy viewing in difficult lighting. Battery operated with an optional battery bypass offers flexibility for stationary and transport applications. Includes: 8400 Monitor, 1894 Operation Manual, 3044 Oximetry Finger Sensor, 8412 Protective Rubber Boot, 8214 Patient Attachment Kit includes the following: 8208 Capnocheck Filters (10), 8211 Capnocheck Sample Lines, 4 ft (10), 1100 Airway Adapter, straight without filter (10).

- 8400 With Battery & Charger
- 8400E With Battery Eliminator
- 8400NP No Power Supply



BCI DIGIT™ FINGER OXIMETER

Combines monitor and sensor into one unit that provides fast, reliable SpO₂, pulse rate, and pulse strength measurements on patients from pediatric to adult. Ideal for use within emergency settings, in hospital or clinical environments, or for home use. Portable, lightweight pocket-size monitor. One-button keypad. Large LED display. Pulse-strength display bar indicates relative perfusion at the measurement site. Auto power shutdown after 8 seconds. Low battery indicator flashes when 30 minutes of battery time remains.

- 3420G Finger Oximeter, Gray
- 3420Y Finger Oximeter, Yellow

BCI PULSE OXIMETER ACCESSORIES

Sensors

- 3025 Infant Oximetry Wrap Sensor
- 3026 Neonate Oximetry Wrap Sensor
- 3043 Universal "Y" Oximetry Sensor
- 3044 Standard Oximetry Finger Sensor
- 1300 Adult Disposable Oximetry Finger Sensor, 10/bx
- 1301 Pediatric Disposable Oximetry Finger Sensor, 10/bx
- 1302 Neonate Disposable Oximetry Finger Sensor, 10/bx
- 1303 Infant Disposable Oximetry Finger Sensor, 10/bx
- 3078 Ear Oximetry Probe
- 3444 Comfort-Clip® Oximetry Finger Sensor (3303, 8400)
- 1310 D.O.T. Reusable Oximetry Sensor, 3/bx

Printer & Paper

- 3310 Seiko Printer Model #DPU-201GSU (3301, 3303, 8200)
- 6012 3401 FingerPrint® Printer Paper, 4/pkg
- 8411 Infrared Printer Model #HP82240B (3402, 8400)
- 3409 Printer Paper (3402, 8400), 4/bx

Carrying Cases/Boots

- 3315 3301 Carrying Case w/belt clip/shoulder strap, No Logo
- 3318 3301 Protective Rubber Boot w/carrying strap
- 3322 3303 Carrying Case w/belt clip/shoulder strap
- 3419 MiniCorr Oximeter Protective Rubber Boot w/carrying strap (3402)
- 8412 Capnocheck® II Monitor Protective Rubber Boot (8400)
- 3353 3303 Protective Rubber Boot w/carrying strap/tilt stand
- 3415 3401 FingerPrint Carrying Case

BCI PULSE OXIMETER ACCESSORIES CONT.

- 3418 3401 FingerPrint Protective Rubber Boot w/carrying strap
- 8218 8200 Protective Rubber Boot w/carrying strap
- 8219 8200 Carrying Case w/belt clip/shoulder strap

Attachment Tapes/Sensor Covers

- 3135 Infant Attachment Tape, 50/pkg
- 3138 Universal "Y" Posey Wrap, 10/pkg
- 3144 Medium Finger Oxilink®, 100/ctn
- 1311 D.O.T. Sensor Replacement Tape, 24/pkg
- 3049 Adhesive Strip, 40/pkg
- 3134 Neonate Attachment Tape, 50/pkg
- 3136 Neonate Attachment Tape, 100/pkg
- 3137 Infant Attachment Tape, 100/pkg
- 3143B Small Finger Oxilink®, 10/bx
- 3144B Medium Finger Oxilink®, 10/bx
- 3145B Large Finger Oxilink®, 10/bx
- 3143 Small Finger Oxilink®, 100/ctn
- 3145 Large Finger Oxilink®, 100/ctn

Cables

- 3339 PC Adapter Cable (3301, 3303, 3401, 3402, 8200)
- 3313 Printer Interface Cable, 1 ft (3301)
- 8213 Printer Interface Cable, 1 ft (8200)
- 3311 Oximetry Cable, 5 ft (3301, 3303, 3401, 3402, 8400)

Manuals

- 1818 3301 Operation/Service Manual
- 1894 Capnocheck® II Monitor Operation Manual (8400)
- 1895 Capnocheck® II Monitor Service Manual (8400)
- 1896 MiniCorr Pulse Oximeter Operation Manual (3402)
- 1897 MiniCorr Pulse Oximeter Service Manual (3402)
- 1898 MiniCorr Pulse Oximeter Home Use Instruction Book (3402)
- 1835 8200 Operation Manual
- 1836 8200 Service Manuals
- 1850 3303 Clinician Operation Manual
- 1851 3303 Service Manual
- 1854 3303 Home-Use Instruction Book
- 1884 3401 FingerPrint® Operation Manual
- 1885 3401 FingerPrint® Service Manual

Airway Adapters

- 1100 Straight w/o filter (8200, 8400), 10/pkg
- 1105 Straight w/filter (8400), 10/pkg
- 8030 Elbow (8200, 8400), 10/pkg
- 1151 Pediatric w/o filter (8200, 8400), 10/pkg
- 1152 Pediatric w/filter (8200, 8400), 10/pkg

Brackets

- 3354 Pole Mount Bracket (3303, 8200)
- 8409 Pole Mount Bracket (8400)

Cannulas (8200, 8400)

- 1101 Adult O₂ Nasal Cannula + Sample Line, 10/pkg
- 1102 Pediatric O₂ Nasal Cannula + Sample Line, 10/pkg
- 1121 Adult Oral/Nasal CO₂ + Sample Line, 10/pkg

Chargers/Power Cords

- 8210 AC Charger, 105-125V, 60Hz (3303, 8200)
- 1611 115V AC Power Supply (3402)

Filters

- 8208 Gas Manifold Filters (8200, 8400), 10/pkg

Gas Accessories

- 5093 ETCO₂ Calibration Gas (8200, 8400)
- 8061 Calibration Gas Flow Regulator w/gauge (8200, 8400)

Kits

- 8214 Patient Attachment Kit: 1100, 8211, 8208 (8200, 8400), 10/pkg
- 8217 Capnocheck Calibration Kit (8200, 8400)

Sample Lines (8200, 8400)

- 1123 Adult Oral/Nasal CO₂ Sample Line, 10/pkg
- 1124 Pediatric Oral/Nasal CO₂ Sample Line, 10/pkg
- 1129 Adult Nasal CO₂ Sample Line, 10/pkg
- 1130 Pediatric Nasal CO₂ Sample Line, 10/pkg
- 1131 Infant Nasal CO₂ Sample Line, 10/pkg
- 8044 8 ft CO₂ Sample Line, 10/pkg
- 8211 4 ft CO₂ Sample Line, 10/pkg
- 1140 15 ft CO₂ Sample Line Extension, 10/pkg

Simulators

- 1606 Oximeter/ECG Simulator (3303, 8400)
- 1606HH Oximeter Simulator & 5 ft Cable (3301, 3301, 3401, 3402)

Batteries (8400)

- 8403 Battery Eliminator 105-15VAC, 60Hz
- 8404 Battery Charger
- 8408 Battery 7.4V Lithium-Ion Rechargeable



WELCH ALLYN AUDIOSCOPE® 3 SCREENING AUDIOMETER/OTOSCOPE

Versatile instrument for screening hearing loss combines 20, 25 and 40 db HL levels in one unit. Tones are presented in random intervals so patients can not second guess their hearing screen. This varied timing means improved results. Built-in 1000 Hz pretone, presented at 20 db HL above the screening level, allows patients to practice listening before they're actually screened. After pretone, patient is given the easiest tones for enhanced reliability of responses. 110-130V.

- 92680 Complete Set (AudioScope 3, set of AudioSpecs, charging transformer, charging stand, recording forms)
- 72300 3.5V Nickel-Cadmium Rechargeable Replacement Battery
- 94005 Paper, 5.3" x 5.8", 140 shts/pk, 12 pk/cs



93690



29300

WELCH ALLYN MICRO TYMP® 2 PORTABLE TYMPANOMETRIC INSTRUMENT

Portable, hand-held unit detects otitis media and other middle ear disorders. Measures sound returned from eardrum under positive, negative, and atmospheric pressure to determine status of middle ear. Accurately identifies many middle ear disorders in asymptomatic cases. Printer/charger keeps Micro Tym fully charged and provides hardcopy documentation. Results instantly displayed on LCD before printing. 226 Hz frequency; 85 db HL intensity.

- 93690 Micro Tym II Set (includes printer/charger, extra paper & tips)

WELCH ALLYN EAR WASH SYSTEM

An easy-to-afford, easy-to-use ear irrigation system to remove cerumen without the mess. Ear washing is one of the most commonly performed procedures in the primary care office. The Welch Allyn Ear Wash System provides a safe and effective way to remove cerumen from patients over 2 years of age. This method of irrigation is much cleaner and safer than other irrigation methods currently on the market. Since it is easy to use with built-in safety and simplicity, it is able to be used by any healthcare professional within your facility.

- 29300 Welch Allyn Ear Wash System
- 29360 Eartips for Ear Wash System (case of 4 boxes or 100 eartips)
- 29330 Ear Wash System - Tubing
- 29355 Aerator Adapter Kit



WELCH ALLYN TM 262™ AUTO TYMP™

Offers tympanometry and ipsilateral acoustic reflex testing (with optional manual audiometry). Built-in printer and display. Improved ear seal via lightweight handheld probe. Delivers precision results with each use, and stores up to eight test results.

- 26200 Auto Tym w/Ipsi Reflex
- 05260 Carrying Case
- 26100 Eartips (probe), 6 sizes
- 26230 Auto Tym w/audiometer
- 26240 Dust Cover
- 26241 Test Cavity
- 52600 Printer Paper, 5/bx



23200



23220, 23222, 72329

WELCH ALLYN AM 232™ MANUAL AUDIOMETER

Ergonomic panel design and convenient controls allow one-handed operation of this easily portable audiometer. Frequency values and HL levels are easily visible at a glance. The AM 232 also offers selection modes for steady, pulsed or frequency-modulated stimulus for increased reliability of response. +10 dB push-button prevents mistaken presentation of uncomfortable frequency tones. Provides ample storage space inside hard-shell case for standard headphones and optional accessories.

- 23200 AM 232 w/AC Only
- 23210 AM 232 w/AC Power & Rechargeable Battery
- 23220 Response Hand Switch
- 23221 Patch Cord
- 23222 Audiocups
- 52300 Audiogram Form, 50 sheets/pad, 10 pads/cs
- 72320 Replacement Rechargeable Battery Pack Only
- 72329 Complete Battery Pack Assembly w/rechargeable batteries

GRAHAM FIELD EYE CHARTS AND TESTS

- 1240 Snellen, Plastic, 22" x 11"
- 1241 Illiterate, Plastic, 22" x 11"
- 1243 Kindergarten, Plastic, 22" x 11"

GRAHAM FIELD JAEGER EYE CHART

Matte finish. Features brass eyelet reinforced holes. Individually polybagged.

- 1242 Jaeger Eye Chart



PROFESSIONAL VISUAL ACUITY EYE CABINET

Cabinet is self-illuminated with 30 footcandles of light. Includes two test charts (letter and illiterate "E"). Four chart distances available: 10', 12', 16' and 20'. 16' and 20' charts available reversed for use with mirror. Cabinet measures 10" x 18".

- 800 Eye Cabinet
- 802 Eye Cabinet w/25 ft remote control cable & on/off switch



WELCH ALLYN SURESIGHT® VISION SCREENER

Screen with one-button touch from 14" away. Five-second, automatic test addresses compliance problems and makes testing easier. Automatically measures and indicates abnormal readings. Addresses eye charts' sensitivity and specificity problems. Automatically screens for common vision problems, including near- and farsightedness, astigmatism, and anisometropia. Hand-held unit operates for three hours of continuous testing. Available battery-operated printer enables you to get print-outs anywhere, anytime. Weighs two lbs. and features an ergonomic grip and replaceable, self-adjusting hand strap. Features optics and electronics shock-mounted inside housing to protect unit. Screens babies, children, and adults. You can even test patients while they're wearing glasses or contact lenses.

- 05140 Carrying Case
- 14000 SureSight® Vision Screener Set, Includes 110-130V Charging Transformer & Stand
- 14042 Thermal Printer
- 53600 Printer Paper, 24/cs