



COMMODITIES AT A GLANCE

2015

AVAILABLE FROM:

3M	1-2	Kleen-flo	58
AP Exhaust	3	Lisle	59
Bayco	4-6	Lucas	61-62
Breeze Clamps	8	Mar-Hyde	63-64
Car Freshener	9	M2 Professional	65-66
Cooper Bussmann	10	Milton	67
Cliplight	11-13	NLS	68-72
CRC	14-15	Noco Lubricants (Mobil1)	73-74
Dayco	16-18	Norton	75
Dorman	19	Perfect Equipment	76
Bestbuy Tools of the Trade	20	Permatex	77-78
Dynaline	21-24	Phillips & Temro	79
Eppco	25	Pico	80-84
Evercoat	25	Plasti-Kote	85-86
EZ Red	25	PTC	87
Fiamm	26	Rayovac	88
FloPerm	26	Rislone	89-94
FMSI	27-30	Rust Check	95
GPI	31-32	Schumacher	96-97
Grote	33-38	Seafoam	98
Groupe BBH	39-40	Stanley Engineered Fastening	99
Hopkins	41-42	Sylvania	99
H Paulin	43	Torin Jacks	101-102
Ironite	44	Triple C Rubber & Plastics	103
Irving Blending & Packaging	45-50	Uview	104
Irwin Tools	51-54	Veyance Technologies	105
JB Weld	55	WD-40	107
Kimberly-Clark	56-57	Western States	108-110



3M™ TEMFLEX™ VINYL ELECTRICAL TAPE
#TEMFLEX



PACKAGING TAPE
77810 - Clear



3M™ TARTAN™ VINYL ELECTRICAL TAPE
#TARTAN



3M™ MOLDING TAPE
03609 - 1/2", 5'



3M™ SCOTCHCAL™ STRIPING TAPE
72302
5/16", 150', Black



233+ PERFORMANCE MASKING TAPE

Part#	Size	Case Qty
26334	18mmx55m (3/4")	48
26336	24mmx55m (1")	24
26338	36mmx55m (1 1/2")	12
26340	48mmx55m (2")	12



3M™ AUTOMOTIVE MASKING TAPE

Part#	Size	Case Qty
6545	18mmx55m (3/4")	48
6547	36mmx55m (2")	24
6548	48mmx55m (1 1/2")	24



3M™ SUPER WEATHERSTRIP ADHESIVE
80010 - Yellow



3M™ WEATHERSTRIP ADHESIVE
80119 - Black



3M™ MARINE ADHESIVE SEALANT
06520
5200 Fast Cure White



3M™ PARTICULATE RESPIRATOR
07048



3M™ PARTICULATE RESPIRATOR
07185
Features 3M™ Cool Flow™ exhalation valve.



3M™ HEADLIGHT LENS RESTORATION SYSTEM
39008



**SCOTCH-BRITE™ ROLOC™
BRISTLE DISC**
07524 - 2", 50 grit
07526 - 3", 50 grit



**SCOTCH-BRITE™ ROLOC™
BRISTLE DISC**
07527
3", 80 grit



**SCOTCH-BRITE™ ROLOC™
BRISTLE DISC**
07528
2", 120 grit



**SCOTCH-BRITE™ ROLOC™
BRAKE HUB CLEANING DISC**
07546
1 1/2" x 5/8" Extra Coarse



**SCOTCH-BRITE™ ROLOC™
BRAKE HUB CLEANING
DISC KIT**
07547



3M™ ROLOC™ BRISTLE DISC KIT
Convenient introductory pack contains a variety of grades of Roloc™ Bristle Discs 5/8 inch trim with a disc pad holder for an optimized finish.
18696 - 2"
18697 - 3"



3M™ PPS™ KIT
Large Size
125 micron filters
16324
16325 - full diameter



3M™ PPS™ KIT
Standard Size
125 micron filters
16301 - full diameter



3M™ PPS™ KIT
Mini Size
125 micron filters
16314 - full diameter

FLEX COUPLING

WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8810	8810IB	4"	4"	1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52"
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02"
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"



#8817

WITH NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8835	8835IB	4"	8"	1.75"
8836	8836IB	6"	10"	1.75"
8837	8837IB	8"	12"	1.75"
8838	8838IB	10"	14"	1.75"
8839	8839IB	4"	8"	2.00"
8840	8840IB	6"	10"	2.00"
8841	8841IB	8"	12"	2.00"
8842	8842IB	10"	14"	2.00"
8843	8843IB	4"	8"	2.25"
8844	8844IB	6"	10"	2.25"
8845	8845IB	8"	12"	2.25"
8846	8846IB	10"	14"	2.25"
8847	8847IB	4"	8"	2.50"
8848	8848IB	6"	10"	2.50"
8849	8849IB	8"	12"	2.50"
8850	8850IB	10"	14"	2.50"
8851	8851IB	4"	8"	3.00"
8852	8852IB	6"	10"	3.00"
8853	8853IB	8"	12"	3.00"
8854	8854IB	10"	14"	3.00"

HANGERS

339816
339816S
339818S
339819S
339820S
339830



#339818S

HANGER - UNIVERSAL WIRE

339896
339897
339898
339899



#339896

UNIVERSAL CONVERTERS

	INLET/I.D.
602204	UNIVERSAL 2" W/O AIR TUBE
602205	UNIVERSAL 2 1/4" W/O AIR TUBE
602206	UNIVERSAL 2 1/2" W/O AIR TUBE
602207	UNIVERSAL 3" W/O AIR TUBE

EPA OBDII BY DESIGN

	INLET/I.D.
608204	2" W/O2 SENSOR PORT
608205	2 1/4" W/O2 SENSOR PORT
608206	2 1/2" W/O2 SENSOR PORT
608214	2" W/O2 SENSOR PORT
608215	2 1/4" W/O2 SENSOR PORT
608216	2 1/2" W/O2 SENSOR PORT

CLAMPS

H200	EXTRA HEAVY DUTY 2"
H212	EXTRA HEAVY DUTY 2 1/2"
H214	EXTRA HEAVY DUTY 2 1/4"
H234P	HEAVY DUTY 2 3/4"
H238	EXTRA HEAVY DUTY 2 3/8"
H258	EXTRA HEAVY DUTY 2 5/8"
H300	EXTRA HEAVY DUTY 3"
H312	EXTRA HEAVY DUTY 3 1/2"
H312P	HEAVY DUTY 3 1/2"
H314	EXTRA HEAVY DUTY 3 1/4"
H400	EXTRA HEAVY DUTY 4"
H400P	HEAVY DUTY 4"
H412	EXTRA HEAVY DUTY 4 1/2"
H412P	HEAVY DUTY 4 1/2"
H500	EXTRA HEAVY DUTY 5"
H500P	HEAVY DUTY 5"
H600	EXTRA HEAVY DUTY 6"
M112	DGM 1 1/2" U-BOLT
M134	DGM 1 3/4" U-BOLT
M158	DGM 1 5/8" U-BOLT
M178	DGM 1 7/8" U-BOLT
M200	DGM 2" U-BOLT
M212	DGM 2 1/2" U-BOLT
M214	DGM 2 1/4" U-BOLT
M218	DGM 2 1/8" U-BOLT
M238	DGM 2 3/8" U-BOLT
M258	DGM 2 5/8" U-BOLT
M300	DGM 3" U-BOLT
U112	STANDARD 1 1/2"
U114	STANDARD 1 1/4"
U118	STANDARD 1 1/8"
U134	STANDARD 1 3/4"
U158	STANDARD 1 5/8"
U178	STANDARD 1 7/8"
U200	STANDARD 2"
U212	STANDARD 2 1/2"
U214	STANDARD 2 1/4"



#H212

INTRINSICALLY SAFE POLYMER DUAL-LIGHT - NON-RECHARGEABLE
XPP-5422G

- cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe for use in both above and below ground hazardous locations where explosive gases and dusts may be present
- CREE LED technology 50,000 + hours LED life
- Flashlight Lumens: 120
- Floodlight Lumens: 120
- Dual-Light Lumens: 240
- Beam Distance: 170 m Impact & chemical resistant
- Requires 3 AA batteries

NIGHTSTICK



MULTI-PURPOSE DUAL-LIGHT W/DUAL MAGNETS
NSP-2422B - Black
NSP-2422R - Red

- CREE® LED technology – 50,000+ hours LED
- Flashlight Lumens: 130
- Floodlight Lumens: 110
- Dual-Light Lumens: 235
- Beam Distance: 181 m
- Waterproof
- Impact & chemical resistant
- Powered by 3 AA premium batteries (included)

NIGHTSTICK



XTREME LUMENS METAL MULTI-FUNCTION TACTICAL FLASHLIGHT - RECHARGEABLE
TAC-560XL

- Super-bright Xtreme Lumens design
- CREE® LED technology – 50,000+ hours LED
- Momentary or constant-on plus 3 brightness levels & strobe
- Aircraft-grade 6061-T6 aluminum housing, bezel & tail-cap
- Waterproof
- Impact & chemical resistant
- Powered by rechargeable Lithium-ion battery (included)
- Flashlight Lumens: 800 / 350 / 140
- Beam Distance: 250 / 157 / 99 m



XTREME LUMENS POLYMER MULTI-FUNCTION DUTY/PERSONAL-SIZE DUAL-LIGHT W/MAGNET - RECHARGEABLE
NSR-9920XL

- CREE® LED technology – 50,000+ hours LED
- Waterproof
- Impact & chemical resistant
- Powered by Lithium-ion rechargeable battery (included)
- Flashlight Lumens: 650 / 300 / 100
- Floodlight Lumens: 600
- Dual-Light Lumens: 600
- Beam Distance: 275 / 200 / 75 m



INCANDESCENT WORK LIGHT W/ METAL GUARD & SINGLE OUTLET

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-425A	25	16/3	SJT
SL-426A	50	16/3	SJT

- Metal bulb guard with integrated hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Ergonomic handle shape
- Built in single grounded outlet (12amp)
- Exclusive 90 degree cord swivel makes it possible to stand the light upright on its base
- Push button switch



CORDED LED WORK LIGHT W/ MAGNETIC HOOK

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-2125	25	18/2	SJT

- All LED construction
- Light has 60 LEDs rated at 120 lumens arranged in a floodlight pattern
- Two built in magnets, one at the tip of the light and the other at the mid-point of the body offer hands-free options
- Included magnetic hook can be attached to either of the built in magnets for even more versatility
- Octagonal body design keeps the light in place when laid on its side



RETRACTABLE METAL CORD REEL W/ 3 OUTLETS - 10AMP

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-800	30	16/3	SJT

- 3 separate grounded outlets
- LED status light on outlet bar
- 10amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling



13W FLUORESCENT WORK LIGHT ON METAL REEL

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-826	50	18/2	SVT

- Cool running 13 watt fluorescent bulb rated at 10,000 hours of use
- Similar amount of light to a 75 watt incandescent bulb but with a daylight color (6500 Kelvin)
- Electronic ballast provides instant no flicker cold weather starts
- Nylon tip double hooks for hands-free use
- Flame retardant polypropylene handle
- Includes mounting brackets for attaching the reel to the wall or ceiling



INCANDESCENT WORK LIGHT W/ METAL GUARD & SINGLE OUTLET ON METAL REEL

Part No.	Cord Length (ft)	Cord Gauge	Cord Jacket
SL-840	40	16/3	SJT

- Metal bulb guard with integrated rubber-tipped hook
- Rated to handle up to a 75w incandescent bulb (bulb not included)
- Built in single grounded outlet (10amp) makes it possible to plug a tool directly into the handle of the light
- Flame retardant polypropylene handle
- Attached to a 40 retractable cord inside of a metal reel
- Includes mounting brackets for attaching the reel to the wall or ceiling



MULTI-PURPOSE WORK LIGHT - RECHARGEABLE

SLR-2166

- Light has 60 LEDs rated at 230 lumens arranged in a floodlight pattern and 6 LEDs in the base of the handle rated at 32 lumens serving as a spotlight
- Two built-in magnets, one at the tip of the light and the other at the mid-point of the body for hands-free use
- Magnetic hook can be attached to either of the built-in magnets and can be rotated 360 degrees for even more hands-free versatility
- Octagonal body design keeps the light in place when laid on its side
- Flat bottom design allows the light to stand up
- Water resistant
- Impact & chemical resistant
- Powered by integrated Nickel Metal Hydride (NiMH) battery
- Includes both AC & DC power supply/charger



MINI-TAC FLASHLIGHT

Part No.	Flashlight Lumens	Beam Distance (meters)	Battery Type
MT-100	100	44	AAA
MT-120	140	68	AA
MT-130	140	68	AA

MT-100



MT-120



MT-130 Gooseneck



- CREE® LED technology – 50,000+ hours LED
- Momentary or constant-on flashlight
- Sharp focused flashlight beam
- Aircraft-grade 6061-T6 aluminum housing
- Type 2 hard anodized finish
- Non-slip grip
- Water resistant
- Impact & chemical resistant
- Powered by two AAA batteries (included)

NIGHTSTICK

SunSplash

BESTBUY

CURACAO

JAMAICA

COSTA RICA

THE ISLANDS OF THE
bahamas

RIVIERA MAYA

Where to
next?

ASK YOUR BESTBUY MEMBER DISTRIBUTOR HOW YOU CAN TAKE
PART IN THE NEXT SUNSPLASH CUSTOMER INCENTIVE PROGRAM!

Mini



5/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
3504	5.6 - 16 mm
3505	7.9 - 17.6 mm
3506	11 - 20 mm
3508	13 - 23 mm
300 Series SS Hex Screw	
3706	11 - 20 mm
3708	13 - 23 mm

Liner



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
9206H	11 - 20 mm
9210H	14 - 27 mm
300 Series SS Hex Screw	
9406H	11 - 20 mm
9408H	13 - 23 mm
9410H	14 - 27 mm
9412H	17 - 32 mm
9416H	21 - 38 mm
9420H	21 - 44 mm
9424H	27 - 51 mm
9428H	33 - 57 mm
9440H	52 - 76 mm
9448H	65 - 89 mm
9452H	71 - 95 mm
9456H	78 - 102 mm
9460H	84 - 108 mm

Power-Seal®



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
62006	11 - 20 mm
62008	13 - 23 mm
62010	14 - 27 mm
62012	17 - 32 mm
62016	21 - 38 mm
62020	21 - 44 mm
62024	27 - 51 mm
62028	33 - 57 mm
62032	40 - 64 mm
62036	52 - 76 mm
62040	46 - 70 mm
62044	59 - 83 mm
62048	65 - 89 mm
62052	71 - 95 mm
62056	78 - 102 mm
62060	84 - 108 mm
62064	48 - 127 mm
62072	91 - 114 mm
62080	64 - 140 mm
62088	79 - 152 mm
62096	92 - 165 mm
62104	105 - 178 mm

9/16 in, 300 Series SS Band

62128	143- 216 mm
62152	181- 254 mm
62188	238 -311 mm

1/2 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
64008	13 - 23 mm
64010	14 - 27 mm
64012	17 - 32 mm
64016	21 - 38 mm
64020	21 - 44 mm
64024	27 - 51 mm

Hi-Torque™



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
HTM 250	45 - 67 mm
HTM 300	57 - 79 mm
HP 2	32 - 67 mm
HP 3	54 - 105 mm
HP 4	102 -156 mm

Constant-Torque®



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
CT 9424	27 - 51 mm

5/8 in band All Stainless Steel

Breeze #	Range [mm]
CT 200	32 - 54 mm
CT 250	45 - 67 mm
CT 300	57 - 79 mm
CT 350	70 - 90 mm
CT 400	83 - 105 mm
CT 450	95 - 118 mm
CT 500	108 -130 mm
CT 600	133 -156 mm

Make-A-Clamp

9/16 in, 300 Series SS Band
8 6" bands /3 Adj. Fast/ 1 splice

Breeze #	Range [mm]
Carbon Plated Hex Screw	
4000	Variable

T-Bolt



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Bolt	
TB 150	38.1 - 42.9 mm
TB 163	41.3 - 47.6 mm
TB 175	44.5 - 50.8 mm
TB 200	50.8 - 58.7 mm
TB 225	57.2 - 65.1 mm
TB 238	60.3 - 68.3 mm
TB 250	63.5 - 71.4 mm
TB 275	69.9 - 77.8 mm
TB 288	73.0 - 81.0 mm
TB 300	76.2 - 84.1 mm
TB 325	82.6 - 90.5 mm
TB 350	88.9 - 90.5 mm
TB 375	95.3 - 103.2 mm
TB 400	101.6 - 109.5 mm
TB 425	108.0 - 115.9 mm
TB 575	146.1 - 154.0 mm
TB 625	158.8 - 166.7 mm

T-Bolt w HD Spring



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
B9224-0406	103.2 - 111.1 mm

Merchandisers

Breeze #	Description
6210	ASSORTMENT
6200	EMPTY RACK

V-Band



3/4 or 7/8 in, 300 Series SS Band

Breeze #	Range [mm]
Nominal Diameter for each	
VT10288	73.152 mm
VT10321	81.534 mm
VT10350	88.9 mm
VT10382	97.028 mm
VT10388	98.552 mm
VT10406	103.124 mm
VT10413	104.902 mm
VT10419	106.426 mm
VT10425	107.95 mm
VT10450	114.3 mm
VT10450-A	114.3 mm
VT10461	117.094 mm
VT10469	119.126 mm
VT10475	120.65 mm
VT10475-A	120.65 mm
VT10481	122.17 mm
VT10491	124.714 mm
VT10494	125.476 mm
VT10510	129.54 mm
VT10525	133.35 mm
VT10530	135.15 mm
VT10565	143.51 mm
VT10581	147.574 mm

Fuel Injection Clamp



Carbon Plated Band

Breeze #	Range [mm]
FI 4	10.0 - 13.0 mm
FI 5	12.5 - 15.5 mm
FI 6	13.5 - 16.5 mm

Breeze® is a brand of the NORMA Group



air fresheners



BLACK ICE
U1P-10155

VANILLAROMA
U1P-10605



PURE STEEL
U1P-17152



**HANDI STRIP DISPLAYS –
ASSORTED FRAGRANCES**
UHS-10100



PLASTIC COUNTER DISPLAY
U1D-10100
144 Pieces
Top Selling Fragrances



X-tra Strength



in a Can

*Same quality Little Trees®
fragrances in a new
misting spray!*



BLACK ICE
U1P-10655



VANILLAROMA
UAL-09005



NEW CAR SCENT
UAL-09089



NEW CAR SCENT
U1P-10689



Pump

*Little Trees® fragrances
bottled up for freshness
on the go!*



ROYAL PINE
U1P-15001-BC



	Description	Type	Amps
	HI-AMP STUD MOUNT FUSE	AMG	100, 125, 150, 175, 200, 225, 250, 300, 500, 80
	HI-AMP STUD MOUNT FUSE	AMI	30, 40, 50, 60, 70, 80
	ANL NON TIME DELAY CURRENT LIMITER FUSE	ANL	100, 125, 130, 150, 175, 200, 225, 250, 275, 300, 325, 35, 350, 40, 400, 50, 500, 60, 600, 675, 750, 80
	ANN VERY FAST ACTING LIMITER	ANN	10, 100, 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 40, 400, 50, 500, 60, 600, 700, 80, 800
	ATC BLADE FUSE	ATC	1, 10, 15, 2, 20, 25, 3, 30, 35, 4, 40, 5, 7-1/2
	MICRO III BLADE FUSE - 3 Leg	ATL	10, 15, 5, 7-1/2
	ATM MINI BLADE FUSE	ATM	10, 15, 2, 20, 25, 3, 30, 4, 5, 7-1/2
	LOW PROFILE ATM	ATM-LP	2, 3, 4, 5, 7-1/2, 10, 15, 20, 25, 30
	MICRO II BLADE FUSE - 2 LEG	ATR	10, 15, 20, 25, 30, 5, 7-1/2
	FUSIBLE LINK	FLB	100, 120, 140, 30, 40, 50, 60, 70, 80
	FUSIBLE LINK	FLD	100, 120, 140, 30, 40, 50, 80,
	FUSIBLE LINK	FLF	20, 30, 40, 50, 60
	FEMALE TERMINATION FUS. LINK	FLG	50, 60, 80
	MALE TERMINATION FUS. LINK	FLM	100, 200, 30, 60, 80
	FEMALE w/ LOCKING TAB LINK	FLN	25, 30
	FEMALE MINI FEMALE LINK	FLS	30, 40
	MICRO FEMALE TIME DELAY FUSE	FMM	15, 20, 25, 30, 40
	FMX - FEMALE MAXI FUSE	FMX	20, 25, 30, 40, 50, 60
	LOW PROFILE FMX	FMX-LP (Low Profile)	20, 25, 30, 40, 50, 60
	MAXI FUSE	MAX	20, 25, 30, 35, 40, 50, 60, 70, 80



CLIPSTRIP™

111112

140 Lumens

- Powerful pocket light
- Strip array LED technology
- Pivoting magnetic clip
- 3 AAA batteries included



CLIPSTRIP™ AQUA

111113

180 Lumens

4.5 Hour Run-time

IP 66 Rated

- Waterproof & floating
- Strip array LED technology
- Rechargeable 2200 mAh lithium-ion battery
- Magnet and belt clip included



HEMIPLUS™

114303

820 Lumens

- 8 hour cordless runtime
- Patented Uni-Beam™ technology: 70° perfect beam
- 8800 mAh lithium-ion battery recharges in 4 hours – charge anytime
- Aluminum chassis, no-slip grip, & recessed on/off switch
- Optional 12 V charger & magnet
- All parts user replaceable in minutes



33 LED Pivoting

24_458

160 Lumens

- 28 LED front | 5 LED top
- Magnetic pivoting base
- 360° swivel hook
- 3 AA batteries included



INCANDESCENT

101307/101315

- Grounded outlet handle

- 13 amp circuit breaker

101307 – 23 ft | 7 m SJOW 16/3 cable

101315 – 50 ft | 15.3 m SJOW 16/3 cable



INCANDESCENT

100307/100310/100315

- Grounded outlet handle

100307 – 23 ft | 7 m SJTW 16/3 cable

100310 – 32 ft | 10 m SJTW 16/3 cable

100315 – 50 ft | 15.3 m SJTW 16/3 cable



CHROME TRI-TAP

222308

DIAMOND-STAMPED STEEL CORD REEL

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft | 9.2 m SJTW 14/3 cable with adjustable stop



RUGGED TRI-TAP

222315

HEAVY-DUTY CORD REEL

- Tri-tap outlet
- 15 amp circuit breaker
- 50 ft | 15.3 m SJTW 12/3 cable



HEMITECH™ ONE

223112

620 Lumens

- Patented Uni-Beam™ technology: 84° perfect beam
- Single high-performance array LED
- Aluminum chassis, no-slip grip, & recessed on/off switch
- Sliding hook & optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop
- Lens shield user replaceable



HEMITECH™ ONE

Corded Option

123107

25 ft | 7.6m Premium SJOW 18/2 Cable



HEMITECH™ 3

223312

540 Lumens

- Patented Uni-Beam™ technology: 70° perfect beam
- Aluminum chassis, no-slip grip, & recessed on/off switch
- Sliding hook & optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop
- Lens shield user replaceable



HEMITECH™ 3

Corded Option

123307

25 ft | 7.6m Premium SJOW 18/2 Cable



HEMITECH™ 4

223412

720 Lumens

- Patented Uni-Beam™ technology: 70° perfect beam
- Aluminum chassis, no-slip grip, & recessed on/off switch
- Sliding hook & optional magnet
- Cord reel 40 ft | 12.2 m Premium SJOW 18/2
- Rubber cable with adjustable stop
- Lens shield user replaceable



HEMITECH™ 4

Corded Option

123407

25 ft | 7.6m Premium SJOW 18/2 Cable



SUPER SEAL™

946KIT

Pro A/C Stop Leak

- Permanently seals & prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



POA 68 OIL & POA 68 OIL + DYE

51110/51111

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up

51110 – 34 oz | 1 L

51111 – 34 oz | 1 L + UV Dye

SEEKERmax™

87DCPLUS

- High-powered UV LED
- 4 Hour run-time
- Constant, strobe, or focusing beam
- Rechargeable 2200 mAh lithium-ion battery
- Rugged aluminum body



PRO COMPACT KIT

9928KIT

- SEEKERmax™ UV LED light
- 2 x 14 shot A/C dye cartridge
- Dye cleaner & drip guards
- UV enhancing glasses & case
- Service stickers, hose & fittings



900012B – A/C DYE

909012B – MULTI-PURPOSE DYE

990012B – RADIATOR DYE

12 x 1/4 oz | 7.5 ml



900008 – A/C DYE

909008 – MULTI-PURPOSE DYE

990008 – RADIATOR DYE

8 oz | 240 ml



Brakleen® Original
75089 539 g aerosol
75090 3.785 L bottle
75091 19 L pail



Brakleen® Premium Non-Chlorinated
75088 397 g aerosol
75086 19 L pail



Brakleen® Premium Non-Chlorinated With Power Jet™ Technology
75050 397 g aerosol
75055 19 L pail



Brakleen® RD Rapid Dry Non-Chlorinated
75391 19 L pail



Disc Brake Quiet
75016 118 mL bottle
75017 255 g Aerosol



Synthetic Brake & Caliper Grease
75353 340 g tub with brush
75359 227 g brush top bottle



Silaramic® Ceramic Fortified Brake System Grease
75363 255 g tub with brush



White Lithium Grease
14200 284 g aerosol



Power Lube Multi-Purpose Lubricant
75005 312 g aerosol
75007 3.785 L bottle
75009 19 L pail



Knock'er Loose™ Penetrating Solvent
73020 369 g aerosol



Heavy Duty Silicone Lubricant
75074 213 g aerosol



Freeze-Off® Super Penetrant
75222 326 g aerosol



Screwloose™
75330 312 g aerosol



Dry Graphite Lubricant
75101 320 g aerosol



SP-350™ Corrosion Inhibitor
73262 312 g aerosol
03266 19 L pail



Copper Anti-Seize Aerosol & Lubricating Compound
72095 340 g aerosol
72901 227 g bottle



1Tank Power Renew® Gasoline Formula
75815 444 mL bottle



1Tank Power Renew® Diesel Utility Formula
75816 444 mL bottle



1Tank Power Renew® Diesel HD Formula
75832 946 mL bottle



Guaranteed To Pass® Complete Fuel System Treatment
75060-6 355 mL bottle



Fuel Injector & Carburetor Cleaner
75061 355 mL bottle



Super Turbo™ Octane Boost
75063 355 mL bottle



Fuel Stabilizer
75380 237 mL bottle



PhaseGuard4® Ethanol Fuel Treatment
75141 237 mL bottle
75142 474 mL bottle



FiberLock™ Head Gasket & Block Repair
75224 946 mL bottle



Posi-Trac™ Limited Slip Gear Oil Additive
742508 207 mL tube



Valve-Kleen™ Engine Valve
& Litter Cleaner
75331 237 mL bottle



SensorKleen™ Mass
Air Flow Sensor
Cleaner
75110 312 g aerosol



Engine Degreaser
75025 425 g aerosol



Clean-R-Carb®
75081 454 g aerosol



Gasket Klean™
75021 340 g aerosol



Battery Cleaner With
Acid Indicator
75097 312 g aerosol



QD™ Electronic
Cleaner
75012 128 g aerosol
75102 312 g aerosol



Lectra-Motive™
Electrical Parts Cleaner
75018 539 g aerosol



QC-82™
Pro-Strength Degreaser
75482 425 g aerosol



Glass Cleaner
14100 510 g aerosol



Stainless Steel Cleaner
& Polish
74424 510 g aerosol



Mechanix Orange®
Citrus Hand Cleaner With Pumice
74090 473 mL bottle
74091 3.785 L bottle



Tannery® Leather
& Vinyl Cleaner
74171 283 g aerosol



Diesel Fuel Conditioner
& Injector Cleaner
75202 888 mL bottle
75203 3.785 L bottle



Diesel Fuel Conditioner
With Anti-Gel
75212 888 mL bottle
75213 3.785 L bottle



Diesel Fuel Anti-Gel
75221 355 mL bottle



Quick Flow™ Emergency
Diesel-Gel Relief
75911 888 mL bottle



Bio-Con™ Sludge
Sediment Remover
75225 355 mL bottle



Air Brake Anti-Freeze
75532 946 mL bottle
75228 3.785 L bottle



Technician Grade Di-Elec-
tric Grease
75106 94 g aerosol



Jump Start® Starting
Fluid With Lubricity
75671 312 g aerosol



Engine Start™
Fogging Oil
75027 369 g aerosol



Zinc Mate™
75054 369 g aerosol



Rubberized
Undercoating
75034 450 g aerosol



Ice-Off™ Windshield
Spray De-Icer
75346 340 g aerosol



Bug Blast™ Wasp
& Hornet Killer
72010 397 g aerosol

Dayco Garage Exhaust Hose & Accessories



DAYCO® Flare-Vent® Hose

Designed to connect the vehicle's exhaust pipe to a central exhaust system or a garage door vent, the Dayco Flare-Vent Hose features an accordion-type design for added flexibility, and a flared end for connecting one length to another. No separate connectors are required.

DAYCO® Super-Vent® Hose

Designed for overhead exhaust systems where a tight bend radius is required, the Dayco Super-Vent Hose features an accordion type construction which enables it to make turns with a small bend radius. It is available in either 4" or 5" I.D.



DAYCO® Tailpipe Adapters

Designed to interface between an auto or truck tailpipe or diesel truck stack and the garage exhaust hose itself and constructed to withstand the high tailpipe temperatures of modern vehicles, a variety of shapes and sizes of Dayco Tailpipe Adaptors are available to enable an exact match for virtually every application need. The adapters feature a universal design that will mate with the appropriate connectors.

DAYCO® Universal Bell-Shaped Adapter

Available for use with 2 1/2" and 3 1/2" hose, as well as with 2" and 3" hose. Screws over 2" or into 3" hose.



DAYCO® Universal Oval Adapter

For use on twin tailpipes and oval tailpipes. Screws over 3" or into 4" hose.

DAYCO® Universal Straight Truck Adapter

Use with tailpipe adapter for trucks and threads over 3 1/2" or into 4" hose.



DAYCO® Y-Connectors

Designed for the merging of two hoses into one typically used with dual exhaust vehicles. Available for 2", 2 1/2", 3" and 4" hose.

DAYCO® Door Port Fittings

Designed for service station and garage doors. Available for use with 2 1/2, 3" and 4" hose.



DAYCO® Splice Connectors

Designed for joining multiple lengths of exhaust hose. Available for use with 2", 2 1/2", 3" and 4" hose.

Dayco Service Hose



DAYCO® Small I.D. Molded Heater Hose

The Dayco Small I.D. Molded Heater Hose is designed to replace OEM coolant hose in applications where molded hose in small diameters (1" I.D. or smaller) is required. The molded configuration eliminates the need for multiple connections of hoses and clamps when added to Dayco's line of molded heater hose and assemblies.

DAYCO® Fuel Line Hose

Designed for use on all types of carbureted gasoline engines, the Dayco Fuel Line Hose offers excellent resistance to oil, gasoline, grease, and weather. The hose is constructed with a neoprene cover and nitrile tube for use with leaded, unleaded gasoline and diesel fuel.



DAYCO® Fuel Injection Hose

Designed to safely and efficiently handle the higher pressure, temperatures, and chemical problems inherent in today's hotter running, fuel injected engines, the Dayco Fuel Injection Hose is constructed with a tough fluoro-elastomer, low permeation, gasohol and diesel fuel inner tube that provides exceptional resistance to alcohol blended fuels that weaken normal fuel injection hose.



DAYCO® Windshield Washer/Vacuum Tubing

Designed to replace worn windshield washer tubing, as well as general automotive vacuum applications such as retractable headlights, sensors, etc., the Dayco Windshield Washer/Vacuum Tubing has a temperature rating of -40°F (-40°C) to +212°F (+100°C). It features a flexible, long-life EPDM rubber construction that resists normal use exposure to oil, grease, and heat deterioration, and remains flexible at low temperatures.



DAYCO® DAYPERM™ Hose

This low permeation, multi-layered rubber hose is recommended as a fuel liquid or vapor carrying component for low to medium pressure (50 psi or less, not fuel injection). The Dayco Dayperm hose is ideally suited for automotive, lawn and garden, off-road and small industrial trucks and truck fleet applications.



DAYCO® DAYPERM™ II Hose

The Dayco Dayperm II Hose is a multi-layered rubber hose with low permeation recommended for carburetion applications on small engines and older carbureted vehicles using liquid fuels. This hose meets all SAE J30R14T2 requirements and is CARB and EPA compliant. This Dayperm™ II Hose is compatible with leaded, unleaded, and gasohol fuels as well as bio-diesel fuel and ethanol blended gasoline.



DAYCO® GOLD LABEL® Silicone Heater Hose

The Dayco Gold Label Silicone Heater Hose, designed for long life in heavy duty applications, is made with special silicone compounds and reinforced with one ply of braided polyester yarn. This SAE 20R3, Class A hose is highly resistant to the deteriorating effects of oil, ozone, coolants, and coolant additives. In addition to being extremely flexible, this silicone hose has the highest temperature rating, namely -40°F (-40°C) to +350°F (+175°C), and longest service life of any Dayco heater hose product.



Description	part#	ID	Length	Use With	DAYCO® Fuel Line Hose (cont.)				
DAYCO® Flare-Vent® Hose	63520	2"	11'		80072	3/16"	2'	Clamshell	
	63525	2 1/2"	11'		80073	1/4"	2'	Clamshell	
	63530	3"	11'		80074	5/16"	2'	Clamshell	
	63535	3 1/2"	11'		80075	3/8"	2'	Clamshell	
	63540	4"	11'		80076	7/16"	2'	Clamshell	
					93036	1/2"	25'	Box	
DAYCO® Super-Vent® Hose					93037	5/8"	25'	Box	
					93038	3/4"	25'	Box	
DAYCO® Tailpipe Adapter	64025			1 1/2" O.D. to 2" O.D.	DAYCO® Fuel Injection Hose				
	64030			2" O.D. to 2 1/2" O.D.	80078	1/4"	2'	Clamshell	
	64035			2 1/2" O.D. to 3" O.D.	80079	5/16"	2'	Clamshell	
					80080	3/8"	2'	Clamshell	
DAYCO® Universal Bell-Shaped Adapter	64125			2 1/2" O.D. or 3 1/2" O.D.	80083	1/4"	10'	Box	
	64130			2" O.D. or 3" O.D.	80084	5/16"	10'	Box	
					80085	3/8"	10'	Box	
DAYCO® Universal Oval Adapter					80088	1/4"	25'	Spool	
					80089	5/16"	25'	Spool	
					80090	3/8"	25'	Spool	
DAYCO® Universal Straight Truck Adapter	64048			3" O.D. or 4" O.D.	80091	1/4"	250'	Reel	
					80092	5/16"	250'	Reel	
					80093	3/8"	250'	Reel	
DAYCO® Y-Connectors	64220			2" hose	DAYCO® Windshield Washer/Vacuum Tubing				
	64225			2 1/2" hose	80204	1/4"	50'	Spool	
	64230			3" hose	80205	7/64"	50'	Spool	
	64240			4" hose	80206	5/32"	50'	Spool	
					80207	7/32"	50'	Spool	
DAYCO® Door Port Fittings	64425			2 1/2" hose	80208	9/32"	50'	Spool	
	64430			3" hose	80209	7/64"	6'	Clamshell	
	64440			4" hose	80210	5/32"	6'	Clamshell	
					80211	7/32"	6'	Clamshell	
DAYCO® Splice Connectors	64520			2" hose	80216	5/32"	250'	Reel	
	64525			2 1/2" hose	80217	7/32"	250'	Reel	
	64530			3" hose	DAYCO® DAYPERM™ Hose				
	64540			4" hose	80142	1/4"	2'	Clamshell	
	64640			4" hose	80143	1/4"	25'	Spool	
	64650			5" hose	80144	1/4"	50'	Box	
DAYCO® Fuel Line Hose	80051	1/8"	25'	Spool	80145	1/4"	250'	Reel	
	80052	1/8"	50'	Box	80146	5/16"	2'	Clamshell	
	80053	1/8"	250'	Reel	80147	5/16"	25'	Spool	
	80054	3/16"	25'	Spool	80148	5/16"	50'	Box	
	80055	3/16"	50'	Box	80149	5/16"	250'	Reel	
	80056	3/16"	250'	Reel	80150	3/8"	2'	Clamshell	
	80057	1/4"	25'	Spool	80151	3/8"	25'	Spool	
	80058	1/4"	50'	Box	80152	3/8"	50'	Box	
	80059	1/4"	250'	Reel	80153	3/8"	250'	Reel	
	80060	5/16"	25'	Spool	DAYCO® DAYPERM™ II Hose				
	80061	5/16"	50'	Box	80520	1/4"	2'	Clamshell	
	80062	5/16"	250'	Reel	80521	1/4"	25'	Spool	
	80063	3/8"	25'	Spool	80522	1/4"	250'	Reel	
	80064	3/8"	50'	Box	80523	5/16"	2'	Clamshell	
	80065	3/8"	250'	Reel	80524	5/16"	25'	Spool	
	80066	7/16"	25'	Spool	80525	5/16"	250'	Reel	
	80067	7/16"	50'	Box	80526	3/8"	2'	Clamshell	
	80068	7/16"	250'	Reel	80527	3/8"	25'	Spool	
					80528	3/8"	250'	Reel	
DAYCO® GOLD LABEL® Silicone Heater Hose	80241GL	5/8"	25'	Carton					
	80242GL	3/4"	25'	Carton					
	80243GL	1/2"	25'	Carton					
	80244GL	1"	25'	Carton					
	80245GL	3/8"	25'	Carton					
	80251GL	5/8"	50'	Carton					
	80252GL	3/4"	50'	Carton					
	80253GL	1/2"	25'	Carton					
	80254GL	1"	50'	Carton					
	80255GL	3/8"	25'	Carton					



Wheel Studs Tech Tray

030-612
Universal

- Includes:
- Assortment of 12 of the most Popular Wheel Studs



Wheel Nuts Tech Tray

030-613
Universal

- Includes:
- Assortment of 24 of the most Popular wheel Nuts



Wheel Nuts Covers Tech Tray

030-614
Universal

- Includes:
- Assortment of 12 of the most Popular Wheel Nut Covers



Dash Bulb Tech Tray

030-401

- Includes:
- Assortment of 12 of the most Popular bulbs



NO Sharp Ends
—Even when cut!




Up to 4 Ties Per Strip
—Instructions on the back show you how



Reusable/Releasable
—Each strip can be used over and over



Flexible
—Will not constrict like regular wire ties



83922
12 Inch Black
Mille-Tie QuickStrip
10-Pack

83923
12 Inch Black
Mille-Tie QuickStrip
24-Pack

83924
12 Inch Mix
Mille-Tie QuickStrip
48-Pack

BESTBUY *Tools of the Trade*



- BB711221 10 PACK ROBERTSON DRIVER BITS
- BB2558228 ECONOMY RED CUTTER KNIFE
- BB38325 25'X 1" IMPERIAL METRIC TAPE
- BB721386 18 PIECE PRO DRIVER KIT



Order yours today!

TRAILER & TOWING



PINTLE COMBINATION HITCH
11716
2"



PINTLE MOUNT
11610
7^{1/2}" x 5"



TRAILER BALL
11151 1^{7/8} x 3/4 External Thread, Packaged
11153 2 x 1 External Thread
11155 2^{5/16} x 1^{1/4} External Thread



CLEVIS BALL MOUNT
11579
5000lb



BALL MOUNT
11601 2" Ball Drop
11603 6" Ball Drop



TRIPLE BALL MOUNT
11607



WHEEL CHOCK
11986 8 x 6 x 10
11985 10^{5/8} x 7 x 4^{1/2}



WHEEL CHOCK - PLASTIC
11988



SWING-WAY BOAT JACK
11466
1200 lb, 10" Lift



TOP WIND IMPLEMENT JACK
11469
5000lb, 15"



SIDE WIND IMPLEMENT JACK
11472
5000lb, 15" Lift



TUBE MOUNT TOP WIND JACK
11535
5000 lb, 15" Lift



TOP WIND IMPLEMENT JACK
11468
5000lb, 10" Lift



TRAILER COUPLER
11156 1^{7/8} x 2
11157 1^{7/8} x 2^{1/2}
11159 2 x 2^{1/2}

ASSORTMENTS



S.A.E. O-RING ASSORTMENT
00150



S.A.E. GREASE FITTING ASSORTMENT
00112

AUTO FUSE ASSORTMENT
10110

LUBRICATION



RECHARGEABLE GREASE GUN KIT -
19.2V
11025



LEVER ACTION BARREL PUMP
11092A



GREASE GUN - LEVER - H.D.
11082C



ROTARY BARREL PUMP
11094A



HEAVY DUTY GREASE GUN - LEVER
11085A



USED FLUID DRAINER 68L
11802



PROFESSIONAL PISTOL GREASE GUN
11066



DIAPHRAGM PUMP FOR FUELS
11800



PISTOL GREASE GUN
11084A - with hose
11087A



PORTABLE FLUID PUMP
11097

FUNNELS



FUNNEL WITH FILTER

13003 3" Diameter

13005 5" Diameter

13009 9" Diameter



SEALABLE DRAIN PAN

14026

10L



FUNNEL WITH FILTER AUTO

13008

8" Diameter



MEASURING CONTAINER

14045

4.5L



FUNNEL ANTI-SPLASH

13015 5" Diameter

13019 9" Diameter



MEASURING CONTAINER

14045X

4.5L with removable lid



DIRT FREE FUNNEL

14035

15"



DIRT FREE FUNNEL

14035

17"

CARGO CONTROL



RATCHET STRAP 1 x 15 - BULK
11183B



RATCHET STRAP 1^{1/2} x 15 - BULK
11186B



RATCHET STRAP 1 x 15 HD - BULK
11189B



RATCHET STRAP 2 x 27 HD - BULK
11190B



RATCHET STRAP 2 x 30'
12343B J-Hooks 10,000lbs bulk
12344B Flat Hook 10,000lbs bulk



PROFESSIONAL MECHANICS FENDER COVER
Standard
FC1

- Expanded vinyl material
- 110 gauge thick
- Full length sewn in tool ridge
- Size: 34" x 26"



2.1 CLEARCOAT

- Versatile High-solids clearcoat for spot repairs and overall refinishing
- Works well in air dry or force dry environments
- Excellent gloss and buffing characteristics
- Mixes 4:1 with #800701 2.1 CLEARCOAT CATALYST FAST, #800702 2.1 CLEARCOAT CATALYST MEDIUM or #800703 2.1 CLEARCOAT CATALYST SLOW

Part No.	Size	Units/Case
800700	Gallon	4
800701 (Fast)	Quart	6
800702 (Medium)	Quart	6
800703 (Slow)	Quart	6



SUPER BUILD 4:1

- Ultra high build polyester primer surfacer
- Direct to Metal application eliminates the need for epoxy or self-etch primers
- Easy, accurate mixing without a scale
- Sprays with less overspray than traditional polyester primers

100733

100730 - 3.78L



BATTERY HYDROMETER
SP101



ANTI-FREEZE TESTER
SP102





AM80S HORN

O.E.M. Replacement Horn.

- Powerful 125 dB of sound that ensures you'll be heard over all traffic noise!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications for a wide range of cars, trucks & motorcycles.
- Quick & Easy installation kit included.

72002 - High Note

72012 - Low Note



AM80S HORN FREEWAY BLASTER

Extra Loud O.E.M. Replacement Horn

- Extremely powerful 130 dB of sound! 2 times as loud as a standard O.E.M. horn!!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications for a wide range of cars, trucks & motorcycles.
- Quick & Easy installation kit included.

72102 - High Note

72112 - Low Note



HK 9 DISC HORN

O.E.M. Replacement Disc Horn.

- Very powerful high frequency 130 dB of sound that ensures you'll be heard over surrounding noise!
- High durability, water & corrosion resistant steel housing horn
- Universal horn that meets SAE & O.E.M. specifications for a wide range of cars, trucks & motorcycles.
- Quick & Easy installation kit included.

40310 - High Note | 40365 - Low Note



BRAKE FLUID Features:

- Dot 3
- Available in 350ml (Part # DOT3-350), 500ml (Part # DOT3-500), 1L (Part # DOT3-1L), 3.78L (Part # DOT3-4L) and 18.9L (Part # DOT3-19L)
- Recommended for use in all hydraulic drum and disc brakes and hydraulic clutches that require dot 3 fluids
- Mixes with regular brake fluids
- Provides excellent flow at low temperatures for superior braking response
- Conforms to CMVSS 116



Vulsay Industries Ltd.

35 Regan Rd., Brampton, Ontario, Canada L7A 1B2
Inquiries (905) 495-5109 www.vulsay.com

D.O.T Approved Brake Lines (.028 Wall)

Cupro Nickel (90/10) ★ ★ ★ ★ ★

Double annealed to soften tubing for easier bending and flaring.
Used as Original Equipment by Volvo and Mercedes.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.
SAE-1650 • SAE-1407 • FMVSS-106 • ASTM-254 • DIN74234
• BS2871 • GM123M • MS1806

Lifetime Guarantee
Against Corrosion Failure



Stainless Steel (304) ★ ★ ★ ★ ★

Coming 2014

Double annealed to soften tubing for easier bending and flaring.
Ideal for custom builds, classic cars and more.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.



Poly Vinyl Floride ★ ★ ★ ★

Double annealed to soften tubing for easier bending and flaring.
Used as Original Equipment by many Japanese and European Manufactures.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.
SAE-J527 • ASTM254 • GM123M • MS1806

Silver Zinc ★ ★

Double annealed to soften tubing for easier bending and flaring.
Meets or exceeds OE specification (.028 Wall) for brake line tubing.
SAE-J527 • GM123M • MS-1806




3000 hour Salt Spray test

200 hour Salt Spray test



POLY VINYL FLORIDE (PVF)



SILVER ZINC PLATED



CUPRO NICKEL

COILS



Copper Tubing

*** (Not to be used for
Brake or Propane
Applications)**

Coil	Size	1/8"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"
	Length	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
	25'	CT2	CT3	CT4	CT5	CT6	CT7	CT8	CT10	CT12



Domestic & Import Vehicle New Generation Brake Line Length
Get the right length for cars you work on today!



POLY VINYL FLORIDE (PVF)

SILVER ZINC PLATED

CUPRO NICKEL

Poly Vinyl Floride ★ ★ ★ ★ ★
Meets or exceeds specification for brake line tubing
SAE-J527 • ASTM254 • GM123M • MS1806

Silver Zinc ★ ★ ★ ★ ★
Meets or exceeds specification for brake line tubing
SAE-J527 • GM123M • MS-1806

Size	3/16"	1/4"	5/16"	3/8"	Euro/Dom	Japanese
Length	Part #	Part #	Part #	Part #	Part #	Part #
6"	PVF306	-	-	-	PVFKMB6	PVFKM6
7"	-	-	-	-	PVFKMB7	-
8"	PVF308	PVF408	PVF508	8"	PVFKMB8	PVFKM8
9"	-	-	-	-	PVFKMB9	-
10"	PVF310	-	-	-	-	-
12"	PVF312	PVF412	PVF512	12"	PVFKMB12	PVFKM12
13"	-	-	-	-	PVFKMB13	PVFKM13
14"	PVF314	PVF414	-	-	-	-
16"	-	PVF416	-	-	PVFKMB16	PVFKM16
17"	PVF317	PVF417	-	-	-	-
20"	PVF320	PVF420	PVF520	20"	PVFKMB20	PVFKM20
21"	-	-	-	-	PVFKMB21	-
23"	PVF323	PVF423	-	-	PVFKMB23	PVFKM23
25"	-	PVF425	-	-	-	-
27"	PVF327	PVF427	-	-	PVFKMB27	PVFKM27
30"	PVF330	PVF430	PVF530	30"	PVFKMB30	PVFKM30
31"	-	-	-	-	PVFKMB31	-
33"	PVF333	PVF433	-	-	PVFKMB33	PVFKM33
37"	PVF337	PVF437	-	-	PVFKMB37	PVFKM37
40"	PVF340	PVF440	PVF540	40"	PVFKMB40	PVFKM40
43"	-	PVF443	-	-	PVFKMB43	PVFKM43
44"	PVF344	-	-	-	-	-
47"	-	-	-	-	-	PVFKM47
48"	PVF348	PVF448	-	-	PVFKMB48	-
51"	PVF351	PVF451	PVF551	51"	-	-
56"	PVF356	PVF456	-	-	PVFKMB56	PVFKM56
60"	PVF360	PVF460	PVF560	60"	PVFKMB60	PVFKM60
64"	-	PVF464	-	-	-	-
66"	PVF366	-	-	-	PVFKMB66	PVFKM66
72"	PVF372	-	PVF572	72"	PVFKMB72	PVFKM72
84"	PVF384	PVF484	-	-	PVFKMB84	PVFKM84
86"	-	-	-	-	PVFKMB86	-
92"	-	-	-	-	PVFKMB92	-
96"	-	-	-	-	PVFKMB96	-

Size	3/16"	1/4"	5/16"	3/8"	Euro/Dom	Japanese
Length	Part #	Part #	Part #	Part #	Part #	Part #
6"	K306	K406	-	-	KMB6	KM6
8"	K308	-	K508	8"	KMB8	KM8
9"	-	-	-	-	KMB9	KM9
10"	K310	K410	-	-	-	-
12"	K312	K412	K512	12"	KMB12	KM12
13"	-	-	-	-	KMB13	KM13
14"	K314	K414	-	-	-	-
16"	-	-	-	-	KMB16	KM16
17"	K317	K417	-	-	-	-
20"	K320	K420	K520	20"	KMB20	KM20
21"	-	-	-	-	KMB21	-
23"	K323	K423	-	-	KMB23	KM23
27"	K327	K427	-	-	KMB27	KM27
30"	K330	K430	K530	30"	KMB30	KM30
31"	-	-	-	-	KMB31	-
33"	K333	K433	-	-	KMB33	KM33
37"	K337	K437	-	-	KMB37	KM37
40"	K340	K440	K540	40"	KMB40	KM40
43"	-	K443	-	-	KMB43	KM43
44"	K344	-	-	-	-	-
47"	-	-	-	-	KMB47	KM47
48"	K348	K448	-	-	-	KM48
51"	K351	K451	K551	51"	-	KM51
56"	K356	K456	-	-	KMB56	KM56
60"	K360	K460	K560	60"	-	KM60
64"	-	K464	-	-	-	-
66"	K366	-	-	-	-	-
72"	K372	-	K572	72"	-	KM72
84"	K384	K484	-	-	KMB84	KM84
108"	-	K4108	-	-	-	-
120"	K3120	K4120	-	-	KMB120	-

Standard Steel Invert Flare Tube Nuts






					
3000	3003	3006	3015	3016	3399

						
3415	3424	3441	3597	4620	4621	4622
Part #	Tube Size	Thread Diameter	Threads Per Inch	Edelmann	Weatherhead	
3597	1/8"	5/16"	28	121002	105X2	
 3000	3/16"	3/8"	24	121003	105X3	
 3424 (4pk)	3/16"	3/8" - 7/16" hex	24	-	-	
3441	3/16"	3/8" - 9/16" hex	24	-	-	
 3003	1/4"	7/16"	24	121004	105X4	
3415	1/4"	7/16" - 9/16" hex	24	-	-	
 3006	5/16"	1/2"	20	121005	105X5	
 3015	3/8"	5/8"	18	121006	105X6	
3399	7/16"	1 1/16"	18	-	-	
3016	1/2"	3/4"	18	-	-	
4621	5/8"	7/8" - 7/8" hex	18	-	-	
4622	3/4"	1" - 1" hex	16	-	-	
4620	7/8"	1" - 1/32" hex	16	-	-	

Metric & Imperial Bubble Flare Tube Nuts

						
3028	3040	3041	3042	3410	3411	3413
						
3414	3420	3426	3433	3447	3461	3463
						
3470	3477	3490	3492	3493	3495	3496
Part #	Tube Size	Thread Diameter	Thread Pitch			
3028	3/16"	10mm	1.0 European and Domestic (Olive)			
3040	3/16"	11mm	1.5 Domestic (Orange/ Grey)			
3041	3/16"	12mm	1.0 Domestic (Blue)			
3042	3/16"	13mm	1.5 Domestic (Olive)			
3410	3/16"	3/8"	24 t.p.i US British Thread (Violet)			
3411	3/16"	10mm	1.0 Long Tube Nut (Yellow)			
3414	3/16"	10mm	1.0 Volkswagen and Audi (Violet)			
3420	3/16"	10mm	1.0 Ford (Gold)			
3426	3/16"	12mm	1.25 (Olive)			
3463	3/16"	10mm	1.0 (Grey)			
3470	3/16"	10mm	1.25 (Silver)			
3477	3/16"	11mm	1.0 (Violet)			
3492	3/16"	10mm	1.5 (Violet)			
3493	3/16"	12mm	1.0 Long (Green)			
3490	1/4"	11mm	1.0 (Violet)			
3413	1/4"	12mm	1.0 Ford and Imports (Olive)			
3433	1/4"	12mm	1.25 (Gold)			
3447	1/4"	12mm	1.75 (Yellow)			
3495	1/4"	12mm	1.5 (Gold)			
3496	1/4"	12mm	1.0 Short Dog Point (Gold)			

Standard Invert Flare Tube Nuts Long

			
3001	3004	3442	
Part #	Tube Size	Thread Diameter	Thread Pitch
 3001	3/16"	3/8"	24 t.p.i
 3004	1/4"	7/16"	24 t.p.i
3442	3/8"	5/8"	18 t.p.i

Stainless Steel Tube Nuts

3000SS

3001SS

3003SS

3004SS

3028SS

3043SS

Part #	Tube Size	Thread Diameter	Thread Pitch
3000SS	3/16"	3/8"	24 t.p.i
3001SS	3/16" (Long)	3/8"	24 t.p.i
3028SS Available 2014	3/16"	10mm	1.0 Bubble
3043SS Available 2014	3/16"	10mm	1.0 Bubble
3003SS	1/4"	7/16"	24 t.p.i
3004SS	1/4" (Long)	7/16"	24 t.p.i

Metric Invert Flare Tube Nuts

			
3043	3411	3413	
			
3417	3449	3495	3496
Part #	Tube Size	Thread Diameter	Thread Pitch
 3043	3/16"	10mm	1.0 Japanese (Blue)
 3411	3/16"	10mm	1.0 Japanese (Gold) 12mm Hex Long
 3417	3/16"	10mm	1.0 Toyota and GM (Blue) Long
 3449	3/16"	10mm	1.0 (Yellow)
 3413	1/4"	12mm	1.0 Ford and Imports (Olive)
 3495	1/4"	12mm	1.5 (Gold)
 3496	1/4"	12mm	1.0 Short Dog Point (Gold)

Nylon Fuel Repair Lines with Flex Section

(Easily bends into 90° & "S" Bends)



Part #	Connection
3088K	1/4" connector to 8mm / 5/16" nylon Ford
3069K	5/16" connector to 8mm / 5/16" nylon Ford
3169	5/16" connector to 10mm nylon Ford
3070K	3/8" connector to 8mm / 5/16" nylon Ford
3071K	3/8" connector to 10mm nylon Ford



Part #	Connection
3085K	8mm - 5/16" nylon fuel line splice
3086K	10mm - 3/8" nylon fuel line splice



Part #	Connection
3153K	5/16" connector elbow to 8mm / 5/16" nylon GM, Chrysler
3155K	5/16" connector elbow to 10mm nylon GM, Chrysler
3154K	3/8" connector elbow to 10mm nylon GM, Chrysler



Part #	Connection
3068K	5/16" connector 90° elbow to 8mm / 5/16" nylon Ford, GM
3091K	3/8" connector 90° elbow to 8mm / 5/16" nylon Ford, GM
3092K	3/8" connector 90° elbow to 10mm nylon Ford, GM



Part #	Connection
3167	1/4" connector to 8mm / 5/16" nylon GM, Chrysler
3101K	5/16" connector to 8mm / 5/16" nylon GM
3100K	3/8" connector to 10mm nylon GM



Part #	Connection
3156K	5/16" 45° connector elbow to 5/16" (8mm) nylon splice
3157K	3/8" 45° connector elbow to 3/8" nylon splice

Nylon Evap Repair Lines 12mm- 1/2" - 5/8"



Part #	Connection
3312K	1/2" to 1/2" Evaporator Tube Repair
3313K	1/2" to 90° Elbow 1/2" Evaporator Tube Repair
3314K	5/8" to 5/8" Evaporator Tube Repair
3315K	5/8" to 90° Elbow 5/8" Evaporator Tube Repair
3316K	5/8" to 45° Elbow 5/8" Evaporator Tube Repair
3310K	12mm to 1/2" Evaporator Tube Repair
3311K	12mm to 90° Elbow 1/2" Evaporator Tube Repair

Check Valves & Diesel Fuel Repair Lines

360° Seal Fuel Line Check Valve



Problem: Fuel pump check valve fails causing fuel pressure drop and hard starts.

Solution: Install in-line check valve. Inexpensive 15 minute repair, works with steel and nylon fuel line.



Part #	Size
4910	5/16"
4911	3/8"

Fuel Repair Lines

Steel Quick Connector to Nylon Repair Lines

Part #	Size
3166	1/4"
3165	5/16"
3164	3/8"



3163

'95 - early '98 plastic modular fuel sender to filter repair line Cavalier, Sunfire, Grand Am, etc.



3175

'98 - '02 Plastic modular fuel sender to filter repair line Cavalier, Sunfire.



3176

'98 - up plastic modular fuel sender to filter repair line Grand Am Alero.



GM Truck Tank Hose to Steel Tube Repair Lines



Part #	Description
4357	5/16" x 32" (24" Steel to 8" Hose) (F) 14mm x 1.5
4356	3/8" x 32" (24" Steel to 8" Hose) (F) 16mm x 1.5



GM Duramax Diesel Fuel Repair Lines

3158

2001 - 2013
All Ends Included (4)



3360



Part #	Description
3158	3/8" x 24" GM 2500 & 3500 Truck diesel fuel cooler repair line
3360	1/2" x 60" Cupro Nickel with ridge bead to 1/2" Compression Union (4405)
3361	1/2" x 10" Cupro Nickel with ridge bead to 1/2" Compression Union (4405)

Ridge Bead to Ridge Bead Adapter Lines



1/4" Tubing

Part #	Length
3293	4"
3095-12	12"
3095	18"
3152	36"

5/16" Tubing

Part #	Length
3294	4"
3067-12	12"
3067	18"
3302	24"
3151	36"

3/8" Tubing

Part #	Length
3295	4"
3066-12	12"
3066	18"
3150	36"

GM Pickup Feed & Return Repair Lines



Part #	Size & Length	Fitting
3063Z	5/16" x 9"	14mm x 1.5
3062Z	3/8" x 9"	16mm x 1.5

Call for Application guide

Transmission Quick Connectors

 <p># 4175 3/8" Tube Transmission Quick connector Male Thread: 9/16" - 18 UNF - 2A OE #: (GM) 15043741 (Chrysler) 05290238AA</p>	 <p># 4176 Non Clogging - 3/8" Inline transmission filter Installs at the cooler outlet (Hex) 23.81m (Overall) 47.8m (Thru Hole) 6.53m (Mating Length) 15.62m</p>	 <p># 4206 3/8" Transmission Quick connector Male Thread: 1982 - Up (Ford)</p>
 <p># 4207 1/2" tube x 3/8" - 18 NPTF Chevy Truck, GMC 1992 - 2002 OE # (GM) 15043741</p>	 <p># 4208 3/8" tube x 1/4" - 18 NPS - Buick, GM, GM Trucks GMC, Oldsmobile and Pontiac 1990 - 2008 OE # (GM) 24233366, (GM) 24205102 & (GM) 24231875</p>	 <p># 4209 3/8" tube x 5/8" - 18 UNF - 2A Buick, GM, GM Trucks GMC, Oldsmobiles and Pontiac - 1998 - 2006 OE# (GM) 19130039 (GM) 15719695</p>
 <p># 4210 3/8" tube x 3/8" - 18 NPTF GM Trucks - S/T, Astro, Safari 1996 - 2006 OE # (GM) 15724728</p>	 <p># 4220 1/2" tube x 20mm - 1.5 General Motors, GM Trucks, GMC, Oldsmobile, Pontiac OE # (GM) 15719697</p>	 <p># 4221 3/8" tube x 1/4" NP Chrysler</p>
 <p># 4223 5/8" tube x 7/8" - 14 UNF Cadillac, GM, GMC 1997-2009 OE # (GM) 15724710 & 15170197 Delphi # 52498974</p>	 <p># 4224 5/8" tube x 7/8" - 14 UNF Silverado, Sierra, Tahoe, Yukon, Suburban Avalanche, Escalade EXT, ESV 1999 - Up OE # (GM) 29547931</p>	 <p># 4225 5/8" tube x 3/4" - 16 UNF Silverado, Sierra, Tahoe, Yukon, Suburban Avalanche, Escalade EXT, ESV 1999 - Up OE # (GM) 29541729</p>
 <p># 4226 3/8" tube x 11/16" - 20 UNF - 2A Thread</p>	 <p># 4227 5/16" tube x 5/8" - 20 UNF - 2A Thread</p>	 <p># 4232 3/8" Invert flare female transmission oil cooler line quick connector w/ ext o-ring seal. 14mm x 1.5 - 1994 - Up OE # (GM) 29541729 & 24225126</p>
 <p># 4233 3/8" tube x 18mm UNF 2A aluminum transmission quick connector 1993 - 2003 OE # (GM) 8684086</p>	 <p># 4234 3/8" Invert flare female transmission oil cooler line quick connector 1/4" NPS OE # (GM) 8685767</p>	 <p># 4239 3/8" GM Invert flare female transmission oil cooler line quick connector w/ ext o-ring seal 1/4" NPS - 1994 - Up</p>
 <p># 4240 5/8" tube x 1/2" NPTF GM Duramax diesel trucks 2000 - Up OE # (GM) 15738179</p>	 <p># 4241 3/8" Tube, 3/8" - 18 NPS with Ball Check Buick, Chevy, Oldsmobile, & Pontiac 97-05 OE # 24213958</p>	 <p># 4245 3/8" Tube, 1/8" - 27 NPTF Chrysler, Dodge Jeep 2001 - 2013 OE # (Chrysler) 04800267AA & 04800364AA</p>
 <p># 4255 3/8" Tube, 9/16" - 18 UNF - 2A w/ extended dog point, Buick, Cadillac, Oldsmobile, Pontiac 2001 - 2011 - OE # (GM) 24225125</p>	 <p># 4256 3/8" Tube, 9/16" - 18 UNF - 2A, Mercedes, Buick, Cadillac, GM, GMC, Oldsmobile, Pontiac 1998 - 2013 OE # (GM) 15226661</p>	 <p># 4249 3/8" Tube, 1/4" - 18 NPS, Cadillac, Chevy Truck, GMC, Pontiac 1996 - 2008 OE# (GM) 24233367</p>
 <p># 4262 3/8" Tube, 1/2" - 14 NPT Chrysler, Dodge, Jeep 2005 - 2013 OE# 52119547AA</p>	 <p># 4263 3/8" Tube, 9/16" - 18 UNF 2A Buick, Chevy, Oldsmobile, Pontiac 1997 - 2008 OE# (GM) 24236555, 24231876</p>	 <p># 4264 3/8" Tube, 9/16" - 18 UNF, w/ Grease & Plug Buick, Cadillac, Chevy, GMC, Oldsmobile 2008 - 2011 OE # 24236579</p>
 <p># 4265 3/8" Tube, 9/16" - 18 UNF 2A Buick, Chevy, Pontiac, Saturn, 2008 - 2010 OE # 24236581</p>	 <p># 4266 3/8" Tube, 9/16" - 18 UNF 2A Buick, Chevy, Oldsmobile, Pontiac OE# 24236554</p>	 <p>4216 3/8" Disconnect tool (Blue) 4217 1/2" Disconnect tool (Red) 4218 5/8" Disconnect Tool (Yellow) 4219 3/4" Disconnect Tool (Orange)</p>

Power Steering & Transmission Repair Lines

High Pressure Compression Union (5000 psi). Attaching hardware included where shown

Part #	Description	Part #	Description	Part #	Description
4501R	3/8" x 4" with 18mm x 1.5 (3436 tube nut blue)	4503R	3/8" x 4" with 16mm x 1.5 (3435 tube nut gold)	4511R	3/8" x 4" Ridge bead
4502R	3/8" x 4" with 16mm x 1.5 (3434 tube nut blue)	4504R	3/8" x 4" with 5/8" - 18 (3442 tube nut gold)	4512R	5/16" x 4" Ridge bead
4505R	5/16" x 4" with 5/8" - 18mm (3443 tube nut red)	4506R	5/16" x 4" with 14mm x 1.5 (3009 tube nut Olive)	4513R	5/16" x 4" with 1/2" - 20 Fem Nu

Transmission Repair Lines

Part #	Size	Fittings	Description
P566GM	5/16" x 66"	3006 - 3489	5/16" Invert (M) to 5/16" Invert (F)
P560C	5/16" x 60"	3489 - 3489	5/16" Invert (F) to 5/16" Invert (F)
P560F	5/16" x 60"	-	Ridge bead both ends
PVF1072RB	10mm x 72"	-	Ridge bead both ends
PVF1272RB	12mm x 72"	-	Ridge bead both ends

For Complete listing of this style of transmission repair lines refer to page 2

Part #	Size	Fittings	Description
K560	5/16" x 60"	3006 - 3006	Invert fl. Transmission repair line
K660	3/8" x 60"	3015 - 3015	Invert fl. Transmission repair line

Replacement Retainer Clips

Part #	Size & Fitting
4246	3/8" (4208, 4209, 4210, 4233)
4247	1/2" (4207, 4220)
4248	5/8"

Transmission Repair Lines

Part #	Description
PVF10-72	10mm line x 78" No End Forms or Fittings
PVF12-72	12mm line x 78" No End Forms or Fittings
CN860NF	1/2" line x 60" No End Forms or Fittings



MR 5-30-L6N MECHANICAL FUEL METERS

126300-02

Check up to five results to perform an action.

Choose the NEW MR 5-30 mechanical fuel meter when you need to measure petroleum fuels. This aluminum meter is perfect for use with gasoline, diesel fuel and kerosene. Designed for high volume pumps up to 30 GPM.

Calibrated in litres with 3/4" NPT thread inlet/outlet. C UL US Listed. 5 to 30 GPM / 19 to 114 LPM. Turn knob reset.



01A31LM DIGITAL FUEL METERS

113255-2

Check up to five results to perform an action.

This basic totalizing economy meter works well with fuel, diesel, and kerosene. The battery powered electronic displays on the 01A flowmeters are calibrated to read in gallons and liters. These fuel flowmeters come in 1 in. models.

Compact and lightweight, this meter is designed for use on a hose. 10 to 100 LPM, NPT thread, and two totals (accumulative and batch).



HP-90 HAND PUMPS

131000-1

The HP-90 is an economy hand pump with a dual-action piston to pump fluid on both the push and pull strokes for fast fueling.



M-1115S-MU ELECTRIC GEAR PUMPS

110000-81

The 115 volt AC Light Duty Aluminum Gear Pump with UL Listed manual unleaded nozzle is for use with fuel. It pumps up to 12 GPM / 45 LPM. The pump and motor are Listed and CSA Certified, and the motor is Overload Protected and explosion proof.



M-3025-AD HD VANE PUMPS

133240-2

Use the M-3025 high performance pump on vehicle mounted tanks or vented storage tanks. Choose this pump when reduced fueling time is critical. Includes automatic diesel nozzle. Motor is UL Listed.



EZ-8 PUMP ELECTRIC GEAR PUMPS

137100-01

The EZ-8 Pump is ideal for on-the-go fueling. This 12-volt DC fuel pump delivers 8 GPM, equivalent to standard gas stations. The system comes complete with power cord, manual unleaded nozzle, three-piece, trim-to-fit suction pipe and 10 ft of 5/8 in. hose.



M-150S-AU ELECTRIC GEAR PUMPS

110000-100

12-volt DC Aluminum Gear Pump for fuel with automatic unleaded nozzle. Up to 15 GPM / 57 LPM. UL Listed Motor, CSA Certified. Overload Protected Motor. Includes 18 ft power cord, 3/4 in. x 12 ft / 3.7 m hose, and adjustable suction pipe.



AUTOMATIC UNLEADED NOZZLE

110121-8

3/4" NPT, straight spout.
UL replacement nozzle



LP-50 HAND PUMPS

129000-1

Designed to fit tanks or 55 gallon barrels. The unique linkage and shaft design ensures a smooth and easy stroke, and eliminates side load, shaft binding, or seal leakage seen in other lever pumps.

SUPERNOVA

LED



LED



Grote Select™

LED



SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select™ | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

STOP/TAIL/TURN LAMPS

PART #	DESCRIPTION
SUPERNOVA	
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED S/T/T LAMP, LED, 4", RED
54333	LED S/T/T LAMP, LED, 4", AMBER
HI COUNT	
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER
GROTE SELECT	
54342	LED S/T/T LAMP, LED 4" RED
54343	LED S/T/T LAMP, LED 4" AMBER
SUPERNOVA	
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNOVA 9 DIODE	
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNOVA NEXGEN	
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUNT	
G6002	HIGH COUNT 60 SERIES LED, RED
G6003	HI COUNT OVAL LED AMBER
GROTE SELECT	
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP

CLEARANCE/MARKER LAMPS

PART #	DESCRIPTION
MICRONOVA DOT	
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONOVA	
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNOVA 2"	
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT 2"	
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNOVA BEEHIVE	
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT BEEHIVE	
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNOVA	
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT 9 DIODE	
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER

Trilliant® Series of LED Work Lamps

THERE'S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- Long-lasting, cool running, high output LED work lamp
- Field tested to survive in brutal off-road conditions
- Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Integrated circuit protection
- ECE R10, Dir.72/245/EEC, Amended by 2006/28/EC
- Color temperature provides a natural contrast most like sunlight, reducing eye fatigue



64E01-5



63611



63F81

Trilliant® T26

Small size combined with tough construction allows mounting in places where larger or less rugged lamps cannot fit or survive


Trilliant® Mini

3x5 makes this lamp a natural LED upgrade for many incandescent and halogen sealed beams

Trilliant® Oval

Leak proof sealed lamp is certified IP69K; stands up to scratches, pressure washing, harsh weather

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT T26 LED WORK LAMPS			
64E01-5	T26 LED WORK LAMP, PINCH MOUNT, FAR PATTERN	10 - 48	1800
64E11-5	T26 LED WORK LAMP, PINCH MOUNT, NEAR PATTERN	10 - 48	1800
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800
TRILLIANT MINI LED WORK LAMPS			
63601-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, SPOT PATTERN	12	700
63611-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, FLOOD PATTERN	12	700
63621-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, TRAPEZOID PATTERN	12	700
63741-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, FLOOD PATTERN, 24 VOLT	24	700
63751-5	TRILLIANT® MINI, CLEAR, WORK LAMP, LED, TRAPEZOID PATTERN, 24 VOLT	24	700
TRILLIANT OVAL LED WORK LAMPS			
63F81-5	TRILLIANT®, OVAL, LED, FLOOD, W/AMP SUPER SEAL CONNECTOR	12/24	1200
63J01	TRILLIANT®, OVAL, LED, FLOOD, W/AMP SUPER SEAL CONNECTOR, BLUE O-RING	12/24	2500
63J11	TRILLIANT®, OVAL, LED, WIDE FLOOD, W/AMP SUPER SEAL CONNECTOR, BLUE O-RING	12/24	2500



63981-5



63871-5



63861-5

Trilliant® Cube

Compact 4x4, rugged design with superior LED electronic circuitry outperforms lamps twice its size and weight

Trilliant® T36

Encapsulant potting for total circuit board protection against moisture and corrosion

Trilliant® T36 LED Bulb

UV and hard coated lens for durability, thermal pull back circuit for protection against power surges

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT CUBE WORK LAMPS			
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200
63F61	TRILLIANT® CUBE, W/FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
63F71	TRILLIANT® CUBE, W/WIDE FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
TRILLIANT LED WORK LAMPS			
63571	TRILLIANT® LED WORK LAMP, SPOT PATTERN	12/24	1300
63581	TRILLIANT® LED WORK LAMP, FLOOD PATTERN	12/24	1600
63591	TRILLIANT® LED WORK LAMP, TRAPEZOID PATTERN	12/24	1600
63E41	TRILLIANT® LED WORK LAMP, FLOOD PATTERN, W/REFLECTOR	12/24	2400
TRILLIANT 36 LED WORK LAMPS			
63821-5	TRILLIANT® T36 TRACTOR LAMP	12/24	800
63831-5	TRILLIANT® T36 WIDE FLOOD	12/24	800
63861-5	TRILLIANT® T36 W/BACKET, TRACTOR LAMP	12/24	800
63871-5	TRILLIANT® T36 W/BACKET, WIDE FLOOD LAMP	12/24	800

Grote's Warning and Hazard Lighting Solutions

Improve Visibility

Improve Safety

The Right Lighting Solution for Your Environment!



76253



76663



76685



77123



76793



77473



78823



78813



76953



76713

PART #	DESCRIPTION
BEACONS AND STROBE LAMPS	
76253	LED AMBER STROBE, CLASS I, LOW DOME, 12 VOLT, YELLOW
76263	LED AMBER STROBE, CLASS I, LOW DOME, 24 VOLT, YELLOW
76663	LOW PROFILE CLASS I LED BEACON, YELLOW
77013	MATERIAL HANDLING STROBE, 12-80 VOLT, YELLOW
77953	LED AMBER STROBE, CLASS I, HIGH DOME, 12 VOLT, YELLOW
77963	LED AMBER STROBE, CLASS I, HIGH DOME, 24 VOLT, YELLOW
76683	ROTOLED™ HYBRID BEACON, CLASS I, YELLOW
76685	ROTOLED™ HYBRID BEACON, CLASS I, BLUE
76793	LED STROBE LIGHTHEAD, 4 LED, SQUARE, YELLOW
77103	MIGHTY MINI STROBE, YELLOW
77123	LOW PROFILE PLASTIC BASE STROBE, CLASS II, YELLOW
77133	MEDIUM PROFILE PLASTIC BASE STROBE, CLASS II, YELLOW
77463	LED 3 LAMP, SURFACE MOUNT LAMP, YELLOW
77473	MIGHTY MINI LED STROBE, YELLOW
77483	MIGHTY MINI LED STROBE, MAGNET MOUNT, YELLOW
77933	LED VERTEX, YELLOW
78773	SURFACE MOUNT LED CLASS I, YELLOW
78783	LOW INTENSITY LED, CLASS III, YELLOW
SELF-ADHESIVE LED AUXILIARY LAMPS	
78813	LED SELF-ADHESIVE WARNING LAMP, OVAL, YELLOW
78823	LED ADHESIVE WARNING TRIANGLE, YELLOW
78833	LED ADHESIVE WARNING RECTANGLE, YELLOW
BATTERY OPERATED WARNING LAMPS	
77913	360° PORTABLE BATTERY OPERATED LED WARNING LAMP, YELLOW
77923	DIRECTIONAL PORTABLE BATTERY OPERATED LED WARNING LAMP, YELLOW
BAR LAMPS	
76703	15" LOW PROFILE REFLEX™ CLASS II LED MINI BAR LAMP, YELLOW
76713	15" LOW PROFILE REFLEX™ CLASS II LED MINI BAR LAMP, YELLOW
76770	17" LOW PROFILE LED BAR LAMP, YELLOW/BLUE W/CLEAR LENS
76943	17" LOW PROFILE LED BAR LAMP, YELLOW/CLEAR LENS
76953	17" LOW PROFILE LED BAR LAMP, MAGNETIC, YELLOW/CLEAR LENS
76983	17" LOW PROFILE LED BAR LAMP, YELLOW
76993	17" LOW PROFILE LED BAR LAMP, MAGNETIC, YELLOW
78473	LED SAFETY DIRECTOR W/35' HRNS, YELLOW
78983	TRAFFIC ADVISOR SUPER-LED
CAMERA SYSTEM	
K5600	5.6" LCD COLOUR CAMERA SYSTEM



Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.



Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!

DEXTERITY - 2 STYLES



051144
LATEX FOAM GLOVE,
HI-VIS ORANGE
POLY LINER,
SIZE S/M - L/XL



#051180

051180C7
051180C8
051180C9
054056G14B

G# NITRILE FOAM, NYLON LINER, SANITIZED, S
G# NITRILE FOAM, NYLON LINER, SANITIZED, M
G# NITRILE FOAM, NYLON LINER, SANITIZED, L
G#PVC GLOVE, GREEN, 14", DBLE DIPPED, ROUGH GRIP



#054056G14B

REGULAR GLOVE STYLES - 6 STYLES



05H657C
NITRILE, BLUE, FULLY
DIPPED, PASTED CUFF



#060394

060394L
060394M
060394XL

GENUINE GRAIN LEATHER PALM, SPLIT BACK, 4" CUFF, UNLINED (L)
GENUINE GRAIN LEATHER PALM, SPLIT BACK, 4" CUFF, UNLINED (M)
GENUINE GRAIN LEATHER PALM, SPLIT BACK, 4" CUFF, UNLINED, XL

WINTER GLOVE STYLES - 10 STYLES



740210L/R
G# BROWN JERSEY,
BLACK FLEECE
LINING



#750760

750760L
750760M
750760S
750760XL

LATEX DIPPED PALM, THICK POLY LINER, SZ. L
LATEX DIPPED PALM, THICK POLY LINER, SZ. M
LATEX DIPPED PALM, THICK POLY LINER, SZ. S
LATEX DIPPED PALM, THICK POLY LINER, XL

MECHANICS - 4 STYLES



#78907TR

78907TRL
78907TRM
78907TRXL
78914TRL
78914TRM
78914TRXL
78918TRL
78918TRM
78918TRXL
78919TRL
78919TRM
78919TRXL

MECH SYNT. LTHR, NYLON BACK, NEOPRENE, PVC P&FT BLK UNLND L
MECH SYNT. LTHR, NYLON BACK, NEOPRENE, PVC P&FT BLK UNLND M
MECH SYNT. LTHR, NYLON BACK, NEOPRENE, PVC P&FT BLK UNLND XL
MECH SYNT.LTHR, HI-VIS NYL SPNDX, PVC PATCH P&FT, NEO CUFF L
MECH SYNT.LTHR, HI-VIS NYL SPNDX, PVC PATCH P&FT, NEO CUFF M
MECH SYNT.LTHR, HI-VIS NYL SPNDX, PVC PATCH P&FT NEO CUFF XL
MEC SYNT.LTHR, NYL, PAD PALM, PVC FT, RUB PROTECT, VELCRO L
MEC SYNT.LTHR, NYL, PAD PALM, PVC FT, RUB PROTECT, VELCRO M
MEC SYNT.LTHR, NYL, PAD PALM, PVC FT, RUB PROTECT, VELCRO XL
MEC TEXT PU PALM, NYL/SPNDX, WTR BAR, FLEECE LND, RUB FT, L
MEC TEXT PU PALM, NYL/SPNDX, WTR BAR, FLEECE LND, RUB FT, M
MEC TEXT PU PALM, NYL/SPNDX, WTR BAR, FLEECE LND, RUB FT, XL



#78914TR



#78918TR



#78919TR

ROPE - 4 STYLES



#A1PJ



#A1M

A1PJ/012
A1PJ/014
A1PJ/034
A1PJ/038
A1PJ/058
A1PJ/316
A1PJ/516
R1DBMFP038/100
R1MFPW014/100
A1M/140BB
A1M/140S
A1M/180BB
A1M/800BB
A1M/90BB
A1M240BB
C#POLYPROPYLENE JUMBO, YELLOW, 1/2" X 335'
C#POLYPROPYLENE JUMBO, YELLOW, 1/4" X 1300'
C#POLYPROPYLENE JUMBO, YELLOW, 3/4" X 125'
C#POLYPROPYLENE JUMBO, YELLOW, 3/8" X 630'
C#POLYPROPYLENE JUMBO, YELLOW, 5/8" X 200'
C#POLYPROPYLENE JUMBO, YELLOW, 3/16" X 2125'
C# POLYPROPYLENE JUMBO, YELLOW, 5/16" X 975'
C#(CB 12)POLYPRO BRAIDED, 3/8" X 100' ASSORTED COLORS
C#(CB 24)MFP BRAIDED, WINDER, 1/4"X 100', ASRT
C#POLYPROPYLENE TYING TWINE, 9000', 140 LBS.
C# POLYPROPYLENE TYING TWINE, 1000', 140 LBS
C#POLYPROPYLENE TYING TWINE, 7000', 180 LBS.
C#POLYPROPYLENE TYING TWINE, 1450', 800 LBS.
POLYPROPYLENE TYING TWINE, 14000', 90 LBS.
POLYPROPYLENE TYING TWINE, 5250', 240 LBS.

DISPOSABLES - 7 STYLES



#792456D




#792457D




#792458D

7924556L
7924556M
7924556S
7924556XL
792455L
792455M
792455S
792455XL
792455P-L
792455P-M
792455P-XL
792456D2XL
792456DL
792456DM
792456DS
792456DXL
792457D2XL
792457DL
792457DM
792457DS
792457DXL
792458D2XL
792458DL
792458DM
792458DS
792458DXL
7933444-L
7933444-M
7933444-S
7933444-XL
G# NITRILE DISP, 5MIL, 100/BOX, BLACK, POWDER FREE, L
G# NITRILE DISP, 5MIL, 100/BOX, BLACK, POWDER FREE, M
G# NITRILE DISP. 5MIL, 100/BOX, BLACK, POWDER FREE, SZ. S
G# NITRILE DISP, 5MIL, 100/BOX, BLACK, POWDER FREE, XL
G# NITRILE DISP, 4MIL, 100/BOX, POWDER FREE, L
G# NITRILE DISP, 4MIL, 100/BOX, POWDER FREE, M
G# NITRILE DISP, 4MIL, 100/BOX, POWDER FREE, SZ.S
G# NITRILE DISP, 4MIL, 100/BOX, POWDER FREE, XL
NITRILE DISP, 4MIL, 100/BOX, POWDERED, L
NITRILE DISP, 4MIL, 100/BOX, POWDERED, M
NITRILE DISP, 4MIL, 100/BOX, POWDERED, XL
NITRILE DIAMOND TEXT. 6 MIL BLUE 50/BOX SZ.2XL
NITRILE DIAMOND TEXT. 6 MIL BLUE 50/BOX SZ.LARGE
NITRILE DIAMOND TEXT. 6 MIL BLUE 50/BOX SZ.MEDIUM
NITRILE DIAMOND TEXT. 6 MIL BLUE 50/BOX SZ.SMALL
NITRILE DIAMOND TEXT. 6 MIL BLUE 50/BOX SZ.X-LARGE
NITRILE DIAMOND TEXT. 7 MIL ORANGE 50/BOX SZ.2XL
NITRILE DIAMOND TEXT. 7 MIL ORANGE 50/BOX SZ.LARGE
NITRILE DIAMOND TEXT. 7 MIL ORANGE 50/BOX SZ.MEDIUM
NITRILE DIAMOND TEXT. 7 MIL ORANGE 50/BOX SZ.SMALL
NITRILE DIAMOND TEXT. 7 MIL ORANGE 50/BOX SZ.X-LARGE
NITRILE DIAMOND TEXT. 8 MIL BLACK 50/BOX SZ.2XL
NITRILE DIAMOND TEXT. 8 MIL BLACK 50/BOX SZ.LARGE
NITRILE DIAMOND TEXT. 8 MIL BLACK 50/BOX SZ.MEDIUM
NITRILE DIAMOND TEXT. 8 MIL BLACK 50/BOX SZ.SMALL
NITRILE DIAMOND TEXT. 8 MIL BLACK 50/BOX SZ.X-LARGE
G# LATEX DISP. 4MIL, 100/BX, POWDERED, L
G# LATEX DISP. 4MIL, 100/BX, POWDERED, M
G# LATEX DISP. 4MIL, 100/BX, POWDERED, SZ.S
G# LATEX DISP. 4MIL, 100/BX, POWDERED, XL


TELESCOPIC SNOWBROOMS




**PIVOT HEAD SPORT
TELEBROOM™**
583-EP
Extends from
34" to 52".



**PINK
TELESCOPIC
SNOWBROOM**
577-EPKC
Extends from
28" to 45".



**SPORT 8 UTILITY
BROOM™**
581-E
Extends from
30" to 48".



**TELE
SNOBROOM™**
511-E
Compact
telescopic snow
broom extends
from 23" to 36".

LONG REACH SNOWBRUSHES *ideal for clearing snow from all vehicles*



ULTRA MAXX®
999CT
35" long,
ergonomic



MEGA MAXX®
989-34
34" long, superior



MAXX® 35
889-35
35" extra long,
superior



**PINK SNOW
BRUSH**
886PKC
31" long

REGULAR REACH SNOWBRUSHES



COOL SNOW TOOL®
532
26" long, 5 row wide. Sweeps snow
and slush with little effort.



SLIMLINE 24
523
24" long. Ideal for clearing snow
from all vehicles.



VALUE REACH SWEEP™
203
25" long wooden snowbrush
provides efficient snow removal.

ICE SCRAPERS *Deluxe, 10" long. Ideal for removing ice and frost from all vehicles.*



PINK ICE SCRAPER
994PKC
Molded comfort grip affords
a more comfortable hold even
when wearing heavy gloves.



MAXX® XS
994
Molded comfort grip affords a
more comfortable hold even when
wearing heavy gloves.



BIG BLADE SCRAPER™
898
Durable scraper blade effectively
removes ice and heavy frost.

PROFESSIONAL AUTOMOTIVE SQUEEGEES



PROFESSIONAL AUTOMOTIVE SQUEEGEE 12-810NY

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
- Quality rubber squeegee blade



PROFESSIONAL SQUEEGEE HANDLES

- Threaded strong hardwood construction
- Fits all Hopkins professional automotive squeegee heads

111U - 20"

112U - 30"



PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting
- Quality rubber squeegee blade
- 20" long threaded strong handle

10NY-24A - hardwood handle

10NYRD-26A - plastic handle

HEAVY DUTY FLOOR SQUEEGEES

COMMERCIAL GRADE

Oil resistant rubber blades have a higher tolerance to oil and other chemicals resulting in a longer blade life.

GENERAL PURPOSE rubber blades work on all surfaces and with all fluids, perfect for the DIYer.

HEAVY DUTY FLOOR SQUEEGEES

- Thick, pliable, non-marking rubber blades
- Epoxy coated heavy duty steel frames resist rusting
- Heavy duty industrial zinc coated stamped steel sockets
- Available in 24", 30" & 36" sizes

Straight Blade



840-24/30/36
General Purpose



841-24/30/36
Oil Resistant

Curved Blade



843-24/30/36
General Purpose



844-24/30/36
Oil Resistant

FOAM

A foam blade is ideal for smooth surfaces such as decks, patios, driveways, sidewalks and ceramic floors.



FOAM FLOOR SQUEEGEE

845-24

24" wide dual foam blade is ideal for smooth surfaces.



HEAVY DUTY FOAM FLOOR SQUEEGEE

846-30

Heavy duty 30" wide dual foam blade.



HEAVY DUTY FLOOR SQUEEGEE HANDLE

116

54" strong hardwood handle.
Fits all Mallory brand Floor Squeegees.

HANDY-PAKS®

H. Paulin & Co., a division of The Hillman Group Canada ULC

HANDY PAK MERCHANDISERS



**MERCHANDISER
NO.022-065**

Part Number	Size
ISO Coarse Metric Cap Screws	
024-002	M4 X 16
024-013	M5 X 16
024-014	M5 X 20
024-015	M5 X 25
024-023	M6 X 12
024-024	M6 X 16
024-025	M6 X 20
024-026	M6 X 25
024-027	M6 X 30
024-030	M6 X 45
024-045	M8 X 12
024-046	M8 X 16
024-047	M8 X 20
024-048	M8 X 25
024-049	M8 X 30
024-051	M8 X 40
024-053	M8 X 50
024-055	M8 X 60
024-057	M8 X 70
024-062	M10 X 30
024-064	M10 X 40
024-066	M10 X 50
024-068	M10 X 60
024-070	M10 X 70
Metric Flat Washers	
024-304	4 mm
024-305	5 mm
024-306	6 mm
024-308	8 mm
024-310	10 mm
Coarse Hex Nuts	
024-204	M4
024-205	M5
024-206	M6
024-208	M8
024-210	M10
024-212	M12



**PLATED CAP SCREWS
and NUT MERCHANDISER
NO.022-064**

Part Number		Size
UNC	UNF	
Plated Grade 5 Cap Screws		
023-003	023-103	1/4 x 3/4
023-005	023-105	1/4 x 1
023-007	023-107	1/4 x 1 - 1/2
023-016	023-116	5/16 x 3/4
023-018	023-118	5/16 x 1
023-020	023-120	5/16 x 1 - 1/2
023-031	023-131	3/8 x 1
023-033	023-133	3/8 x 1 - 1/2
023-035	023-135	3/8 x 2
023-044	023-144	7/16 x 1 - 1/2
023-055	023-155	1/2 x 1 - 1/2
023-057	023-157	1/2 x 2
023-059	023-159	1/2 x 2 - 1/2
Hex Nuts		
023-201	023-221	1/4
023-202	023-222	5/16
023-203	023-223	3/8
023-204	023-224	7/16
023-205	023-225	1/2

62 PIECE ULTIMATE BIT KIT 8020-930

- All square recess bits are 2 piece S-2 steel construction and colour coded for easy selection
- Heavy duty compact case with rubber bumpers
- Magnetic quick change chuck has a high strength alnico magnet



Used by Professionals for over 60 Years



ALL WEATHER SEAL

9132-16

The Ultimate Fix for Head Gasket, Radiator and other Coolant System Leaks

- Easy to use – pour directly into the radiator
- Blends with coolant to permanently stop existing and future leaks
- Ideal for the most extreme weather conditions – Hot or Cold
- Lubricates Water Pump Seals

THE #1 SELLER IN ANY CLIMATE

CERAMIC MOTOR SEAL

9122-16

The Performance Enthusiast and Racer's Choice

- Permanently seals engine coolant system leaks
- Seals porous castings and improves heat dissipation for added power
- Seals head and intake gaskets, aluminum and cast iron, cylinder heads and blocks

Added to radiator ONLY AFTER removing antifreeze

THORO-FLUSH

9112-16

Industrial Strength Radiator, Engine and Fuel Tank Cleaner

- Loosens and removes rust, scales, grease, oil and sludge
- Cleans auto and heavy duty truck cooling systems

Most Powerful Flush Available

*Irontite Products – the Leader in
Sealers, Flushes, Casting Crack Repair
and Diesel Injection Repair Tooling
since 1950*



MNG Marketing



The MechanicNet Customer Retention Program is the #1 choice of automotive service professionals.

COMMUNICATIONS - MechanicNet makes it easy to stay in touch with your customers. From service reminders to thank you notes or customer satisfaction surveys, we can tailor a solution that meets your needs. Since we can send all communications by postcard or email, you can communicate with your customer based on their preference.

WEBSITES - The right website can really help build your business. Included in your MechanicNet service is an interactive customized website that provides real value to your customers - giving them a good reason to stay loyal to your business. And because you can add graphics, pictures and personalized text, you can be sure that your site will be as great as your shop.

- Your customers can view their service history on-line, request appointments or see when their next service is due - 24/7!

MYSHOP - Manage all of your MechanicNet CRS activity on-line.

MARKETING RESOURCE CENTER - MechanicNet's Marketing and Customer Support teams have the expertise to help you develop and execute timely and impactful promotions. Reporting tools are in place to tell you just how well CRS is working for you. In addition, our reports will help you identify new business opportunities.



ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!



Quality Engine Oils & Fluids



Q.A.P ATF DEX/MERC

ORDER CODES: *FX0000415 QDEXRON-1 12 per Case*

- Q.A.P DEX/MERC ATF is a suitable replacement for Allison type C-4 Fluid
- Can also be used in Ford model C-6 automatic transmissions built on or after 1977
- Compatible with all Ford automatic transmissions built on or after 1980
- Can also be used in some power steering systems
- Can be used in hydro-static and power shift transmissions where this product is recommended



Q.A.P DEXRON® VI ATF

ORDER CODES: *FX0001715 QDEXRONVI-1 12 per case*

- Q.A.P DEXRON® VI ATF is a premium synthetic blend transmission fluid
- Provides unparalleled performance in automatic transmissions in vehicle manufactured by GM
- Enhanced resistance to oxidation, shear and viscosity stability
- Prevents the formation of deposits for up to twice the service life of previous generation DEXRON® IIIH
- Excellent fluidity at low temperature allowing better cold lubrication and faster flow rates
- Very good thermal stability, protects better and longer to reduce wear and extend the transmission life
- Very good anti-corrosive and anti-foam characteristic
- Q.A.P is DEXRON® VI approved by General Motors and is backwards compatible



Q.A.P MULTI VEHICLE ATF

ORDER CODES: *FX0001815 QDEXRONMULTI-1 12 per Case*

- Q.A.P MULTI-VEHICLE ATF is a premium synthetic blend transmission fluid
- Designed to provide unparalleled severe duty operating performance in automatic transmissions
- Enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission
- Offers excellent fluidity at low temperature allowing better cold lubrication and faster flow rates
- Very good thermal stability, protects better and longer to reduce wear and extend the transmission life
- It has a very good anti-corrosive and anti-foam characteristic
- Mercon® V approved, suitable for use in transmissions requiring ATF +4, ATF +3, Voith, ZF, and where Dexron III-H, III-G, & II are required
- May also be used as a hydraulic or power steering fluid where permitted by the manufacturer
- Not recommended for applications requiring Type F or DEXRON® VI.



Quality Engine Oils & Fluids



Q.A.P. PREMIUM MOTOR OILS

ORDER CODES:	5W20	FX0002215	Q5W20-1	12 per Case
	5W30	FX0002015	Q5W30-1	12 per Case
	5W30	FX0002030	Q5W30-5	4 per Case
	10W30	FX0002115	Q10W30-1	12 per Case
	10W30	FX0002130	Q10W30-5	4 per Case

- Q.A.P engine oils are designed for use in today's demanding gasoline engines
- Exceed the requirements of the American Petroleum Institute's performance level
- Exceed current warranty requirements of domestic and foreign automobile manufacturers for an API SN or ILSAC GF-5 product
- Suitable for even the severe service typical of city delivery, taxi and police cars
- Tough enough to withstand the most severe driving conditions
- Lighter grades provide full fuel economy benefits as indicated by their Resource-Conserving rating

Q.A.P. PREMIUM SYNTHETIC MOTOR OILS

ORDER CODES:	0W20	FX0002406	QSYN0W20-1X6	6 per Case
	10W30	FX0002506	QSYN10W30-1X6	6 per Case
	10W30	FX0002515	QSYN10W30-1	12 per Case
	5W20	FX0002306	QSYN5W20-1X6	6 per Case
	5W30	FX0002606	QSYN5W30-1X6	6 per Case
	5W30	FX0002615	QSYN5W30-1	12 per Case
DEXOS	5W30	FX0002806	QSYNDEXOS-1X6	6 per Case
European	5W40	FX0001606	QSYN5W40-1X6	6 per Case



- Q.A.P FULL SYNTHETIC 5W-30 gasoline engine oil is now dexos1 approved.
- Scientifically formulated for and licensed by General Motors
- They exceed the requirements of the American Petroleum Institute's (API)
- Q.A.P SYNTHETIC engine oils are suitable for even severe service
- High quality synthetic base stock coupled with leading edge additive technology
- Older and newer engines alike will benefit from the enhanced performance
- Engine cleanliness is maintained through a unique blend of detergents
- Q.A.P SYNTHETIC PCMO 5W20, 5W30 and 10W30 are qualified for warranty service
- Q.A.P SYNTHETIC provides proven fuel economy benefits
- Q.A.P SYNTHETIC 5W-40 is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA)
- The 5W-40 is dual purposed for both gasoline and diesel engines
- Q.A.P SYNTHETIC is compatible with multi-grade and synthetic engine oils





Quality Engine Oils & Fluids

Q.A.P CJ-4 PREMIUM DIESEL OIL

ORDER CODES:	FX0001415	Q15W40CJ4-1	12 per Case
	FX0001426	Q15W40CJ4-4	4 per Case
	FX0001440	Q15W40CJ4-19	18.9 L Pail



- Q.A.P CJ-4 PREMIUM DIESEL OIL is low ash multi-grade engine oil
- Formulated to exceed requirements of 2007 EPA compliant engines equipped with Diesel Particulate Filters (DPF) with or without catalysts and Exhaust Gas Recirculation (EGR) technology
- Multi-purpose crankcase oil exceeds API CJ-4 requirements and is backwards compatible
- Ideal for large, small and mixed fleets where multiple service categories may be recommended
- Engineered to optimize service drain intervals by
- Advanced technology to control soot, oxidation, and wear corrosion
- Higher viscosity reduces oil flow and increases pressure on the lubrication system, critical engine components stay protected
- Enhanced film strength coats internal components and protects from acid, a side effect of combustion
- Exceeds requirements for all major diesel engine manufacturers for both on and off-road applications
- Legacy engines, Caterpillar, Cummins, Mack, Volvo, Detroit Diesel, Mercedes-Benz, and International

Q.A.P GEAR OILS

ORDER CODES:	FX0000715	Q80W90-1	12 per Case
---------------------	------------------	-----------------	--------------------



- Q.A.P GEAR OILS extreme pressure (EP) automotive gear lubricants made from high viscosity base oils
- Special additives make them effective at providing high load-carrying protection
- Outstanding rust, corrosion and foam prevention
- Excellent oxidation control and thermal stability prevents the formation of sludge and deposits
- High level of protection in extreme wet and dirty environments
- For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment
- Recommended for all automotive differentials, as well as transmissions where the manufacturer specifies the use of oils that meet the performance requirements of API* MT-1
- Excellent low-temperature characteristics make them suitable for enclosed gear sets in outdoor applications
- Their high film strength gives low wear rates even in slow-speed, heavily-loaded gear sets



Q.A.P DEF (Diesel Exhaust Fluid)

ORDER CODES: *FX0002910*
FX0002950

Q.A.P DEF Bottle in a Box
Q.A.P DEF Drum

Single Carton
208L Drum

- Q.A.P DEF is a 32.5% aqueous Urea Solution, AUS 32
- Specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies
- Q.A.P DEF is certified as a Diesel Exhaust Fluid by the American Petroleum Institute
- Q.A.P DEF transforms harmful nitrogen oxide emissions from diesel powered vehicles into harmless water vapor and nitrogen
- Q.A.P DEF is contained in a separate tank and sprayed from the SCR into the exhaust gases



Q.A.P HD MULTI PURPOSE GREASE

ORDER CODES: *FXG0000111* *Q.A.P HD Multi Purpose* *14oz 30 tubes per Case*

- Q.A.P HEAVY DUTY MULTI-PURPOSE GREASE is capable high performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints
- Ideal solution to reduce the need for multiple products and reduce the risk of misapplication
- Lithium complex thickener combined with high quality base oils and additive package
- Q.A.P HD MULTI-PURPOSE GREASE has excellent mechanical stability
- It has good resistance to water
- The grease is able to give top-level protection from extreme pressure (EP) load wear
- High dropping point and excellent resistance to oxidation
- Q.A.P HD MULTI-PURPOSE GREASE meets the NLGI (National Lubricating Grease Institute) GC/LB rating
- Q.A.P HD MULTI-PURPOSE GREASE is available in a standard NLGI #2 for ease of application



Q.A.P MULTI PURPOSE GREASE

ORDER CODES: *FXG0000211* *Q.A.P Multi Purpose* *14oz 30 tubes per Case*

- Q.A.P MULTI-PURPOSE LITHIUM GREASE is capable high quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings
- Excellent shear stability over a broad temperature range
- Q.A.P MULTI-PURPOSE LITHIUM GREASE has excellent shear stability over a broad operating temperature range
- Contains extreme pressure (EP) additives to provide superior load carrying capabilities
- Strong resistance to spin off and water resistance means it maintains protection
- Q.A.P MULTI-PURPOSE LITHIUM GREASE meets NLGI LB
- Q.A.P MULTI-PURPOSE LITHIUM GREASE is available in a standard NLGI (National Lubricating Grease Institute) #2 for ease of application by hand, pressure gun, or from a centralized greasing system



"Give some bite to your engine!"

COBRA
Performance Quality Oil



COBRA ATF

ORDER CODES: FBB0008840 COBRA ATF

18.9L Pail



COBRA GEAR OIL

ORDER CODES: FBB0001645 COBRA GEAR OIL 80W90
FBB0009840 COBRA GEAR OIL 80W90

60L Keg
18.9L Pail



COBRA UNISOLV

ORDER CODES: FBB0009140 COBRA UNISOLV

18.9L Pail

COBRA UTF

ORDER CODES: FBB0008440 COBRA UTF

18.9L Pail

COBRA HYDRAULIC OILS

ORDER CODES: FBB0009440 COBRA HYDRAULIC 22 18.9L Pail
FBB0011740 COBRA Advantage HYDRAULIC 32 18.9L Pail
FBB0011840 COBRA Advantage HYDRAULIC 46 18.9L Pail
FBB0011940 COBRA Advantage HYDRAULIC 68 18.9L Pail
FBB0010040 COBRA HYDRAULIC MULTI 18.9L Pail

OIL EATER® Cleaners Degreasers

Now available at both DC's!!!

Hungry to Clean and Seriously Green

Part Number Line Code IRQ	Description
354370	Cleaner/Degreaser, (4 x 1 gallon)
353625	Cleaner/Degreaser, (12 x 32 oz) trigger
354387	Cleaner/Degreaser, (5 gallon) pail
110978	Orange/Cleaner/Degreaser, (6 x 64 oz)
119023	Orange/Cleaner Degreaser, (6 x 32oz) trigger

Approved for use in food processing facilities
(A1, A4 & A8).



Household

- Laundry Pre-Wash
- Scuff Marks
- Fiberglass
- BBQ Grills
- Stoves
- Counter Tops
- No Wax Floors
- Tub, Tile Grout

Automotive

- Driveways
- Engines & Parts
- White Wall Tires
- Car Wash

Commercial & Restaurant

- Exhaust Filters
- Exhaust Hoods
- Commercial Stoves
- Upholstery
- Wax Remover
- Counter Tops
- Carpets
- No Wax Floors

Industry & Warehouse

- Machinery
- Oil Tanks
- Pressure Washers

Hungry to Clean! Seriously Green!

Our SAFE water-based formulas dissolve grease & grime from almost any surface. Use Oil Eater® on shop floors, driveways, equipment and much more. Since they are "Ultra" concentrates they are perfect for light, medium or heavy cleaning. Just add water to meet your cleaning needs. Clean both indoors and outdoors without that "chemical" smell. Better yet, our proprietary anti-corrosion chemistry means you don't need to worry about damaging surfaces.


These products are so safe that they can be used on carpets and clothes yet are so effective they are used by industry throughout the world.

IRWIN TOOLS IN THE WAREHOUSE

Vise-Grip®


Locking Tools

No. Description



Fast Release™ Curved Jaw Locking Pliers

- 11T 10" Fast Release Curved Jaw Locking Plier
13T 7" Fast Release Curved Jaw Locking Plier
4935581 5" Fast Release Curved Jaw Locking Plier




Curved Jaw Locking Pliers

- 4935576 10" Curved Jaw Locking Plier
4935578 7" Curved Jaw Locking Plier
4935579 5" Curved Jaw Locking Plier
502L3 10" Curved Jaw Locking Plier



Fast Release™ Straight Jaw Locking Pliers

- 1T 10" Fast Release Straight Jaw Locking Plier
3T 7" Fast Release Straight Jaw Locking Plier



Straight Jaw Locking Pliers

- 102L3 10" Straight Jaw Locking Plier
0302L3 7" Straight Jaw Locking Plier

Vise-Grip®


Locking Tools (Cont'd)

No. Description



Fast Release™ Curved Jaw Locking Pliers with Wire Cutters

- 5T 10" Fast Release Curved Jaw Locking Plier with wire cutter
7T 7" Fast Release Curved Jaw Locking Plier with wire cutter
9T 5" Fast Release Curved Jaw Locking Plier



Curved Jaw Locking Pliers with Wire Cutter

- 0502L3 10" Curved Jaw Locking Pliers with wire cutter
0702L3 7" Curved Jaw Locking Pliers with wire cutter
0902L3 5" Locking Pliers with wire cutter
1002L3 4" Curved Jaw Locking Plier with wire cutter



Fast Release™ Long Nose Locking Pliers

- 14T 6" Fast Release Long Nose Locking Plier
15T 9" Fast Release Long Nose Locking Plier



Long Nose Locking Pliers

- 1402L3 6" Long Nose Locking Plier
1502L3 9" Long Nose Locking Plier
1602L3 4" Long Nose Locking Plier

Vise-Grip®


Locking Tools (Cont'd)

No. Description




Fast Release™ Locking C-Clamps with Regular Tips

- 17T 6" Fast Release Locking C-Clamp
19T 11" Fast Release Locking C-Clamp



Locking C-Clamps with Regular Tips

- 17 6" Locking C-Clamp with regular tips
19 11" Locking C-Clamp with regular tips
21 18" Locking C-Clamp with regular tips




Locking C-Clamps with Swivel Pads

- 18 6" Locking C-Clamp with swivel pads
20 11" Locking C-Clamp with swivel pads
22 18" Locking C-Clamps with swivel pads
28 24" Locking C-Clamp with swivel pads
31 9" Locking C-Clamp with swivel pads

For Complete Category Availability Consult the IRWIN® Tools Catalog



**Vise-Grip®
Locking Tools (Cont'd)**

No. Description



Locking Wrenches

- | | |
|----|---------------------------|
| 02 | 10" Locking Wrench (10LW) |
| 04 | 7" Locking Wrench (7LW) |
| 08 | 4" Locking Wrench (4LW) |



Speciality Tools

- | | |
|-------|-------------------------------|
| 12L3 | 12" Large Jaw Locking Plier |
| 23 | 8" Locking Sheet Metal Tool |
| 27ZR | 9" Locking Chain Clamp Plier |
| 29 | 7" Locking Pinch-off Tool |
| 40EXT | Chain Extension for 20R |
| 40REP | 18" Replacement Chain for 20R |



Locking Tool Sets

- | | |
|---------|---------------------------------------------------|
| 37 | 2 Piece Locking Pliers Set |
| 74 | 5 Piece Original Locking Pliers |
| 76KBT | 3 Piece Fast Release Locking Plier Set |
| 248 | 3 Piece Locking Wrench Set and Clamps T-Shirt Set |
| 538KBT | 5 Piece Fast Release Locking Plier Set |
| 2077703 | 4 Piece Locking Plier Value Set |
| 4935580 | 3 Piece Original Locking Plier Set |

**For Complete Category Availability
Consult the IRWIN® Tools Catalog**

**Vise-Grip®
Tools (Cont'd)**

No. Description



Replacement Springs

- | | |
|-------|--------------------|
| 40-08 | Replacement Spring |
| 40-92 | Replacement Spring |



GrooveLock Pliers

- | | |
|---------|------------------------------|
| No. | Description |
| 2078112 | 12" V Jaw GrooveLock Pliers |
| 2078120 | 20" V Jaw GrooveLock Pliers |
| 4935351 | 6" V Jaw GrooveLock Pliers |
| 1775418 | 4 Piece GrooveLock Plier Set |
| 2078108 | 8" V Jaw GrooveLock Pliers |
| 2078110 | 10" V Jaw GrooveLock Pliers |
| 2078711 | 3 Piece GrooveLock Plier Set |
| 2078116 | 16" V Jaw GrooveLock Plier |
| 2078712 | 8 Piece GrooveLock Plier Set |



Pipe Wrenches

- | | |
|----------|----------------------------|
| No. | Description |
| 274103 | 18" Cast Iron Pipe Wrench |
| 274104 | 24" Cast Iron Pipe Wrench |
| 2074110 | 10" Cast Iron Pipe Wrench |
| 274001SM | 11" Quick Adjusting Wrench |



Adjustable Wrench

- | | |
|---------|--------------------------------|
| No. | Description |
| 2078615 | 15" Standard Adjustable Wrench |

Pliers

No. Description



Lineman's Pliers

- | | |
|---------|--------------------------------|
| 2078209 | North American Lineman's Plier |
|---------|--------------------------------|




Long Nose Locking Pliers

- | | |
|---------|---------------------|
| 2078216 | 6" Long Nose Pliers |
| 2078218 | 8" Long Nose Plier |

**Vise-Grip®
Tools (Cont'd)**

No. Description




Long Bent Nose Pliers

- | | |
|---------|--------------------------|
| 2078226 | 6" Long Bent Nose Pliers |
| 2078228 | 8" Long Bent Nose Pliers |




Groove Joint V-Jaw Pliers

- | | |
|---------|-------------------------------|
| 2078510 | 10" Groove Joint V-Jaw Pliers |
| 2078512 | 12" Groove Joint V-Jaw Pliers |



Diagonal Cutting Pliers

- | | |
|---------|----------------------------|
| 2078307 | 7" Diagonal Cutting Pliers |
| 2078308 | 8" Diagonal Cutting Plier |



Miscellaneous Pliers


- | | |
|---------|----------------------------------|
| 2078309 | 8" Multi-Tool |
| 2078300 | 8" Self Adjusting Wire Strippers |



Plier Set

- | | |
|---------|-------------------------|
| 2078714 | 8 Piece Mini Pliers Set |
|---------|-------------------------|

IRWIN®



Utility Knives & Blades

- | | |
|---------|----------------------------------------------------------|
| No. | Description |
| 2084100 | Retractable Utility Knife Bi-Metal 5-Pack Utility Blades |
| 2082200 | ProTouch™ Retractable Utility Knife |
| 2082300 | Hi-Vis Retractable Utility Knife |

IRWIN®

Snips

No. Description



Bulldog Snips

2073105 Bulldog Snip, Notch/Trim



Aviation Snips

2073113 Aviation Snip Straight Cut

2073111 10" Aviation Snips cuts left

and straight

2073112 10" Aviation Snips cuts right and straight



Offset Snips

2073211 Offset Snip

2073212 Offset Snip



Snip Set

2073704 3 pc. Snip Set



Kneepads

No. Description

4033005 I-Gel™ Rubber Kneepads

4033014 Hard Shell Kneepads



Gloves

No. Description

432001 Heavy Duty Work Gloves L

432003 Carpenter Work Gloves L

432004 Carpenter Work Gloves XML

432005 General Construction Work Gloves L

IRWIN®

Reciprocating Blades

No. Description



Recip Blades

No. Description

372818B25 8" x 18TPI Metal

372618B25 6" x 18TPI Metal

372118P5 12" x 18TPI Metal

4935496 11 Piece Recip Blade Kit

372810P5 8" x 10TPI Metal & Wood

372960P5 9" x 10TPI Demolition

372803C 8" x 3TPI Hardiplank, Fiberglass & Cement Board

372818P5 8" x 18TPI Metal

372110P5 12" x 10/14TPI

Metal & Wood

372414P5 4" x 14TPI Metal

372418P5 4" x 18TPI Metal

372424P5 4" x 24TPI Metal

372610P5 6" x 10TPI Metal & Wood

372614P5 6" x 14TPI Metal

372966P5 9" x 6TPI Demolition



Hole Saw Kit

No. Description

3073004 17 pc. General Purpose Hole Saw Kit



Unibits®

No. Description

10310 #10 Unibit

10231 #1 Unibit

10234 #4 Unibit

15101 #1T Unibit Titanium



Fastener Drive

No. Description

3057041 14 pc. Screwdriver Bit Soft Case Set

94712 1/4" Magnetic Nutsetter

93067 #2 Phillips® Power Bit 6"

93230ZR #1 Square Recess Power Bit 6"

93724 1/4" Hex Shank Magnetic Bit Holder

IRWIN®

Metal Drilling

No. Description



General Purpose HSS Fractional Straight Shank Jobber Length Drill Bits 118° Point

No. Description

60508 1/8" HSS Drill Bit

60518 9/32" HSS Drill Bit

60521 21/64" HSS Drill Bit

60507 7/64" HSS Drill Bit

60515 15/64" HSS Drill Bit

60517 17/64" HSS Drill Bit

60520 5/16" HSS Drill Bit

60523 23/64" HSS Drill Bit

60530 15/32" HSS Drill Bit

60506 3/32" HSS Drill Bit

60516 1/4" HSS Drill Bit 73137



TURBOMAX HSS Drill Bits

73309 9/64" TURBOMAX Drill Bit

73317 17/64" TURBOMAX Drill Bit

73320 5/16" TURBOMAX Drill Bit

73321 21/64" TURBOMAX Drill Bit

73322 11/32" TURBOMAX Drill Bit

73324 3/8" TURBOMAX Drill Bit

73325 25/64" TURBOMAX Drill Bit

73328 7/16" TURBOMAX Drill Bit

73331 31/64" TURBOMAX Drill Bit

73332 1/2" TURBOMAX Drill Bit

TURBOMAX HSS Drill Bit Set

15 pc. TURBOMAX HSS Fractional Drill Bit Set

HANSON® Extractors



Spiral Extractor & Drill Bit Set

No. Description

11119 10 pc. Spiral Extractor & Drill Bit Set

For Complete Category Availability Consult the IRWIN® Tools Catalog

IRWIN®

HANSON® Extractors (Cont'd)



Hex Head Multi-Spline Screw

Extractor Sets

No.	Description
53226	10 pc. Hex Head Multi-Spline Screw Extractor Set
53227	25 pc. Hex Head Multi-Spline Screw Extractor Set



Bolt Extractors

53902	Bolt Extractor 5/16" - 8mm
53909	Bolt Extractor 9/16" - 14mm
53916	Bolt Extractor 7/8" - 22mm



Bolt Extractor Sets

394001	5 pc. BOLT-GRIP® Base Set
394100	7 pc. POWER-GRIP™ Set
394002	5 pc. BOLT-GRIP® Expansion Set



Record Mechanics Vise

No.	Description
6	6" Mechanics Vise T6
8ZR	8" Mechanics Vise T8

IRWIN®

HANSON® Taps & Dies

No. Description



Metric Measuring Kit

12087	Metric Measuring Kit
-------	----------------------



Taps

8031	Tap 10 - 32 NF
8202	Pipe Taper Tap 1/8" - 27 NPT
8327	Metric Tap 6mm - 1.00
8334	Metric Tap 8mm - 1.25
8343	Metric Tap 12mm - 1.50
8127	Fractional Tap 5/16" - 18 NC
8129	Fractional Tap 5/16" - 24 NF
8134	Fractional Tap 3/8" - 16 NC
8144	Fractional Tap 1/2" - 13 NC



Dies

9434	Hexagon Fractional Die 3/8" - 16 NC
9739	Hexagon Metric Die 10mm - 1.25



Tap & Die Sets

97311	25 pc. Metric Tap & Hex Die Set
24608SM	18 Pc. Tap & Die Set

For Complete Category Availability Consult the IRWIN® Tools Catalog

Sharpie®

No. Description



Industrial Permanent Marker

13601	Industrial Permanent Marker
-------	-----------------------------



Permanent Marker

30051SH	Permanent Marker Bulk 36 Black
30101PP	Permanent Marker Black
30102PP	Permanent Marker Red
30103PP	Permanent Marker Blue



Professional Chisel Tip Markers

34820PP	PRO black Card
---------	----------------



UNI-PAINT Markers

63601	UNI-PAINT Black
63602	UNI-PAINT Red
63603	UNI-PAINT Blue
63604	UNI-PAINT Green
63605	UNI-PAINT Yellow
63606	UNI-PAINT Violet
63607	UNI-PAINT ORANGE
63613	UNI-PAINT WHITE
63614	UNI-PAINT Metallic Silver



China Markers

02059	China Marker Red
02060	China Marker White



Black Ink Permanent Marker

44101PP	Black Ink Permanent Marker
---------	----------------------------

Mini Bulk Canister Assortment

35111	Mini Bulk Canister Assortment
-------	-------------------------------





1



2

1. J-B Weld – Mfr Part # 8265-SF

- An alternative to welding, soldering, and brazing.
- Will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours.
- Waterproof, petroleum, chemical, and acid resistant when fully cured.
- It can be drilled, tapped, machined, filed, sanded, and painted.
- Super strong, non-toxic, and temperature resistant up to 600°F.

2. J-B KwikWeld – Mfr Part # 8276F

- J-B KwikWeld is a fast set – cure version of J-B Weld that will set in 4 minutes and fully cure in 4-6 hours.
- Waterproof, petroleum, chemical, and acid resistant once fully cured.
- Non-toxic and is temperature resistant up to 300°F.
- Can be used on almost any surface – bronze, porcelain, ceramic, wood, marble, concrete, fiberglass, steel, iron, copper, aluminum, ABS & PVC plastics.
- When fully cured J-B Kwik can be drilled, tapped, machined, filed, sanded and painted.

3. J-B SteelStik – Mfr Part # 8267-SF

- Steel Reinforced Epoxy Putty Stick.
- Hand kneadable epoxy adhesive will plug holes and make permanent repairs on wet and dry surfaces.
- Cures completely submerged in gasoline or under water in 60 minutes.
- Can be drilled, sanded, filed, tapped, machined and painted.
- Bonds to virtually any surface including metal, wood and plastic.

4. J-B WaterWeld – Mfr Part # 8277F

- Make permanent repairs in moist or under water applications.
- Will fully cure in 60 minutes and will adhere to most any surface.
- Once cured it can be drilled, sanded, filed, tapped, machined and painted.
- Turns do-it-yourselfers into repair professionals.

5. J-B PlasticWeld – Mfr Part # 8237F

- Repair and rebuild any rigid & semi-flexible plastic including ABS, PVC and CPVC.
- Rebuild automotive trim, fiberglass parts and vinyl siding.
- Bonds instantly with superior strength and does not shrink or pull away.
- Sets in 20 minutes. Drinking water safe.

6. J-B ClearWeld – Mfr Part # 50112F

- Quick setting multi-purpose epoxy.
- Sets in 5 minutes, cures in 1 hour.
- Bonds: tile, ceramic, glass, wood and most plastics.
- Dries Clear.
- Features a no waste, no mess cap.

7. J-B Plastic Bonder – Mfr Part # 50133F

- High strength structural adhesive. Sets in 15 minutes, can be sanded in 30 minutes. Dries Tan.
- OEM automotive & HD truck approved panel adhesive.
- Great for filling dents, replacement bonding of plastics and general repairs.
- Works on thermoset & carbon fiber composites, thermoplastics, coated metals and concrete.
- Features a no waste, no mess cap.

8. J-B KwikWeld – Mfr Part # 50176F

- J-B KwikWeld is a fast set – cure version of J-B Weld that will set in 4 minutes and fully cure in 4-6 hours.
- Waterproof, petroleum, chemical, and acid resistant once fully cured.
- Non-toxic and is temperature resistant up to 300°F.
- Can be used on almost any surface – bronze, porcelain, ceramic, wood, marble, concrete, fiberglass, steel, iron, copper, aluminum, ABS & PVC plastics.
- When fully cured J-B Kwik can be drilled, tapped, machined, filed, sanded and painted.
- Features a no waste, no mess cap.



3



4



5



6



7



8

WIPERS & GLOVES



**TRADITION* HARD
ROLL TOWELS**
02021



**KREW* 400
SHOP TOWELS**
33046



**KREW* 200
WIPERS**
33845



KREW* 300 WIPERS
33920 - White
Colour



**KREW* 500
SHOP TOWELS**
33933



**KREW* 600 HEAVY
DUTY SHOP TOWELS**
33944



**WYPALL* TERI* X60
REINFORCED WIPERS**
34015



**WYPALL* SHOPPRO*
X80 SHOP TOWELS**
41041



WYPALL* X70 WIPERS
41455



WYPALL* L20 WIPERS
47044



**WYPALL* KIMTOWELS*
L10 WIPERS**
47000



**WYPALL*
WATERLESS
HAND WIPES**
58310



**WYPALL* X70
WIPERS IN A
BUCKET**
83561



**SCOTT® SHOP
TOWELS**
75090
85 CT Box



**SCOTT® LIGHT-DUTY
RAGS IN A BOX**
41370



**SCOTT® SHOP
TOWELS**
75120 55 CT Roll



**SCOTT® PRO
SHOP TOWEL**
36699



**KLEENGUARD* G40
POLYURETHANE COATED
GLOVES**
13839



**KLEENGUARD* BULK GRIP
GLOVES**
40227 Size 9



**KLEENGUARD* G10
ARCTIC BLUE NITRILE
GLOVES**
90097 - M
90098 - L



**KLEENGUARD G10 BLUE NITRILE
POWDER-FREE GLOVES**
57372 - M
57373 - L
57374 - XL

WASHROOM & SOAPS



**SCOTT® CENTER FLOW
HAND TOWELS**
01010



**SCOTT® SINGLEFOLD-
TOWELS**
01700



**SURPASS® SIGNAL
FACIAL TISSUE**
03131



**SCOTT® MULTI-
FOLD TOWELS**
03650



**KLEENEX® SLIMFOLD™
MULTI-FOLD TOWELS**
04442



**SCOTT® JRT JR®
JUMBO BATH TISSUE**
03148



**KLEENEX® COTTONELLE®
BATH TISSUE**
13135



**KLEENEX® FACIAL
TISSUE**
21400



**SCOTT® SLIMROLL™
HARD ROLL TOWELS**
12388



**SCOTT® HARD
ROLL TOWELS**
28640

**SCOTT® JRT CORELESS
JR. BATHROOM TISSUE**
07006



**SCOTT® JRT CORELESS
BATHROOM TISSUE
STARTER KIT**
31694



**KLEENEX® SLIMFOLD™
STARTER KIT**
31699



**SCOTT® SLIMROLL™
STARTER KIT**
31701



**SCOTT® SUPER
DUTY CLEANSER**
40551



**SCOTT® PERFORATED
ROLLTOWEL**
41482



**SCOTT® STANDARD
ROLL BATHROOM
TISSUE**
48040



**KLEENEX® HARD
ROLL TOWELS**
50500



**WYPALL® MICROBAN®
MICROFIBER CLOTHS**
83620



**SCOTT® GENTLE
LOTION CLEANER**
91211



**SCOTT®
ANTIBACTERIAL
CLEANER**
92517



BRAKE & PARTS KLEEN

313

Removes brake fluid, oil, grease, transmission fluid and other contaminants.
Low odour!



GAS LINE ANTI-FREEZE

409 - 150ml

Prevents frozen gas lines during winter and vapour lock during summer. Specially designed for fuel injected engines.



BRAKE FLUID

For drum, disc, ABS braking systems and clutch systems requiring a Department of Transportation 3 type fluid (DOT 3).
Conforms to CMVSS 116 and DMVSS 116.

525 - 350ml

527 - 500ml



DIESEL FUEL CONDITIONER

963

Low Sulphur
Helps restore lost lubrication from the use of low sulphur diesel fuels. Prevents freezing and icing of fuel lines and filters. Methyl hydrate free. Reduces and maintains low exhaust emissions.



DIESEL FUEL CONDITIONER

993

Eliminates varnish and sludge. Reduces corrosion. Prevents stalling and frozen fuel lines. Retards wax formation. Contains anti-gel properties.



Master Plus
Disconnect Set
39850



Door Latch Release Tool
34920



Wire Inserter Combo Set - 2pcs
61030



Hose Remover Set, 5 pc.
80380



Diesel Filter Wrench for
6" Davco
61110



Spill-Free Funnel
24680



Broken Plug Remover Ford
3 Valve
65600



Disc Brake Red Calliper Wall Clock

BESTBUY CLOCK
BBP CLOCK

What a great way to tell time! The 12" aluminum disc face houses a clock featuring all quartz movement and a contrasting brake caliper.



PARK **BEST** AUTO IN YOUR GARAGE.



A sizzling program for the **INDEPENDENT** service provider

Rev Up Your Business

When it comes to business tools, doesn't your business deserve the BEST? Best Auto gives your business the advantage of an affiliation with one of the largest, most reputable distribution networks in Canada.



MNG Marketing



ALLDATA



Home of the Independent Shareholder

Call 1-800-936-7708 or contact your
local Bestbuy Member Distributor to
learn more.



LUCAS OIL

POWER STEERING STOP LEAK

- Also eliminates slack, squeals, hard spots and tight steering

HEAVY DUTY OIL STABILIZER

- Stops smoking, knocking and oil consumption
- Extends oil life



Part # 20008



Part # 20001

ASK YOUR COUNTERMAN!

Problem Solving Additives and High Performance Lubricants for Everyday Cars and Trucks!



Part # 20020

Part # 20009

FUEL TREATMENT

- A great tune-up in a bottle
- Increases power and miles per gallon by burning excess exhaust emissions

TRANSMISSION FIX

- Stops slipping
- Completely stops most seal leaks
- Extends fluid life up to four times longer

LucasOil.ca • (888) 878-6973



BLACK SATIN™
AUTOMOTIVE TRIM
COATING - AEROSOL
3811



BUMPER BLACK
FLEXIBLE COATING
4911



**SINGLE STAGE® SELF-
ETCHING PRIMER, AEROSOL**
5111



ONE-STEP® RUST CONVERTER
3512 - 473ml
3513 - 946ml



**ONE-STEP® RUST CONVERTER -
AEROSOL**
03509 - 290g



**SHORT STRAND
REINFORCED FILLER**
B01120 - 757ml
01160 - 3L



**LONG STRAND
REINFORCED FILLER**
01183 - 3L



ULTRAGRIP™ II FILLER
1014 - 3L



GOLDEN EXTRA FILLER
31177 - 3L



LIQUID HARDENER
411 - 44ml



**4.3 JETSET™
OVERALL
HARDENER**
2772



BLUE CREAM HARDENER
309 - 100g



PLATINUM™ PLUS FILLER
B01131 - 3L



PUTTY-COTE
Polyester Glazing & Spot Putty
592 - 1.19kg



XTRA™ GLAZE PUTTY
1097



SPOT & GLAZING PUTTY, RED
12001 - 454g



PLATINUM PLUS GLAZE
B03080 - 476g



POLYESTER RESIN
01402 - 946ml
01403 - 3.78L



FIBERGLASS RESIN
402C - 857ml
404C - 3.5L



FIBERGLASS REPAIR KIT
422C



FIBERGLASS MATTING
7 SQ. FT.
01420



FINISHING PLASTIC SPREADERS
358
3 pack, yellow



PLASTIC SPREADERS
357 - 3 pack



FIBERGLASS CLOTH
8 SQ. FT.
499



DISPOSABLE FLOOR MATS
30203 - 250/box



DISPOSABLE PLASTIC SEAT COVERS
30200 - 125/box



MIXING BOARD
20399

PROFESSIONAL CLEANING PRODUCTS



BW-D33100
32 Qt Grizzly Downpress Combo – Yellow



HW-PC-90020
All-In-One Promop Combo – Medium Swinger Mop – Looped – Narrow Band with STEP-N-GO metal 60"/152 cm Handle



DM-AL0518
All-In-One Dust Mop Combos – 5 x 18" / 46cm x 13 cm – Blue



WF-7003
Floor Sign "Caution Wet Floor" – English/French



WM-PS0025 – 25L Square Garbage Container with Lid – Grey



WM-PR2020-G
20 Gal. / 75 L Garbage Container – Grey



DP-L802
Galaxy Combo: Plastic Pan, Angle Broom and Handle



MC-600BL – MicroCloth All Purpose 14 x 14" / 40 x 40 cm – Blue
MC-700 – Window MicroCloth 14' x 14" / 35 x 35 cm – Yellow



MC-700BL – MicroScrunge - Microfiber All Purpose Scrubber – 3.1 x 4.75" / 8 x 12 cm



WS-CS1020
10" Car squeegee w with 20" Handle



TS-BT289-12
24 oz Round Bottle with TS5911R Trigger Sprayer 1.5cc / 24 oz



PB-700-GB18
18"/45 cm Ryno – All Purpose Pushbroom PolyPro fill, brace & tapered handle



Tampico All Purpose Pushbroom Medium Sweep
PB-T18 – 18" / 45 cm Tampico Fiber
PB-T24 – 24" / 60 cm Tampico Fiber



PB-G18 – 18" / 45 cm Garage Concrete – Medium to Heavy Duty Sweep
PB-G24 – 24" / 60 cm Garage Concrete – Medium to Heavy Duty Sweep



PB-BT18 – 18" / 45 cm Blue Flagged Tip Fiber - Fine Sweep
PB-BT24 – 24" / 60 cm Blue Flagged Tip Fiber - Fine Sweep



Street / Barn Broom - Extra Course
PB-ST16
16" / 40 cm PolyPro Street/Barn

PROFESSIONAL CLEANING PRODUCTS



BV-300F
10" Car/Truck Window Brush –
Plastic Block – Green Flagged Fill



BV-400
Bi-Level Truck Brush - Soft 10"
Green Flagged Fill - Soft Surfaces



BV-300AR
Bi-Level Acid Resistant Brush
Grey/White Fiber



BH-229WT
9" Pointed Hand Scrub – Tight Areas
White Natural Fiber



BBC-206T
Counter Brush - Wood Block
Tampico Mix Fiber




BRP-210WS
Short Handle Pot Brush -
White Fiber



BR-SC231
4.5" x 1.5" Hand and Nail Brush



BW-1038
Shoe Handle Wire Scratch - 3 Row
BW-1037
Wire Scratch Brushes 3 Row



BC-108
Medium to Heavy duty 2 String 2 Wire
band



BC-102
Heavy duty Corn Whisk 3 String with
Metal cap




BT-113
Industrial Broom with 48" Handle -
Stiff Flagged Fibers - Yellow



BB-410
Bi-Level Boot Brush



FS-S518
18"/45 cm Straight Floor Squeegee
FS-S524
24"/60 cm Straight Floor Squeegee



FS-MH30-RD
MOSS Heavy Duty Floor Squeegee with
Natural Rubber – 30"/75cm - Red



BM-4500
Saturn 12" Premium Scrubbing Broom
Short Stiff Fibers – Head Only
BM-4420
Jupiter Premium Large Indoor Flat Mag
Broom & 48" Wood Handle



CA-I3100
Industrial Box Cart - 30" c 18"
with Easy collapsible handle

3 IN 1 AIR MANIFOLD



PART#
S-685-4

BODY MATERIAL
Aluminum

INLET NPT FEMALE
1/4"

THREE OUTLETS NPT FEMALE
1/4"

HI-FLO V-STYLE PLUGS



PART#	CONNECTION	MATERIAL
760-1	1/4" MNPT	Steel
S-760-1	1/4" MNPT	Steel



PART#	CONNECTION	MATERIAL
761-1	1/4" FNPT	Steel
S-761-1	1/4" FNPT	Steel



PART#	CONNECTION	MATERIAL
764	1/4" FNPT	Brass
S-764	1/4" FNPT	Brass

MILTON RED AIR HOSE PU HYBRID



PART#	LENGTH	THREAD
MA1425OR	1/4" x 25'	1/4" NPT
MA1450OR	1/4" x 50'	1/4" NPT
MA14100OR	1/4" x 100'	1/4" NPT
MA3825OR	3/8" x 25'	1/4" NPT
MA3835OR	3/8" x 35'	1/4" NPT
MA3850OR	3/8" x 50'	1/4" NPT
MA38100OR	3/8" x 100'	1/4" NPT
MA1250OR	1/2" x 50'	1/4" NPT

MILTON
Red Hose

Available Now!

BESTBUY PART CABINETS

BBP PART CABINET

- White 20 gauge steel cabinet (32" x 13" x 36")
- 2 doors
- 3 adjustable shelves
- Cam lock with key
- Wall mounted or sits on floor
- Bestbuy logo silk screened across the top of both doors
- Each cabinet is individually cartoned



RUST'S WORST ENEMY

RUST & CORROSION PROTECTION
EXCELLENT VEHICLE UNDERCOATING
SUPERIOR LUBRICANT • LONG-TERM PENETRANT

FLUID FILM®



"WOOL WAX FORMULA"

ENVIRONMENTALLY FRIENDLIER
SOLVENT FREE • NON-TOXIC

AUTO • TRUCK • FARM • HOME • MARINE • FORESTRY • MINING
INDUSTRIAL • TOOLS • BUSES • RVs • TRAILERS • ATVs • AIRCRAFT
MILITARY • SALT TRUCKS • BATTERY TERMINALS • ELECTRICAL

THE MOST UNIVERSAL PRODUCT YOU WILL EVER USE!!

- NOT WATER SOLUBLE
- REPELS & RESISTS WATER WASHOUT
- WILL NOT DRY OUT OR EVAPORATE
- APPLY OVER DRY OR DAMP SURFACES
- REDUCES STRESS CORROSION

- PREVENTS ICE & SNOW FROM BUILDING UP ON MOVING PARTS
- WORKS IN SUB-ZERO WEATHER -46°C (-50°F) TO 177°C (350°F)
- NON-CONDUCTOR OF ELECTRICITY
- WILL NOT CAUSE STATIC ELECTRICITY
- SOLVENT, TEFLON & SILICONE FREE

NATURE GIVEN MATERIAL

FLUID FILM UTILIZES THE UNIQUE MOLECULAR ACTION DERIVED FROM WOOL-WAX, A NATURE GIVEN MATERIAL (Lanolin) & other corrosion inhibiting ingredients. One of the best lubricants & corrosion control agents found in nature today. In use for over 60 years in the Highly Corrosive Marine Environments of ships & off-shore drilling rigs.

PROVIDES LONG-TERM PROTECTION FOR ALL YOUR TOOLS & EQUIPMENT **PROTECTIVE PROPERTIES START WORKING IMMEDIATELY**

FLUID FILM - developed & perfected as an unparalleled Rust & Corrosion Control System. Non-drying properties for Superior Lubrication & is a Long Term Penetrant. Once in place, stays put, forming a continuous, durable, ALWAYS ACTIVE protective barrier. Will not harm painted or plastic surfaces. Will not harm oil resistant seals. Take care when applying near rubber. If overspray occurs on seals, wipe with a clean cloth as it may cause swelling. Repels & resists water washout. Excellent waterproofing with "NO DRIP" bonding properties. FLUID FILM penetrates right through rust, stopping all metal deterioration on contact. Migrates to inaccessible areas by capillary action. Impregnates the pores of exposed metal, keeping moisture & oxygen out.

TERMINATES BOTH NATURAL & INDUSTRIAL ATMOSPHERIC CORROSION

Eliminates the destructive corrosive effects of harsh chemicals such as salt, calcium, sodium chloride, fertilizers, herbicides & pesticides & many more. FLUID FILM prevents steel from rusting; aluminum, magnesium, copper, tin, brass & zinc from oxidizing; chrome & bronze from pitting. Certified Salt Spray Test - 1800 Hrs. U.S. Navy & 10 NSN (Military Numbers).

VEHICLE UNDERCOATING APPLICATION INSTRUCTIONS

SHAKE WELL BEFORE USING. (Apply Sparingly) Apply FLUID FILM "NAS" by brush, roller, dipping or pressurized sprayer at 60 to 80 psi, (at the sprayer) with a spray nozzle orifice of 40-50 thou. **KEEP CONTAINER TIGHTLY CLOSED.**

FLUID FILM UNDERCOATING: Give the vehicle's undercarriage a blast of water to clean off any excess dirt & let the heavy water drip off for 5 minutes. Apply to the panels and doors as normal. Apply FLUID FILM right over the damp metal. If dripping occurs then you are over-applying the product. If previously undercoated, please check for product compatibility.

Aerosol (AS): # 1450 - 145 g, # 3300 - 333 g, Bulk (NAS): # 3700 - 3.78 L Can,
4300 - 18.9 L Pail, # 4500 - 208 L Drum, # 5207 - Brush Top Can - 237 ml
Stock #'s 1450, 3300 Aerosols are Canadian Food Inspection Agency Approved (CFIA # N184)

NLS PRODUCTS

Bobcaygeon, Ontario K0M 1A0 • T: (705) 738-2321 • F: (705) 738-4550
 www.nlsproducts.ca • mail@nlsproducts.ca



FF011EN

NLS PRODUCTS Stock # 16002 75g/2.7oz

TECH STEEL

STEEL REINFORCED EPOXY PUTTY

MASTIC ÉPOXYDE RENFORCÉ D'ACIER

Permanently Adheres to:
Steel, Aluminum, Wood, Copper, Cast Iron, PVC, ABS, Bronze, Concrete, Plastics, Fiberglass, Glass, Ceramics, Brass

Impervious to most Chemicals

Steel Hard in 15 Minutes

Full Cure in 1 Hour

AUTOMOBILE
TRUCK FARM
CAMION FERME
PLUMBING
PLOMBERIE

HOME
MAISON
MARINE

Adhère de façon permanente à:
Acier, aluminium, bois, cuivre, fonte, CPV, ABS, bronze, béton, plastique, fibre de verre, verre, céramique, laiton.

Deviens dur comme l'acier en 15 minutes

Vulcanisation complète en 1 heure

Imperméable à la plupart des produits chimiques

ONE PRODUCT DOES IT ALL
UN PRODUIT POUR TOUT

TECH STEEL

STEEL REINFORCED EPOXY PUTTY

Steel Hard in 15 Minutes • Full Cure in 1 Hour

PERMANENTLY ADHERES TO:

Steel - Aluminum - Wood - Copper - Cast Iron - PVC - ABS - Bronze - Concrete - Plastics - Glass - Fiberglass - Ceramics - Brass & Much More!!!

• 500°F temperature resistant • 3-year shelf life • Sets up under water • Impervious to chemicals •

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks
HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork
FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment
MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks
HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys
PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

STOCK #	SIZE	CASE QUANTITY
16002	75 g	12
6002 (Display)	75 g	1 (24 Units)
6004	150 g	12

Stock # 16002

NLS PRODUCTS

Box 790, Bobcaygeon, Ontario K0M 1A0
T.: 705-738-2321 • F.: 705-738-4550
mail@nlsproducts.ca • www.nlsproducts.ca



TECH PLASTIC

Tech Plastic® when hand mixed (kneaded) can be molded to any size, can be drilled, sawed, sanded, stained or painted. Interior & exterior applications for fast permanent repair. Excellent adhesive properties for metal or plastic repairs. Dries white, does not shrink, crack, rot or pull away, non-yellowing and rustproof. Cures underwater (fresh & saltwater), excellent for plumbing repairs on PVC, ABS, faucets, fixtures, ceramic tile, porcelain, stripped screw holes, water tanks, tubs, gutters, seal electrical wires, plastic bumpers, battery cases, fish boxes, sprinkler heads, on board fuel tank leaks, many automotive and household uses.

No Home/Marine/RV tool box is complete without Tech Plastic®

PLASTIC FIBERGLASS REPAIR
BEGINS TO HARDEN IN 10-15 MINUTES

STOCK #	U.P.C.	SIZE	CASE QUANTITY
2900	6 23722	57 g	12
	02900 7		

Why should you be forced to buy a separate primer or rust treatment for each specific job?

THE RUST STOPS HERE!



RUST DESTROYER is a **PATENTED** primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, aluminum, tin and core tan steel. It converts active rust to a passive form on contact. An absorbing action in the primer film simultaneously raising the rust from the surface, and enveloping all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.

• Heat resistant up to **800°F (427°C)**

• Apply directly over rust • No sand blasting

• No scraping to bare metal • Works with most top coat paint

• No washing before or after application

• No sanding glossy finishes to improve adhesion

Stock # 73013 368 g Aerosol 6 / case
Stock # 73016 236 ml Can 6 / case
Stock # 73004 946 ml Can 6 / case





Extends The Life Of Your Tire!
Runs Tires Approx. 35% Cooler!
Maintains Consistent Tire Pressure!
Helps Eliminate Flats!



Ideal for Trucks, Farming, Lawn & Landscaping, ATV'S, Trailers, Buses, Cars, RV'S, Bicycles, Mining, Forestry & Construction Heavy Equipment!

For Air or Nitrogen filled - Tube or Tubeless Tires
Provides Better Fuel Economy • Non-Flammable • Non-Explosive



Premium Heavy Duty Tire Sealant!

LIQUITUBE™
"THE ORIGINAL LIQUID INNER TUBE"™

EASY TO INSTALL - INSTALLATION TOOL INCL.
STOPS FLAT TIRES BEFORE FLAT TIRES STOP YOU

95522 (236 ml / 8 oz.)	95566 (18.9 L / 5 gal. Pail)	95578 (208 L / 45 gal. Drum)
95533 (473 ml / 16 oz.)	95588 (Pump for 95566 Pail)	95589 (Pump for 95578 Drum)
95544 (946 ml / 32 oz.)	95577 (Combo - Pail & Pump)	95579 (1040 L / 225 gal. Tote)
95555 (3.78 L / 1 gal. Pump incl.)	95590 (Dually Reverse Chuck Installation Tool)	95599 (Pneumatic Pump for 95579 Tote)

- Permanently seals punctures
- Will often seal small sidewall punctures in Off Road Tires
- Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks
- Effective from -55°C (-67°F) to over 93°C (200°F)
- Contains 4 Industrial Rust Inhibitors & 1 Vapour Inhibitor
- Will not corrode steel, aluminum or chrome rims
- Easy clean out for recapping & patching
- Indefinite shelf life - Never separates
- Stays pH neutral, Does not void tire warranty

- 100% water soluble
- Works in high & low pressure tires / high & low speed tires
- Will not adversely affect balance when properly installed
- Do not use with internal TPMS sensors
- Can be used with external TPMS sensors
- Not recommended for low tire pressure equalizer systems
- Do not mix with fluids, balancing powder, or other sealants
- Application Guide available on request or visit our website.

GLOOZIT®



Automotive
Stock # 8312



Marine / RV
Stock # 8612



Industrial
Stock # 8812

A series of premier adhesives in six popular SKU's (12 / case) to cover most of your GLOOING needs.

"GLOOZIT is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT"

Once cured **GLOOZIT** remains flexible and is able to withstand temperature changes and the expansion and contraction of dissimilar materials. **GLOOZIT** bonds virtually everything.



Box 790, Bobcaygeon, Ontario Canada K0M 1A0
T: (705) 738-2321 • F: (705) 738-4550
WWW.NLSPRODUCTS.CA • MAIL@NLSPRODUCTS.CA



**AUTOMOTIVE & LIGHT TRUCKS
RADCHEK TEST STRIPS
FOR EXTENDED LIFE AND
CONVENTIONAL COOLANTS**

TESTS: Reserve alkalinity,
freeze point / boiling point
and pH levels

1570 70 STRIPS / BOTTLE



**AUTOMATIC TRANSMISSION
FLUID (ATF) TEST STRIPS**

- Highly unique, quick and affordable measure used to detect the presence of antifreeze in ATF
- Contamination of ATF with antifreeze is a growing problem within the auto industry
- This easy test detects from 0 - 6% antifreeze coolant

11254 50 STRIPS / BOTTLE



**BRAKE FLUID
MOISTURE
TEST STRIPS**

Works in DOT 3, 4
& Synthetics

80600
12 STRIPS / CARD

- Test Strips to test for moisture in brake fluid
- Moisture in brake fluid can reduce braking capacity and present a safety hazard
- DOT specifications limit water content to less than 3.7 percent

**HEAVY DUTY
RADCHEK TEST STRIPS
FOR EXTENDED LIFE AND
CONVENTIONAL COOLANTS**

TESTS 4 COMPONENTS:
pH levels, glycol,
molybdate
& nitrite up to 3200 ppm

If required to test
Nitrite 4000 ppm
use Part # 3001MR
(SEE NEXT ITEM)

2050 50 STRIPS / BOTTLE



**Tests
3 Components
Nitrite 0 - 4000 ppm
pH <7.5 - 11 +
Glycol 0 - 60%**

**HEAVY DUTY
3-WAY ANTIFREEZE
TEST STRIPS**

- Tests Conventional & Extended Life Coolants
- Tests ALL OAT based NOAT & HOAT Coolants
- Provides added ranges for evaluation of protection for the supplemental additives in the cooling system for Nitrite

3001MR 50 STRIPS / BOTTLE



**HEAVY DUTY
HYDROCARBON
TEST STRIPS**

USE TO DETECT THE
PRESENCE OF OIL IN
DIESEL EXHAUST FLUID (DEF),
ANY ANTIFREEZE & WATER

80508 50 STRIPS / BOTTLE



Box 790, Bobcaygeon, ON K0M 1A0
www.nlsproducts.ca • mail@nlsproducts.ca

 **NORTHLAND™**

BreakThru

**HEAVY DUTY • PURE BLEND
FAST PENETRATING OIL**

Frees Frozen & Rusted Parts

No Silicone or Teflon

Solvent Free

**Acceptable for use in
Food Plants in Canada**

BreakThru, Fast Penetrating Oil, highly refined oil-based product that infiltrates components quickly.

• **FREES FROZEN - RUSTED PARTS:** bolts, engine parts, hinges, locks, bearings, bicycle & motorcycle chains, chains, rollers, wheels & other moving parts, aluminum, chrome & steel surfaces, guns & fishing equipment, locks, marine equipment, industrial machinery, relays, switches, tools, & MUCH MORE!

**Auto • Truck • Marine • Home
• Farm • Shop • Industry**



**# C10 370 g
C5 145 g**



IOL CODES	PART NUMBERS	PRODUCT DESCRIPTION, PACKAGE SIZE, SPECS.
XOM	MCHYD50044	MOBIL HYDRAUL 50 4/4LC TRACTOR/DRIVELINE/HYDRAULIC FLUID (WINTER GRADE)
110410	MCHYD56210	MOBIL HYDRAUL 56 2/10L TRACTOR/DRIVELINE/HYDRAULIC FLUID (SUMMER GRADE)
110409	MCHYD56020	MOBIL HYDRAUL 56 20LPP TRACTOR/DRIVELINE/HYDRAULIC FLUID (SUMMER GRADE)
110559	MOBILMC1ESPM54061	MOBIL 1 ESP FORM M 5W40 6/1L MB 229.31/229.51
105951	MC1EP53061	MOBIL 1 EXTENDED PERFORMANCE 5W30 6/1L EXTENDED PERFORMANCE
106001	MCGRSXHP462M104	MOBILGREASE XHP 462 MOLY10/400 EP 2 MULTI PURPOSE GREASE HEAVY DUTY WITH MOLY
110957	ESUNIREXEP240	MOBIL UNIREX EP 2 40/400 EP 2 MULTI PURPOSE GREASE GC-LB
110124	MCSATFDM045	MOBIL SUPER ATF D/M 4/5L DEX III/ MER V
110122	MCSATFDM12	MOBIL SUPER ATF D/M 12/1L DEX III/ MER V
103469	MOBIL1ESP5W30	MOBIL 1 ESP FORM 5W30 12/1L API SN; MB229.31/229.51; BMW LL 04; VW504.00/507.00 PORSCHE C30
120831	MCS3000530121	MOBIL SUPER 3000 FULL SYNTHETIC D1 5W30 12/1L API SN; ILSAC GF-5 DEXOS 1 APPROVED
110028	MCS3000020121	MOBIL SUPER 3000 FULL SYNTHETIC 0W20 12/1L API SN; ILSAC GF-5
105543	MOBIL5W30SYN4.4L	MOBIL 1 FORMULA 5W30 4X4.4 L API SN, ILSAC GF-5 GM DEXOS 1; HONDA/ACURA HTO-06
105396	MOBIL5W30	MOBIL 1 FORMULA 5W30 6/1 LTR API SN, ILSAC GF-5 GM DEXOS 1; HONDA/ACURA HTO-06
110548	MOBIL1SYN5W20	MOBIL 1 FORMULA 5W20 4X4.4 API SN, ILSAC GF-5 GM DEXOS 1
105736	MOBIL5W20	MOBIL 1 FORMULA 5W20 6/1 LTR API SN, ILSAC GF-5 GM DEXOS 1
105514	MOBIL0W40	MOBIL 1 FORMULA 0W40 6/1 LTR API SN MB 229.3/229.5; BMW LL 01; VW 502.00/505.00; PORSCHE A40



IOI CODES	PART NUMBERS	PRODUCT DESCRIPTION, PACKAGE SIZE, SPECS.
105542	MOBIL10W30SYN4.4L	MOBIL 1 FORMULA 10W30 4/4.4 L API SN ILSAC GF-5
105392	MOBIL10W30	MOBIL 1 FORMULA 10W30 6/1 LTR API SN ILSAC GF-5
105940	MCS10001030121	MOBIL SUPER 1000 10W30 12/1LT API SN GF-5 CONVENTIAL OIL
106032	MC1300S1030044	MOBIL DELVAC 1300S 10W30 4/4 API CJ-4; CAT ECF-3, ECF-2; CUMMINS CES 20081; MB 228.31/235.27; VDS-4/VDS-3; MACK EO-O PREMIUM PLUS/DETROIT EO 933K218
105920	MCDELESP540044	MOBIL DELVAC 1 ESP 5W40 4/4L API CJ-4; CAT ECF-3, ECF-2; CUMMINS CES 20081; MB 228.31/235.27; VDS-4/VDS-3; MACK EO-O PREMIUM PLUS/DETROIT EO 933K218
105508	MC13001540020	MOBIL DELVAC 1300S 15W40 20 L API CJ-4; CAT ECF-3, ECF-2; CUMMINS CES 20081; MB 228.31/235.27; VDS-4/VDS-3; MACK EO-O PREMIUM PLUS/DETROIT EO 933K218
105492	MC13001540044	MOBIL DELVAC 1300S CJ-4 15W40 4/4.4L API CJ-4; CAT ECF-3, ECF-2; CUMMINS CES 20081; MB 228.31/235.27; VDS-4/VDS-3; MACK EO-O PREMIUM PLUS/DETROIT EO 933K218
110567	MOBIL1-5W40TD-4.4	MOBIL 1 TDT 5W40 4/4.4L API CJ-4, CI-4 PLUS, CI-4, CH-4/ SM, SL, SJ ACEA E7 ISSUE 2 CATERPILLAR ECF-2, ECF-3
105777	MOBIL1-5W40TD-1	MOBIL 1 TDT 5W40 6/1LTR API CJ-4, CI-4 PLUS, CI-4, CH-4/ SM, SL, SJ ACEA E7 ISSUE 2 CATERPILLAR ECF-2, ECF-3
110262	MCDEL1340044	MOBIL DELVAC 1340 4/4LC API CF-2; CD-II; MACK EO-K/2; ALLISON C-4; CAT TO-2
110259	MCDEL1330044	MOBIL DELVAC 1330 4X4LC API CF-2; CD-II; MACK EO-K/2; ALLISON C-4; CAT TO-2
111156	MOBIL0W20	ADVANCE FUEL ECON 0W20 -111156 6/1L ADVANCE FUEL ECO. API SN, ILSAC GF-5 GM DEXOS 1
110534	MOBIL1SYN0W20	MOBIL 1 FORMULA 0W20 4/4.4 L ADVANCE FUEL ECO. API SN, ILSAC GF-5 GM DEXOS 1
110255	MCDEL1310020	MOBIL DELVAC 1310 20LPP 10W





2" AND 3" GRINDING DISCS SPEED-LOK TR




NORTON BLAZE SPEED-LOK TR DISCS

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

	 2" TR	 3" TR
GRIT	662611-	662611-
80	62324	62334
60	62322	62332
50	62320	62330
36	62318	62328
CASE	25	25

2" AND 3" GRINDING DISCS SPEED-LOK TR RAPID PREP



Cuts coarse/finishes fine

4X Life

No smearing

FEATURES

- Proprietary Norton Vortex aluminum oxide aggregate grain
- New grain coating method
- New resin system

BENEFITS



- Most consistent cutting and finishing of surface conditioning products on the market
- Combines fast cutting speed with the finish of finer grits
- More resistant to edge wear
- Up 4X life vs. competitive products
- No smearing
- Will not load on aluminum and soft metals



**GRIND AND BLEND
IN ONE STEP**

NORTON BEAR-TEX VORTEX RAPID PREP DISCS

Norton Bear-Tex Vortex surface blending discs deliver superior, consistent finishes whenever you need to clean, deburr, blend or finish. Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues. Product color coding (by grit) makes work fast and easy.

	 2" TR VORTEX	 3" TR VORTEX
GRIT	666233-	666233-
Very Fine (320) Blue	90502	35437
Medium (120) Maroon	90501	35430
Coarse (80) Brown	90500	35417
CASE	25	25




Perfect[®] EQUIPMENT

**A WEIGHT BY ANY OTHER NAME
JUST ISN'T THE SAME...**

ZINC




- Easy to install - functions much like lead
- Superior corrosion resistance - no rust!
- Softer material reduces scratching
- The most used OEM material in the world
- Environmentally friendly



STEEL




- Clip-on & adhesive options available
- AnyWeather[™] aftermarket adhesive
- Quality coatings prevent corrosion
- Used by OEMs in USA & Asia
- Environmentally friendly



LEAD



- Clip-on & adhesive options available
- Industry standard styling for 75 years
- OEM approved clip designs
- Available in coated and uncoated options



**ZINC, STEEL & LEAD ALL AVAILABLE
IN THE 8 STANDARD CLIP TYPES**



**INVENTORY STORAGE OPTIONS AND TOOLS
ALSO AVAILABLE - ASK FOR DETAILS**



**HOFMANN[®]
POWER WEIGHT**

HPW TYPE 380

ADHESIVE WHEEL BALANCE WEIGHT IN NINE COLORS

- Pre-colored premium zinc wheel weight
- Grid-Bridge Technology[®] for a perfect fit
- German engineered and track proven
- Looks great on aftermarket wheels
- Turn balance weights into a profit
- AVAILABLE IN COUNTER-TOP DISPLAY!

**GREAT FOR
ENTHUSIASTS**

**GRID-BRIDGE
TECHNOLOGY[®]**

**SAFE FOR THE
ENVIRONMENT**



EXTRA STRONG ADHESIVE

CORROSION RESISTANCE



PERFECT EQUIPMENT &
HOFMANN POWER WEIGHT
ARE BRANDS OF

**WEGMANN[®]
automotive**



Contents copyright, 2014. WEGMANN automotive Canada Inc.





MEDIUM THREADLOCKER

24200 - 6ml tube
24240 - 36ml bottle
General Purpose,
Removable Threadlocker



HIGH STRENGTH THREADLOCKER

26200 - 6ml tube
26240 - 36ml bottle
General Purpose,
Permanent Threadlocker



HIGH TEMPERATURE THREAD SEALANT

59214 - 6ml tube
59234 - 50ml bottle
Locks and Seals Threaded Fittings



RIGHT STUFF GASKET MAKER

30874 - 147ml cartridge
30876 - 300ml cartridge
1 minute, reliable, long lasting,
rubberized gasket



ULTRA COPPER GASKET MAKER

101BR - 80ml tube
101C - 300ml cartridge
Superior resistance to extreme
temperatures



ULTRA BLACK GASKET MAKER

59803 - 80ml tube
59813 - 300ml cartridge
Superior resistant and adhesion to
oily surfaces



ANTISEIZE

133H - 133g can
76765 - 241g aerosol
76764 - 454g can
Prevents corrosion and
eases assembly/disassembly



ULTRA BOND SUPER GLUE

49502 - 3ml tube
49512 - 28g bottle
Fast setting
performance and
strength



COLD WELD

14600 - 56g tube
84319 - 56g stick
2-part adhesive
repair for broken
metal parts



SPRAY NINE

C26822 - 650ml bottle
C26832 - 946ml bottle
C26804 - 4L jug
C26820 - 20L pail
C26845 - 208L drum
Cleaner, degreaser, disinfectant



GREZ-OFF

C12532 - 946ml bottle
C12501 - 3.78L jug
C12520 - 20L pail
C12545 - 208L drum
Heavy Duty Degreaser



GLASS AND STAINLESS STEEL CLEANER

C23319 - 600g aerosol
Removes dirt and smudges from glass and stainless steel



GARAGE BOSS

C11525 - 11.3kg pail
Concentrated floor cleaner



FAST ORANGE w/ PUMICE

25-108 - 220ml bottle
25-217 - 1.89L bottle
25-218 - 3.78L bottle
Waterless, petroleum solvent free handcleaner



FAST ORANGE SMOOTH

23-108 - 220ml bottle
23-217 - 1.89L bottle
23-218 - 3.78L bottle
Waterless, petroleum solvent free handcleaner



ULTRA CHERRY

21222 - 3L jug
Professional strength handcleaner with fine pumice



POLY SCRUB

13104 - 1.72kg tub
Industrial strength hand cleaning paste that is easy on the hands



FLEXIBLE PAD HEATERS

PART NUMBER	WATTS	VOLTS	AMPS	PAD SIZE	OIL PAN CAPACITY	HYDRAULIC FLUID	APPLICATION	PICTURE
3400030	50	120	0.4	1.25" x 3.5"	1 - 3 U.S. Qts (1.0 - 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines.	
3400031	125	120	1.0	3" round	3 - 6 U.S. Qts (2.9 - 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai.	
3400032	125	120	1.0	1.5" x 6"	3 - 6 U.S. Qts (2.9 - 5.7 L)	n/a	Ribbed Oil Pans & Automatic Transmissions. Examples: Toyota 4Runner & European Cars.	
3400033	250	120	2.1	3.75" x 4.25"	5 - 13 U.S. Qts (4.7 - 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications.	
3400034	500	120	4.2	5" x 7"	13 - 27 U.S. Qts (12.3 - 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.	
3400035	1000	120	8.3	6" x 10.75"	26 - 48 U.S. Qts (24.6 - 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.	
3400036	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries.	
3400037	100	12	8.3	4" x 12"	DIESEL FUEL FILTER WARMER (velcro wrap)	n/a	Diesel Vehicles Only Filter Housing Diameter: Minimum 3.5" (8.9 cm) Maximum 5.0" (12.7 cm)	
3400038	180	120	1.5	13" x 20.5"	BATTERY WARMER (non-stick pad)	n/a	Large Battery Pad Warmer Fits under 3-4 group 31 Batteries	
3400039	50	12	4.2	3" x 9"	DIESEL FUEL FILTER WARMER (velcro wrap)	n/a	Diesel Vehicles Only Filter Housing Diameter: Minimum 2.75" (6.98 cm) Maximum 3.75" (9.52 cm)	



175A 2G
MODULAR KIT-RED
32551-91



12-2GA INS
CRIMP TOOL
335-31



LUG KIT-72 PCS
31801-91



#24 BAT BOX
11x6.75x8
731-31



6-1/0 UNI
BATTERY TERM
880-31



1-4/0 HD UNI
BATTERY TERM
880HD-31



TOP POST BRASS
QUICK DISC
887-11



6-1GA NEG
BATTERY TERM
891N-11



2/0 AWG TWIST-ON STRAIGHT
BARREL BATTERY TERMINAL
723-11
722-11



2/0 AWG TWIST-ON
STRAIGHT BARREL
LUG
726-11



BATTERY TERMINALS -
COVERED & RELEASABLE
897-12



3/8" MARINE POS
BAT TERM
899P-BP



4GA 16' BOOSTER
CABLE 400A-CCA
8195-31



4GA 16' BOOSTER
CABLE 400A
8165J-E



4GA 20' SUPER
FLEX BOOSTER
CABLE 800A
8731-31



500A NEG+POS
INSULATED CL
8177-32



800A NEG+POS
CLAMPS
8180-32



1GA 20' BOOSTER
CABLE 800A
8180K-E



800A NEG&POS
REACH STYLE
8729-91



3/8" BLK SPLIT LOOM
5141-34
5141-B



1/2" WRAP
SPLIT TUBING
8426-0-44



16G 12" LEAD PGTL
1871-BP - 2 Pins
1873-BP - 4 Pins



7W PLUG TO 4W
FLAT FEMALE
7704-11



7WAY RV BLADE
SOCKET/4WAY
7712-31



7W RV BLADE TO
4W FLAT
7717-11



6POLE 35A
9475-11 - Plug-No Spring
9476-11 - Trailer Plug
9477-E - Socket Car End



#9482-BP #9483-BP #9490-31
7POLE RV
9482-BP - Trailer Plug-Male
9483-BP - Socket Car End
9490-31 - Bracket-Metal



PICO

www.picocanada.com



**HIGH AMP PANEL/
SURFACE MOUNT**
3401-31 - 100AMP
3404-31 - 150AMP



**ATC/ATO FUSE
FOOTPRINT - SNAP
OFF BLADE**
3788-BP - 30AMP



**30A TYPE I
UNIVERSAL BREAKER**
3794-11



RELAY MINI BLADE
911-11
25/20A 12V DC



RELAY MINI BLADE
915-11
25/20A 12V DC



LARGE BLADE
921-11
80/60A 12V DC



GENERAL PURPOSE
925-11
40/30A 12V DC



**GENERAL PURPOSE
RELAY & PIGTAIL**
926-91
40/30A 12V DC



**WEATHER RESISTANT
RELAY & PIGTAIL**
928-91
40/30A 12V DC



**ATM/MINI FUSE
FOOTPRINT**
9628-11
30A 14V DC



5 AMP MICRO FUSES
10205-14 - 2 Blade
10305-14 - 3 Blade



**MICRO FUSE LINK
TERMINATIONS**
10415-11
15A



**A.T. BLADE -
MIN FUSES**
120-BP
20 A



**WATER RESISTANT
IN-LINE FUSE HOLDER**
131-11
16 AWG 15A



**IN-LINE FUSE HOLDER
WITH CAP**
206-31 - 8 AWG 60A
988-BP - 12 AWG 30A



**A.T. BLADE -
MAX FUSES**
230-11
30A



**FUSE
ASSORTMENT KIT**
33501-91
160 pieces



**FUSE ASSORTMENT
KIT WITH FUSE
PULLERS**
33503-91
152 pieces



**6 WAY FUSE
BLOCK**
3410-31



**A.T. BLADE - MIN
& STANDARD FUSE
ASSORTMENT**
60601-91



**2 BLADE MICRO FUSE
ASSORTMENT**
60604-91
35 pieces



**3 BLADE MICRO
FUSE ASSORTMENT**
60605-91
20 pieces



**A.T. BLADE -
STANDARD FUSES**
966-BP
20A



HIGH AMP FUSES
9700-11 80A ANM / AMG
9722-11 100A ANM / AMG



HIGH AMP FUSE HOLDER
9711-31
ANM / AMG



IN-LINE FUSE HOLDER
977-BP
16 AWG 15A



**ADD-A-CIRCUIT FUSE
HOLDER**
981-11
Use with A.T. Blade -
MIN Fuses (ATM/Mini)



ADD-A-CIRCUIT FUSE HOLDER
982-11
Use with A.T. Blade - Standard
Fuses (ATC/ATO)



ADD-A-CIRCUIT FUSE HOLDER
9950-11
Use with Low Profile A.T. Blade -
MIN Fuses



**LOW PROFILE A.T. BLADE -
MIN FUSES**
9947-14
20A



7 PIN JUNCTION BOX
990-E



3:1 BLACK DUAL WALL SHRINK TUBE
30602-91
6" x 30 pieces



4:1 DIESEL RESISTANT MAGMAFLO SHRINK TUBE
30606-91
6" x 22 pieces



4:1 MAGMAFLO SHRINK TUBE
30607-91
6" x 22 pieces



ADHESIVE LINED DUAL WALL 3:1 HEAT SHRINK TUBE - BLACK
8330-A - 3/16"
8331-A - 1/4"
8332-A - 3/8"
8333-A - 1/2"
8335-43 - 1"



ADHESIVE LINED CROSS-LINKED POLYOLEFIN DUAL WALL 4:1 HEAT SHRINK TUBE
8361-43 - 6mm
8362-43 - 8mm
8363-43 - 12mm
8364-43 - 18mm



DIESEL RESISTANT ADHESIVE LINED POLYOLEFIN DUAL WALL 4:1 HEAT SHRINK TUBE
8381-43 - 6.60mm
8382-43 - 8.64 mm
8383-43 - 11.68 mm
8384-43 - 19.30 mm



OEM TERMINAL CRIMP TOOL
187-11
24-14 AWG



CRIMP TOOL
340-11
22-10



66' ALL WEATHER PVC
3466-0-RL
Black
Rated -10°C to 80°C, 600V
3/4" Wide x 0.007" Thick



EXTRA HD CRIMP TOOL
365-11
22-10



WIRE STRIP TOOL
455-11
26-10



CABLE CUTTER TOOL
650-11
20-1/0



PRO-TORCH™
8247-31
2400°F (1300°C)



4 IN 1 BUTANE TORCH
8257-31
Use as a torch, soldering iron, hot air blower or shrink tube tool.



POCKET TORCH
8254-31
2400°F (1300°C)



PICO

www.picocanada.com



**7.5" STANDARD
50 LB. CABLE TIES**
7066-0-C
UV Black



**7.5" COLOURED
50 LB. CABLE TIES**
7066N9-C
Neon Pink



**PUSH MOUNT FIR
TREE**
7250-34
8" UV Black



METAL PAWL
7257-36
11" UV Black



STAINLESS STEEL 14"
7272-34 - 120lb
7282-34 - 485lb



**PERFORMANCE
CABLE TIES**
7295-36 - 7.5"
7298-36 - 14"



BUTT CONNECTORS - VINYL INSULATED
1700-CS - red, 22-18 AWG
1800-CS - blue, 16-14 AWG
1900-CS - yellow, 12-10 AWG



**WEATHER PACK
CONNECTORS & TOOLS**
31503-91
90 pieces



**DEUTSCH DT SERIES
CONNECTORS & TOOL**
31505-91
39 pieces



**BUTT CONNECTORS
HEAT SHRINK INSULATED - VINYL**
5800-CS - 22-18 AWG
5900-CS - 16-14 AWG



**INDUSTRIAL GRADE
ELECTRICAL PLUGS**
8956-11 - Female
8957-11 - Male



**5-PIN RELAY SOCKET
& TERMINALS**
9901-11



**12-24V USB
CHARGER/ADAPTER**
3928-11 - Single



12V PANEL MOUNT SOCKET
3923-11



DUAL USB SOCKET
3930-11



**METAL BAT HANDLE
SWITCH**
9432-11 - 12V 20A



**METAL BAT HANDLE
SWITCH**
9435-BP - 12V 35A



**HEAVY DUTY TOGGLE
SWITCH**
9436-BP
50A



**UL 588 HEAVY DUTY MASTER
BATTERY DISCONNECT**
9449-31



**MASTER BATTERY
DISCONNECT SWITCH**
9450-11



**WEATHER RESISTANT
PRE-WIRED SWITCH**
9459-11



**WEATHER RESISTANT
MOMENTARY SPDT
SWITCH**
9460-11



**12V SOLENOID
CONTINUOUS DUTY SWITCH**
9497-31



**WELDING CABLE RATED
-50°C TO 105°C 600V**
8059-C - 2/0 AWG



PRIMARY WIRE
GPT Insulated
8114-5-C - 14 AWG, red



3 CONDUCTOR SERVICE CORD
Black - Green - White
8905-C - 14/3 AWG
100'



STORE ♦ INVENTORY ♦ MANAGEMENT ♦ SOLUTIONS

MAKE **YOUR OWN** STOCK!

Why let suppliers dictate what **you** sell!



The **SIMS** Advantage:

- Use a **scanner** to replenish your customer's inventory.
- Upload **orders** to your computer for more **productive order processing**.
- **Easy-to-use interface** allows sales personnel to manage their shop accounts.
- **Track orders** in real-time and eliminate mistakes.
- **Find products** with SIMS' e-catalogue.



**FOR MORE INFORMATION, PLEASE CONTACT
YOUR PICO SALES REPRESENTATIVE**



CHASSIS & GRILLE GUARD

- 191 Gloss White
- 193 Gloss Black
- 194 Satin Black



VALSPAR

TRACTOR & IMPLEMENT

- 5339-01 IH Red
- 5339-08 Equipment Yellow
- 5339-10 Tractor Green
- 5339-24 Kkota Orange



VALSPAR WATERBASED TRAFFIC & MARKING PAINTS

- 82001 Traffic Yellow
- 82008 Red
- 82012 Fluorescent Orange



VALSPAR GARAGE FLOOR COATING KITS

- 81020 Light Grey
- 81021 Tan
- 81052 Clear



ENGINE ENAMELS / WRINKLE PAINT

- 200 Chevrolet Orange
- 202 Universal Grey
- 203 Universal Black
- 206 Ford Red
- 207 Aluminum
- 217 Black Wrinkle
- 224 Ford Blue
- 226 Chrysler Orange
- 228 Grey Engine Primer
- 229 Clear



VALSPAR ANTI RUST ARMOR

- 21900 Gloss White
- 21924 Gloss Black
- 21951 Red Oxide Primer
- 21953 Grey Primer
- 21800G Gloss White
- 21800Q Gloss White
- 21824G Gloss Black
- 21824Q Gloss Black



TRUCK BED LINER AEROSOL & KITS

- 264 Black Truck Bed Liner
- 265G Black Truck Bed Liner
- 265GK Truck Bed Liner Gallon Kit - Black



FLOURESCENT PAINTS
 FL-6 Stop Light Red
 FL-7 Go Green
 FL-8 Pink
 FL-9 Caution Orange
 FL-10 Yellow



HI TEMP PAINTS
 HP-11 Black
 HP-12 White
 HP-13 Red
 HP-14 Aluminum
 HP-16 Blue



RUST CONVERTER
 623 237ml
 624 473ml



PREMIUM ENAMELS

T-1 Gloss Black	T-18 Grey Primer
T-2 Flat Black	T-19 Red Oxide Primer
T-4 Gloss White	T-23 Aluminum
T-6 Swift Red	T-29 School Bus Yellow
T-8 Satin Black	T-234 Red Oxide Sandable Primer
T-10 Machinery Grey	T-235 Grey Sandable Primer

SPECIALTY PRIMERS

465 Red Spot Filler & Primer
466 Grey Spot Filler & Primer
467 Grey Flexible Spot Filler & Primer
470 Grey Etching Primer
471 Zinc Rich Primer



BRAKE CALIPER PAINT
 CP-250 Bright Yellow
 CP-251 Bright Red
 CP-252 Bright Blue
 CP-253 Hi Gloss Black
 CP-254 Hi Gloss Silver

UNDERCOATING AEROSOL

272 Rubberized Undercoating
273 Professional Undercoating



UNIVERSAL CAN GUN
 99001



PTC and You
Partners for Profit!

**Boating, Lawn & Garden, Snowmobiling, Farm or any of your trailer needs.
Make sure you're ready with our Trailer Hub Kits and Brake Assemblies.**



- ✓ Kits include pre-assembled bearings and seals for a complete repair.
- ✓ Fix the cause; not just the symptom. If the bearing is bad, so is the hub. So replacing both is the best long term solution.
- ✓ Trailer Hub Kits are field serviceable

Trailer Hub Kits		Trailer Hub Kit Includes						PTC Hub Kit Replaces
PTC #	Description	Hub	Cotter Key	Seal	Studs	Dust Cap	Bearing	
411250	Fits 1" Spindle w/4 Studs	1	1	PT203025	4	1	PTL44643 PTL44610	Dexter 008-091 Bass Pro 13100 Red Neck 34822
581750	Fits 1-3/8" taper to 1-1/16" Spindle w/ 5 Studs	1	1	PT442251	5	1	PTLM78349 PTLM78310 PTL44649 PTL44610	Dexter 008-248 Bass Pro 13511 Red Neck 84545
512590	Fits 1" Spindle w/5 Studs	1	1	PT203025	5	1	PTL44643 PTL44610	Red Neck 348225bx Redtrailer 156b Shipshape 13210
511655	Fits 1-1/16" spindle w/ 5 Studs	1	1	PT203025	5	1	PTL44649 PTL44610	Red Neck 8-259-UCI Redtrailer 156B Shipshape 13311 Valmar 80582 Carryon 155

Trailer Wheel Bearing Protectors

		Bearing Protector Kit Includes	
PTC #	Description	Wheel Protector	Grease Fitting
1980SS	fits 1.980" Hub Grease Cap Diameter	2 "Stainless Steel" trailer wheel bearing protectors	Grease fitting to permit longer bearing life



- ✓ Protect your wheel bearings from the elements to extend bearing life
- ✓ Serviceable grease fitting helps extend bearing life

Trailer Brake Assemblies

PTC #	Description	Side	Capacity	Bolt Pattern
331010-1	10" x 2-1/4" Electric Brake Assembly	Right Hand	3,500 lbs	4 Bolt
331010-2	10" x 2-1/4" Electric Brake Assembly	Left Hand	3,500 lbs	4 Bolt
363233-1	12" x 2" Electric Brake Assembly	Right Hand	6-7,000 lbs	5 Bolt
363233-2	12" x 2" Electric Brake Assembly	Left Hand	6-7,000 lbs	5 Bolt
363236**	6.5" Brake Drum fits 1/2"- 8 stud pattern	Left/Right	6-7,000 lbs	8 Bolt

****Note: Seals and bearings sold separately**



- ✓ Brake Assemblies include: backing plate, shoe linings, magnets, actuating lever, adjusting screw and spring hardware

- ✓ 36236 includes pressed fit in inner & outer bearing races



SILVER WATCH/ELECTRONIC BATTERIES



MERCURY FREE, CARDED 1-PACK,
1.5 VOLT
Watches, calculators, remote
controls and medical devices.
303/357-1ZM
376/377-1ZM

6V HEAVY DUTY BATTERIES



INDUSTRIAL BATTERY, SPRING TERMINALS
6V-HD



LANTERN BATTERY,
SPRING TERMINALS
944A

"D" CELL BATTERIES



ALKALINE D SIZE SHRINK-
WRAPPED 6 PACK
AL-D



ALKALINE RECLOSABLE
PRO PACK D-8
813-8RVPT8 GENF

"C" CELL BATTERIES



ALKALINE CARDED C
2-PACK
814-2 GEN



ALKALINE C SIZE SHRINK-
WRAPPED 6 PACK
AL-C

FLOORSTAND DISPLAY

AMC100 GENF4
Preloaded and Easy to Assemble
Holds 100 mixed packs
(4) D 4pks (6) C 4pks
(48) AA 8pks (30) AAA 4pks
(12) 9V 2pks

"AA" BATTERIES



ALKALINE AA SIZE
SHRINK-WRAPPED 8 PACK - AL-AA
CARDED 4-PACK - 815-4T GENF
CARDED 8-PACK - 815-8CT GEND2



"AAA" BATTERIES



ALKALINE AAA SIZE
SHRINK-WRAPPED 8 PACK - AL-AAA
CARDED 4-PACK - 824-4 GEND
CARDED 8-PACK - 824-4T GENF



"9V" BATTERIES



ALKALINE 9V
CARDED 1-PACK - A1604-1T GENF
CARDED 2-PACK - A1604-2 GEND
4-PACK - A1604-4RVP GEND
SHRINK-WRAPPED 6-PACK - AL-9V

KEYLESS ENTRY BATTERIES



ALKALINE MERCURY FREE
CARDED 1-PACK, 12 VOLT
KE23A-1ZM
LITHIUM CARDED 1-PACK, 3.0 VOLT
KECR1616-1 KECR2016-1
KECR1616-1 KECR2025-1
KECR1620-1 KECR2032-1
KECR1632-1

HEARING AID BATTERIES



SIZE 10 8-PACK, ZERO MERCURY
L10ZA-8ZM
SIZE 312 8-PACK, ZERO MERCURY
L312ZA-8ZM



RISLONE LIQUID COPPER BLOCK SEAL AND RADIATOR STOP LEAK

31109

Rislone® Liquid Copper™ Block Seal Intake & Radiator Stop Leak seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



RISLONE HEAD GASKET FIX

31111

Rislone Block Seal Head Gasket Fix product is the easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system leaks better than a traditional stop leak. This includes repairing head gaskets, cylinder heads, intake gaskets, cracked blocks and freeze plugs. Use with ALL types of antifreeze including conventional green or blue (Silicate-Based) and extended life red/orange or yellow (OAT/HOAT) coolant.



RISLONE COOLING SYSTEM REPAIR

31150

Rislone® Cooling System Repair has twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. . Use with ALL types and colors of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last change before paying an expensive repair bill or replacing the vehicle.

RADIATOR STOP LEAK AND CONDITIONER

31170

Rislone® Radiator Stop Leak Concentrate is specially designed to stop minor cooling system leaks and drips caused by normal cooling system wear and age. Use with ALL types of coolant including yellow, orange, pink, red, blue and green silicate-based & non-silicate-based (OAT/HOAT) antifreeze and/or water.

- Seals Leaks and Seepage
- Conditions System
- Inhibits Rust & Corrosion
- Prevents Corrosion
- Lubricates Water Pump Seals
- Helps Control Electrolysis





RISLONE® LIQUID ALUMINUM™ COOLING SYSTEM / RADIATOR & HEATER CORE STOP LEAK 31186

Rislone® Liquid Aluminum™ Cooling System / Radiator & Heater Core Stop Leak is the best radiator stop leak money can buy. e Liquid Aluminum Cooling System Stop Leak. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. . For most vehicles leaks stop instantly.



RISLONE PELLETIZED STOP LEAK 31191

Rislone® Original Rhizex® Pelletized Formula Heavy Duty Stop Leak seals internal, external and coolant-to-oil leaks. It is specially formulated to seal larger leaks better than other stop leak products. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Lubricates water pump seal and inhibits the formation of rust and scale. Compatible with both conventional green (silicate-based) and extended life red/orange or yellow (OAT) antifreeze.

- Protects the Entire Cooling System
- Stops Current and Future Leaks
- Inhibits Rust and Corrosion
- Lubricates Water Pump Seal
- Helps Control Electrolysis
- Use on Car, Trucks, Vans SUV's & RV's
- Rhizex pellets dissolve in minutes to seal radiator & other cooling system leaks



RISLONE RADIATOR STOP LEAK 2X CONCENTRATE 31194

Rislone Radiator Stop Leak 2X Concentrate Sealer is specifically designed to stop minor cooling system leaks and drips caused by normal cooling system wear and age. Works with ALL types of antifreeze coolant and/or water.

- Stops & Seals Coolant Leaks
- Seals Leaks in Radiators, Gaskets, Heater Cores & Freeze Plugs.



RISLONE RADIATOR STOP LEAK CONCENTRATE 31197

Rislone has millions of tiny particles to permanently seal internal and external leaks in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Works with ALL types of antifreeze coolant and/or water.

- Stops & Seals Coolant Leaks
- Seals Leaks in Radiators, Gaskets, Heater Cores & Freeze Plugs.



RISLONE ENGINE TREATMENT

34100

Rislone Engine Treatment is high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. Its multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Sludge and other harmful deposits within engines can alter tolerances, stick rings, cause noisy valves & lifters, and plug oil passages and screens. The unique Rislone formula is designed to penetrate into valve seats, bearing surfaces, piston rings and ring grooves, where sludge and varnish is likely to form. These deposits are gradually removed and held in suspension until they are trapped in the filter or removed with the next oil change. Regular use of Rislone Engine Treatment, with oil and filter changes at the proper intervals, will keep such deposits to a minimum. A

cleaner engine is a better lubricated engine with less friction & wear.

REDUCES FRICTION & WEAR • QUIETS NOISY LIFTERS AND VALVES • REMOVES & PREVENTS SLUDGE

Rislone works with all petroleum-based motor oils including conventional, high kilometer and synthetic formulas.



RISLONE ENGINE REPAIR

34110

The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts.

In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants. As lubricants degrade, their properties change, leading to increased friction and wear. Over time the natural wear that occurs inside the engine causes reduced oil pressure, loss of compression (power loss), lower fuel mileage, oil consumption (leaks & smoking) and noise (knocking & ticking). Bar's Leaks Engine Repair contains a combination of the best performance additives to repair these most common oil-related problems. Engine Repair restores lost compression and power, reduces noise and oil consumption, while improving the performance of worn cylinders, rings, bearings, and seals. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle. Engine Repair can be used to top off the existing oil when low, or add a bottle when changing the oil & filter. Compatible with ALL types of engine oils, including petroleum, synthetic and high-mileage formulas.



RISLONE REAR MAIN SEAL REPAIR

34240

Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.

- Rislone – World's Most Trusted Stop Leak Brand Since 1921
- Stops ALL Oil Leaks
- Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



RISLONE ENGINE OIL SMOKE AWAY CONCENTRATE

34320

Rislone Engine Oil Smoke Away Concentrate is specially designed to reduce exhaust smoke and help stop oil burning caused by blow-by. Blow by is usually caused by gaps in the internal engine parts resulting from excessive wear. Works with ALL gasoline and diesel engines using conventional, high kilometer and synthetic engine oil.

- Stops & Prevents Blue Exhaust Smoke
- Treats Motor Oil to:
 - » Stop Smoking
 - » Plug Fouling
 - » Reduce Oil Burning



RISLONE HIGH-PERFORMANCE OIL TREATMENT

34471

Rislone Oil Treatment is a high-viscosity formula developed for older and higher mileage engines to increase oil film thickness, building a thicker oil cushion and increasing oil pressure in worn engines.

- Cushions and coats engine parts to reduce friction and wear by preventing metal-to-metal contact between moving parts giving your vehicle longer engine life.
- Increased oil pressure equals increased power and a quieter running engine.
- Improved high-performance formula performs better in both hot and cold weather.
- Works with all gasoline and diesel engines using conventional, high kilometer and synthetic oil.
- Use on any 4, 6 and 8 cylinder Car, Truck, Van or SUV



RISLONE AUTOMATIC TRANSMISSION REPAIR

34540

Rislone Automatic Transmission Repair reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.

- | | |
|--------------------------------------|------------------------------|
| • Stops Slipping | • Stabilizes Fluid |
| • Prevents Lazy Shifts | • Conditions Seals & O-Rings |
| • Reduces Rough Shifting | • Reduces Fluid Loss |
| • Stops Shudder, Chatter and Whining | • Prevents Future Leaks |
| • Reduces Friction | |



RISLONE POWER STEERING REPAIR

34650

Rislone Power Steering Repair is a unique dual cavity bottle containing a combination of the best performance additives to repair the most common power steering fluid related problems. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.

- | | |
|--------------------------------------|------------------------------|
| • Stops Slipping | • Stabilizes Fluid |
| • Prevents Lazy Shifts | • Conditions Seals & O-Rings |
| • Reduces Rough Shifting | • Reduces Fluid Loss |
| • Stops Shudder, Chatter and Whining | • Prevents Future Leaks |
| • Reduces Friction | |



RISLONE GASOLINE FUEL SYSTEM TREATMENT

34700

Rislone Complete Gasoline Fuel System Treatment improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, dry gas, gas treatment and octane booster. Use with All: Unleaded, Oxygenated and Ethanol containing gasoline. Works with all Fuel Injected, Direct Injected, and Carbureted Engines.

- Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system.
- Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation.



RISLONE INJECTOR CLEANER WITH FUEL CONDITIONER AND TREATMENT

34701

Rislone Super Concentrated Fuel Injector Cleaner with Upper Cylinder Lubricant is the best all-around fuel additive to use with every tank of fuel. This complete fuel system tune-up helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives maximize power, performance, kilometers and help save gas by cleaning & lubricating fuel injectors.

- Regular use, summer and winter, maintains optimum engine efficiency and power.
- Smooths rough idle and eliminates hard starts giving cleaner, quieter operation.
- Cleans fuel injectors, increases kilometers and saves on high fuel costs at the pump.
- UCL, Upper Cylinder Lubricant, helps prevent cylinder, ring & piston wear along with lubricating valves & guides giving longer engine life.
- The Fuel Conditioner & Treatment protects and lubricates all parts of the fuel system including the fuel pump and injectors allowing more power & performance.
- Use with all gasoline, flex fuel, E10 E85 ethanol, bio & diesel fuels.
- Works with all fuel injected, turbo, direct injected & carbureted engines.
- Rislone, protecting and cleaning engines since 1921.
- EZ Nozzle works in all vehicles including capless fuel tanks.



RISLONE WATER REMOVER FUEL DRYER

34735

Rislone Super Concentrated Water Remover Fuel Dryer is a four season formula that removes water all year long. Premium Isopropyl formula is safe to use on all gasoline and diesel vehicles.

- Prevents icing and fuel line freeze-up.
- Use with all 2-cycle & 4 cycle E10 E15 E85 ethanol, gasoline and ULSD diesel fuels.
- Regular use, summer and winter, removes water and allows quicker starts.
- Works with all fuel injected, turbo, direct injected and carbureted engines.
- Removes water preventing damaging rust and corrosion.
- Rislone, protecting engines since 1921.
- EZ Nozzle™ works in all vehicles including capless fuel tanks, guaranteed.



DIESEL FUEL SYSTEM TREATMENT

34740

Rislone Complete Diesel Fuel System Treatment improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, anti-gel, diesel treatment and Cetane booster. Use with All: ULSD Diesel, regular Diesel and Bio Diesel. Works with all Direct Injected, IDI, Intercooled, and Turbocharged engines.

- Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system.
- Decarbonizer – Removes sticky internal deposits as well as "coking" hard deposits.
- Cold Flow Improver
- Water Remover
- Sulfur Substitute and Friction Modifier
- Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting.



RISLONE SUPER CONCENTRATED OCTANE BOOSTER

34747

Rislone Super Concentrated Octane Booster increases octane rating to stop engine hesitation and knock & ping, while also increasing power & performance. Street legal formula works equally well on classic muscle cars, newer smaller harder working engines, off road and racing applications. Increased octane allows the engine to run optimum spark timing which not only creates more power, but in many engines reduces emissions and increases fuel mileage.

- Contains the highest concentrate of MMT Methylcyclopentadienyl Manganese Tricarbonyl allowed for street use.
- Restores lost horsepower and performance.
- Antiknock formulation stops engine knock and pings caused by low quality fuel.
- Typical results will increase octane over 20 points or 2 rating numbers.
- Works with all leaded & unleaded gasoline, ethanol and racing fuel.
- Use with all fuel injected, direct injected & carbureted street, racing, supercharged and turbo engines.



THE TEAM THAT BEATS RUST



RUST INHIBITOR

- Protects **NEW & OLD** Metals
- Deep Penetrating & Long Lasting
- Lubricates and Prevents Seizing
- A Proven Canadian Product Since 1973

PART # 1054 / 350 g - 12.3 oz

PART # 1043 / 180 g - 6.34 oz

PART # 1044 / 4 L - 1.06 gal U.S.



COAT & PROTECT

- Coats & Protects **NEW & OLD** Metals
- Wear resistant corrosion protection
- Heavy duty lubrication
- Resists severe weather conditions

PART # 10025 / 350 g - 12.3 oz

PART # 10024 / 4 L - 1.06 gal U.S.



RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer.

Ideal for use on automobiles, trucks, bicycles, tools, barbeques and all metal rust.

Leaves a protective coating that inhibits further rust formation and prepares the surfaces for paint.

PART # 11006 / 283 g - 10 oz

RUST CHECK CORP. • 1-888-RUSTIES • www.rustcheck.com



Schumacher Consumer Products - Farm & Agriculture

WHEEL-STYLE STARTER/CHARGER

SF-3000

200 amp 80 amp 60 amp 44 amp 30 amp

Charges a variety of batteries: 6, 12, 18 and 24 volt. With this charger, the user no longer needs to separately charge 18 and 24 volt batteries.



WHEEL-STYLE STARTER/CHARGER 200 AMP 40 AMP 10 AMP 2 AMP

SF-4022

This charger gives fleet operations, D-I-Y'ers and professionals a wide range of charging rates, an engine start rate and the ability to analyze electrical and starting system problems. For 6 and 12 volt batteries. Fan cooled.



125 / 15< >40 / 2 AMP FULLY AUTOMATIC BATTERY CHARGER AND ENGINE STARTER

PSC12500A

- Charges 6 and 12 Volt Batteries • Fully automatic, microprocessor controlled • 125 Amp 12V engine start for emergency starting • 15< >40 Amp 6 and 12V rapid charge with self-adjusting, variable charge rates and float-mode monitoring • 2 Amp 12V trickle charge for small batteries • 12V regular automotive, deep-cycle, AGM / Gel Cell, and 6V regular batteries
- Built in digital volt meter / alternator tester

10/30/200A 6/12V MANUAL BENCH TOP CHARGER W/ ENGINE START

SF-200-30

A must for heavy-duty work. High-output, portability and 6 and 12 volt capabilities make this a popular all-steel, bench-style charger. 200 amp engine start means you can start an engine in the dead of winter. Processor controlled with 8 stages of charging, scrolling digital display and designed for AGM and flooded batteries.



2/10A 12V MANUAL TRADITIONAL CHARGER

SF-1010-2

This is the versatile dual-rate manual charger for 12 volt batteries. Has a trickle charge for those overnight jobs and a 10 amp rate for faster, regular charging

- 10 amp fast charge – for everyday charging needs Charges in 3 to 5 hours
- 2 amp trickle charge – charges a small 12 volt battery in 2 to 12 hours
- CSA Certified: Model SF-1010-2



Battery Maintainers

1.5 AMP BATTERY CHARGER

SE-1-12S

Keeps 6 & 12 volt batteries charged. Fully automatic.



1A POWERSPORT EXTREME CHARGER/MAINTAINER

SPF2

Unique automatic battery charger maintains both 6 and 12V batteries, keeping them at full charge using float-mode monitoring

DSR PRO SERIES - Professional Grade Shop Products

WHEEL-STYLE STARTER/CHARGER

PSW-70300A

- Fully Automatic or Manual
- For standard and AGM Batteries
- High Performance for 12V Battery Systems
- Over-sized heavy-duty selector switches
- Rotary output switch selects between:
 - » 300 Amp engine start
 - » 70 Amp rapid charge
 - » 40 & 20 Amp fast charge
 - » 4 Amp slow Charge



DIGITAL POWER INVERTER

Digital display, USB ports, fused for safety.

PID-760 - 760W

PID-410 - 410W



OBD-MEMORY-SAVER

INC-7A-OBD



250/150A 6/12/24V Manual ProSeries

Wheel Charger w/ Engine Start

PSW-61224

- Charges 6, 12 and 24 Volt batteries
- 80/40 amp rates – for 6 volt battery systems
- 60/35/1.5 amp rates – for 12 volt battery systems
- 30/10 amp rates – for 24 volt battery systems
- 2 1/4 Hour Timer
- Convenient clamp holder and rubber grip
- Oversized selector switches
- Extra long 9 foot AC line cord



10/50/125/250A 6/12V Manual ProSeries Wheel Charger w/Engine Start

PSW-2550

- 250 / 125 / 50 / 10 Amps
- Charges 6 and 12 Volt Batteries
- 2 1/4 hour timer
- Convenient clamp holder and rubber grip
- Oversized selector switches
- Extra long 9 foot AC line cord



Jump Starter and Portable Power Units

Part #	Peak Amps Portable Power™	Internal Battery
PSJ-2212	2200	22Ah x 1
PSJ-3612	3600	18Ah x 2
PSJ-4424	4400	22Ah x 2



SEA FOAM MOTOR TREATMENT

THE CHOICE OF MECHANICS FOR OVER 70 YEARS

Make the proven choice! It's no wonder mechanics everywhere rely on this product every day. Sea Foam Motor Treatment has withstood the test of time. It is a petroleum-based cleaner, lubricant, stabilizer, and moisture controller that maintains fuel and oil system components. It will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. Sea Foam Motor Treatment should be a staple in everyone's garage!

SF-16 - 473ml

SF-128 - 3.78L



TRANS TUNE

PUT THE PERFORMANCE BACK INTO YOUR TRANSMISSION, POWER STEERING OR HYDRAULIC SYSTEMS.

TT-16

Over time transmissions naturally accumulate varnish, deposits, and moisture. These contaminants may cause erratic or rough shifting. Before a costly repair try Trans Tune. It is easy to use and effective.



DEEP CREEP

SAVE TIME AND EFFORT. EFFECTIVELY USE THIS MULTI-USE PENETRATING LUBRICANT ON HUNDREDS OF SHOP AND HOUSEHOLD ITEMS.

DC-14

Loosening road tar, rust and grease is tough work! Deep Creep's fast-acting, petroleum-based formula outperforms all of the leading penetrating sprays.



SEA FOAM SPRAY

INDUSTRY LEADING TOP ENGINE CLEANER & LUBE

SS-14

Engine problems can be frustrating. Sea Foam Spray's ability to clean and maintain gasoline engines will help solve them! Safely clean air intake systems, throttle bodies, intake valves, and combustion chambers. Lubricate throttle plates and bushings. Fog and store carbureted and fuel-injected engines quickly and efficiently. As an added benefit, Sea Foam Spray is safe to use on coated parts and oxygen sensors. Experience a better running engine; try Sea Foam Spray!

BUGS-B-GONE

EFFORTLESSLY CLEAN AND SHINE THE MOST STUBBORN OF SURFACES

Cleaning bugs, sap, and grime from auto and marine surfaces is no small task. Save time and energy using a superior product! Meticulously formulated to give a "good as new" look, Bugs-B-Gone is the best bug remover and cleaner you will find. Without harming the surface, Bugs-B-Gone neutralizes the acidity in bug remains, exhaust soot, and road grime in order to loosen and remove them in seconds.

BBG-1 - 473ml

BBG-5 - 236ml

BBG-4 - 3.79L





THREAD REPAIR - 1/2 INCH
5528-5



SPARK PLUG PORT REPAIR KIT
5334-14



HELI-COIL® PACKAGED INSERTS
R1185-4 - 1/4-20x.375
R4649-10 - M10x1.25



ULTRA A19 OMNIDIRECTIONAL LED LAMPS

Latest technology delivering up to 85% energy savings over incandescent

Newly designed, energy-efficient LED replacements for 40 and 60 watt incandescent A19 lamps, providing up to 85% energy savings over incandescent and long 25,000 hours rated life (L70). The unique light pipe creates the best omnidirectional light distribution for these 450 and 800 lumen lamps. ULTRA LED A19 lamps are dimmable down to 10% and are available in two color temperatures: 2700K and 5000K.



LED 10W=60W BULB
LED10A19F827RP



LED 6W=40W BULB
LED6A19F827RP

WHERE QUALITY AND PRICE MEET HEAD-ON

PREMIUM QUALITY



HOME OF THE TRULY
INDEPENDENT SHAREHOLDER

Quality
AUTOMOTIVE
Products™

Check out our redesigned corporate website!

www.bestbuydistributors.ca



BOTTLE JACKS

With high quality glide action pressure pump, these powerful jacks make big loads easy to lift. Handle included.

T90203	2 ton	T91203	12 ton
T90403	4 ton	T91207	12 ton (Low Profile)
T90613	6 ton	T92007A	20 ton (Low Profile)
T90603	6 ton	T92003	20 ton
T90803	8 ton	T93007	30 ton
T91003	10 ton	T95007	50 ton

PRO-SERIES 5500 2.75 TON FLOOR JACK

T82751

Lifting Range 5.12" - 19.3"

Gross Weight 78 lbs.



HYDRAULIC AIR JACKS

TA91206 - 12 ton




PRO SERIES 6000 3 TON TORIN FLOOR JACK

T83002

Lifting Range 5.12" - 20.1"

Gross weight 83.8 lbs.



PRO-SERIES 3.5 TON ONE PUMP FLOOR JACK

T83012

Lifting Range 5.75" - 19.75"

Gross Weight 88 lbs.



6 WHEEL SHOP CREEPER

TR6500

All steel construction

6 Wheel durable rotating casters

Padded bench



5 TON LONG CHASSIS SERVICE JACK

T80501

Torin® Heavy-duty long frame floor jacks are an integral part of any shop that works on medium duty equipment and trucks. Ideal for lifting heavy trucks, buses, agriculture and constructions equipment.



JACK STANDS

T42002	2 ton
T43002A	3 ton
T46002	6 ton
T41202	12 ton





1500LB MOTORCYCLE JACK

T64017

This versatile motorcycle jack is the answer to all your motorcycle/ATV lifting needs. Lift any small vehicle from your bike to an ATV or even a snowmobile.



ENGINE STANDS

T25671 - 1250lbs

Sturdy design prevent these engine stands from tipping while holding the block. Front swivel castors allow you to move and position engine exactly where you need it. Four adjustable arms and 360 degree rotation allow for easy mounting.

SHOP PRESS

T51201 - 12 ton

Torin® Heavy-duty H-frame design incorporates the strength and perfection needed for straightening, stamping, bending and pressing any component that is hard to handle.



12 TON PIPE BLENDER

T31202

Bends virtually all types of pipe except conduit!



PORTA POWER

T70401 4 ton

T71001 10 ton



3.5 GALLON PARTS WASHER

T10035

For use on work benches around the shop. All parts are manually cleaned using a flow-through brush. Solvent drains through the sink tray into the reservoir.





Triple C Rubber and Plastics



PYRAMID WHEEL CHOCK
671-1047
6 x 10 x 8



CONTOUR WHEEL CHOCK WITH HOOK
671-1048
8 x 7 x 10"



WHEEL CHOCK WITH SAFETY HANDLE
671-1050
8 x 10 x 7.5"



HEAVY DUTY TRIPLE HEADER MUD FLAP
671-4093
24 x 24 / 27 / 30"
Stock one mud flap, cuts down to 2 other sizes



MUD FLAPS
671-4580
24 x 18"

671-4590
24 x 24"



CHEVRON MUD FLAPS
671-4583
24 x 30"

671-4585
24 x 36"

671-4588
24 x 24"

Fits truck bodies, tow trucks, HD trucks & trailers

PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!

Advertise Your Company!

Your company name and logo!



MUD FLAPS
671-8156-01
9 x 16"

Fits large cars, Pickup trucks, SUVs, Jeeps, and Vans.



TRIPLE HEADER MUD FLAP
671-8093-01
24 x 24 / 27 / 30"

Your company name and logo!

UV LEAK DETECTION LIGHTS

UV LEAK DETECTION LIGHTS



UV PHAZER NEO™ UV
LEAK DETECTION LIGHT
413025



UV PHAZER BLACK
(RECHARGEABLE)
413065



UV PHAZER BLACK
(AAA BATTERIES)
413075

A/C DYES

DYES

BRIGHTER DYE, FASTER DETECTION



MULTI-PURPOSE DYE
483208 - 240mL Bottle



A/C EXTENDYE™

499108A - Spotgun™ Cartridge 240mL
499008A - Bottle 240mL



MULTI-PURPOSE DYE
B483206
6 Bottles 30mL



UNIVERSAL A/C DYE
499005 - Cartridge
499012 - Packets (12)
B499012 - Bottles



RADIATOR COOLANT DYE

For use with regular (green) coolant
6 Bottles 30mL
B483906
B483806 Extended Life

CHEMICALS



MOTORVAC®
COOL SMOKE FLUID
400-1054 - 200ml Refill



CARBONCLEAN MV-5
510ml bottles
400-0050



CARBONCLEAN MV-6
480mL bottles
400-0060



CARBONCLEAN MV3
400-0020



CARBONCLEAN MV3
400-0126



CARBONCLEAN MV-4
400-0030

EQUIPMENT



MIST™ II IN-CAR AIR
QUALITY SYSTEM
590160P



MIST™ CLEANING
SOLUTION
590250C - 100mL



MOTORVAC® COOL
SMOKE EVAP LEAK
DETECTION SYSTEM
500-0100



MOTORVAC® CARBON
CLEAN 1000: FUEL
SYSTEM CLEANING
AND DECARBONIZING
SERVICE
500-0220

BETTER BY DESIGN SUPER-CUSHION® AIR SPRINGS

Built to Outperform

Here's the Proof:

- » Reinforced design
- » Thicker bead plate design
- » Corrosion-preventative coatings
- » Superior ozone resistance
- » High temperature rated cab springs
- » Exceptional strength & performance
- » Thicker flex members with a tighter cord for more strength



Automotive training when
and where *you* need it!



CARS OnDemand provides Internet-based training to the automotive aftermarket. Participants have instant access to hundreds of hours of training, including Automotive Technical and Business related programming. Training lessons are presented as two-hour video based instruction. All lessons include supplementary training materials, including Student Learning Guides and Exams that augment the learning experience.

Students can access hundreds of training modules, at a schedule that best suits their needs. Programs can be taken at any time at the shop, at home or wherever the student wishes to learn. **WHEN and WHERE You Want It!**

CARS OnDemand training will include the following:

- Access to over 300 two-hour full motion video online training modules in English & French
- Training modules supported by Student Learning guides
- Post tests
- Recognition certificates
- CARSability assessment tests

ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!

Quality
AUTOMOTIVE
Products™
PREMIUM QUALITY

Qualité
À TOUT
Prix™
QUALITÉ PRIME

Filters / Filtres

Air, Oil, Fuel, Cabin Air & Transmission

Air, huile, carburant, air de cabine, transmission
GKI

Batteries / Batteries

EXIDE DropShip

Brake Cables / Câble de frein

ABQ

Brake Cleaner / Nettoyant pour frein

CRC

Brake Pads & Shoes / Sabot et plaquettes de frein

PRM

Brake Rotors & Drums / Tambour et disque de frein

YEN

Chassis Parts / Pièces de châssis

XCP

CV Boots /

Ensemble de soufflets pour joint homocinétique

MEQ

Engine Management / Gestion des moteurs

OEM

Hub Bearings / Ensembles de moyeux

MEH

Ignition Wire Sets / Ensemble filage sur mesure

MWS

Oils & Greases / Huile et graisse

IRQ

PBE Products / Produits PBE

DOM/PLA

Strut Mounts / Support jambe de suspension

MES



WE'VE GOT ALL THE **BEST** PARTS!
NOUS AVONS LES **MEILLEURES** PIÈCES !



WATER RESISTANT SILICONE LUBRICANT
01179



- Lubricates, waterproofs and protects.
- Quick-drying with no messy residue.
- Safe to use on rubber, vinyl and plastic.

HIGH PERFORMANCE WHITE LITHIUM GREASE
01180



Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion.

RUST RELEASE PENETRANT SPRAY
01178



Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer.

MACHINE AND ENGINE DEGREASER FOAMING SPRAY
01206



- Makes equipment run smoother, last longer and look like new.
- Deep penetrating foaming action.

DIRT & DUST RESISTANT DRY LUBE PTFE SPRAY
01209



Quick drying PTFE formula provides superior lubrication and long-lasting corrosion protection with no oily residue.

WD-40® MULTI-USE PRODUCT

01111 - 311g

01100 - 3.785L Bulk (Combine with WD-40® Spray Applicator)



Known as the "problem solved, job done right" product, WD-40® protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, and lubricates just about anything.



WD-40® MULTI-USE PRODUCT SMART STRAW™
01153



The WD-40® Multi-Use Product can with a built in straw.

- Never lose the straw again; it's permanently attached.
- Sprays 2 ways.



MULTI-PURPOSE OIL
01135

3-IN-ONE®, with its special drip spout, is perfect for applications that require precise control for lubrication and rust prevention.



GARAGE DOOR LUBE 02252
SILICONE LUBRICANT 01141
HIGH PERFORMANCE PENETRANT 01140
WHITE LITHIUM GREASE 01142

PRODUCT BENEFITS AND FEATURES:

3in1 Garage Door Lube – 311g

High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick drying.

3in1 Silicone Spray – 311g

- Ideal for metal-to-metal applications, preventing rust and corrosion, Sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, High performance lubrication,
- Quick drying, no mess formula.

3in1 Penetrant Spray – 311g

- Fast acting formula, Loosens stuck parts, Frees rusted nuts and bolts.
- Ideal for use on nuts, bolts, threads, licks, chains and rusted things that are stuck and won't move.

3in1 White Lithium Grease Spray – 290g

- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, Safe for temperature ranges between - 73 ° C to 260 ° C, Non drip formula, Water and heat resistant,
- Prevents rust and corrosion; long lasting, heavy duty lubricant.

TUBE REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RB40	Small Round	(1 9/16") (40mm)	40
RB100T	Small Round Tub	(1 9/16") (40mm)	200
RB100-1000	Small Round Tub	(1 9/16") (40mm)	1000
RB30	Medium Round	(2 1/8") (55mm)	30
RB60T	Medium Round Tub	(2 1/8") (55mm)	100
RB60-1000	Medium Round Tub	(2 1/8") (55mm)	1000
RB20	Large Round	(3 1/8") (80mm)	20
RB25T	Large Round Tub	(3 1/8") (80mm)	50
RB25-500	Large Round	(3 1/8") (80mm)	500
OB30	Small Oval	(1 7/16" x 2 1/4") (37 x 58mm)	30
OB25	Medium Oval	(1-7/8" x 3-3/4") (48 x 96mm)	20
OB20	Large Oval	(2 3/8" x 4") (61 x 103mm)	20

UNIVERSAL ROUND REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
WR0	Small Round	(1 9/16") (40mm)	35
WR0T	Small Round	(1 9/16") (40mm)	200
WR0-1000	Small Round	(1 9/16") (40mm)	1000
WR4	Medium Round	(2 1/8") (55mm)	30
WR4T	Medium Round	(2 1/8") (55mm)	100
WR4-1000	Medium Round	(2 1/8") (55mm)	1000
WR5	Large Round	(3 1/8") (80mm)	18
WR5T	Large Round	(3 1/8") (80mm)	50
WR5-500	Large Round	(3 1/8") (80mm)	500

UNIVERSAL SQUARE REPAIRS (GREY GUM/RED POLY)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
SQ1	Small Square	(1 3/4") (45mm)	40
SQ1T	Small Square	(1 3/4") (45mm)	100
SQ1-1000	Small Square	(1 3/4") (45mm)	1000
SQ2	Medium Square	(2 1/4") (58mm)	40
SQ2T	Medium Square	(2 1/4") (58mm)	80
SQ2-1000	Medium Square	(2 1/4") (58mm)	1000
SQ3	Large Square	(2 1/2") (64mm)	20
SQ3T	Large Square	(2 1/2") (64mm)	50
SQ3-500	Large Square	(2 1/2") (64mm)	1000

CORD-REINFORCED REPAIRS (PLASTIC BACKED)



PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RC218	Medium Round	(2 1/8") (55mm)	25
RC218T	Medium Round	(2 1/8") (55mm)	100
RC318	Large Round	(3 1/8") (80mm)	15
RC318T	Large Round	(3 1/8") (80mm)	50
WR1	Small Rectangle	(1 3/4" x 3") (45 x 77mm)	20
WR1T	Small Rectangle	(1 3/4" x 3") (45 x 77mm)	80
WR2	Medium Rectangle	(2 3/8" x 4") (61 x 103mm)	10
WR2T	Medium Rectangle	(2 3/8" x 4") (61 x 103mm)	40
WR3	Large Rectangle	(2 7/8" x 5 3/4") (74 x 147mm)	10

"NU-FLEX" (CORD-REINFORCED BIAS PLY REPAIRS)



PART#	DESCRIPTION	PLY	INCHES-MM	BOX
F10	78° Boot	2 ply	2 7/8" x 3 5/8", (74 x 93mm)	24
F11	78° Boot	3 ply	4 1/2" x 5 1/2", (115 x 141mm)	10
F12	78° Boot	3 ply	5 1/2" x 7 1/4", (141 x 186mm)	10
F13	78° Boot	4 ply	6 3/4" x 8 3/8", (173 x 215mm)	10
F14	78° Boot	4 ply	8 1/8" x 10 1/8", (208 x 260mm)	10
F15	78° Boot	4 ply	11" x 13 1/2", (282 x 346mm)	5

AGRICULTURAL BOOTS FOR TUBE TYPE TIRES



PART#	DESCRIPTION	INCHES-MM	BOX
1L	Oval	3" x 4" (77 x 103mm)	20
2L	Oval	4" x 6" (103 x 154mm)	10
3L	Oval	5 1/2" x 7 3/4" (141 x 199mm)	10
4L	Oval	7" x 9 3/4" (180 x 250mm)	10
5L	Oval	9" x 11 3/4" (231 x 301mm)	10
1R	Round	3 3/4" (96mm)	20
2R	Round	4 1/2" (115mm)	10
3R	Round	5 1/4" (135mm)	10
4R	Round	6 1/4" (160mm)	10

RADIAL REPAIRS

PART#	STYLE	DESCRIPTION	INCHES-MM	BOX
CRX10	EURO	Radial	2 1/8" x 3" (55 x 77mm)	20
CRX10-80	EURO	Radial	2 1/8" x 3" (55 x 77mm)	80
CRX12	EURO	Radial	2 3/4" x 4 1/2" (71 x 115mm)	10
CRX14	EURO	Radial	3 3/8" x 5 1/8" (87 x 131mm)	10
CRX20	EURO	Radial	3 1/8" x 4 7/8" (80 x 125mm)	10
DRX10	USA	Radial	2 1/8" x 3" (55 x 77mm)	20
DRX10-80	USA	Radial	2 1/8" x 3" (55 x 77mm)	80
DRX12	USA	Radial	2 3/4" x 4 1/2" (71 x 115mm)	10
DRX14	USA	Radial	3 3/8" x 5 1/8" (87 x 131mm)	10
DRX20	USA	Radial	3 1/8" x 4 7/8" (80 x 125mm)	10

BIAS REPAIRS



PART#	STYLE	DESCRIPTION	INCHES-MM	BOX
WDB1	USA	Bias	2 1/2" (64mm)	20
WDB2	USA	Bias	2 7/8" (74mm)	20
WDB3	USA	Bias	4 5/8" (119mm)	10
WDB4	USA	Bias	5 3/8" (138mm)	10
WDB5	USA	Bias	7 1/8" (183mm)	10
WDB6	USA	Bias	10" (256mm)	10
WCB1	EURO	Bias	2 1/2" (64mm)	20
WCB1HD	EURO	Bias	2 3/8" (60mm)	20
WCB2	EURO	Bias	2 7/8" (74mm)	20
WCB2HD	EURO	Bias	3 1/4" (83mm)	20
WCB3	EURO	Bias	4 5/8" (119mm)	10
WCB4	EURO	Bias	5 3/8" (138mm)	10
WCB5	EURO	Bias	7 1/8" (183mm)	10
WCB6	EURO	Bias	10" (256mm)	10

PATCH/PLUG QUILL-TYPE COMBINATION REPAIRS



PART#	REPAIR SIZE	STEM SIZE	BOX
Q3	2" (51mm)	1/8" (3mm)	24
Q6	2" (51mm)	1/4" (6mm)	24

PATCH/PLUG LEAD WIRE DIPPED STEM COMBINATION REPAIRS



PART#	REPAIR SIZE	STEM SIZE	BOX
WW3	2" (51mm)	1/8" (3mm)	24
WW6	2" (51mm)	1/4" (6mm)	24
WW8	2" (51mm)	3/8" (9mm)	24
WW9	2" (51mm)	7/16" (11mm)	24

SNAP-IN TUBELESS TIRE VALVES



PART#	LENGTH	VALVE HOLE	QTY
TR412	7/8"	.453"	100
TR413	1-1/4"	.453"	100
TR414	1-1/2"	.453"	100
TR415	1-1/4"	.625"	100
TR418	2"	.453"	100
TR423	2-1/2"	.453"	100
TR425	2"	.625"	100

LEAD WIRE WRAPPED STEM INSERTS

PART#	REPAIR SIZE	BOX
WI3	1/8" (3mm)	50
WI6	1/4" (6mm)	50
WI8	5/16" (8mm)	50

DUAL CURE REINFORCED INSERTS (GREY GUM)

PART#	DESCRIPTION	INCHES-MM	STEM SIZE	BOX
WS220/24	Blue Poly	3-3/4" (96mm), 10 strand	3/16" (5mm)	50

HEAVY DUTY STRING INSERTS

PART#	DESCRIPTION	INCHES-MM	BOX
ST1930	Brown String	4" (102mm)	30
ST1933	Brown String	4" (102mm)	60
ST1934	Brown String	8" (204mm)	30
ST1935	Black String	4" (102mm)	60

"EZY-SEAL" BLACK TIRE CORDS

PART#	DESCRIPTION	INCHES-MM	BOX
WS9	Cord with closed-eye tool	7 1/4" (186mm)	50
WS9R	Cord	7 1/4" (186mm)	50

VALVE CORES AND CAPS

PART#	DESCRIPTION	QTY
C1HT	HI-Temp, short	100
C1LG	Passenger, long	100
DSV1	Inflator Cap	20
VC2	Screwdriver Cap	100
VC3L	Dome Long Skerted Cap	100
VC4	Chrome Metal Hex Head Cap	100
VC5	Green brass with O Ring	100
VC7	Chrome Plastic	100
VC8	Black Plastic Cap	100
VC8G	Green Plastic with red seal	100
VC9	Green Plastic	100
VC10	Blue plastic	100
VC12	Grey TPMS cap	100

STRING INSERTING TOOLS (SPLIT-EYE)



PART#	DESCRIPTION
TST	Chrome Plated T-Handle with 3"
TSTT	Chrome Plated T-Handle with 4"
WRN35	Replacement needle for TST, 3-1/2"
WRN45	Replacement needle for TST, 4-1/2"
SEPG	Pistol Grip short split-eye

OPEN-EYE (SIDE-LOADING) INSERTING TOOLS



PART#	DESCRIPTION
OETT	Plastic T-Handle
OEPG	Plastic Pistol Grip handle
OE7	Heavy duty screwdriver-type handle, 7"
OE11	Heavy duty screwdriver-type handle, 11"

CLOSED-EYE INSERTING TOOLS

PART#	DESCRIPTION
CEPG	Plastic Pistol Grip handle
CE7	Heavy duty screwdriver-type handle, 7"
CE11	Heavy duty screwdriver-type handle, 11"

RASP/PROBE (INJURY-CLEANING) TOOLS

PART#	DESCRIPTION
PPG	Plastic Pistol Grip handle barbed rasp
P150	Screwdriver handle barbed rasp
TSBRP	Chrome Plated T-Handle rasp
TSRBR	Replacement Barbed Rasp for TSBRP

SPIRAL PROBE TOOLS

PART#	DESCRIPTION
TSPRB	Chrome Plated T-Handle spiral probe
PRBR	Replacement spiral probe for TSPRB
SSP	Heavy duty screwdriver-type spiral probe

MARKING CRAYONS

PART#	DESCRIPTION
WB12	White Crayons
YC12	Yellow Crayons

CEMENTS

PART#	DESCRIPTION
SV8	Self-Vulc Cement, 8 oz. (235ml)
SV8BL	Blue Fast Dry Cement, 8 oz. (235ml)
SV32	Self-Vulc Cement, 32 oz. (945ml)
SV32BL	Blue Fast Dry Cement, 32 oz. (945ml)

BUFFING SOLUTION

PART#	DESCRIPTION
BU16S	Redi-Buff, spray 16 oz. (423ml)
BU32	Redi-Buff, 32 oz. (945ml)
BUG	Redi-Bluff, Gal (3.8L)

TIRE MOUNTING LUBRICANT & ACCESSORIES

PART#	DESCRIPTION	WEIGHT
TC70-5	Concentrated	8 lb. Pail (3.64kg)
TC70-6	Concentrated	25 lb. Pail (11.36kg)
TC70-7	Concentrated	40 lb. Pail (18.18kg)
TC60-5	Ready-to-Use Liquid	Gal (3.8L)
TC60-7	Ready-to-Use Liquid	5 Gal (19L)
TC77-5	Concentrated Europaste	8 lb pail (3.64kg)

METRIC TRUCK VALVES FOR ALCOA WHEELS

<i>Nickel Plated</i>		
PART#	LENGTH	DESCRIPTION
TV543D	1.38"	.389 dia. 60 deg. (TR543D)
TV544	2.86"	.389 dia. (TR544)
TV544D	1.94"	.389 dia. (TR544D)
TV545	3.50"	.389 dia. (TR545)
TV545D	2.60"	.389 dia. (TR545D)

TIRE SPREADER

PART#	DESCRIPTION
TS1	Economy Tire Spreader

BUFFING TOOLS, BITS & ADAPTERS

PART#	DESCRIPTION
BS1	Black Buffing Stone, 36 grit
BC20	2" Tungsten Carbide Buffering Wheel
BC25	2-1/2" Tungsten Carbide Buffering Wheel
BURR1/8	Carbon Burr Bit
BURR7/32	Carbon Burr Bit
BURR1/4	Carbon Burr Bit
BURR5/16	Carbon Burr Bit
BURR3/8	Carbon Burr Bit

LINER SCRAPERS, STITCHERS AND MEASURING TOOLS

PART#	DESCRIPTION
110B	Ball bearing stitcher 1/8"
115E	Economy buffer/stitcher combination
120S	Innerliner Scraper

LUBE TOOLS

PART#	DESCRIPTION
CSS	Cotton Swab, short
CSL	Cotton Swab, long
LB1	Rim Clamp Lube Bottle
LB2	Center Post Lube Bottle

BEAD SEALER & REPAIR SEALER

PART#	DESCRIPTION
BS32	Black Bead Sealer, 32 oz. (945ml)
BSG	Black Bead Sealer, Gal (3.8L)
BS5G	Black Bead Sealer, 5 Gal (19L)
RS32	Butyl Liner Repair Sealer, 32 oz. (945ml)
RS8	Butyl Liner Repair Sealer, 8 oz. (235ml)

HIGH PRESSUE SNAP-IN VALVES

PART#	DESCRIPTION
600HPT	1-1/4" .453"
602HP	2" .453"
801HP	1-1/4" .625"
802HP	2" .625"

TRUCK & BUS TUBELESS TIRE VALVES

PART#	LENGTH	DESCRIPTION
TV570	3-1/8"	(TR570) .625" side valve hole
TV571	3-3/8"	(TR571) .625" side valve hole
TV572	3-3/4"	(TR572) .625" side valve hole
TV573	4-3/8"	(TR573) .625" side valve hole
TV574	5"	(TR574) .625" side valve hole

METAL TRUCK VALVE EXTENSIONS

PART#	DESCRIPTION
TE3	3" Metal Truck Extension
TE4	4" Metal Truck Extension
TE5	5" Metal Truck Extension

AIR/LIQUID VALVE AND ACCESSORIES

PART#	DESCRIPTION
618A	Air / Liquid Valve, 48mm

PRODUCT	SUPPLIER	PAGE
AC Test Equipment.....	Uview	104
Air Conditioning & Cooling	Cliplight, Rislone, Uview	13, 89, 90, 104
Air Fresheners.....	Car-Freshener.....	9
Air Hose	Milton.....	67
Air Manifold.....	Milton.....	67
Air Springs.....	Veyance.....	105
Anti-Freeze Tester	EZ Red	25
Assortments.....	Dynaline.....	22
Batteries	Rayovac.....	88
Battery Box.....	Pico.....	80
Battery Chargers.....	Schumacher.....	96-97
Battery Hydrometer.....	EZ Red	25
Bit Kit	H Paulin.....	43
Bits	Irwin Tools.....	53
Blades.....	Irwin Tools.....	52,53
Booster Cables	Pico.....	80
Brake Assemblies.....	PTC.....	87
Brake Cleaner	CRC, Kleen-flo.....	14, 58
Brake Fluid	Flo-Perm, Kleen-flo	26, 58
Brake Lines.....	FMSI.....	27
Brooms	M2 Professional.....	65,66
Brushes.....	M2 Professional.....	66
Butt Connectors	Pico.....	83
Cable Ties	Pico.....	83
Cargo Control.....	Dynaline.....	24
Cart	M2 Professional.....	66
Chargers.....	Pico.....	83
Chemicals	CRC, Uview.....	14,15, 104
Clamps.....	AP Exhaust, Irwin Tools	3, 51
Clamps (Hose)	Breeze.....	8
Cleaners	Irving Blending & Packaging, Permatex, Seafoam.....	50, 78, 98
Clearcoat	Evercoat.....	25
Clock	Bestbuy Distributors.....	60
Coating.....	Mar-Hyde, Plasti-Kote.....	63, 85
Coiled Air Products.....	Grote.....	37
Cold Weld	Permatex, J-B Weld	77, 55
Copper Tubing	FMSI.....	27
Creeper.....	Torin Jacks.....	101
Crimp Tool	Pico.....	80,83
Cutters.....	Pico.....	82
Dash Bulbs	Dorman	19
Degreasers.....	Irving Blending & Packaging, Permatex, WD-40.....	50, 78, 107
Driver Bits.....	Dynaline.....	20
Driver Kit.....	Dynaline.....	20
Electrical.....	Grote.....	38

PRODUCT	SUPPLIER	PAGE
Engine Cleaner.....	Seafoam.....	98
Engine Degreaser.....	CRC.....	15
Engine Enamel.....	Plasti-Kote.....	85
Engine Repair.....	Rislone.....	91
Engine Stand.....	Torin Jacks.....	102
Engine Treatment.....	Rislone.....	91
Epoxy.....	J-B Weld, NLS Products.....	55, 69
Exhaust Fluid.....	Irving Blending & Packaging.....	48
Extractors.....	Irwin Tools.....	53,54
Fender Covers.....	Eppco.....	25
Fiberglass Repair.....	NLS Products.....	69
Filler.....	Mar-Hyde.....	63
Flex Couplings.....	AP Exhaust.....	3
Floor Mats.....	Mar-Hyde.....	64
Floor Signs.....	M2 Professional.....	65
Fluid Film.....	NLS Products.....	68
Flush (System).....	Ironite.....	44
Fuel Conditioner.....	CRC, Kleen-flo.....	15, 58
Fuel Meters.....	GPI.....	31
Fuel Treatment.....	Lucas Oil, Rislone.....	61, 93, 94
Funnels.....	Dynaline.....	23
Fuses.....	Cooper Bussmann, Pico.....	10, 81
Gas-Line Anti-Freeze.....	Kleen-flo.....	58
Gasket Maker.....	Permatex.....	77
Gear Pumps.....	GPI.....	31,32
Gloves.....	Groupe BBH, Irwin Tools, Kimberly-Clark.....	39, 53, 56
Glue.....	Permatex.....	77
Grease.....	CRC, Irving Blending & Packaging, WD-40.....	14, 48, 107
Hand Cleaners.....	CRC, Permatex, Kimberly-Clark.....	15, 78, 57
Hand Pumps.....	GPI.....	31,32
Hand Tools, specialty.....	Lisle.....	59
Handy Paks.....	H Paulin.....	43
Hardener.....	Mar-Hyde.....	63
Head Gasket Fix.....	Rislone.....	89
Headlight Lens Restoration.....	3M.....	1
Hole Saw Kit.....	Irwin Tools.....	53
Horns.....	Fiamm.....	26
Hose (Exhaust).....	Dayco.....	16
Hose (Service).....	Dayco.....	17-18
Injector Cleaner.....	Rislone.....	93
Inventory Management Solutions.....	Pico.....	84
Inverter.....	Schumacher.....	97
Jacks.....	Torin Jacks.....	101,102
Jump Starter.....	Schumacher.....	97
Junction Box.....	Pico.....	81

PRODUCT	SUPPLIER	PAGE
Kneepads	Irwin Tools.....	53
Leak Detection	Cliplight, Uview	13, 104
Lighting.....	Bayco, Cliplight, Grote, Sylvania.....	4-6, 11-12, 33-36, 99
Lubrication	CRC, Dynaline, WD-40.....	14, 22, 107
Lug Kit.....	Pico.....	80
Markers	Irwin Tools.....	54
Marking Paint.....	Plasti-Kote	85
Measuring Tape	Dynaline.....	20
Mille-Tie Quick Strips	Dorman	19
Mop Bucket.....	M2 Professional.....	65
Mops.....	M2 Professional.....	65
Motor Oil.....	Irving Blending & Packaging, Noco Lubricants	45-47,49, 73-74
Motor Seal.....	Ironite	44
Motor Treatment.....	Seafoam.....	98
Mud Flaps.....	Triple C	103
Nozzle.....	GPI.....	32
Octane Booster	Rislone.....	94
Oil Stabilizer	Lucas Oil	61
Oil Treament	Rislone.....	92
Pad Heaters.....	Phillips & Temro	79
Paint.....	Plasti-Kote	86
Paint Accessories.....	Mar-Hyde	64
Parts Cabinet.....	Bestbuy Distributors.....	67
Parts Washer.....	Torin Jacks.....	102
Penetrants	CRC, NLS Products, Seafoam	14, 68, 72, 98
Pipe Blender.....	Torin Jacks.....	102
Pliers	Irwin Tools.....	51,52
Plugs	Milton, Pico.....	67, 80, 83
Porta Power.....	Torin Jacks.....	102
Power Steering Repair	Lucas Oil, Rislone	61, 92
PPS™ Kits.....	3M.....	2
Primer	Evercoat, Mar-Hyde.....	25, 63
Putty	Mar-Hyde	64
Radiator Stop Leak.....	Rislone.....	89,90
Relays	Pico.....	81
Repair Kits.....	Stanley Engineered Fastening	99
Repair Lines.....	FMSI.....	29,30
Resin	Mar-Hyde	64
Respirator	3M.....	1
Rope.....	Groupe BBH	40
Rust Converter.....	Mar-Hyde, Rust Check.....	63, 95
Rust Prevention	CRC, Plasti-Kote, Rust Check.....	14, 85, 95
Rust Removal	NLS Products	68
Sanding Discs.....	3M, Norton	2, 75
Scrapers (Ice).....	Hopkins	41

PRODUCT	SUPPLIER	PAGE
Sealant	3M, NLS Products, Permatex.....	1, 71, 77
Sealant (Tire)	NLS Products	70
Seat Covers	Mar-Hyde	64
Shop Press	Torin Jacks.....	102
Snips	Irwin Tools.....	53
Snowbrooms.....	Hopkins	41
Snowbrushes	Hopkins	41
Sockets	Pico.....	83
Spray Gun	Plasti-Kote	86
Springs	Irwin Tools.....	52
Squeegees.....	Hopkins, M2 Professional	42, 65,66
Tape.....	3M, Pico	1, 82
Taps & Dies.....	Irwin Tools.....	54
Terminals	Grote, Pico.....	37, 80
Test Strips.....	NLS Products	71
Thread Repair	Stanley Engineered Fastenin.....	99
Threadlocker	Permatex	77
Tire Repair Products	Western States.....	108-110
Tissue	Kimberly-Clark	57
Torches	Pico.....	82
Towels.....	Kimberly-Clark	56-57
Trailer Connections.....	Grote, PTC.....	37, 87
Trailor & Towing	Dynaline.....	21
Transmission Connectors	FMSI	30
Transmission Repair.....	Lucas Oil, Rislone, Seafoam	61, 92, 98
Trigger Sprayer.....	M2 Professional.....	65
Tube Nuts	FMSI	28
Tubing	Pico.....	80,82
Utility Knife.....	Dynaline, Irwin Tools.....	20, 52
Vane Pumps	GPI	31
Waste Containers.....	M2 Professional.....	65
Water Remover	Rislone.....	93
Weather Seal	Irontite	44
Weatherstrip.....	3M	1
Wheel Bearing Protectors.....	PTC.....	87
Wheel Chock.....	Triple C	103
Wheel Nuts	Dorman	19
Wheel Studs.....	Dorman	19
Wheel Weights.....	Perfect Equipment	76
Wipes.....	Kimberly-Clark, M2 Professional	56-57, 65
Wire & Cable	Grote, Pico.....	37, 83
Wrenches.....	Irwin Tools.....	52

Did you know we also carry these great brands?

 **Cole Hersee**



 **GERSON**[®]
Progressive With Purpose

SnappiHookers

Megular's
SALES LTD.

MURPHY'S


 **PROCOREDIRECT**

 **Quick-MACCALLUM**
CORPORATION

**Super
Lube**


 **Scepter**

BESTBUY 



WWW.BESTBUYDISTRIBUTORS.CA