



Westinghouse has been helping Australian families for over 60 years. We've always put our energy and thinking into great features that will actually be useful, not 'bells and whistles' that you just don't need. That's why our new cooking range is loaded with practical features...

There's a pause button on cooktops so dinner needn't be ruined if there are interruptions, and cool touch doors that ensure a safe exterior on even the hottest oven. The steam assist oven offers a Steam Reheat function to help families get more mileage out of leftovers without compromising on taste, while the PyroClean ovens clean themselves without harsh chemicals, saving time and effort. Experience the incredible temperature control of induction cooking - it's so clever, chocolate can be melted right in the pan with no double boiler required! They are cool to the touch, easy to keep clean and so responsive.

If you want a reliable brand with good solid appliances and features that will actually be used, choose Westinghouse. **Built-in Ovens**



Cooktops 20



Rangehoods 36



Microwaves 40



Accessories 44



60cm cooking range

Cooking for the entire family can be stressful at the best of times. From fussy eaters to meal time distractions, sometimes you just want to get dinner on the table without all the fuss.

That is why Westinghouse has developed an even wider range of perfectly practical cooking solutions designed to ensure meal time runs as smoothly as possible. Our range includes 60cm ovens with a spacious 80 litre gross capacity. When it comes to cooking for the entire family, you'll be happy you chose a Westinghouse.





Introducing the Ultimate Family Roast

Our large capacity oven features steam assisted cooking, which offers the unique combination of hot air with just the right amount of steam. (WVE6175/W only).



Steam Reheat

Our new Steam Assist oven offers a Steam Reheat option that effectively heats the food in a moist environment to deliver top quality results with a minimum of fuss.



FamilySafe[™] cool doors

We've developed multi-layer glazed oven doors with an even cooler exterior that's easy on little hands. The full-width inner glass door also ensures a better oven seal, optimal temperature control and easier cleaning.



Room for everything with FamilySize™ ovens

Our huge 80-litre gross capacity ovens have room for everything. Low heat emissions and super quiet operation are the ingredients for the perfect oven.



Fingerprint resistant stainless steel

Fingerprints have met their match. Enjoy a family-friendly oven with stainless steel that really is stainless. Keep your oven looking like new with our easy-to-clean, fingerprint resistant stainless steel.



No-fuss PyroClean oven

The Westinghouse PyroClean ovens offer the latest in cleaning technology. Two pyrolytic functions safely heat the oven to a high temperature to turn different levels of grease and grime into ash. Then just quickly wipe the residue away. (Selected models only).









Features[†]

range

Steam assist

Model	WVE617S	WVE617W
type	single, steam assist	single, steam assist
available finishes	stainless steel	white
main oven		
oven functions	multifunction 13	multifunction 13
capacity		
- gross (litres)	80	80
- usable (litres)	72	72
oven cleaning	easy clean door, removable door	easy clean door, removable door
timer	programmable	programmable
lights	1	1
glass layers in door	3	3
general features		
australian made	✓	✓
controls	electronic touch control	electronic touch control
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert	✓	✓
oven tray	✓	✓
connection	hardwired	hardwired
maximum power rating	12.9	12.9
telescopic runners	2 sets	2 sets
dimensions [^]		
overall HxWxD (mm)	595 x 596 x 572	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements

[†] Refer to the product information on the back page of this brochure.







Pyrolytic range

Features[†]

Model	WVEP615S/W	WVEP618S/W
type	single, pyrolytic	single, pyrolytic
available finishes	stainless steel/white	stainless steel/white
main oven		
oven functions	multifunction 10	multifunction 11
capacity		
- gross (litres)	80	80
- usable (litres)	68	72
pyrolytic functions	light, normal	light, normal
oven cleaning	Pyrolytic, easy clean door, removable door	Pyrolytic, easy clean door, removable door
timer	programmable	programmable
lights	1	1
glass layers in door	4	4
general features		
australian made	✓	✓
controls	knob	electronic touch control
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		✓
oven tray		✓
connection	hardwired	hardwired
maximum power rating (amps)	12.7	12.9
telescopic runners ¹		available
dimensions [^]		
overall HxWxD (mm)	595 x 596 x 572	595 x 596 x 572
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au



[†] Refer to the product information on the back page of this brochure.

Telescopic runners are available within our accessory range. Please see page 44 for details.





Electric ovens

Features[†]

Model	WVE613S/W
type	single
available finishes	stainless steel/white
main oven	
oven functions	3 function
capacity	
- gross (litres)	80
- usable (litres)	72
oven cleaning	easy clean/removable door
catalytic liners*	available
timer	auto off timer
lights	1
glass layers in door	2
general features	
australian made	✓
controls	knob
number of shelves	2
oven/grill dish	✓
anti-spatter grill insert	
oven tray	✓
connection	hardwired
maximum power rating (amps)	9.6
telescopic runners*	available
dimensions [^]	
overall oven HxWxD (mm)	595 x 596 x 568
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581
proud mount oven cut-out HxWxD (mm)	590 x 565 x 560
cooktop cut-out WxD (mm)	

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

† Refer to the product information on the back page of this brochure.













WVE615S/W	WVE615S/WH	WVE616S/W
single	single	single
stainless steel/white	stainless steel	stainless steel
multifunction 5	multifunction 5	multifunction 8
80	80	80
72	72	72
easy clean/removable door	easy clean/removable door	easy clean/removable doo
available	available	✓
programmable	programmable	programmable
1	1	1
2	2	3
✓	✓	✓
knob	knob	knob
2	2	2
✓	✓	✓
		✓
✓	✓	✓
hardwired	hardwired	hardwired
12.7	12.7	12.7
available	1 set	available
595 x 596 x 568	595 x 596 x 568	595 x 596 x 568
600 x 600 x 581	600 x 600 x 581	600 x 600 x 581
590 x 565 x 560	590 x 565 x 560	590 x 565 x 560

Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.







Electric ovens

Features[†]

Model	Combination WVE645S	
type	combination oven	
available finishes	stainless steel	
main oven		
oven functions	3 function	
capacity		
- gross (litres)	80	
- usable (litres)	72	
oven cleaning	easy clean/removable door	
catalytic liners*	available	
timer	auto off timer	
lights	1	
glass layers in door	2	
general features		
australian made	✓	
controls	knob	
number of shelves	2	
oven/grill dish	✓	
anti-spatter grill insert	√	
oven tray		
connection	hardwired	
maximum power rating (amps)	36.3	
telescopic runners*	available	
dimensions [^]		
overall oven HxWxD (mm)	595 x 596 x 568	
flush mount oven cut-out HxWxD (mm)	600 x 600 x 581	
proud mount oven cut-out HxWxD (mm)	590 x 565 x 560	
overall cooktop WxDxH below bench (mm)	610 x 515 x 45	
cooktop cut-out WxD (mm)	560 x 490	
connected cooktop		
type	ceramic	
elements	4	
left front	2200	
left rear	1200	
right front	1200	
right rear	1800	

NOTE: A minimum gap of 40mm must be maintained between the top of the underbench oven and the bottom of the cooktop to ensure adequate ventilation and space for the interconnection lead.

Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Refer to the product information on the back page of this brochure.





Side opening door electric ovens



Features[†]

Model	WVES613S	WVES613W
type	single oven	single oven
available finishes	stainless steel	white
main oven		
oven functions	3 function	3 function
capacity		
- gross (litres)	80	80
- usable (litres)	72	72
catalytic liners*	available	available
timer	auto off timer	auto off timer
lights	1	1
glass layers in door	2	2
side opening door*	√	✓
general features		
australian made	✓	✓
controls	knob	knob
number of shelves	2	2
oven/grill dish	✓	✓
anti-spatter grill insert		
oven tray	✓	✓
connection	hardwired	hardwired
maximum power rating (amps)	9.6	9.6
telescopic runners*	available	available
dimensions [^]		
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560

NOTE: These doors are not reversible.

Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.

Ovens are available as left or right hand doors and are not reversible once built please ensure when ordering of correct requirements.
 Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
 Refer to the product information on the back page of this brochure.

Double cavity electric ovens







F	eat	:ur	es
Г,	cai	.uı	C 3

Model	WVE655S/W	WVE665S/W	WVE626S/W	WVE636S/W
type	single, separate grill	single, separate grill	double, duo	double
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
main oven				
oven functions	multifunction 5	multifunction 5	multifunction 8	multifunction 8
capacity				
- gross (litres)	80	80	80	80
- usable (litres)	72	72	72	72
catalytic liners*	available	available	sides and rear	sides and rear
timer	programmable	programmable	programmable	programmable
lights	1	1	3	3
glass layers in door	3	2	3	3
second oven or separate grill				
oven function	electric grill	electric grill	multifunction 5	multifunction 8
capacity				
- gross (litres)		46	46	80
- usable (litres)		38	38	72
catalytic liners			side and rear	side and rear
lights			1	3
glass layers in door	1	2	3	3
general features				
australian made	✓	✓	✓	✓
controls	knob	knob	knob	knob
number of shelves	2	2	3	4
oven/grill dish	√	√	√	✓
grill dish	✓	✓	√	✓
anti-spatter grill insert	✓	✓	✓	√
oven tray	✓	✓	✓	✓
connection	hardwired	hardwired	hardwired	hardwired
maximum power rating (amps)	9.6	12.7	23.9	24.1
telescopic runners*	available	available	available	available
dimensions [^]				
overall HxWxD (mm)	725 x 596 x 572	888 x 596 x 568	888 x 596 x 568	1081 x 596 x 572
flush mount cut-out HxWxD (mm)	731 × 600 × 581	893 x 600 x 581	893 x 600 x 581	1086 x 600 x 581
proud mount cut-out HxWxD (mm)	723 x 565 x 560	885 x 565 x 560	885 x 565 x 560	1078 x 565 x 560





Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
 Refer to the product information on the back page of this brochure.
 Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.















Features[†]

Model	WVG613S/W	WVG615S/W	WVG655S/W	WVG665S/W
type	single	single	single, separate grill	single, separate grill
available finishes	stainless steel/white	stainless steel/white	stainless steel/white	stainless steel/white
main oven				
oven functions	3 function	multifunction 5	3 function	3 function
capacity				
- gross (litres)	80	80	80	80
- usable (litres)	72	72	72	72
oven burner output (NG)	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
in oven grill	electric	electric		
catalytic liners*	available	available	available	available
timer	auto off timer	programmable	programmable	programmable
lights	1	1	1	1
glass layers in door	2	2	2	2
second oven				
or separate grill				
oven function			electric grill	electric grill
capacity				
- gross (litres)				
- usable (litres)				
general features				
australian made	✓	√	√	
controls	knob	knob	knob	knob
number of shelves	2	2	2	2
oven/grill dish	✓	√	√	√
grill dish	✓		√	
anti-spatter grill insert			√	
oven tray	✓	√	✓	✓
connection	10A service cord	10A service cord	10A service cord	10A service cord
maximum gas rating (NG)#	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h	10.5 MJ/h
maximum power rating (amps)	9.6	9.6	7.7	9.6
telescopic runners*	available	available	available	available
dimensions [^]				
overall HxWxD (mm)	595 x 596 x 568	595 x 596 x 568	725 x 596 x 572	888 x 596 x 568
flush mount cut-out HxWxD (mm)	600 x 600 x 581	600 x 600 x 581	731 x 600 x 581	893 x 600 x 581
proud mount cut-out HxWxD (mm)	590 x 565 x 560	590 x 565 x 560	723 x 565 x 560	885 x 565 x 560

HxWxD (mm)

Model shown: Separate grill gas oven WVG665S.

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
For WVG613S/W, WVG615S/W and WVG665S/W models, it must be specified at time of purchase if LP gas is required as these models can not be converted. Gas rating for LP models is 9,0MJ/h.

NOTE: These gas products are only suitable for use on normal 240V AC mains supply. The use of inverters, UPS or generators must be checked to ensure the waveform is a pure sinusoidal output to confirm it is compatible with the electronics within this product. Connection to any power supply that does not meet the above requirements may result in failure of the product to operate and or permanent damage to electronics within the product and may void the product warranty. No flue is required for Westinghouse gas ovens.

[†] Refer to the product information on the back page of this brochure.

Catalytic liners and telescopic runners are available within our accessory range. Please see page 44 for details.

90cm built-in oven

Preparing large family feasts and entertaining friends has just become a whole lot easier thanks to our 90cm built-in oven.

With its hugely practical 125L gross capacity and super-quick heat up time, you'll enjoy perfect results no matter what you cook. Beautifully designed and made right here in Australia, this large, easy to clean oven is set to become the new family favourite.



Large oven capacity

With a spacious 125L gross capacity*, you can cook large meals with minimum fuss and maximum results. Our ovens have been tested to evenly bake up to 72 mini cupcakes in one go, so they're perfect for those last-minute school fundraisers!

* Based on International Standard IEC 60350-1



Fast heat-up time

Every moment counts at meal times, so while your oven heats up fast you can save time and get on with cooking the dishes you and your family love.



Twin fan system for even cooking

Cook each dish to perfection with the Twin Fan System. Fans rotate in opposite directions, distributing heat evenly throughout the oven, so you enjoy great results every time.



FamilySafe[™] cool doors

For added safety and confidence in the kitchen, our cool touch door is beautifully designed with a large window, so you can keep a close eye on your cooking.

90cm built-in oven

Features[†]



Model	WVE916SA
type	electric underbench oven
fingerprint-resistant stainless steel finish	√
Main oven	
type	electric
oven functions (refer to page 35)	multifunction 10
twin fan system	√
capacity*	
- gross (litres)	125
- usable (litres)	116
timer	fully programmable touch control
lights	2 x 25W halogen
glass layers in door	3
catalytic liners	side and rear
grill in oven	√
removable side racks	√
shelf positions	7
General features	
australian made	✓
removable stainless steel splashback	
wire shelves	2
grill dish	2 x half-width
grill insert	2 x half-width
grill rack	1 x full-width
Connection	
type	hardwire
maximum power rating (kW)	3.1
Dimensions	
overall HxWxD (mm)	596 x 895 x 572
flush mount cut-out HxWxD (mm)	600 x 900 x 580
proud mount cut-out HxWxD (mm)	590 x 864 x 560

- * IMPORTANT The above dimensions are a guide only. Depth excludes knobs and handles.
 For complete dimensions and installation requirements, refer to the information provided with the product or visit westinghouse.com.au
- Burner outputs shown above are for natural gas connection.

Gas cooktops

Our new range of Gas cooktops are built to give you the ultimate combination of peace of mind and flexibility. With FamilySafe™ trivets that enhance pot stability, and a FamilySafe™ Flame Failure Device that will immediately shut off the gas supply if a cooktop flame is unexpectedly extinguished, you can always cook without worry. There's also a high-powered wok burner so you can easily whip up tasty stir-fries and more. You'll get the high heat you need to unleash the wok star you always knew you had in you!





FamilySafe[™] Trivets

Designed to cover the large flat surface area and enhance pot stability for added safety. Plus, being dishwasher friendly means less time cleaning.



FamilySafe™ Flame failure device

Created with safety in mind, the flame failure safety device will immediately shut off the gas supply if the flame on the cooktop is unexpectedly extinguished. (Selected models only).



Efficient two-piece burners

Designed to make cleaning easy, the twopiece burners lift straight off for fast and efficient cleaning. (Excludes wok burner).



High-powered wok burner

You can whip up tasty stir-fries and more with our high-powered 14MJ wok burner.



Bladed knob controls

Our cooktop knobs for maximum practicality. The bladed design makes them easy to grip plus the unique shape means you can tell at a glance if the cooktop's been left on. Talk about handy!



Fingerprint resistant stainless steel

Fingerprints have met their match. Keep your cooktop looking like new with our easy-to-clean, fingerprint resistant stainless steel.

Model shown: Gas cooktop WHG646SA.











Features[†]


Model	WHG640SA/W	WHG642SA
finish	stainless steel/white enamel	stainless steel
connection	10A plug & lead	10A plug & lead
gas rating (NG)	35.2MJ/h	40.6MJ/h
burners		
left front	12.1MJ/h	14.4MJ/h
left rear	9.0MJ/h	9.0MJ/h
right front	5.1MJ/h	5.1MJ/h
right rear	9.0MJ/h	12.1MJ/h
features		
trivets	enamel	enamel
ignition type	electronic	electronic
flame failure safety		
dimensions [^]		
below bench WxDxH (mm)	600 x 535 x 38	595 x 530 x 44
cut out WxD (mm)	570 x 490	560 x 490

Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au





Features[†]



- * Gas Type: Configured for NG and supplied with an LPG conversion kit.
- A lmportant! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

 Refer to the product information on the back page of this brochure







WHG644SA	WHG646SA	WHG646WA
stainless steel	stainless steel	white glass
10A plug & lead	10A plug & lead	10A plug & lead
40.6MJ/h	40.6MJ/h	40.6MJ/h
14.4MJ/h	14.4MJ/h	14.4MJ/h
9.0MJ/h	9.0MJ/h	9.0MJ/h
5.1MJ/h	5.1MJ/h	5.1MJ/h
12.1MJ/h	12.1MJ/h	12.1MJ/h
enamel	cast iron	cast iron
electronic	electronic	electronic
√	✓	✓
595 x 530 x 44	595 x 530 x 44	620 x 530 x 58
560 x 490	560 x 490	560 x 480









WHG952SA	WHG956SA/WA
stainless steel	stainless steel/white glass
10A plug & lead	10A plug & lead
49.6MJ/h	49.6MJ/h
14.4MJ/h	14.4MJ/h
9.0MJ/h	9.0MJ/h
9.0MJ/h	9.0MJ/h
5.1MJ/h	5.1MJ/h
12.1MJ/h	12.1MJ/h
enamel	cast iron
electronic	electronic
	✓
895 x 530 x 44	895 x 530 x 44 (S)
	894 x 530 x 58 (W)
880 x 490	880 x 490 (S)
	830 x 480 (W)



Induction cooktops

Enjoy the safety and efficiency of induction cooking with Westinghouse. Almost twice as fast as gas or electric in transforming energy into heat, you'll save not only time but money too. What's more, induction cooking only generates heat in the cookware, so surfaces around the pot are cool to touch, making the cooking environment safer. The surface is also easy to clean, as any spills are simply wiped away - now that's practical.

When you're busy getting food on the table, flexibility is key. That's why Westinghouse offers an array of practical design features to make your life easier.





Pause when you need to

Just press the Pause icon on our induction cooktop and all operating zones will drop to a keep warm mode. And when ready to resume, touch the Pause icon again and all zones will return to their previous setting.



FamilyFlex™ Induction for versatile cooking

FamilyFlex[™] allows you to use two individual induction zones as well as link together two zones to provide a space for larger or irregularly shaped pots. (Selected models only)



QuickCook™ Timer

This nifty timer counts down and even turns the zone off to cook the perfect steak or boiled eggs or any other meal exactly to your liking.



Boost up the power

Boost up power to cooking zones by more than 25% for maximum speed and cooking performance.



Touch on glass controls

With flat easy-clean touch on glass controls at your fingertips, you can easily control the heat. So all you need to do is concentrate on preparing the perfect meal.



Complete control

Enjoy the safety, efficiency and unparalleled control of induction cooking. It's so easy to control, you can even melt chocolate right in the pan.

Model shown: Induction cooktop WHI645BA.
















Induction cooktops

Features[†]













Model	WHI324BA	WHI634BA	WHI644BA
finish	black ceramic glass	black ceramic glass	black ceramic glass
connection	hardwired	hardwired	hardwired
maximum power rating	3.7KW	7.4KW	7.4KW
elements			
total	2	3	4
left front		2500/1400W	3200/2300W
left rear		2800/1800W	2500/1400W
center front	2500/1400W		
center rear	3200/2300W		
right front		5200/3600W	2500/1400W
right rear			2800/1800W
control	touch	touch	touch
features			
pause	✓	✓	✓
hot surface indicator	✓	✓	✓
child lock	✓	✓	✓
quickcook timer	✓	✓	✓
dimensions [^]			
below bench WxDxH (mm) 320 x 520 x 46		590 x 520 x 46	590 x 520 x 46
cut-out WxD (mm)	270 x 490	560 x 490	560 x 490


Important! The above dimensions are a guide only. For complete dimensions and installation requirements,
you must refer to the information provided with the product or visit westinghouse.com.au

WHI645BA	WHI744BA	WHI745BA	WHI954BA
black ceramic glass	black ceramic glass	black ceramic glass	black ceramic glass
hardwired	hardwired	hardwired	hardwired
7.4KW	7.4KW	7.4KW	10.2KW
4	4	4	5
3200/2300W	3200/2300W	3200/2300W	3200/2300W
3200/2300W	2500/1400W	3200/2300W	2500/1400W
			2800/1800W
3200/2300W	2500/1400W	3200/2300W	2500/1400W
2500/1400W	2800/1800W	2500/1400W	2800/1800W
touch	touch	touch	touch
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	√
590 x 520 x 46	700 x 520 x 46	700 x 520 x 46	910 x 520 x 46
560 x 490	560 x 490	560 x 490	880 x 490



Electric ceramic cooktops

The new range of Westinghouse Ceramic cooktops have been designed to showcase smart and practical features that will help you handle the little knocks of every day life. Our durable glass surface offers up to six multi-heat zones, hot surface indicators and provides a stylish yet practical solution to meet all your cooking demands.



Model shown: Electric ceramic cooktop WHC644BA.



Touch-on-glass controls

The flat touch-on-glass controls not only look great, but with no buttons, they're also easy to wipe clean. (Selected models only).



Practical features

The touch-on-glass models offer helpful functions for busy lives. Pause the cooktop if there are interruptions and the nifty QuickCookTM Timer counts down turns the zone off when finished. (Selected models only).



FamilySafe™ Child lock

Thanks to the practical inclusion of a handy child lock, You'll know the family is safe even if you need to walk away from the cooktop. (Selected models only).



More versatility with variable zones

Every recipe is different and so is every cook. That's why we designed not only four cooking positions, but also one hotplate as a triple zone. You'll gain the unrivalled flexibility of having three variable zones in one. (Selected models only).



Hot surface indicator

Avoid unnecessary accidents in the kitchen with hot surface indicators that clearly show if the hotplates are activated or still hot.

(Selected models only).



Easy clean ceramic glass surface

Not only aesthetically pleasing, the durable glass surface is easy to clean and maintain ensuring the kitchen is always looking at its best.

Electric ceramic cooktops





Features[†]

Model	WHC322BA	WHC642BA
finish	ceramic glass /black	ceramic glass /black
connection	hardwired	hardwired
maximum power rating	3.0KW	6.5KW
elements		
total	2	4
left front		2300W
left rear		1200W
center front	1200W	
center rear	1800W	
right front		1200W
right rear		1800W
control	knob	knob
features		
hot surface indicator	✓	✓
child lock		
quickcook timer		
dimensions [^]		
below bench WxDxH (mm)	320 x 520 x 46	590 x 520 x 46
cut-out WxD (mm)	300 x 490	560 x 490





Model	WHC744BA	WHC934BA	
finish	ceramic glass /black	ceramic glass /black	
connection	hardwired	hardwired	
maximum power rating	6.5KW	5.3KW	
elements			
total	4	3	
left front	2300W	2300W	
left rear	1200W		
center front		1200W	
center rear			
right front	1200W	1800W	
right rear	1800W		
control	touch	touch	
features			
hot surface indicator	✓	✓	
child lock	✓	✓	
quickcook timer	<u> </u>		
dimensions [^]			
below bench WxDxH (mm)	700 x 520 x 46	900 x 410 x 46	
cut-out WxD (mm)	560 x 490	825 x 360	









WHC644BA	WHC644SA	WHC742BA	
ceramic glass /black	ceramic glass /black, stainless steel	ceramic glass /black	
hardwired	hardwired	hardwired	
6.5KW	6.4KW	6.4KW	
4	4	4	
2300W	2200W	2300W	
1200W	1200W	1200W	
1200W	1800W	1200W	
1800W	1200W	1800W	
touch	knob	knob	
✓	√	✓	
✓			
✓			
590 x 520 46	590 x 520 x 46	700 x 520 x 46	
560 x 490	560 x 490	560 x 490	









WHC942BA	WHC944BA	WHS642SA/WA	
ceramic glass /black	ceramic glass /black	stainless steel / white enamel	
hardwired	hardwired	hardwired	
6.4KW	6.5KW	6.5KW	
4	4	4	
2200W	2300W	1500W	
1200W	1200W	2000W	
1800W	1200W	1500W	
1200W	1800W	1500W	
knob	touch	knob	
✓	√		
	√		
	✓		
900 x 520 x 46	900 x 520 x 46	600 x 535 x 58	
880 x 490	880 x 490 570 x 490		

NOTE: A minimum 30mm air gap is recommended below ceramic cooktop for heat dissipation.

^ Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au



Rangehoods

Canopy rangehoods

Westinghouse canopy rangehoods provide a stunning visual statement and capture the grease, steam and heat build-up when cooking, drawing smells and residue away from your cooktop - proving that practical can be beautiful as well. The high performance canopy rangehood brings your kitchen appliances together whilst clearing the air with minimal noise.

Slide-out and integrated rangehoods

Now you see them, now you don't. Westinghouse slide-out rangehoods are designed to discreetly and conveniently slide away when not in use. Suitable for ducting or recirculating, they remove residue and smells from your cooking, ensuring a well-ventilated kitchen. An integrated rangehood works the same way, with the advantage of being able to design your kitchen cabinetry to house it – effectively hiding it from view and allowing greater flexibility for unique kitchen installations, where a clean, integrated look is required.

Fixed rangehoods

Westinghouse fixed rangehoods bring everyday practicality to your cooking. Eliminating steam, grease and unsavoury smells, they are also easy to install, with just four screws. The choice is yours - fix your rangehood to a wall or beneath the cupboard above your cooktop. The sleek, modern lines are flexible enough to suit any style of kitchen.

Installation

You can never be too careful when it comes to installation. When installing your rangehood there are two ways to direct the airflow. If you are able to move the air outside, through a flue or chimney, a ducted system is ideal. If clear exterior access is not an option, you simply install your rangehood to recirculate* (carbon filter required).

*Some models can only be recirculated through the cupboard.

See westinghouse.com.au or phone 1300 363 640 for more information on ducting kit accessories.



Superior air movement

The powerful 3 speed fan efficiently removes fumes, smoke and vapour from the kitchen.



Light up your cooking

Two long life high out-put LED lights to enhance the lighting of your cooking space without adding heat or higher energy cost to the process.



Timed cleaning

When the cooking is finished the AutoOff fan delay will ensure that all kitchen odours and residual smoke are removed, automatically switching itself off after 5 minutes while you enjoy your meal straight away.



Quiet Operation

Superior air flow without the noise. Designed to operate at low noise levels even in the higher fan settings ensuring you and your family can enjoy conversation while cooking together.



Fresh air for cleaning

The Westinghouse rangehood is designed for easy maintenance with multi-layered micromesh filters to make catching the grease and residue more effective.



Easy to clean

Removable filters are dishwasher safe for easy cleaning with a filter saturation indicator on the control panel to notify you when cleaning is recommended. The resilient stainless steel construction also ensures that cleaning the body of the hood is as easy as possible.

Model shown: Canopy rangehood WRFG943S.

Canopy rangehoods





Features[†]

Model	WRC313S	WRC613S
nominal width (mm)	300	600
finish	stainless steel	stainless steel
number of fans/speeds	1/3	1/3
max. airflow	800m3/h	870m3/h
noise level dB (high/low)	71/61	71/61
no. of filters	1	2
control	touch on glass	touch on glass
top or rear duct hole	top	top
lights	2 x 4W LED	2 x 4W LED
optional extension flue	1100mm	1100mm
dimensions [^]		
WxDxH (mm)	320 x 290 x 600-1100	600 x 500 x 660-1160

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au

Fixed rangehoods











Model	WRJ603UW/ WRJ611US	WRJ600US/W	WRJ903UW/ WRJ911US	WRJ900US/W
nominal width (mm)	600	600	900	900
finish	white/stainless steel	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	1/3	2/3	1/3
max. airflow	400m3/h	200m3/h	400m3/h	200m3/h
noise level dB (high/low)	64/57	62/51	64/57	62/51
number of filters	2	2	3	3
front re-circulating option	✓	✓	✓	✓
control	push button	push button	push button	push button
top or rear duct hole	both	both	both	both
lights	2 x 40W incandescent			
dimensions [^]				
WxDxH (mm)	598 x 500 x 160	598 x 500 x 160	898 x 500 x 160	898 x 500 x 160

[^] Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au









WRC913S	WRCG933S	WRFG943S	WRF900CS
900	900	900	900
stainless steel	glass & stainless steel	glass & stainless steel	stainless steel
1/3	1/3	1/3	1/3
870m3/h	800m3/h	800m3/h	550m3/h
71/61	71/61	71/61	55/48
3	1	1	3
touch on glass	touch on glass	touch on glass	push button
top	top	top	top
2 x 4W LED	2 x 4W LED	2 x 4W LED	2 x 40W incandescent
1100mm	1100mm	1100mm	1100mm
900 x 500 x 660-1160	900 x 480 x 600-1100	900 x 480 x 600-1100	900 x 500 x 770-1240

Slide-out and integrated rangehoods

Features[†]











Model	WRH608IS/W	WRH605IS/W	WRH908IS/W	EFG750X/A	EFG540G/A
nominal width (mm)	600	600	900	702	524
finish	white/stainless steel	white/stainless steel	white/stainless steel	stainless steel	grey
number of fans/ speeds	2/3	1/3	2/3	2/3	2/3
max. airflow	400m3/h	210m3/h	400m3/h	620m3/h	400m3/h
noise level dB (high/low)	66/59	62/59	66/59	68/52	67/61
number of filters	2	1	2	2	2
front re-circulating option	✓		✓		
control	auto-activated (pull/push)	auto-activated (pull/push)	auto-activated (pull/push)	slide switch	slide switch
top or rear duct hole	top	top	top	top	top
lights	2 x 40W incandescent	1 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent	2 x 40W incandescent
dimensions [^]					
WxDxH (mm)	599 x 300 x 175	599 x 300 x 175	899 x 300 x 175	702 x 284 x 307	524 x 289 x 150

Important! The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit westinghouse.com.au
 Refer to the product information on the back page of this brochure.

[†] Refer to the product information on the back page of this brochure.

Microwave ovens

Surprisingly, one in four people are not satisfied with their microwave and one of the main reasons is because it doesn't complement other kitchen appliances as well as the overall kitchen decor.

Recognising this frustration and making a distinct move away from the 'white box on the benchtop', Our range of countertop and built-in microwaves designed to complement modern kitchens. With either white or fingerprint resistant stainless steel finishes and electronic touch controls, the stylish appliances integrate easily into your kitchen, creating a visually harmonised space.



New combi microwave

Our latest compact combination microwave features six cooking functions.



Crispy bacon is possible!

Our latest grill function can be used in isolation or combined with microwave power to give crispier results when cooking all kinds of dishes.



Hard wearing, stylish and easy to clean

Full fingerprint resistant stainless steel fascia on the oven is hard-wearing yet attractive and the seamless interior will be a breeze for your customers to clean.



FamilySafe™ touch control

An easy to use, easy to clean touch control with a FamilySafeTM child lock to keep small fingers from accidentally operating the oven.









Microwave ovens

Features[†]

Model	WMB4425SA	WMS281SB
installation	built-in	built-in
fascia	fingerprint resistant stainless steel	fingerprint resistant stainless steel trims and trim kit
electronic controls	✓	✓
features		
microwave power	900W	900W
grill power/type	1750W	N/A
grill rack	✓	
oven function		
microwave	✓	✓
grill	turbo	
combination modes	4	
microwave quick start		✓
delayed start		✓
defrost by weight	√	√
defrost by time	√	√
auto reheat	✓	✓
auto cook	✓	✓
oven programmed functions		
meat	✓	✓
fish	✓	✓
vegetables	✓	✓
pizza	✓	✓
pasta	✓	✓
potatoes	✓	✓
soup	✓	✓
included accessories		
grill rack	✓	
dimensions		
product including handle HxWxD	462 x 593 x 570	460 x 594 x 422mm
product excluding handle HxWxD		460 x 594 x 392mm
built-in product HxWxD	450 x 560 x 550	
turntable diameter	360mm	315mm

[†] Refer to the product information on the back page of this brochure









WMG281SB	WMS281WF	WMS281SF	WMG281SF
built-in	countertop	countertop	countertop
fingerprint resistant stainless steel trims and trim kit	white plastic, with UV protection	fingerprint resistant stainless steel trims	fingerprint resistant stainless steel trims
✓	<i>✓</i>	✓	√
900W	900W	900W	900W
1100W	N/A	N/A	1100w
✓	·		√
✓	✓	✓	✓
✓			√
2			2
✓	√	✓	✓
✓	√	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
✓	√	✓	✓
✓	√	✓	√
✓	√	✓	√
✓	√	✓	√
✓	√	✓	√
✓	✓	✓	✓
✓			✓
460 x 594 x 422mm	305 x 513 x 422mm	305 x 513 x 422mm	305 x 513 x 422mm
460 x 594 x 392mm	305 x 513 x 390mm	305 x 513 x 390mm	305 x 513 x 390mm
315mm	315mm	315mm	315mm

Accessories & Upgrade Packs



Roasters Pack: for all roasting essentials (ACC121)

With the tailor-made roasting dish, rack and telescopic runners, getting a family roast on the table might be the easiest thing you'll do all day.



Oven Runners Kit: telescopic runners (ACC123)

With three additional sets of telescopic runners, you can safely pull the oven racks and trays all the way out of the oven. So not only is loading and unloading the oven more efficient, but it's also easier to check food.



Catalytic oven liners (ACC041, ACC042, ACC043, ACC044)

The innovative catalytic oven liners absorb any grease produced during the cooking process. The grease is then vapourised by the heat of the oven to make cleaning a breeze.

(WVE626S, WVE626W, WVE636S and WVE636W come standard with catalytic liners).

Visit westinghouse.com.au or phone 1300 363 640 to confirm which set of catalytic liners are best suited for your oven.



Party Pack: multi-purpose baking trays (ACC124)

The Party Pack includes three extra baking trays designed especially for the built-in ovens, providing you with additional cooking surfaces for entertaining.



The popular choice

White has always been a popular design choice for Australian kitchens. The striking new range of our white ovens and cooktops are timeless and comfortably classic, but don't compromise on practical yet surprisingly clever features.

White appliances create a feeling of space in your kitchen and will never look outdated. They are also extremely durable and clean effortlessly - those little fingerprint marks will be a thing of the past!

Stylish and clean, these appliances will complement your kitchen design and since they are also choc-full of practical features, this range is sure to please.



 $oldsymbol{48}$



For more information on all Westinghouse appliances, or for dimension and installation information, call into your retailer, phone or email our customer care team or visit our website:

phone: 1300 363 640 fax: 1800 350 067

customercare@electrolux.com.au email:

web: www.westinghouse.com.au

Westinghouse. We are part of the Electrolux family. Share more of our thinking at www.electrolux.com.au



We invite you to follow Westinghouse and get involved in the conversation.



Top service

including Delivery, Home Service and Spare Parts.

Spare Parts and Accessories:

Westinghouse offers an extensive range of genuine spare parts and accessories to purchase across our entire range of products. With purchasing options to suit your shopping style, you can be sure we are always thinking of you. To view and purchase genuine spare parts and accessories online visit shop.westinghouse.com.au

To discuss and purchase genuine spare parts and accessories with one of our friendly staff call 1300 363 640. To find your nearest Electrolux spare parts retailer call 13 13 50.

Warranty

warranty
Electrolux Home Products Pty Ltd warrants that for domestic application, the Westinghouse Ovens, Built-in Ovens, Cooktops and Rangehoods
featured in this brochure are free from defects in materials and workmanship for a period of 24 months (and 12 months for Microwave Ovens) from the
date of first purchase, subject to the conditions set out in the warranty card accompanying the product when purchased and the Australian Consumer
Law, Westinghouse dishwashers are only suitable for domestic or equivalent applications. They are not suitable for applications where special health and industry requirements and regulations apply.

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result or reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Competition and Consumer Act 2010, Australian Consumer Law and Regulations.

🕲 and WESTINGHOUSE are trademarks of Westinghouse Electric Corporation. Used under license. All Rights Reserved.

© 2015 Electrolux Home Products Pty Ltd. ABN 51 004 762 341 WKITCHEN_OL_Apr15

