Personal Listening Devices (8)
o (36)
o (8)
Telephones (28)
Comfort DigiSystem (18)
L Digi Transmitters (7)
Digi Receivers (2)
i (9)
Induction Loop Systems (45)
Loop Amplifiers (14)
L Across Counter Systems (15)
Portable Loop Cases (13)
Loop System Testing Equipment (3)
Infrared Systems (24)
Infrared Fixed Systems (4)
Infrared Receivers (5)
Infrared Radiators (6)
Portable Infrared Cases (8)
Infrared Mixers (1)
Microphones (38)
Boundary/Shotgun Microphones (9)
Cooseneck Microphones (5)
L Handheld Condenser Microphones (3)
L Wired Tie-Clip Microphones (2)
L Radio Microphones (19)
Education/Work Systems (16)
Portable FM Radio Systems (10)
Portable Infrared Systems (6)
Tour Guide Systems (9)
FM Tour Guide Cases (6)
DigiSystem Tour Guide Cases (3)
PA, Congress and Conferencing (1)
c (91)
Loop Accessories (10)
Infrared Accessories (18)
Education/Conference Accessories (26)
Domestic Accessories (13)
Radio Microphone Accessories (12)

|___ Wired Microphone Accessories (12)

Personal Listening Devices



Comfort Duett with Earphones

Model: HPU6035

Comfort Audio

Comfort Duett is a small, multi purpose personal listener. The Comfort Duett is the ideal tool for people with a mild hearing loss.

A built-in coil enables the user to listen to the sound from an induction loop, if there is one in the room. It can also amplify the sound from the TV/radio/hi-fi or telephone.

The Comfort Duett comes with either a neck loop OR headphones or earphones, depending the users preference and whether he/she wears hearing aids.

The Duett can be used with a telephone amplification kit and a TV amplification kit.

There is no need to replace the batteries the Comfort Duett comes with a charging unit. The charger unit can be connected to a TV/ radio/telephone to amplify sound.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT DUETT HERE!

View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT DUETT HERE! View Presentation

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below. Loans of the Comfort Duett are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£105.00



Comfort Duett with Headphones

Model: HPU6034

Comfort Audio

Comfort Duett is a small, multi purpose personal listener. The Comfort Duett is the ideal tool for people with a mild hearing loss.

A built-in coil enables the user to listen to the sound from an induction loop, if there is one in the room. It can also amplify the sound from the TV/radio/hi-fi or telephone.

The Comfort Duett comes with either a neck loop OR headphones or earphones, depending the users preference and whether he/she wears hearing aids.

The Duett can be used with a telephone amplification kit and a TV amplification kit.

There is no need to replace the batteries the Comfort Duett comes with a charging unit. The charger unit can be connected to a TV/ radio/telephone to amplify sound.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT DUETT HERE!

View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT DUETT HERE! View Presentation

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below. Loans of the Comfort Duett are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£105.00



Comfort Duett with Neck Loop

Model: HPU6041

Comfort Audio

Comfort Duett is a small, multi purpose personal listener. The Comfort Duett is the ideal tool for people with a mild hearing loss.

A built-in coil enables the user to listen to the sound from an induction loop, if there is one in the room. It can also amplify the sound from the TV/radio/hi-fi or telephone.

The Comfort Duett comes with either a neck loop OR headphones or earphones, depending the users preference and whether he/she wears hearing aids.

The Duett can be used with a telephone amplification kit and a TV amplification kit.

There is no need to replace the batteries the Comfort Duett comes with a charging unit. The charger unit can be connected to a TV/ radio/telephone to amplify sound.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT DUETT HERE!

View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT DUETT HERE! View Presentation

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below. Loans of the Comfort Duett are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£105.00



Contego FM Radio System with Headphones

Model: HPU6058

Comfort Audio

Comfort Contego is state of the art assistive hearing equipment for the hearing impaired, using FM radio technology.

Comfort Contego makes it possible for the user to get the best possible reception of sound on every occasion. The transmitter has a zoom function; a directional and omni-directional microphone setting. The receiver has a built in microphone, which also has a zoom function. This means that the best possible sound reception is achieved via the digital sound transmission.

Comfort Contego has all the functions you need. It is easy to use, non-invasive and light-weight with a stylish and smart design. It also has a clear menu display system for ease of use.

Can be used in various environments e.g. home, work or leisure. Comfort Contego makes living easier for hearing impaired people.

This Contego kit consists of:

Receiver R800

Transmitter T800

Charger

Bag

Power Supply

Audio kit (pictured below- used with TV/PC/mp3) View Audio Kit

Head or earphones

Designed and made by Swedish company, Comfort Audio, high product quality and brilliant clarity of sound is guaranteed.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT CONTEGO HERE!

View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT CONTEGO HERE! View Presentation

Click below to read one woman's account of the difference the Comfort Contego made to her life:

Download Testimonial

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below.

Loans of the Contego are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Please see the leaflet below for further information on the product.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£425.00



Contego FM Radio System with Neck Loop

Model: HPU6056

Comfort Audio

Contego FM Radio System with Neck Loop

Comfort Contego is state of the art assistive listening device for the hearing impaired, using FM radio technology.

Comfort Contego makes it possible for the user to get the best possible reception of sound on every occasion. The transmitter has a zoom function; a directional and omni-directional microphone setting. The receiver has a built in microphone, which also has a zoom function. This means that the best possible sound reception is achieved via the digital sound transmission.

Comfort Contego has all the functions you need. It is easy to use, non-invasive and light-weight with a stylish and smart design. It also has a clear menu display system for ease of use.

Can be used in various environments e.g. home, work or leisure. Comfort Contego makes living easier for hearing impaired people.

This Contego kit consists of:

Receiver R800

Transmitter T800

Charger

Bag

Power Supply

Audio kit (pictured below- used with TV/PC/mp3) View Audio Kit

Neck loop

Designed and made by Swedish company, Comfort Audio, high product quality and brilliant clarity of sound is guaranteed.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT CONTEGO HERE!

View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT CONTEGO HERE! View Presentation

Click below to read one woman's account of the difference the Comfort Contego made to her life:

Download Testimonial

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below. Loans of the Contego are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Please see the leaflet below for further information on the product.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT

Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£425.00



Infrared TV Listener & Neck Loop

Model: HPU6001

Sennheiser

Infrared TV listener & neck Loop

Enjoy TV using the Cordless infrared stethoset, neck loop or headphone system.

The Set-810 uses infrared technology to deliver sound of the highest quality. With a range of up to 12 metres, the system is also well suited for use in large rooms.

Please see the leaflet below for further details.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 1 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£237.10



Infrared TV Listener & Stethoclip

Model: HPU6002

Sennheiser

Infrared TV Listener & Stethoclip

Enjoy TV using the cordless infrared stethoset, neck loop or headphone system.

The Set-810 uses infrared technology to deliver sound of the highest quality. With a range of up to 12 metres, the system is also well suited for use in large rooms.

Please see the leaflet below for further details.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 1 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£173.44



l

Model: HPU6002

Sennheiser

В

TEXT_PRODUCTS_PRICE£173.44



n

Model: HPU6001

Sennheiser

В

TEXT_PRODUCTS_PRICE£237.10



n

Model: HAW6001

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£127.20



o Model: HPU6035

Comfort Audio
B

TEXT_PRODUCTS_PRICE£105.00



 0

 Model : HPU6041

 Comfort Audio

 B

 TEXT_PRODUCTS_PRICE£105.00



0

Model: HPU6034

Comfort Audio

B

TEXT_PRODUCTS_PRICE£105.00



Model: HPU6056

Comfort Audio

B

TEXT_PRODUCTS_PRICE£425.00



O Model: HPU6058

Comfort Audio

B

TEXT_PRODUCTS_PRICE£425.00



UniWake

Model : HAW6001

Univox by Bo Edin

The UniWake from Gordon Morris Ltd. ensures that you will wake up whenever an alarm sounds.

The UniWake responds to alarm clocks, doorbells, telephones, fire alarms or even babies crying.

Includes a power supply unit and vibrating pillow pad. The pad allows you to sleep secure in the knowledge that you will wake up when you are required.

The unit is light weight, portable and user-friendly so it can be taken with you wherever you go.


Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£127.20

o -/- o





Model: LFU1207

Univox by Bo Edin

B

TEXT_PRODUCTS_PRICE£113.59



Model: LFU1206

Univox by Bo Edin
h
TEXT_PRODUCTS_PRICE£87.40



Model: LAU1016

Univox by Bo Edin

h

TEXT_PRODUCTS_PRICE£143.52



Model: LAU1002

Univox by Bo Edin

B

TEXT_PRODUCTS_PRICE£118.55



Model: LFU1209

Univox by Bo Edin
h

TEXT_PRODUCTS_PRICE£147.71



n

Model: LAU1205

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£219.80



n

Model: LAU1203

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£163.73



UniVox DLS 30 Loop Amplifier

Model: LAU1002

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 30 will deliver even in difficult environments.

The system covers an area of 30m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances.

With its built-in monitor it is easy to check and maintain excellent sound quality.

The DLS 30 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£118.55



Univox DLS 30 TV Loop Amplifier

Model : LAU1016 *Univox by Bo Edin*

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 30 TV will deliver, even in difficult environments. This loop amplifier has been designed specifically for LCD/plasma TV screens, which often have echo or delay problems when used in conjunction with an induction loop system.

The system covers an area of 30m².

The DLS 30 TV has a separate control, the TV Sync, with which the TV sound is synchronised correctly.

With its built-in automatic scart control, it is easily connected to the scart output of your TV. The autoscart function is needed whenever you have one or more signal sources (digibov, VHS etc) connected to the TV. It secures the right sound in the loop.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£143.52



Univox DLS 380 Loop Amplifier

Model : LAU1205

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the UniVox DLS 380 will deliver even in difficult environments.

This system covers an area of 170m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances. With its built-in monitor it is easy to check and maintain excellent sound quality. The DLS 380 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Price excludes VAT.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£219.80



Univox DLS 50 Loop Amplifier

Model : LFU1206

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

The DLS 50 is available in varying kits:

System 1: with cable and clips

System 2: with loop pad

System 3: with complete car kit

If you would like to use the DLS-50 in the car, please go to DLS-50 System 3 product page as this system comes with the all the relevant parts for fitting in a vehicle.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£87.40



UniVox DLS 50 System 1 (with cable & clips)

Model : LFU1207

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

If you would like to use the DLS-50 in the car, please go to DLS 50 System 3 product page as this system comes with the all the relevant parts for fitting in a vehicle.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£113.59



UniVox DLS 50 System 2 (with loop pad)

Model : LFU1208

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

If you would like to use the DLS 50 in the car, please go to DLS 50 System 3 product page as this system comes with the all the relevant parts for fitting in a vehicle.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT PRODUCTS PRICE£126.43



UniVox DLS 50 System 3 (with car loop kit)

Model : LFU1209

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Read the fitting instructions for DLS 50 Loop Amplifier here.

View

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£147.71



UniVox DLS 70 Loop Amplifier

Model: LAU1203

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 70 will deliver even in difficult environments.

The system covers an area of 70m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances. With its built-in monitor it is easy to check and maintain excellent sound quality. The DLS 70 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£163.73

o -/- Telephones



Model: HTL6003

TEXT_PRODUCTS_PRICE£43.04



 e

 Model : HTT6002

 Geemarc

 B

 TEXT_PRODUCTS_PRICE£58.30



Model: HTT6001

Geemarc

B

TEXT_PRODUCTS_PRICE£38.69



Geemarc CL100 Telephone

Model: HTT6001

Geemarc

Amplified Telephone with Volume & Tone Control

Product Features:

Receiving volume gain +30dB

Receiving tone gain +/-10dB

Speech volume gain +/-4dB

Visual ringer indicator

Big button keypad

3 Emergency memories

9 Direct memories

Adjustable ringer level & tone

Last number redial

Time break recall & mute

Wall mountable

Hearing aid compatible

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_PRICE£38.69



Geemarc CL200 Telephone

Model: HTT6002

Geemarc

Multifunction telephone with Extra Amplification and Tone Control

Product Features:

Receiving volume control up to 35dB (Enhanced amplification level)

New improved speaker offering clearer reception

Receiving tone control +/-10dB

Hearing aid compatible

Handsfree dialing

Speaker volume control

Extra bright visual ringer indicator (strobe)

Message waiting

Headset output

Shaker output

Big button keypad

3 Emergency memories

9 Direct memories

Adjustable ringer level & tone

Last number redial

Time break recall & mute

Wall mountable

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_PRICE£58.30



LPS1 Nokia Neck Loop

Model: HTL6002

Nokia

Gordon Morris Ltd can supply you with a Mobile Inductive Loopset to use in conjunction with your hearing aid on the 'T' setting.

With the Nokia Mobile Inductive Loopset LPS-1, and LPS-4; you can use your hearing aid with a digital mobile phone. The Nokia Loopset is easy to use and easy to carry - either around your neck or discreetly hidden under your clothes.

The Nokia Loopset provides clear acoustic quality. Automatic Gain Control (AGC) ensures that there is the correct field strength in the Loopset. It also dampens background noise to make it easier to converse in noisy environments.

It's easy to answer a call. Press the normal answer button on your phone, or use the automatic answer function.

The Nokia Loopset has a built-in microphone and therefore provides full hands free operation.

When choosing a phone, we advise you to get one with a vibrating alerting option to further enhance the ease of use of your LPS-1or LPS-4 Nokia Mobile Induction Loopset.

See the leaflet below for more information and for mobile phone compatibility.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£45.00



LPS4 Nokia Neck Loop

Model: HTL6001

Nokia

Gordon Morris Ltd can supply you with a Mobile Inductive Loopset to use in conjunction with your hearing aid on the 'T' setting.

With the Nokia Mobile Inductive Loopset LPS-1, and LPS-4; you can use your hearing aid with a digital mobile phone. The Nokia Loopset is easy to use and easy to carry - either around your neck or discreetly hidden under your clothes.

The Nokia Loopset provides clear acoustic quality. Automatic Gain Control (AGC) ensures that there is the correct field strength in the Loopset. It also dampens background noise to make it easier to converse in noisy environments.

It's easy to answer a call. Press the normal answer button on your phone, or use the automatic answer function.

The Nokia Loopset has a built-in microphone and therefore provides full hands free operation.

When choosing a phone, we advise you to get one with a vibrating alerting option to further enhance the ease of use of your LPS-1or LPS-4 Nokia Mobile Induction Loopset.

See the leaflet below for more information and for mobile phone compatibility.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£45.00



Р

Model: HTL6002

Nokia

В

TEXT_PRODUCTS_PRICE£45.00



Р

Model: HTL6001

Nokia

В

TEXT_PRODUCTS_PRICE£45.00



T Hook for Ericsson Phones

Model: HTL6003

T Hook for Ericsson Phones

The T Hook is a mini induction loop that allows hearing aid users to hear sound from mobile phones clearly. The connector plugs into the mobile phone and the T Hook clips round the ear to amplify sound.

Stylish and discreet, the T Hook makes hearing your mobile phone easy!

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_PRICE£43.04

Comfort DigiSystem -/- Digi Transmitters



Model: MDU4007

Comfort Audio

TEXT_PRODUCTS_PRICE£495.00



Model: MDU4006

Comfort Audio

TEXT_PRODUCTS_PRICE£2,236.00



Model: MDU4005

Comfort Audio

TEXT_PRODUCTS_PRICE£1,515.00



Model: MDU4002

Comfort Audio

TEXT_PRODUCTS_PRICE£550.00



Bluetooth Microphone DM-80

Model: MDU4004

Comfort Audio

Bluetooth Microphone DM-80

The DM-80 is a bluetooth transmitter microphone with handset and handsfree capabilities.

It has a built-in omni-directional and uni-directional microphone built in.

Simply press the answer button on the front of the unit when your mobile phone is ringing and sound will be transmitted to the Digi receiver that you are using.

The DM-80 Bluetooth Microphone can be used in conjunction with all of the Digi receivers and most Digi transmitters - to check limitations of the DM-80 please contact Gordon Morris Ltd by emailing: info@gordonmorris.co.uk or calling 01458 272121.

For more information about the DigiSystem, click on the link below to view the Comfort Audio Flash Presentation:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£718.00



Conference Microphone DC-10

Model: MDU4005

Comfort Audio

Conference Microphone DC-10

The DC-10 is one of the main COMFORT DIGISYSTEM units. Despite its size and appearance, it is actually an advanced microphone, sound processor and transmitter. It captures the sound, cleans it up by removing all the racket and impulse noise, and the brings out speech which it transmits to your wireless receiver. The sound reaching the receiver is crystal clear.

Unique Characteristics:

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

PSE (Perceptional Speech Enhancement) - digital sound processing

The conference microphone DC-10 is equipped with a unique, high-power sound processing technique. The algorithms used to make this sound processing possible are the result of more than 20 years of research. Its main characteristic is the emphasis of the significant parts of speech, and at the same time, it suppresses noise, hiss and echoes.

To find out more about this unit and how it works with the other units in the DigiSystem, please go to the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,515.00



Conference Microphone DC-20

Model: MDU4006

Comfort Audio

Conference Microphone DC-20

DC-20 is a conference microphone for both short and long distances. Placed in the middle of a conference table, for example, it captures the voices of people sitting around. The advanced digital sound processing technique filters the speech, removes disturbing background noises and transmits it to the wireless receiver - in crystal clear sound quality.

The conference microphone DC-20 is even equipped with a receiver. Sound can be received from other DigiSystem microphones and sent on to one or more receivers. Due to this SST receiver, it is possible to listen to several sound sources at the same time.

The DC-20 can be connected to mobile telephones via Bluetooth and to land line telephones via the original accessory Telelink. The conference microphone can also be used via remote control which will is available as an accessory.

Unique Characteristics

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

PSE (Perceptional Speech Enhancement) - digital sound processing

The conference microphone DC-20 is equipped with a unique, high-power sound processing technique. The algorithms used to make this sound processing possible are the result of more than 20 years of research. Its main characteristic is the emphasis of the significant parts of speech, and at the same time, it suppresses noise, hiss and echoes.

To find out more about this unit and how it works with the other units in the DigiSystem, please go to the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£2,236.00



i	
Model: MDU4003	
Comfort Audio	
b	
TEXT PRODUCTS PRICE£786.00	



i
Model: MDU4001
Comfort Audio
i
TEXT_PRODUCTS_PRICE£345.00



Model: MDU4004
Comfort Audio
В
TEXT_PRODUCTS_PRICE£718.00



Microphone Mini DM-05

Model: MDU4001

Comfort Audio

Microphone Mini DM-05

The DM-05 is one of the world's smallest microphones for digital sound transmission. The signals between transmitter and receiver are encrypted so no one can overhear what it being said. It is very discreet and can easily be attached to the clothes with a clip.

The DM-05 is equipped with a special speech function called AGC which keeps the sound level comfortable at any time.

Unique characteristics:

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

For more information on this unit and how it works with the other units in the DigiSystem, please look at the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£345.00



Microphone Mix DM-20

Model: MDU4003

Comfort Audio

Microphone Mix DM-20

The DM-20 is a small and advanced lecture microphone with a built-in receiver and mixer. The sound can be received from another DigiSystem microphone and sent to one or more receivers.

The DM-20 can be attached to the clothes with either a clip or can be used with an external microphone.

The DM-20 is equipped with a special speech function called AGC which keeps the sound level comfortable at any time.

Unique characteristics:

Function button

The button can be set to the 'Mute switch' mode. Then, no signal is sent when the button is pushed.

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

To find out more about this unit and how it works with the other units in the DigiSystem, please go to the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£786.00



Standard Microphone DM-10

Model: MDU4002

Comfort Audio

Standard Microphone DM-10 - the all-round lecture microphone.

The DM-10 is a small lecture microphone which can be attached to the clothes with a clip or can be used with an external microphone.

The digital transmission is coded and completely secure.

The DM-10 is equipped with a special speech function called AGC which keeps the sound level comfortable at any time.

Unique characteristics:

Function button

The button can be set to different modes depending on the situation: the 'Mute Switch' mode (no signal is sent when the button is pushed); the "Push to Talk" mode (push the button to send); the "Push/Cont" mode (combination between "Push to Talk" and continual sending).

FCR- Free Channel Request

This function prevents the DM-10 from sending on frequencies which are already taken by other transmitters, e.g. when several DM-10 are set to "Push to Talk" mode.

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

For more information on this unit and how it works with other parts of the DigiSystem, please take a look at the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£550.00



Telelink

Model: MDU4007

Comfort Audio

The DigiSystem Telelink - for use with the DC-20 microphone transmitter.

In order to hear sounds from a landline telephone, simply place the DC-20 into the Telelink cradle and answer the telephone call by pressing the large button on the front.

Easy to use, portable and can be discreetly placed on a work/office desk.

Also comes in a 'Telelink Complete' set.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£495.00

Comfort DigiSystem -/- Digi Receivers



Model: HDU6003

Comfort Audio

TEXT_PRODUCTS_PRICE£453.00



Model : HDU6002

Comfort Audio

TEXT_PRODUCTS_PRICE£550.00



Earset Receiver DE-10

Model: HDU6003

Comfort Audio

Earset Receiver DE-10

The DE-10 is a small, flexible receiver which can be used in combination with all DigiSystem microphones.

The receiver is attached directly to the ear and is usable with or without all in-the-ear hearing aids.

Suits users with a high demand for stylishly designed and discreet products – the DE-10 looks like a modern mobile phone accessory.

Volume can easily be adjusted with a button on the unit.

Equipped with the unique SST technology for excellent clear sound and eavesdrop secure radio transfer in real time. Unique Characteristics:

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

View the DE-10 Flash Presentation on the Comfort Audio website

To find out more about this unit and how it works with the other units in the DigiSystem, please go to the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£453.00



Handset Receiver DH-10

Model: HDU6002

Comfort Audio

Handset Receiver DH-10

The DH-10 is a small, modern receiver which can be used in combination with all DigiSystem microphones.

The integrated neck loop transfers the sound wirelessly to the hearing aid while this is in T-mode. Head or ear phones can be used alternatively.

Volume and sound balance can easily be adjusted with discreet buttons on the side of the unit.

Equipped with the unique SST technology for excellent clear sound and eavesdrop secure radio transfer in real time.

Neck loops in different lengths are available as accessories.

Unique Characteristics:

FFC - Free Frequency Check

Indicates the suitable frequencies in the specific environment.

SST Secure Stream Technology - digital sound transfer

This unique digital sound transfer between the transmitter and the receiver eliminates all transmission noise. Moreover, the signals are encrypted, so no one can overhear what is being said. Unlike other conventional encrypted systems, SST is free from time lag and crystal clear.

To find out more about this unit and how it works with the other units in the DigiSystem, please go to the PDF leaflet below. Alternatively, click on the link below to view the Comfort Audio Flash Presentation of the DigiSystem:

DigiSystem Presentation

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£550.00

Comfort DigiSystem -/- i



Model: ADU5006

Comfort Audio

TEXT_PRODUCTS_PRICE£4.50



Model: ADU5005

Comfort Audio

TEXT_PRODUCTS_PRICE£4.25



Model: ADU5002

Comfort Audio

TEXT_PRODUCTS_PRICE£31.50



Digi Bag

Model : ADU5017

Comfort Audio

Digi Bag

This stylish bag keeps all your DigiSystem units safe and sound.

With separate pockets for each unit, zip fastening and pull out tag, the Digi bag is an ideal, discreet container for your DigiSystem.

A Digi Bag comes FREE with every DigiSystem.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£70.75



Digi Car Charger with USB

Model: ADU5015

Comfort Audio

The DigiSystem Car Charger with USB Connector

For convenient and simple use when on the move, the DigiSystem can charge in the car (connected to the cigarette lighter).

Price excludes VAT.

TEXT_PRODUCTS_PRICE£10.00



Digi Charger Stand (DC)

Model: ADU5012

Comfort Audio

DigiSystem Charger Stand for DC units:

DC-10

DC-20

Simply plug the charger into the power supply and place Digi unit in the cradle.

Portable for ultimate ease of use.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£143.25



Digi Charger Stand (DM/DH)

Model: ADU5013

Comfort Audio

 $\label{eq:def:DigiSystem} \mbox{ Charger Stand for DM and DH units:}$

DM-10

DM-20

DM-80

DH-10

Simply plug the charger into the power supply and place Digi unit in the cradle.

Portable for ultimate ease of use.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£56.50



Digi Earbuds

Model: ADU5003

Comfort Audio

Digi Earbud

For use with the DH-10 Receiver.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£31.25



Digi Neck Loop

Model: ADU5002

Comfort Audio

The DigiSystem Neck Loop

To be used in conjunction with the DH-10 Receiver.

Connect to the receiver and sound is transmitted to the hearing aid, when the hearing aid is switched to T.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£31.50



Digi Necklace (for DC-10/20)

Model : ADU5006

Comfort Audio

DigiSystem necklace, for use with the DC-10/20 microphones.

When using the DC-10/20 microphones it is comfortable to attach the unit to the necklace and wear it round the neck. This increases voice pick up from the microphone.

The necklace can be placed under or over clothes, depending on personal choice and comfort.

Includes holder.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£4.50



Digi Necklace (for DH-10)

Model: ADU5005

Comfort Audio

DigiSystem necklace, for use with the DH-10 Receiver.

When using the DH-10 with head or earphones it is comfortable to attach the DH-10 Receiver to the necklace and wear it round the neck.

The necklace can be placed under or over clothes, depending on personal choice and comfort.

Includes holder.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£4.25



DigiSystem Power Supply

Model: HPU6067

Comfort Audio

Power supply unit for use with the Comfort DigiSystem.

Price excludes VAT.

TEXT_PRODUCTS_PRICE£24.25



Model: ADU5012

Comfort Audio

TEXT_PRODUCTS_PRICE£143.25



i

Model: ADU5013

Comfort Audio

TEXT_PRODUCTS_PRICE£56.50



i Model: ADU5017

Comfort Audio

B

TEXT_PRODUCTS_PRICE£70.75



Model : ADU5003

Comfort Audio

TEXT_PRODUCTS_PRICE£31.25



Model: ADU5015

Comfort Audio

TEXT_PRODUCTS_PRICE£10.00



i Model: HPU6067

Comfort Audio

B

TEXT_PRODUCTS_PRICE£24.25

Induction Loop Systems -/- Loop Amplifiers



Model : LAU1207

Univox by Bo Edin

TEXT_PRODUCTS_PRICE£324.22



Α

Model: LFU1208

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£126.43



n

Model : LFU1206

Univox by Bo Edin

h

TEXT_PRODUCTS_PRICE£87.40



n

Model : LFU1209

Univox by Bo Edin

h

TEXT_PRODUCTS_PRICE£147.71



n

Model : LFU1207

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£113.59



n

Model : LAU1213 *Univox by Bo Edin*

В

TEXT_PRODUCTS_PRICE£1,863.43



Model : LAU1214

Univox by Bo Edin

lв

TEXT_PRODUCTS_PRICE£258.86



Model: LAU1212

Univox by Bo Edin

R

TEXT_PRODUCTS_PRICE£1,306.12



Model: LAU1211

Univox by Bo Edin

B

TEXT_PRODUCTS_PRICE£889.83



Model : LAU1210

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£943.18



Model : LAU1209

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£759.89



1

Model : LAU1208 *Univox by Bo Edin*

В

TEXT_PRODUCTS_PRICE£477.15



n

Model: LAU1205

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£219.80



n

Model: LAU1203

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£163.73



Univox AC/DC 100 Loop Amplifier

Model: LAU1214

Univox by Bo Edin

This intelligent and easy to use induction loop amplifier can be connected simultaneously to 230-240V AC and 12-36 DC.

It switches automatically between AC and DC sources in case of power failure.

This system covers an area of 170m².

UniVox AC/DC-100 is a reliable amplifier with a large safety margin and with exceptionally high output current and power.

PLEASE NOTE: Our amplifiers coverage area are specified to generate the peaks (+12 dB & 400 mA/m) specified by the standard. They can not be compared with amplifiers specified for only 100 mA/m (16 times lower power)Price excludes VAT. This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£258.86



Univox DLS 380 Loop Amplifier

Model : LAU1205

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the UniVox DLS 380 will deliver even in difficult environments.

This system covers an area of 170m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances. With its built-in monitor it is easy to check and maintain excellent sound quality. The DLS 380 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Price excludes VAT.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£219.80



Univox DLS 50 Loop Amplifier

Model: LFU1206

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

The DLS 50 is available in varying kits:

System 1: with cable and clips

System 2: with loop pad

System 3: with complete car kit

If you would like to use the DLS-50 in the car, please go to DLS-50 System 3 product page as this system comes with the all the relevant parts for fitting in a vehicle.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£87.40



UniVox DLS 50 System 1 (with cable & clips)

Model : LFU1207

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

If you would like to use the DLS 50 in the car, please go to DLS 50 System 3 product page as this system comes with the all the relevant parts for fitting in a vehicle.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£113.59



UniVox DLS 50 System 2 (with loop pad)

Model : LFU1208

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

If you would like to use the DLS 50 in the car, please go to DLS 50 System 3 product page as this system comes with the all the relevant parts for fitting in a vehicle.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT PRODUCTS PRICE£126.43



UniVox DLS 50 System 3 (with car loop kit)

Model : LFU1209

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 50 will deliver even in difficult environments.

The DLS 50 covers an area of up to 50m² and is equipped with UniVox automatic volume control (Dual Action AGC) for home use and guaranteed smooth sound experience.

Connect the DLS 50 to your TV, stereo, MP3, a microphone, or any other sound source that you want to hear clearly.

The thumb wheel volume control with digits for easily memorised setting of the right field strength level, along with bass and treble controls, secures pure sound quality.

The DLS 50 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Read the fitting instructions for DLS 50 Loop Amplifier here.

View

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£147.71



UniVox DLS 70 Loop Amplifier

Model: LAU1203

Univox by Bo Edin

The UniVox DLS series of induction loop amplifiers have been designed for use in smaller locations.

When you demand stability and reliability, the Univox DLS 70 will deliver even in difficult environments.

The system covers an area of 70m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances. With its built-in monitor it is easy to check and maintain excellent sound quality. The DLS 70 is protected against short circuits, can be wall or rack-mounted and represents a proven, high-quality solution.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£163.73



Univox PLS 100 Loop Amplifier

Model: LAU1207

Univox by Bo Edin

A robust induction loop amplifier providing constant field strength for superb clarity and speech perception.

When you demand stability and reliability, the Univox PLS-100 will deliver - even in difficult environments.

This system covers an area of 170m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£324.22



Univox PLS 300 Loop Amplifier

Model: LAU1208

Univox by Bo Edin

A robust induction loop amplifier providing constant field strength for superb clarity and speech perception

When you demand stability and reliability, the Univox PLS-300 will deliver - even in difficult environments

This system covers an area of 300m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£477.15



Univox PLS 700 Loop Amplifier

Model : LAU1209

Univox by Bo Edin

A robust induction loop amplifier providing constant field strength for superb clarity and speech perception.

When you demand stability and reliability, the Univox PLS-700 will deliver - even in difficult environments.

This system covers an area of 650m².

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£759.89



Univox PLS 900 Loop Amplifier

Model : LAU1210 *Univox by Bo Edin*

A robust induction loop amplifier providing Professional Induction Loop Amplifier constant field strength for superb clarity and speech perception with a tremendous rugged output current capability.

When you demand stability and reliability, the Univox PLS 900 will deliver - even in difficult environments

This system covers an area 650m² but is capable of overcoming the metal work more powerfully than the PLS 700 .

The system enables a number of hearing aid users to listen to speech from microphones, radio, television, hi-fi and live performances.

Price excludes VAT.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£943.18



Univox SLS 100 XF Loop Amplifier

Model : LAU1211

Univox by Bo Edin

The Second Generation Induction Super Loop System with Hi-Fi Quality and 3-D Controlled Overspill.

The SLS range are based upon tried and tested Univox induction loop amplifiers.

The SLS 300 XF system covers an area of up to 170m².

Professional induction loop system giving the hearing aid user convenience and clarity of sound.

Suitable for new builds and retrofitting, in theatres, cinemas, conference halls and many other applications.

Receivers are built in to most hearing aids, eliminating the need for users to wear additional receivers, unlike radio and infra-red systems. The hearing aid user just needs to switch to 'T'.

The second generation of UniVox SLS series of amplifers continues to build on two separate loop configurations, but they are now connected to one 19" rack mounted unit with matching power amplifiers.

Lower distortion and an increased output voltage enhance the dynamics substantially, especially in the treble area (beyond 10kHz).

Overspill is massively reduced. Reduced vertical and horizontal overspill allows installation of loops in adjoining rooms without interference.

Can help to ensure privacy.

No middle drop caused by interference from steel-reinforced concrete.

Price excludes VAT.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£889.83



Univox SLS 300 XF Loop Amplifier

Model : LAU1212

Univox by Bo Edin

The Second Generation Induction Super Loop System with Hi-Fi Quality and 3-D Controlled Overspill.

The SLS range are based upon tried and tested Univox induction loop amplifiers.

The SLS 300 XF system covers an area of up to 300m².

Professional induction loop system giving the hearing aid user convenience and clarity of sound.

Suitable for new builds and retrofitting, in theatres, cinemas, conference halls and many other applications.

Receivers are built in to most hearing aids, eliminating the need for users to wear additional receivers, unlike radio and infra-red systems. The hearing aid user just needs to switch to 'T'.

The second generation of UniVox SLS series of amplifers continues to build on two separate loop configurations, but they are now connected to one 19" rack mounted unit with matching power amplifiers.

Lower distortion and an increased output voltage enhance the dynamics substantially, especially in the treble area (beyond 10kHz).

Overspill is massively reduced. Reduced vertical and horizontal overspill allows installation of loops in adjoining rooms without interference.

Can help to ensure privacy.

No middle drop caused by interference from steel-reinforced concrete.

Price excludes VAT.

This product comes with a 2 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,306.12



Univox SLS 700 Loop Amplifier

Model : LAU1213 *Univox by Bo Edin*

The SLS Induction Super Loop Systems are based upon tried and tested Univox amplifiers.

This system covers an area of 650m².

Professional induction loop systems give the hearing aid user convenience and clarity of sound.

Suitable for new builds and retrofitting, in theatres, cinemas, conference halls, and many other applications.

Receivers are built in to most hearing aids, eliminating the need for users to wear additional receivers, unlike radio and infra-red systems.

System consists of two loop configurations with separate amplifiers, drastically reducing overspill.

Constant phase filter built in.

Reduced vertical and horizontal overspill allows installation of loops in adjoining rooms without interference.

Can help to ensure privacy.

No middle drop caused by interference from steel-reinforced concrete.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,863.43

Induction Loop Systems -/- Across Counter Systems



Model: SSU7002

Contacta

TEXT_PRODUCTS_PRICE£430.50



Model: LFU1005

Contacta

TEXT_PRODUCTS_PRICE£31.29



Model : ANT5001

TEXT_PRODUCTS_PRICE£1.05



CTC-120 Across Counter System

Model : LFU1247

Univox by Bo Edin

Across the counter communications system to assist the hearing impaired customer.

The UniVox DLS-50 amplifier has a discreetly placed microphone and loop pad and can even be used through security glass. With its built-in monitor output, it is easy to check and maintain excellent sound quality.

The DLS-50 is protected against short-circuits, can be wall mounted and represents a proven high-quality solution.

PLEASE NOTE: Our amplifiers coverage area are specified to generate the peaks (+12 dB & 400 mA/m) specified by the standard. They can not be compared with amplifiers specified for only 100 mA/m (16! times lower power)!

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 2 year warranty.

TEXT_PRODUCTS_PRICE£109.99



е

Model: ANS5001

е

TEXT_PRODUCTS_PRICE£9.00



ILP20 Infoloop Portable Loop System

Model: LFU1001

Contacta

This table-top unit picks up sound and turns it into electro-magnetic signals. These are received clearly by the hearing impaired person when the hearing aid is switched to the 'T' position.

Background noise is reduced for the hearing aid user and as a result, conversations in meeting rooms, interview areas, customer service counters, and receptions are much easier.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£126.00



ILP21 Infoloop Extension Microphone

Model: LFU1002

Contacta

ILP21 Infoloop Extension Microphone to use with the ILP20 Infoloop Portable Loop System.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£35.28



ILP24 Infoloop Plastic Case

Model: LFU1004

Contacta

ILP24 Infoloop Plastic Case to use with the ILP20 Infoloop Portable Loop System.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£35.60



ILP25 Infoloop Fabric Carry Case

Model: LFU1003

Contacta

ILP25 Infoloop Fabric Carry Case to use with the ILP20 Infoloop Portable Loop System.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£13.55



ILP26 Infoloop Clear Perspex Shelf

Model: LFU1005

Contacta

ILP26 Infoloop Clear Perspex Shelf to use with the ILP20 Infoloop Portable Loop System.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£31.29



-

Model: LFU1004

Contacta

В

TEXT_PRODUCTS_PRICE£35.60



1

Model: LFU1003

Contacta

D

TEXT_PRODUCTS_PRICE£13.55



ı

Model : LFU1001

Contacta

h

TEXT_PRODUCTS_PRICE£126.00



ı

Model: LFU1002

Contacta

В

TEXT_PRODUCTS_PRICE£35.28



m

Model: ALP5001

Univox by Bo Edin

m

TEXT_PRODUCTS_PRICE£19.95



n

Model: LFU1240

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£250.18



n

Model: LFU1239

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£246.31



n

Model: LFU1238

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£220.42



Perspex Loop Sign

Model : ANS5001

Perspex Loop Sign.

If hearing equipment is installed, inform hearing aid users with T-sticker signage.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. TEXT_PRODUCTS_PRICE£9.00



Small Loop Pad

Model: ALP5001

Univox by Bo Edin

Small Loop Pad for Across the Counter Systems.

This pad transmits the magnetic signal to the hearing impaired person's hearing aid. Must be used in conjuction with a microphone and a loop amplifier.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. TEXT_PRODUCTS_PRICE£19.95



STS-KOO1-L SecuriCom Bridge Mounted Speech Trans and Loop

Model: SSU7001

Contacta

STS-KOO1-L SecuriCom Bridge Mount Speech Trans and Loop

Contacta SecuriCom systems enable clear voice communication between customers and service staff through glass security screens. Transactions can be conducted efficiently and with confidentiality - without difficulty or delay - even in noisy environments.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£383.25



STS-KOO2-L SecuriCom Surface Mounted Speech Trans with Loop

Model: SSU7002

Contacta

STS-KOO2-L SecuriCom Surface Mounted Speech Trans with Loop.

Contacta SecuriCom systems enable clear voice communication between customers and service staff through glass security screens. Transactions can be conducted efficiently and with confidentiality - without difficulty or delay - even in noisy environments.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£430.50



STS-KOO3-L SecuriCom Flush Mounted Speech Trans with Loop

Model: SSU7003

Contacta

STS-KOO3-L SecuriCom Flush Mounted Speech Trans with Loop.

Contacta SecuriCom systems enable clear voice communication between customers and service staff through glass security screens. Transactions can be conducted efficiently and with confidentiality - without difficulty or delay - even in noisy environments.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase at TRADE PRICE. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£414.75



Model : SSU7003

Contacta

Т

TEXT_PRODUCTS_PRICE£414.75



Γ

Model: SSU7001

Contacta

Т

TEXT_PRODUCTS_PRICE£383.25



Т

Model: LFU1247

Univox by Bo Edin

С

TEXT_PRODUCTS_PRICE£109.99



T sticker

Model: ANT5001

T sticker

If hearing equipment is installed, inform hearing aid users with T-sticker signage.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£1.05



Uni 70 Across Counter System (1)

Model: LFU1238

Univox by Bo Edin

Across the counter communications system to assist the hearing impaired customer.

System 1 includes a 13A boundary microphone and a Univox DLS-70 amplifier.

The Uni 70 has a discreetly placed microphone and loop pad and can even be used through security glass.

The system enables a number of hearing aid users to listen to speech from microphones, radio, and television.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£220.42



Uni 70 Across Counter System (2)

Model : LFU1239

Univox by Bo Edin

Across the counter communications system to assist the hearing impaired customer.

System 2 includes a 13C tie-clip microphone and a Univox DLS-70 amplifier.

The Uni 70 has a discreetly placed microphone and loop pad and can even be used through security glass.

The system enables a number of hearing aid users to listen to speech from microphones, radio, and television.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£246.31



Uni 70 Across Counter System (3)

Model : LFU1240

Univox by Bo Edin

Across the counter communications system to assist the hearing impaired customer.

System 4 includes a M-1 gooseneck microphone and a Univox DLS-70 amplifier.

The Uni 70 has a discreetly placed microphone and loop pad and can even be used through security glass.

The system enables a number of hearing aid users to listen to speech from microphones, radio, and television.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£250.18

Induction Loop Systems -/- Portable Loop Cases



3
Model: PLU3221
Gordon Morris Ltd.
B

TEXT_PRODUCTS_PRICE£1,739.94



Model: PLU3220

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£1,628.63



Model: PLU3219

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£1,458.79



Model: PLU3218

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£1,551.44



7
Model: PLU3205
Gordon Morris Ltd.
7
TEXT_PRODUCTS_PRICE£1,292.03



Model: PLU3204

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£1,219.58



7
Model: PLU3203
Gordon Morris Ltd.

TEXT_PRODUCTS_PRICE£1,171.28



Model: PLU3202

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£951.51



Model: PLU3210

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£2,683.63

TEXT_PRODUCTS_PRICE£2,063.03



Model: PLU3209

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£2,364.87



Model: PLU3208

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£2,603.61



A

Model: PLU3207

Gordon Morris Ltd.

B

TEXT_PRODUCTS_PRICE£2,456.93



Conference Folder

Model: HPU6010

GN Transistor

The Conference Folder makes it easier for people with impaired hearing to participate in meetings at work or at home.

The folder contains a built-in amplifier and two microphones which the user places on the table infront of them.

The microphones pick up speech from around the table and transmit sound to the amplifier.

Can be used with neck loop, mini loop or earphones.

Price excludes VAT

This product comes with a 1 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£183.75



0

Model: HPU6010

GN Transistor

h

TEXT_PRODUCTS_PRICE£183.75



P380 Portable Loop System (1)

Model : PLU3218

Gordon Morris Ltd.

The P380 Portable Loop System (1) includes 1 wired handheld microphone and 1 boundary microphone

Covers up to 150m².

A robust portable case providing constant field strength for superb clarity and speech perception

When you demand stability and reliability, the P380 case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,551.44



P380 Portable Loop System (2)

Model : PLU3219

Gordon Morris Ltd.

The P380 Portable Loop System (2) includes 1 wired handheld and 1 radio microphone

Covers up to 150m².

A robust portable case providing constant field strength for superb clarity and speech perception

When you demand stability and reliability, the P380 case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,458.79



P380 Portable Loop System (3)

Model : PLU3220

Gordon Morris Ltd.

The P380 Portable Loop System (3) includes 1 wired boundary microphone and 1 radio microphone

Covers up to 150m².

A robust portable case providing constant field strength for superb clarity and speech perception.

When you demand stability and reliability, the P380 case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,628.63



P380 Portable Loop System (4)

Model : PLU3221

Gordon Morris Ltd.

The P380 Portable Loop System (4) includes 1 boundary microphone, 1 wired handheld microphone and 1 radio microphone Covers up to 150m².

A robust portable case providing constant field strength for superb clarity and speech perception

When you demand stability and reliability, the P380 case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,739.94



P70A Portable Loop System (1)

Model : PLU3202

Gordon Morris Ltd.

P70A (1)

The P70A is a portable induction loop system in a robust carry case covering 50m².

Provides constant field strength for superb clarity and speech perception.

When you demand stability and reliability, the P70A case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£951.51



P70A Portable Loop System (2)

Model : PLU3203

Gordon Morris Ltd.

P70A (2) with Wired Handheld & Radio Microphone

The P70A is a portable induction loop in a robust carry case covering 50m²

Provides constant field strength for superb clarity and speech perception

When you demand stability and reliability, the P70A case will deliver

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,171.28



P70A Portable Loop System (3)

Model : PLU3204

Gordon Morris Ltd.

P70A (3) with Wired Boundary & Radio Microphone

The P70A is a portable induction loop system in a robust carry case covering 50m².

Provides constant field strength for superb clarity and speech perception.

When you demand stability and reliability, the P70A case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,219.58



P70A Portable Loop System (4)

Model : PLU3205

Gordon Morris Ltd.

P70A (4) with Wired Handheld & Boundary & Radio Microphone

The P70A is a portable induction loop in a robust carry case covering 50m².

Provides constant field strength for superb clarity and speech perception.

When you demand stability and reliability, the P70A case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,292.03



PALS Portable Loop System (1)

Model : PLU3207

Gordon Morris Ltd.

The PALS case (1) is a portable induction loop system. It includes a wired boundary microphone, providing superb clarity and speech perception.

The robust case comes with a built-in loop amplifier and up to 50 metres cable and makes it possible to create listening areas covering up to 150m².

Up to 4 radio microphones can be used with the system.

A loop listener is also provided, for checking and monitoring the loop system.

When you demand stability and reliability, the PALS case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£2,456.93



PALS Portable Loop System (2)

Model : PLU3208

Gordon Morris Ltd.

The PALS case (2) is a portable induction loop case. It includes a wired boundary microphone and a handheld microphone, providing superb clarity and speech perception.

The robust case comes with a built-in loop amplifier and up to 50 metres cable and makes it possible to create listening areas covering up to 150m².

Up to 4 radio microphones can be used with the system.

A loop listener is also provided, for checking and monitoring the loop system.

When you demand stability and reliability, the PALS case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£2,603.61



PALS Portable Loop System (3)

Model : PLU3209

Gordon Morris Ltd.

The PALS case (3) is a portable induction loop system. It includes a wired boundary microphone and a tie-clip radio microphone, providing superb clarity and speech perception.

The robust case comes with a built-in induction loop amplifier and up to 50 metres cable and makes it possible to create listening areas covering up to 150m².

Up to 4 radio microphones can be used with the system.

A loop listener is also provided, for checking and monitoring the loop system.

When you demand stability and reliability, the PALS case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£2,364.87



PALS Portable Loop System (4)

Model : PLU3210

Gordon Morris Ltd.

The PALS case (4) is a portable induction loop system includes a radio boundary microphone and two tie-clip radio microphones, providing superb clarity and speech perception.

The robust case comes with a built-in loop amplifier and up to 50 metres cable and makes it possible to create listening areas covering up to 150m².

Up to 4 radio microphones can be used with the system.

A loop listener is also provided, for checking and monitoring the loop system.

When you demand stability and reliability, the PALS case will deliver.

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£2,683.63

Induction Loop Systems -/- Loop System Testing Equipment



Field Strength Meter

Model : ALL5002 *Univox by Bo Edin*

Field Strength Meter

The Field Strength Meter is an Induction Loop Tester. It shows the performance of a loop installation to check if it complies with international standards.

The system has a full range of test tracks to check the performance of the loop.

The system delivers 2 second spot frequencies from 70Hz up to 10kHz to allow determination and correction of the frequency response of the loop system.

Contains both male and female artificial standardised speech to allow accurate evaluation of the loop performance as experienced by the end user.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£199.49



Field Strength Meter with CD and Case

Model : ALL5003

Univox by Bo Edin

Field Strength Meter FSM with CD and Case

The Field Strength Meter is an Induction Loop Tester Kit. This system is a complete measurement system that checks the performance of loop installations, ensuring it is working to international standards.

This system includes a field strength meter, an audio CD and a carry case.

The system has a full range of test tracks to check the performance of the loop.

The system delivers 2 second spot frequencies from 70Hz up to 10kHz to allow determination and correction of the frequency response of the loop system

Contains both male and female artificial standardised speech to allow accurate evaluation of the loop performance as experienced by the end user.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£251.99



Model: ALL5003

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£251.99



Model: ALL5002

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£199.49



n

Model: ALL5001

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£80.86



UniVox Listener

Model: ALL5001

Univox by Bo Edin

The UniVox Listener

The UniVox Listener is a listening instrument for Audio Frequency Induction Loop Systems (AFILS).

Use the Listener to check the level of the magnetic field. This will enable you to get the best quality sound from your loop system.

The Listener is a small device which runs on two AAA (LR3) batteries, this gives the unit approximately 150-300 hours of running time.

Two LED indicators flash to check the maximum and minimum levels of the magnetic field.

The Blue LED indicates that the field strength is +6dB (200mA/m) and the Red LED indicates tester is switched on.

The Listener can also be used as a personal listening device with the built in microphone.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£80.86

Infrared Systems -/- Infrared Receivers



Α

Model: AID5006

Sennheiser

h

TEXT_PRODUCTS_PRICE£17.63



BA151 Battery

Model: AID5006

Sennheiser

This battery is used in conjunction with the RI 150LL Mono Infrared Loop Receiver.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£17.63



. . .

Model: AIR5001

Sennheiser

В

TEXT_PRODUCTS_PRICE£94.58



ı

Model: AIR5009

Sennheiser

В

TEXT_PRODUCTS_PRICE£132.80



Infrared Neck Loop & Connecting Cable

Model: AIN5201

Star Sound

Infrared Neck Loop & Connecting Cable

A set combining a neck loop and connection cable.

For use with a Star Sound infrared receiver.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£50.39



.

Model: AIN5201

Star Sound

В

TEXT_PRODUCTS_PRICE£50.39



RI 150 Infrared Stethoset

Model: AIR5001

Sennheiser

RI 150 Infrared Stethoset

Mono stethoset receiver (2.3 MHz)

Features:

- Wideband stethoset receiver
- Extremely reliable transmission due to new carrier frequency (2.3 MHz)
- Extremely lightweight only 45 g
- Excellent speech intelligibility and good music reproduction
- Very easy to use
- Operates on environmentally friendly rechargeable NiMH accupack

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£94.58



RI150LL Mono Infrared Loop Receiver

Model: AIR5009

Sennheiser

RI150LL Mono Infrared Loop Receiver

Light weight receiver.

Up to 3 hours use with rechargeable battery.

Battery easy to charge (BA151).

Receivers on 2.3 Megahurtz.

Can be used with headphones via 3.5mm² jack socket.

Built in neck loop.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£132.80



Star Sound Infrared Receiver

Model: AIR5005

Star Sound

Star Sound Infrared Receiver

Comes with a rechargeable battery.

ABS plastic construction.

35 hour operating time.

Receives on 2.3 and 2.8 MHZ to use both channels on transmitter.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open. TEXT_PRODUCTS_PRICE£155.99



Model : AIR5005

Star Sound

В

TEXT_PRODUCTS_PRICE£155.99

Infrared Systems -/- Infrared Radiators



Model: IRU2002

Sennheiser

В

TEXT_PRODUCTS_PRICE£234.69



SI 30 IR Emitter 80m Master

Model: IRU2002

Sennheiser

SI 30 Infrared Radiator Master Unit.

The SI 30 is a wideband modulator with an integral radiator.

It can be switched between operation on channel 1 (2.3 MHz), channel 2 (2.8 MHz) and stereo operation.

Due to its compact size and relatively low radiating power, the SI 30 modulator/radiator and the SZI 30 radiator are an ideal choice for smaller or medium-sized rooms, for covering recesses or for applications which require transmission of audio information to well defined zones, e.g. in museums.

Covers up to 80m².

Price excludes VAT.

Please note: When purchasing this radiator, you will also NEED to purchase a power supply unit and a wall mounting kit. Go to the infrared accessories page to view the options.

We do sell infrared fixed systems complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£234.69



Star Sound 2 Channel Infrared Radiator

Model: IRU2006

Star Sound

Star Sound 2 Channel Infrared Radiator.

Covers up to 370m².

Can slave with other radiators.

Comes supplied with mounting swivel bracket and power supply unit.

Transmits on 2 channels on 2.3/2.8 MHZ to use with various receivers.

We do sell INFRARED FIXED SYSTEMS complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system.

Email us

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,223.23



SZI 1015 Slave Radiator

Model: IRU2011

Sennheiser

SZI 1015 Slave Radiator

Slaves with the SZI 1015 Master Unit.

The SZI 1015 is a 2-Watt infrared radiator with a coverage area of up to 400m². The radiator is switched on and off automatically by the modulator's RF carrier. The RF signal from the modulator can be daisy-chained via BNC sockets. A barrier strip with RF and DC inputs and outputs is connected in parallel.

The radiator has a 5/8" thread and comes with a 3/8" and 1/2" adaptor, it can therefore easily be mounted to various attachments.

Features:

- 2-Watt radiator and modulator for the new carrier frequencies 2.3 and 2.8 MHz
- 2-Watt radiator with a maximum coverage area of 400m²
- Chaining the signal to additional radiators
- Modulator for single-channel, two-channel or stereo operation, features monitoring diodes and a separate barrier strip with RF and DC outputs for connecting radiators
- Wide range of mounting accessories for the radiator, modulator comes complete with rack-mount ears

Price excludes VAT.

Please note: When purchasing this radiator, you will also NEED to purchase a power supply unit and a wall mounting kit. Go to the infrared accessories page to view the options.

We do sell infrared fixed systems complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£791.56



SZI 1015T IR Emitter Master Unit

Model: IRU2004

Sennheiser

SZI 1015T Infrared Transmitter Master Unit.

The SZI 1015 is a 2-Watt infrared radiator with a coverage area of up to 400 m². The radiator is switched on and off automatically by the modulator's RF carrier. The RF signal from the modulator can be daisy-chained via BNC sockets. A barrier strip with RF and DC inputs and outputs is connected in parallel. The radiator has a 5/8" thread and comes with a 3/8" and 1/2" adaptor, it can therefore easily be mounted to various attachments.

Features:

- 2-Watt radiator and modulator for the new carrier frequencies 2.3 and 2.8 MHz
- 2-Watt radiator with a maximum coverage area of 400m²
- Chaining the signal to additional radiators
- Modulator for single-channel, two-channel or stereo operation, features monitoring diodes and a separate barrier strip with RF and DC outputs for connecting radiators
- Wide range of mounting accessories for the radiator, modulator comes complete with rack-mount ears

We do sell infrared fixed systems complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£812.64



SZI 1029 5 Watt Radiator

Model: IRU2007

Sennheiser

SZI 1029 5 Watt Radiator.

This radiator is more powerful that the SZI 1015T radiators.

The SZI 1029 is a 5-W high-power radiator for use with all wideband and narrow-band modulators. The radiator is automatically switched on by the RF carrier and can cover areas of up to 800 m² in single-channel operation. High-quality GaAlAs transmitting diodes have been arranged in 12 independent groups to ensure reliable transmission. A malfunction indicator is triggered when the radiating power is reduced by more than 30 %.

Features:

- High-power radiator with a maximum coverage area of 800 m²

10 variant)

- RF output for connecting additional radiators
- Automatic on/off function
- Versatile installation due to 5/8", 3/8" and 1/2" threads
- Excellent reliability due to 12 independent groups of transmitting diodes and malfunction indicator

Price excludes VAT.

Please note: When purchasing this radiator, you will also NEED to purchase a power supply unit and a wall mounting kit. Go to the infrared accessories page to view the options.

We do sell infrared fixed systems complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£1,722.13



SZI 30 IR Emitter 80m Slave

Model: IRU2001

Sennheiser

SZI 30 Infrared Radiator Slave Unit.

The SI 30 is a wideband modulator with an integral radiator. It can be switched between operation on channel 1 (2.3 MHz), channel 2 (2.8 MHz) and stereo operation.

Due to its compact size and relatively low radiating power, the SI 30

modulator/radiator and the SZI 30 radiator are an ideal choice for smaller or medium-sized rooms, for covering recesses or for applications which require transmission of audio information to well defined zones, e.g. in museums.

Covers up to 80m².

Slaves from SI 30 master unit for larger areas.

Can be used within a cluster.

Features:

- Compact radiator and modulator/radiator for the carrier frequencies 2.3 MHz and 2.8 MHz
- Easy installation and precise alignment

Price excludes VAT.

Please note: When purchasing this radiator, you will also NEED to purchase a power supply unit and a wall mounting kit. Go to the infrared accessories page to view the options.

We do sell infrared fixed systems complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£164.49



t

Model: IRU2006

Star Sound

B

TEXT_PRODUCTS_PRICE£1,223.23



Z

Model: IRU2007

Sennheiser

B

TEXT_PRODUCTS_PRICE£1,722.13



Z

Model: IRU2011

Sennheiser

B

TEXT_PRODUCTS_PRICE£791.56



Model: IRU2004
Sennheiser
B
TEXT_PRODUCTS_PRICE£812.64



Model: IRU2001

Sennheiser

B

TEXT_PRODUCTS_PRICE£164.49

Infrared Systems -/- Portable Infrared Cases



Model: PIU3218

Gordon Morris Ltd.

TEXT_PRODUCTS_PRICE£2,725.49



lΑ

Model: PIU3219

Gordon Morris Ltd.

В

TEXT_PRODUCTS_PRICE£2,622.65



Α

Model: PIU3217

Gordon Morris Ltd.

В

TEXT_PRODUCTS_PRICE£2,696.08



Α

Model: PIU3216

Gordon Morris Ltd.

В

TEXT_PRODUCTS_PRICE£2,561.85



Α

Model: PIU3205

Gordon Morris Ltd.

В

TEXT_PRODUCTS_PRICE£4,882.50



A

Model : PIU3204

Gordon Morris Ltd.

В

TEXT_PRODUCTS_PRICE£4,680.90



A	
Model: PIU3203	
Gordon Morris Ltd.	
В	
TEXT PRODUCTS PRICE(4 578 00	



A
Model: PIU3202
Gordon Morris Ltd.
В
TEXT_PRODUCTS_PRICE£4,701.90



PAIRS 80 (1)

Model : PIU3216

Gordon Morris Ltd.

The Pre-assembled Portable Infrared Case from Gordon Morris Ltd.

The PAIRS 80 is a state-of-the-art, high quality portable hearing system for hearing aid users and non-hearing aid users alike.

Unlike other portable infrared systems, all the components are built within the case resulting in a quick and easy setup.

Infrared is an ideal option if confidentiality is an issue and if more than one system is being used in close proximity.

Can have up to ten neck loops or stethoset receivers.

Can have two radio mics or two wired mics in use at any one time. Alternatively, you can use two radio microphones and two wired microphones at the same time.

Features line in and line output for AV equipment and PA system connection.

- Proven technology in a high-quality durable unit
- Inputs for microphones and radio microphone
- Covers up to 80m2
- Reliable performance with 1 year warranty
- Meets BS 7594 (AFILS), and BS EN 60118-4 IEC standards

System 1 consists of:

Carry case

Loop listener

- 1 x Line input
- 1x Boundary microphone
- 1 x Handheld microphone

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£2,561.85



PAIRS 80 (2)

Model : PIU3217

Gordon Morris Ltd.

The Pre-assembled Portable Infrared Case from Gordon Morris Ltd.

The PAIRS 80 is a state-of-the-art, high quality portable hearing system for hearing aid users and non-hearing aid users alike.

Unlike other portable infrared systems, all the components are built within the case resulting in a quick and easy setup.

Infrared is an ideal option if confidentiality is an issue and if more than one system is being used in close proximity.

Can have up to ten neck loops or stethoset receivers.

Can have two radio mics or two wired mics in use at any one time. Alternatively, you can use two radio microphones and two wired microphones at the same time.

Features line in and line output for AV equipment and PA system connection.

- Proven technology in a high-quality durable unit
- Inputs for microphones and radio microphone
- Covers up to 80m2
- Reliable performance with 1 year warranty
- Meets BS 7594 (AFILS), and BS EN 60118-4 IEC standards

System 2 consists of:

Carry case

Loop listener

- 1 x Line input
- 1 x Boundary microphone
- 1 x Handheld microphone
- 1 x Tie Clip Radio microphone

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£2,696.08



PAIRS 80 (3)

Model : PIU3218

Gordon Morris Ltd.

The Pre-assembled Portable Infrared Case from Gordon Morris Ltd.

The PAIRS 80 is a state-of-the-art, high quality portable hearing system for hearing aid users and non-hearing aid users alike.

Unlike other portable infrared systems, all the components are built within the case resulting in a quick and easy setup.

Infrared is an ideal option if confidentiality is an issue and if more than one system is being used in close proximity.

Can have up to ten neck loops or stethoset receivers.

Can have two radio mics or two wired mics in use at any one time. Alternatively, you can use two radio microphones and two wired microphones at the same time.

Features line in and line output for AV equipment and PA system connection.

- Proven technology in a high-quality durable unit
- Inputs for microphones and radio microphone
- Covers up to 80m2
- Reliable performance with 1 year warranty
- Meets BS 7594 (AFILS), and BS EN 60118-4 IEC standards

System 3 consists of:

Carry case

Loop listener

- 1 x Line input
- 1 x Boundary microphone
- 1 x Handheld Radio microphone
- 1 x Tie Clip Radio microphone

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£2,725.49



PAIRS 80 (4)

Model: PIU3219

Gordon Morris Ltd.

The Pre-assembled Portable Infrared Case from Gordon Morris Ltd.

The PAIRS 80 is a state-of-the-art, high quality portable hearing system for hearing aid users and non-hearing aid users alike.

Unlike other portable infrared systems, all the components are built within the case resulting in a quick and easy setup.

Infrared is an ideal option if confidentiality is an issue and if more than one system is being used in close proximity.

Can have up to ten neck loops or stethoset receivers.

Can have two radio mics or two wired mics in use at any one time. Alternatively, you can use two radio microphones and two wired microphones at the same time.

Features line in and line output for AV equipment and PA system connection.

- Proven technology in a high-quality durable unit
- Inputs for microphones and radio microphone
- Covers up to 80m2
- Reliable performance with 1 year warranty
- Meets BS 7594 (AFILS), and BS EN 60118-4 IEC standards

System 4 consists of:

Carry case

Loop listener

- 1 x Line input
- 2 x Radio Boundary microphones OR
- 2 x Tie Clip Radio microphones

Price excludes VAT.

This product comes with a 1 year warranty.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£2,622.65



PAIRS Case (1)

Model : PIU3202

Gordon Morris Ltd.

The PAIRS Case (1) is a portable infrared case, which includes 2 wired boundary microphones and 4 receivers & neck loops.

Covers up to 370m².

The Portable Audio Infrared Case is a robust portable case providing constant field strength for superb clarity and speech perception.

When you demand stability, reliability, and security the PAIRS case will deliver.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 1 year warranty.

Gordon Morris Ltd. also supplies INFRARED FIXED SYSTEMS complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system.

Email us

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£4,701.90



PAIRS Case (2)

Model : PIU3203

Gordon Morris Ltd.

The PAIRS Case (2) is a portable infrared case, which includes a boundary and a wired handheld microphones with 4 receivers & neck loops

Covers up to 370m².

A robust portable case providing constant field strength for superb clarity and speech perception.

When you demand stability, reliability, and security the PAIRS case will deliver.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 1 year warranty.

Gordon Morris Ltd. also supplies INFRARED FIXED SYSTEMS complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£4,578.00



PAIRS Case (3)

Model : PIU3204

Gordon Morris Ltd.

The PAIRS Case (3) is a portable infrared system, which includes a boundary microphone, a tie clip radio microphone, 4 receivers & neck loops.

Covers up to 370m².

The Portable Audio Infrared Case is a robust portable case providing constant field strength for superb clarity and speech perception.

When you demand stability, reliability, and security the PAIRS case will deliver.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 1 year warranty.

We also supply INFRARED FIXED SYSTEMS complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£4,680.90



PAIRS Case (4)

Model : PIU3205

Gordon Morris Ltd.

PAIRS Case (4) is a portable infrared system, which includes 2 tie clip radio microphones and radio boundary microphones with 4 receivers & neck loops.

Covers up to 370m².

The Portable Audio Infrared Case is a robust portable case providing constant field strength for superb clarity and speech perception.

When you demand stability, reliability, and security the PAIRS case will deliver.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

This product comes with a 1 year warranty.

We also supply INFRARED FIXED SYSTEMS complete with receivers and transmitters but in order to supply customers with a system that suits their specification we must know the following:

- How many receivers are required (how many hearing aid users need to hear)?
- How many microphones are required (how many people need to be heard)?
- How many radiators are required?
- What is the approximate floor area?

When you have the answers to these questions, please email us and we will find you your perfect system. Email us

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£4,882.50

Microphones -/- Boundary/Shotgun Microphones



Model: MSU4005

Audio Technica

TEXT_PRODUCTS_PRICE£216.52



13A Small Boundary Microphone

Model : MBU4007

Univox by Bo Edin

13A Small Boundary Microphone

Univox microphones have been specifically designed to work with Univox amplifiers to give the best quality sound possible. This discreet boundary layer omni microphone can be used for across the counter system and TV speakers.

All power is delivered through the microphone output on Univox amplifiers, thus eliminating the need for external batteries. All are Electret condenser microphones designed to work with Phantom Voltage (1.5V).

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£11.50



13T Boundary Microphone

Model: MBU4008

Univox by Bo Edin

Univox microphones have been specially designed to work with Univox amplifiers to give the best quality sound possible.

Boundary microphones are placed on tables to pick up ambient sound.

It can be used with a radio microphone.

All power is delivered through the microphone output on Univox amplifiers, thus eliminating the need for external batteries.

All are Electret condenser microphones designed to work with Phantom Voltage (1.5V).

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£80.31



3

Model: MBU4008

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£80.31



3

Model: MBU4007

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£11.50



8

Model: MBU4014

Audio Technica

В

TEXT_PRODUCTS_PRICE£245.70



AT815B Line + Gradient Condenser Microphone

Model : MSU4001

Audio Technica

AT8015 Line + Gradient Condenser Microphone

Designed for video production and broadcast (ENG/EFP) audio acquisition, the AT8015 provides the narrow acceptance angle desirable for long-distance sound pickup, along with excellent sound rejection from the sides and rear of mic. The roll-off position reduces the pickup of low-frequency ambient noise (such as traffic, air-handling systems, etc.), room reverberation and mechanically coupled vibrations.

- Designed for video production and broadcast (ENG/EFP) audio acquisition

- Provides the narrow acceptance angle desirable for long-distance sound pickup
- Excellent sound rejection from the sides and rear of mic
- Switchable low-frequency roll-off
- Operates on battery or phantom power
- RoHS compliant—free from all substances specified in the EU directive on hazardous substances

SPECIFICATIONS

ELEMENT Fixed-charge back plate, permanently polarized condenser

POLAR PATTERN Line + gradient

FREQUENCY RESPONSE 40-20,000 Hz

LOW FREQUENCY ROLL-OFF 80 Hz, 12 dB/octave

OPEN CIRCUIT SENSITIVITY Phantom: -38 dB (12.5 mV) re 1V at 1 Pa

Battery: -39 dB (11.2 mV) re 1V at 1 Pa IMPEDANCE Phantom: 250 ohms

Battery: 300 ohms

MAXIMUM INPUT SOUND LEVEL Phantom: 132 dB SPL, 1 kHz at 1% T.H.D.

Battery: 120 dB SPL, 1 kHz at 1% T.H.D.

DYNAMIC RANGE (typical) Phantom: 110 dB, 1 kHz at Max SPL

Battery: 98 dB, 1 kHz at Max SPL

SIGNAL-TO-NOISE RATIO 72 dB, 1 kHz at 1 Pa

PHANTOM POWER REQUIREMENTS 11-52V DC, 2 mA typical

BATTERY TYPE 1.5V AA/UM3

BATTERY CURRENT / LIFE 0.4 mA / 1200 hours typical

(alkaline)

SWITCH Flat, roll-off

WEIGHT 195 g (6.9 oz)

DIMENSIONS 460.0 mm (18.11") long,

21.0 mm (0.83") diameter

OUTPUT CONNECTOR Integral 3-pin XLRM-type

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£333.52



ES933 Suspended Microphone

Model: MSU4005

Audio Technica

ES933 Suspended Microphone

Hanging Cardioid Microphone

Designed for quality sound reinforcement, professional recording, television and other demanding sound pickup applications

FEATURES:

- Small Size and Excellent Response are Ideal for Suspension Over Choirs, Instrumental Groups and Theatre Stages
- Low-Profile Element Provides Uniform Cardioid Polar Pattern with 120° Acceptance Angle
- Available Interchangeable Elements Permit Angle of Acceptance from 90° to 360°
- 50' (15.2 m) Cable Permanently Attached to Mic, Screw Terminals at Power Module

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£216.52



ES945 360 Degree Boundary Ceiling Mount Microphone

Model: MBU4002

Audio Technica

Audio-Technica ES945 Omni-directional Condenser Boundary Microphones

The new Engineered Sound. Contractor-exclusive innovations for every acoustical challenge. And safe haven from RFI.

This low-profile omnidirectional condenser boundary microphone is designed for clear, highly intelligible sound reinforcement, professional recording and teleconferencing in table-, ceiling-, or panel-mount applications.

The microphone is equipped with a self-contained power module with an XLRM-type output connector, eliminating the need for an external power module.

The microphone offers unsurpassed immunity from radio frequency interference thanks to Audio-Technica's UniGuard innovations.

Protected by a rugged all-metal case with a two-layer steel mesh grille, the microphone has a 360ø pickup angle, and is available in two colors: black (ES945) and white (ES945W).

Features:

- Designed for surface-mount applications such as high-quality sound reinforcement, professional recording and teleconferencing
- Low-profile element provides uniform omnidirectional polar pattern with 360 degree acceptance angle
- Mounts unobtrusively in table-tops, ceilings and wall panels
- Self-contained power module with XLRM-type output connector
- Rugged all-metal case with a two-layer steel mesh grille
- Isolators provide mechanical dampening of mounting-surface vibration
- Requires 11V to 52V DC phantom power

• UniGuard RFI-shielding technology offers outstanding rejection of radio frequency interference (RFI)

RoHS compliant-free from all substances specified in the EU directive on hazardous substances

Specifications:

• ELEMENT: Fixed-charge back plate, permanently polarized condenser

POLAR PATTERN: Omnidirectional
 FREQUENCY RESPONSE: 40-18,000 Hz

• OPEN CIRCUIT SENSITIVITY: -42 dB (7.9 mV) re 1V at 1 Pa

• IMPEDANCE: 200 ohms

• MAXIMUM INPUT SOUND LEVEL: 142 dB SPL, 1 kHz at 1% T.H.D.

DYNAMIC RANGE (typical): 112 dB, 1 kHz at Max SPL

• SIGNAL-TO-NOISE RATIO: 64 dB, 1 kHz at 1 Pa

• PHANTOM POWER REQUIREMENTS: 11-52V DC, 2 mA typical

• WEIGHT: 63 g (2.2 oz)

• DIMENSIONS: 69.0 mm (2.72") long, 28.0 mm (1.10") diameter

OUTPUT CONNECTOR: Integral 3-pin XLRM-type
 ACCESSORY FURNISHED: One pair isolators

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£150.78



ES945/W 360 Degree Boundary Ceiling Mount Microphone

Model: MBU4001

Audio Technica

Audio-Technica ES945 Omni-directional Condenser Boundary Microphones

The new Engineered Sound. Contractor-exclusive innovations for every acoustical challenge. And safe haven from RFI.

This low-profile omnidirectional condenser boundary microphone is designed for clear, highly intelligible sound reinforcement, professional recording and teleconferencing in table-, ceiling-, or panel-mount applications.

The microphone is equipped with a self-contained power module with an XLRM-type output connector, eliminating the need for an external power module.

The microphone offers unsurpassed immunity from radio frequency interference thanks to Audio-Technica's UniGuard innovations.

Protected by a rugged all-metal case with a two-layer steel mesh grille, the microphone has a 360ø pickup angle, and is available in two colors: black (ES945) and white (ES945/W).

Features:

- Designed for surface-mount applications such as high-quality sound reinforcement, professional recording and teleconferencing
- Low-profile element provides uniform omnidirectional polar pattern with 360 degree acceptance angle
- Mounts unobtrusively in table-tops, ceilings and wall panels

- Self-contained power module with XLRM-type output connector
- Rugged all-metal case with a two-layer steel mesh grille
- Isolators provide mechanical dampening of mounting-surface vibration
- Requires 11V to 52V DC phantom power
- UniGuard RFI-shielding technology offers outstanding rejection of radio frequency interference (RFI)
- RoHS compliant-free from all substances specified in the EU directive on hazardous substances

Specifications:

- ELEMENT: Fixed-charge back plate, permanently polarized condenser
- POLAR PATTERN: Omnidirectional
- FREQUENCY RESPONSE: 40-18,000 Hz
- OPEN CIRCUIT SENSITIVITY: -42 dB (7.9 mV) re 1V at 1 Pa
- IMPEDANCE: 200 ohms
- MAXIMUM INPUT SOUND LEVEL: 142 dB SPL, 1 kHz at 1% T.H.D.
- DYNAMIC RANGE (typical): 112 dB, 1 kHz at Max SPL
- SIGNAL-TO-NOISE RATIO: 64 dB, 1 kHz at 1 Pa
- PHANTOM POWER REQUIREMENTS: 11-52V DC, 2 mA typical
- WEIGHT: 63 g (2.2 oz)
- DIMENSIONS: 69.0 mm (2.72") long, 28.0 mm (1.10") diameter
- OUTPUT CONNECTOR: Integral 3-pin XLRM-type
- ACCESSORY FURNISHED: One pair isolators

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£150.78



PRO 42 180 Degree Boundary Ceiling/Table Mount Microphone

Model: MBU4005

Audio Technica

PRO 42 180 Degree Boundary Ceiling/Table Mount Microphone

With its half-space unidirectional polar pattern, low-profile design, and outstanding sound quality, the PRO 42 is ideal for conference tables, podiums, lecterns and other installed-sound uses.

This versatile boundary microphone's self-contained electronics eliminate the need for external power modules.

The PRO 42 is equipped with a wide-range condenser element with low-mass diaphragm for superior performance.

Highlights:

- Low profile design for minimum visibility
- Wide-range condenser element with low-mass diaphragm for superior performance
- Uniform polar pattern for maximum rejection of unwanted sounds
- Rugged design and construction
- 25' (7.6 m) cable permanently attached between microphone and XLRM-type connector

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£91.41



PRO 44 180 Degree Boundary Ceiling/Table Mount Microphone

Model: MBU4006

Audio Technica

PRO 44 180 Degree Boundary Ceiling/Table Mount Microphone

With its half-space unidirectional polar pattern, low-profile design, and outstanding sound quality, the PRO 44 is ideal for conference tables, podiums, lecterns and other installed-sound uses.

This versatile boundary microphone's self-contained electronics eliminate the need for external power modules.

The PRO 44 is equipped with a wide-range condenser element with low-mass diaphragm for superior performance.

Highlights:

- Low profile design for minimum visibility
- Wide-range condenser element with low-mass diaphragm for superior performance
- Uniform polar pattern for maximum rejection of unwanted sounds
- Rugged design and construction
- 25' (7.6 m) detachable cable (TA3F to XLRM-type)

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£114.56



Model: MBU4006

Audio Technica

В

TEXT_PRODUCTS_PRICE£114.56



R

Model: MBU4005

Audio Technica

В

TEXT_PRODUCTS_PRICE£91.41



S
Model: MBU4002
Audio Technica
B
TEXT_PRODUCTS_PRICE£150.78



 S

 Model : MBU4001

 Audio Technica

 B

 TEXT_PRODUCTS_PRICE£150.78



T
Model: MSU4001
Audio Technica
В
TEXT_PRODUCTS_PRICE£333.52



U841RX Boundary Microphone

Model : MBU4014

Audio Technica

U841RX Boundary Microphone

- Table boundary microphone

- Omni directional PZM boundary layer with battery or phantom in line pre-amplifier

- Fixed-charge back plate permanently polarised condenser

Technical Data:

Element: Fixed-charge back plate permanently polarized condenser Polar Pattern: Omni directional in hemisphere above mounting surface

Frequency Response: 30-20,000 Hz

Open Circuit Sensitivity: - 42 dB (7.9 mV) re 1V at 1 Pa*

Impedance: 200 ohms

Weight (Microphone): 80 grams

Dimensions (Microphone): 65.0 mm diameter / 15.0 mm height

Output Connector: Integral 3-pin XLRM -type

Accessories: Power module; battery; soft vinyl protective pouch

For more information please see the leaflet below.

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£245.70

Microphones -/- Gooseneck Microphones



Model : MGU4011

Audio Technica

TEXT_PRODUCTS_PRICE£130.02



Model: MGU4009

Audio Technica

TEXT_PRODUCTS_PRICE£139.42



Model: MGU4004

Audio Technica

TEXT_PRODUCTS_PRICE£173.59



Model: MGU4001

Univox by Bo Edin

В

TEXT_PRODUCTS_PRICE£75.18



M-1 Gooseneck Microphone

Model : MGU4001 *Univox by Bo Edin*

M-1 Gooseneck Microphone

Electret Gooseneck microphone for desk use.

Electret microphones designed for Loop Systems for avoiding magnetic feedback. All UniVox® amplifiers with microphone inputs work with all our microphones without any external batteries.

All UniVox's Electret condenser microphones designed to work with Phantom Voltage (1.5V).

- Gooseneck microphone for table.
- Omnidirectional
- Cable length: 1.8 m
- Plug type: 3.5 mm male stereo
- Dim/weight: Ø80 mm, H=270mm, 300g

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£75.18



PRO47T Gooseneck Threaded Microphone

Model: MGU4009

Audio Technica

PRO47T Gooseneck Threaded Microphone

This double-gooseneck cardioid condenser microphone with integral power module and 5/8"-27 adapter-mount is ideal for boardroom, school, government, house of worship and other installed applications.

Featuring a wide-range condenser element with low-mass diaphragm for superior performance, the microphone's self-contained electronics eliminate need for external power modules.

Available in two lengths: 12.40" (PRO 47T) and 15.79" (PRO 47TL). Wide-range condenser element with low-mass diaphragm for superior performance.

- Self-contained electronics eliminate need for external power modules
- Flat, smooth frequency response
- Quiet, fixed-placement, long-life gooseneck
- Direct mounts to any 5/8"-27 stand, or to included threaded mounting stud
- 9.8' (3.0 m) cable permanently attached between microphone and XLRM-type connector
- Overall length of 12.40" (315.0 mm)
- Also available in a 15.79" (401.0 mm)-long version as PRO 47TL

SPECIFICATIONS

ELEMENT: Fixed-charge back plate, permanently polarized condenser

POLAR PATTERN: Cardioid

FREQUENCY RESPONSE: 70-16,000 Hz

OPEN CIRCUIT SENSITIVITY: -37 dB (14.1 mV) re 1V at 1 Pa

IMPEDANCE: 100 ohms

MAXIMUM INPUT SOUND LEVEL: 134 dB SPL, 1 kHz at 1% T.H.D.

DYNAMIC RANGE (typical): 106 dB, 1 kHz at Max SPL SIGNAL-TO-NOISE RATIO: 66 dB, 1 kHz at 1 Pa

PHANTOM POWER REQUIREMENTS: 9-52V DC, 2 mA typical

WEIGHT: 2.2 oz (63 g)

DIMENSIONS: 12.40" (315.0 mm) long, 0.47" (12.0 mm) head diameter

OUTPUT CONNECTOR: 3-pin XLRM-type on cable

CABLE: 9.8' (3.0 m) cable permanently attached between microphone and XLRM-type connector ACCESSORIES FURNISHED: AT8146 windscreen; AT8425 5/8"-27 threaded mounting stud

AUDIO-TECHNICA CASE STYLE: M22

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£139.42



PRO47TL Gooseneck Threaded Microphone (long)

Model: MGU4011

Audio Technica

PRO47TL Gooseneck Threaded Microphone

This double-gooseneck cardioid condenser microphone with integral power module and 5/8"-27 adapter-mount is ideal for boardroom, school, government, house of worship and other installed applications.

Available in 2 lengths. This version is 15.79" in length.

Featuring a wide-range condenser element with low-mass diaphragm for superior performance, the microphone's self-contained electronics eliminate need for external power modules.

Wide-range condenser element with low-mass diaphragm for superior performance.

Self-contained electronics eliminate need for external power modules

Flat, smooth frequency response.

Quiet, fixed-placement, long-life gooseneck.

Direct mounts to any 5/8"-27 stand, or to included threaded mounting stud.

9.8' (3.0 m) cable permanently attached between microphone and XLRM-type connector.

Overall length of 15.79" (401.0 mm)

Also available in a 12.40" (315.0 mm)-long version as PRO 47T

SPECIFICATIONS

ELEMENT: Fixed-charge back plate, permanently polarized condenser

POLAR PATTERN: Cardioid

FREQUENCY RESPONSE: 70-16,000 Hz

OPEN CIRCUIT SENSITIVITY: -37 dB (14.1 mV) re 1V at 1 Pa

IMPEDANCE: 100 ohms

MAXIMUM INPUT SOUND LEVEL: 134 dB SPL, 1 kHz at 1% T.H.D.

DYNAMIC RANGE (typical): 106 dB, 1 kHz at Max SPL SIGNAL-TO-NOISE RATIO: 66 dB, 1 kHz at 1 Pa

PHANTOM POWER REQUIREMENTS: 9-52V DC, 2 mA typical

WEIGHT: 2.4 oz (67 g)

DIMENSIONS: 15.79" (401.0 mm) long, 0.47" (12.0 mm) head diameter

OUTPUT CONNECTOR: 3-pin XLRM-type on cable

CABLE: 9.8' (3.0 m) cable permanently attached between microphone and XLRM-type connector ACCESSORIES FURNISHED: AT8146 windscreen; AT8425 5/8"-27 threaded mounting stud

AUDIO-TECHNICA CASE STYLE: M22

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£130.02



PRO49QL Quick Mount Gooseneck Microphone

Model: MGU4008

Audio Technica

PRO49QL Quick Mount Gooseneck Microphone

The PRO 49Q quick-mount double-gooseneck cardioid condenser microphone is designed to plug into any standard XLRF-type surface or cable connector.

With a flat, smooth frequency response and self-contained electronics, this mic features a quiet, fixed-placement, long-life gooseneck and wide-range condenser element with low-mass diaphragm for superior performance.

Available in two lengths: 13.07" (PRO 49Q); 16.47" (PRO 49QL).

Wide-range condenser element with low-mass diaphragm for superior performance.

- Self-contained electronics eliminate need for external power modules
- Flat, smooth frequency response
- Quiet, fixed-placement long-life gooseneck
- Plugs into any standard XLRF-type surface or cable connector
- Overall length of 13.07" (332.0 mm)
- Also available in a 16.46" (418.0 mm)-long version as PRO 49QL

SPECIFICATIONS:

ELEMENT: Fixed-charge back plate, permanently polarized condenser

POLAR PATTERN: Cardioid

FREQUENCY RESPONSE: 70-16,000 Hz

OPEN CIRCUIT SENSITIVITY: -37 dB (14.1 mV) re 1V at 1 Pa

IMPEDANCE: 100 ohms

MAXIMUM INPUT SOUND LEVEL: 134 dB SPL, 1 kHz at 1% T.H.D.

DYNAMIC RANGE (typical): 106 dB, 1 kHz at Max SPL SIGNAL-TO-NOISE RATIO: 66 dB, 1 kHz at 1 Pa

PHANTOM POWER REQUIREMENTS: 9-52V DC, 2 mA typical

WEIGHT: 2.8 oz (80 g)

DIMENSIONS: 16.47" long, 0.47" (12.0 mm) head diameter, 0.74" (18.9 mm) base diameter

OUTPUT CONNECTOR: Integral 3-pin XLRM-type ACCESSORY FURNISHED: AT8146 windscreen

AUDIO-TECHNICA CASE STYLE: M23

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£111.85



R

Model: MGU4008

Audio Technica

В

TEXT_PRODUCTS_PRICE£111.85



U859QL Cardioid Condenser Gooseneck Microphone

Model: MGU4004

Audio Technica

U859QL Cardioid Condenser Gooseneck Microphone

Designed to plug directly into a panel- or desk-mounted XLRF-type connector, the phantom-powered U859QL is 18.90 inches long.

It offers a UniSteep filter.

Superior off-axis rejection for maximum gain before feedback.

Easy-to-adjust, rugged, small-diameter, alternating gooseneck with virtually no memory" permits quick positioning into desired shape.

This version has the longer gooseneck (18.90" overall length)

UniSteep filter provides a steep low-frequency attenuation to improve sound pickup without affecting voice quality.

Self-contained electronics eliminate need for external power module

Quick-mount design with 3-pin XLRM-type connector insert at base plugs into any standard XLRF-type surface or cable connector

Price excludes VAT.If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£173.59

Microphones -/- Handheld Condenser Microphones



ATM33a Cardioid Condenser Microphone

Model: MHU4003

Audio Technica

ATM33a Cardioid Condenser Microphone

Ideal for acoustic guitar, percussion, overheads, vocals and more Excels in both studio and stage applications Outstanding linearity both on- and off-axis Features high SPL capability and wide frequency response Operates on battery or phantom power.

- Ideal for acoustic guitar, percussion, overheads, vocals and more
- Excels in both studio and stage applications
- Outstanding linearity both on- and off-axis
- Features high SPL capability and wide frequency response
- Operates on battery or phantom power

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£174.20



3

Model : MHU4006

Audio Technica

_

TEXT_PRODUCTS_PRICE£98.60



С

Model: MHU4004

В

TEXT_PRODUCTS_PRICE£52.49



ECM-600ST Handheld Microphone

Model: MHU4004

ECM-600ST Handheld Microphone

A stereo microphone providing high quality sound.

System: electret/cardoid

Frequency range: 50-18,000 Hz Impedance: 2 x 600 Ohm Sensitivity: 6mV/Pa/1kHz Max. SPL: 120 dB

Power supply: No battery required Admiss. ambient temp: 0-40 °C Dimensions: Ø 22mm x 201mm

Weight: 240g

Connection: microphone: 3.5mm stereo jack to 3.5mm stereo jack

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£52.49



MB4K/C Microphone

Model: MHU4006

Audio Technica

MB4K/C Microphone

Including 4.5m XLR-XLR

A price/performance leader, the MB 4k cardioid condenser microphone is the Midnight Blues Series' introductory studio-quality microphone. With a condenser design for studio vocal and instrument applications, the microphone features: battery/phantom operation; rugged all-metal construction; soft-touch finish; extended response for smooth, natural sonic characteristics; corrosion-resistant contacts from gold-plated XLRM-type connector; on/off switch.

Features:

Introductory studio-quality microphone—the clear price/performance leader

Condenser design for studio-quality vocal and instrument applications

Extended response for smooth, natural sonic characteristics

Rugged all-metal construction and on/off switch

Soft-touch finish for a secure, comfortable grip and reduced mechanical noise

Battery/phantom operation for maximum versatility

Corrosion-resistant gold-plated XLRM-type connector

5-year warranty

Specifications:

Element: Fixed-charge back plate, permanently polarized condenser

Polar Pattern: Cardioid

Frequency Response: 80-20,000 Hz

Open Circuit Sensitivity: Phantom: -46 dB (5.0 mV) re 1V at 1 Pa; Battery: -48 dB (3.9 mV) re 1V at 1 Pa

Impedance: Phantom: 200 ohms; Battery: 250 ohms

Maximum Input Sound Level: Phantom: 137 dB SPL, 1 kHz at 1% T.H.D.; Battery: 125 dB SPL, 1 kHz at 1% T.H.D.

Dynamic Range (typical): Phantom: 113 dB, 1 kHz at Max SPL; Battery: 101 dB, 1 kHz at Max SPL

Signal-to-Noise Ratio: 70 dB, 1 kHz at 1 Pa

Phantom Power Requirements: 11-52V DC, 2 mA typical

Battery Type: 1.5V AA/UM3

Battery Current/Life: 0.4 mA/1200 hours typical

Switch: On/off Weight: 6.4 oz

Dimensions: 8.10" long, 1.64" head diameter

Output Connector: Integral 3-pin gold-plated XLRM-type

Cable: 15' XLRF-XLRM

Accessories: AT8405a stand clamp for 5/8"-27 threaded stands; 5/8"-27 to 3/8"-16 threaded adapter, battery, soft protective

pouch.

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. TEXT_PRODUCTS_PRICE£98.60



Model: MHU4003

Audio Technica

В

TEXT_PRODUCTS_PRICE£174.20

Microphones -/- Wired Tie-Clip Microphones



13C Tie-clip Microphone

Model : MTU4001

Univox by Bo Edin

13C Tie-clip Microphone

Univox microphones have been specifically designed to work with Univox amplifiers to give the best quality sound possible.

All power is delivered through the microphone output on Univox amplifiers, thus eliminating the need for external batteries.

All are Electret condenser microphones designed to work with Phantom Voltage (1.5V).

This tie-clip electret microphone clips to lapel.

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. TEXT_PRODUCTS_PRICE£24.14



3

Model : MTU4001

Univox by Bo Edin

D

TEXT_PRODUCTS_PRICE£24.14



а

Model: MTU4003

Sarabec

В

TEXT_PRODUCTS_PRICE£15.36



Sarabec Tie-clip Microphone

Model: MTU4003

Sarabec

Sarabec Tie-clip Microphone

Sarabec tie-clip microphone with 3.5mm plug - BLACK 1m lead & Velcro pads.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£15.36

Microphones -/- Radio Microphones



Model: MRU4022

Comfort Audio

TEXT_PRODUCTS_PRICE£492.59



Model: MRU4049

Univox by Bo Edin

TEXT_PRODUCTS_PRICE£80.30



Model: MRU4045

Univox by Bo Edin

TEXT_PRODUCTS_PRICE£93.70



Model : MRU4012

TOA

TEXT_PRODUCTS_PRICE£276.71



Model: MRU4006

TOA

TEXT_PRODUCTS_PRICE£157.66



Model: MRU4032

Sennheiser

TEXT_PRODUCTS_PRICE£216.91



ח

Model: MRU4021

Comfort Audio

D

TEXT_PRODUCTS_PRICE£492.59



D

Model: MRU4020

Comfort Audio

В

TEXT_PRODUCTS_PRICE£492.59



D

Model: MRU4019

Comfort Audio

R

TEXT_PRODUCTS_PRICE£492.59



EJ-801RC Okayo Table Top Receiver & Charger

Model: MRU4048

Univox by Bo Edin

EJ-801RC Okayo Table Top Receiver & Charger

- With single receiver and charger
- Has a charger and receiver built in to one unit
- Unit can receive 16 different channels

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£144.07



EJ-801TS Okayo Handheld Radio Microphone

Model: MRU4044

Univox by Bo Edin

EJ-801TS Okayo Handheld Radio Microphone

- Handheld radio microphone transmitter with 16 channels
- Frequency 700-960 MHZ
- Super cardioid microphone head

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end. TEXT_PRODUCTS_PRICE£105.40



EJ-8LT Okayo Radio Microphone Body Pack

Model: MRU4045

Univox by Bo Edin

EJ-8LT Okayo Radio Microphone Body Pack

- Bodyworn radio microphone transmitter with 16 channels
- Frequency 700-960 MHZ

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£93.70



EW122 Tie-clip Radio Microphone System

Model: MRU4001

Sennheiser

EW122 Series 100 Tie-clip Radio Microphone System

- Electret condenser super cardioid element
- Transmitter with rugged metal housing
- LCD Display with channel, battery life and user ID
- Mute facility

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£388.56



EW165 Handheld Radio Microphone System

Model: MRU4038

Sennheiser

EW165 Handheld Radio Microphone System

Features:

- 1440 tunable UHF frequencies for interference-free reception
- Absolutely reliable transmission and extended range due to high RF output power
- High-quality true diversity reception
- Pilot tone squelch for eliminating RF interference when transmitter is turned off
- Automatic frequency scan feature searches for available frequencies
- Transmitter and receiver with rugged metal housings
- Receiver features user-friendly menu operation via backlit display
- Lock function avoids accidental changing of settings
- HDX compander for crystal-clear sound
- Transmitter and receiver feature "Low Battery" indicators
- Mute function for the transmitter
- Wide range of accessories adapts the system to any requirement

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£459.88



EW322 Tie-clip Radio Microphone System

Model: MRU4003

Sennheiser

EW322 Series 300 Tie-clip Radio Microphone System

- Electret condenser cardioid microphone element.
- Up to 1440 receiving / transmitting frequencies
- Input sensitivity control included
- Secure metal belt clip
- Lock-equipped mini-plug microphone jack
- LCD Display with channel, battery life and user ID Charger is available for the transmitter
- Rack mount kit for the receiver

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£471.71



EW345 Handheld Radio Microphone System

Model: MRU4004

Sennheiser

EW345 Series 300 Handheld Radio Microphone System

- Electret condenser cardioid element
- Smooth elegant design fits comfortably in the hand
- LCD Display with channel, battery life and user ID
- Mute facility
- Rack mount kit for the receiver
- Charger is available for the transmitter

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£490.62



Freeport Radio Handheld Microphone System

Model: MRU4040

Sennheiser

Freeport Radio Handheld Microphone System

The Freeport is Sennheiser's budget UHF full-diversity radio microphone system, providing four user-selectable channels within the range 863-865MHz or 742.5-744.5MHz. Available from Gordon Morris Ltd. in hand-held and lapel versions.

Sennheiser Freeport Features:

- 4 switchable UHF frequencies for interference-free reception
- 4 Simultaneous Systems can be operated

Absolutely safe transmission

Diversity Technology for highest reception quality

Adjustable Squelch for undisturbed operation

Receivers built in robust metal housing

Dynamic processor for crystal-clear sound

Unbalanced 1/4 inch jack and balanced XLR audio outputs

Stand adapter, power supply and user manual included with this microphone

Sennheiser Freeport Specifications:

RF frequency range: UHF

Transmission/receiving frequencies: 4

Switching bandwidth: 2 MHz

Frequency response: 80 to 16.000 Hz Signal-to-noise ratio: 95 dB(A) THD, total harmonic distortion: < 1%

Audio output level (balanced) XLR: +16 dBu
Audio output level (unbalanced) Jack: +10 dBu

Power supply: 12 VDC nom

Dimensions (Receiver): 35 x 213 x 98 mm

Weight (Receiver): 570g RF output power: 10 mW

Power supply (Handheld transmitter): 9V PP3

Operating time: 10 h

Dimensions (Handheld transmitter): 285mm, d=35/50 mm

Weight (Handheld transmitter): 210 g w/o battery

Transducer; Microphone type (Handheld transmitter): Dynamic

Pick-up pattern: Cardioid

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£216.91



Freeport Radio Tie-clip Microphone System

Model: MRU4032

Sennheiser

Freeport Radio Tie-clip Microphone System

The Freeport is Sennheiser's budget UHF full-diversity radio microphone system, providing four user-selectable channels within the range 863-865MHz or 742.5-744.5MHz. Available from Gordon Morris Ltd. in hand-held and lapel versions.

Sennheiser Freeport Features:

4 switchable UHF frequencies for interference-free reception

4 Simultaneous Systems can be operated

Absolutely safe transmission

Diversity Technology for highest reception quality

Adjustable Squelch for undisturbed operation

Receivers built in robust metal housing

Dynamic processor for crystal-clear sound

Unbalanced 1/4 inch jack and balanced XLR audio outputs

Stand adapter, power supply and user manual included with this microphone

Sennheiser Freeport Specifications:

RF frequency range: UHF

Transmission/receiving frequencies: 4

Switching bandwidth: 2 MHz

Frequency response: 80 to 16.000 Hz Signal-to-noise ratio: 95 dB(A)

THD, total harmonic distortion: < 1%

Audio output level (balanced) XLR: +16 dBu
Audio output level (unbalanced) Jack: +10 dBu

Power supply: 12 VDC nom

Dimensions (Receiver): 35 x 213 x 98 mm

Weight (Receiver): 570g RF output power: 10 mW

Power supply (Handheld transmitter): 9V PP3

Operating time: 10 h

Dimensions (Handheld transmitter): 285mm, d=35/50 mm

Weight (Handheld transmitter): 210 g w/o battery

Transducer; Microphone type (Handheld transmitter): Dynamic

Pick-up pattern: Cardioid

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£216.91



HDC202 Okayo Charger Unit for Radio Microphones

Model : MRU4049 *Univox by Bo Edin*

HDC202 Okayo Charger Unit for Radio Microphones

Charger holds two radio microphones either handheld or body pack

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£80.30



Model : MRU4048
Univox by Bo Edin

TEXT_PRODUCTS_PRICE£144.07



Model : MRU4044

Univox by Bo Edin
B

TEXT_PRODUCTS_PRICE£105.40



Model: MRU4010

TOA

B

TEXT_PRODUCTS_PRICE£189.01



M
Model: MRU4009

TOA

B
TEXT_PRODUCTS_PRICE£163.04



r
Model: MRU4040
Sennheiser
B
TEXT_PRODUCTS_PRICE£216.91



SDR 20/SWE173 Receiver

Model: MRU4019

Comfort Audio

SDR 20/SWE173 Receiver

Works from 173.800 MHz - 177.800 MHz.

16 channel diversity receiver SDR-20 is a stationary FM receiver, adapted to the needs of the hearing impaired. Together with Selecta T10 or Comfort Conference DRS-H, a very good sound quality and a noise-free sound transmission is achieved.

Diversity

Full diversity means optimal reception. SDR-20 uses which ever of the two receivers that at any given moment has the strongest reception.

High deviation:

SDR-20 works with high deviation. This gives a very good signal/noise ratio.

4 x 16 channels:

SDR-20 has a channel selector for 16 different channels. To maximise flexibility and to give the possibility to use many systems within the same area, SDR-20 is available with four different channel sets.

Functional:

Volume control, squelch-level control and channel selector are easy to adjust at the same time as easy-to-read indicators shows both the RF level and the AF level.

Easy to install:

The dimensions of SDR-20 is only 220 x 150 x 40 mm and is powered by a convenient plug-in power supply. The antennas are screwed in place, but they can also be mounted externally via cable, e.g. if you would like to place the receiver in a cabinet. SDR-20 has both a balanced and an unbalanced output.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£492.59



SDR 20/SWE183 Receiver

Model: MRU4020

Comfort Audio

SDR 20/SWE183 Receiver

Works from frequencies 183.700MHz - 187.450MHz.

16 channel diversity receiver SDR-20 is a stationary FM receiver, adapted to the needs of the hearing impaired. Together with Selecta T10 or Comfort Conference DRS-H, a very good sound quality and a noise-free sound transmission is achieved.

Diversity

Full diversity means optimal reception. SDR-20 uses which ever of the two receivers that at any given moment has the strongest reception.

High deviation:

SDR-20 works with high deviation. This gives a very good signal/noise ratio.

4 x 16 channels:

SDR-20 has a channel selector for 16 different channels. To maximise flexibility and to give the possibility to use many systems within the same area, SDR-20 is available with four different channel sets.

Functional:

Volume control, squelch-level control and channel selector are easy to adjust at the same time as easy-to-read indicators shows both the RF level and the AF level.

Easy to install:

The dimensions of SDR-20 is only 220 x 150 x 40 mm and is powered by a convenient plug-in power supply. The antennas are screwed in place, but they can also be mounted externally via cable, e.g. if you would like to place the receiver in a cabinet. SDR-20 has both a balanced and an unbalanced output.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£492.59



SDR 20/SWE208 Receiver

Model: MRU4021

Comfort Audio

SDR 20/SWE208 Receiver

Works from frequencies 208.000MHz - 211.750MHz.

16 channel diversity receiver SDR-20 is a stationary FM receiver, adapted to the needs of the hearing impaired. Together with Selecta T10 or Comfort Conference DRS-H, a very good sound quality and a noise-free sound transmission is achieved.

Diversity

Full diversity means optimal reception. SDR-20 uses which ever of the two receivers that at any given moment has the strongest reception.

High deviation:

SDR-20 works with high deviation. This gives a very good signal/noise ratio.

4 x 16 channels:

SDR-20 has a channel selector for 16 different channels. To maximise flexibility and to give the possibility to use many systems within the same area, SDR-20 is available with four different channel sets.

Functional:

Volume control, squelch-level control and channel selector are easy to adjust at the same time as easy-to-read indicators shows both the RF level and the AF level.

Easy to install:

The dimensions of SDR-20 is only 220 x 150 x 40 mm and is powered by a convenient plug-in power supply. The antennas are screwed in place, but they can also be mounted externally via cable, e.g. if you would like to place the receiver in a cabinet. SDR-20 has both a balanced and an unbalanced output.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£492.59



SDR 20/SWE213 Receiver

Model: MRU4022

Comfort Audio

SDR 20/SWE213 Receiver

Works from frequencies 213.000 MHz - 216.750MHz.

16 channel diversity receiver SDR-20 is a stationary FM receiver, adapted to the needs of the hearing impaired. Together with Selecta T10 or Comfort Conference DRS-H, a very good sound quality and a noise-free sound transmission is achieved.

Diversity

Full diversity means optimal reception. SDR-20 uses which ever of the two receivers that at any given moment has the strongest reception.

High deviation:

SDR-20 works with high deviation. This gives a very good signal/noise ratio.

4 x 16 channels:

SDR-20 has a channel selector for 16 different channels. To maximise flexibility and to give the possibility to use many systems within the same area, SDR-20 is available with four different channel sets.

Functional:

Volume control, squelch-level control and channel selector are easy to adjust at the same time as easy-to-read indicators shows both the RF level and the AF level.

Easy to install:

The dimensions of SDR-20 is only 220 x 150 x 40 mm and is powered by a convenient plug-in power supply. The antennas are screwed in place, but they can also be mounted externally via cable, e.g. if you would like to place the receiver in a cabinet. SDR-20 has both a balanced and an unbalanced output.

Price excludes VAT.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£492.59



Т

Model: MRU4013

TOA

В

TEXT_PRODUCTS_PRICE£234.00



TEXT_PRODUCTS_PRICE£459.88

W	
Model: MRU4038	
Sennheiser	
В	



W
Model: MRU4004
Sennheiser
B
TEXT_PRODUCTS_PRICE£490.62



Model: MRU4003

Sennheiser

B

TEXT_PRODUCTS_PRICE£471.71



W	
Model : MRU4001	
Sennheiser	
В	
TEXT_PRODUCTS_PRICE£388.56	



WM3220 Handheld Radio Microphone

Model: MRU4009

TOA

WM3220 Handheld Radio Microphone

- Electret condenser cardioid element
- Smooth elegant design fits comfortably in the hand
- Side mounted switch prevents the microphone from rolling when put down

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£163.04



AA.	WM3310 Tie-clip Radio Microphone
	Model: MRU4006
	TOA

WM3310 Tie-clip Radio Microphone

- Electret condenser cardioid microphone element
- 6 selectable channel frequencies (5 licence free)
- Input sensitivity control included
- Belt clip rota table 360 degrees
- Lock-equipped mini-plug microphone jack
- Flashing LED low battery indicator

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£157.66



WM3310H Radio Microphone & Headset

Model: MRU4010

TOA

WM3310H Radio Microphone & Headset

- Electret condenser cardioid microphone element.
- 6 selectable channel frequencies (5 licence free)
- Input sensitivity control included
- Belt clip rota table 360 degrees
- Lock-equipped mini-plug microphone jack
- Flashing LED low battery indicator

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£189.01



WT 3800 Receiver Frame

Model: MRU4012

TOA

WT 3800 Receiver Frame

- Multi channel VHF receiver
- Diversity system for better reception
- 1U wide (2 receivers in 19" rack)

TEXT_PRODUCTS_PRICE£276.71



WT3810 Receiver Table Top

Model: MRU4013

TOA

WT3810 Receiver Table Top

- Multi channel VHF receiver
- Diversity system for better reception
- Small slim case design
- 6mm² Jack output balanced/unbalanced

Price excludes VAT.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

If you are a TRADE customer, you must set up an account to see and purchase with TRADE PRICES. Email info@gordonmorris.co.uk and inform us when you have set up your account. We will change your status to TRADE at our end.

TEXT_PRODUCTS_PRICE£234.00

Education/Work Systems -/- Portable FM Radio Systems



Comfort Conference Premier Radio Case

Model : PIU3213

Comfort Audio

The Comfort Conference Premier Case is a lightweight, easy to use, portable FM radio system, ideal for students with hearing impairments and all hearing aid users operating in a work environment.

This EX DEMONSTRATION CASE is in great condition and at a massivley discounted price for you, the customer.

This system offers the ultimate in flexible hearing, with personal tone and volume controls. It enables full and active participation for the user in classes, group project work or discussions.

The Premier Radio Case consists of:

- 1 x Comfort Conference DRS microphone with built-in RX1 Mixer
- 1 x Selecta R20 Receiver
- 1 x Neck loop/headphones

The system features an omni directional microphone (DRS microphone), which makes it ideal for tutorial sessions, business meetings and small conferences.

Price excludes VAT.

This product comes with a 6 month warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£4,198.95



Comfort Conference Single Radio Case

Model: PRU3005

Comfort Audio

The Comfort Conference Single Case is a lightweight, easy to use, portable FM radio system, ideal for students with hearing impairments and all hearing aid users operating in a work environment.

Consists of:

Comfort Conference microphone

Selecta R20 receiver

Neck loop/headphones

The system features an omni directional microphone reception (DRS microphone), which makes it ideal for tutorial sessions, business meetings and small conferences.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£2,728.95



Contego FM Radio System with Headphones

Model : HPU6058

Comfort Audio

Comfort Contego is state of the art assistive hearing equipment for the hearing impaired, using FM radio technology.

Comfort Contego makes it possible for the user to get the best possible reception of sound on every occasion. The transmitter has a zoom function; a directional and omni-directional microphone setting. The receiver has a built in microphone, which also has a zoom function. This means that the best possible sound reception is achieved via the digital sound transmission.

Comfort Contego has all the functions you need. It is easy to use, non-invasive and light-weight with a stylish and smart design. It also has a clear menu display system for ease of use.

Can be used in various environments e.g. home, work or leisure. Comfort Contego makes living easier for hearing impaired people.

This Contego kit consists of:

Receiver R800

Transmitter T800

Charger

Bag

Power Supply

Audio kit (pictured below- used with TV/PC/mp3) View Audio Kit

Head or earphones

Designed and made by Swedish company, Comfort Audio, high product quality and brilliant clarity of sound is guaranteed.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT CONTEGO HERE!

View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT CONTEGO HERE! View Presentation

Click below to read one woman's account of the difference the Comfort Contego made to her life:

Download Testimonial

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below. Loans of the Contego are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Please see the leaflet below for further information on the product.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£425.00



Contego FM Radio System with Neck Loop

Model: HPU6056

Comfort Audio

Contego FM Radio System with Neck Loop

Comfort Contego is state of the art assistive listening device for the hearing impaired, using FM radio technology.

Comfort Contego makes it possible for the user to get the best possible reception of sound on every occasion. The transmitter has a zoom function; a directional and omni-directional microphone setting. The receiver has a built in microphone, which also has a zoom function. This means that the best possible sound reception is achieved via the digital sound transmission.

Comfort Contego has all the functions you need. It is easy to use, non-invasive and light-weight with a stylish and smart design. It also has a clear menu display system for ease of use.

Can be used in various environments e.g. home, work or leisure. Comfort Contego makes living easier for hearing impaired people.

This Contego kit consists of:

Receiver R800

Transmitter T800

Charger

Bag

Power Supply

Audio kit (pictured below- used with TV/PC/mp3) View Audio Kit Neck loop

Designed and made by Swedish company, Comfort Audio, high product quality and brilliant clarity of sound is guaranteed.

VIEW THE PRODUCT PRESENTATION OF THE COMFORT CONTEGO HERE! View Presentation

VIEW THE VIDEO USER GUIDE FOR THE COMFORT CONTEGO HERE! View Presentation

Click below to read one woman's account of the difference the Comfort Contego made to her life:

Download Testimonial

If you would like to take advantage of our free 10 day product loan, please print, fill in and return the loan contract below. Loans of the Contego are subject to availability- please be aware that you may have to wait for a product to become available.

Download Loan Contract

Please see the leaflet below for further information on the product.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_PRICE£425.00



е

Model : HPU6062

Comfort Audio

В

TEXT_PRODUCTS_PRICE£1,930.93



e Model: HPU6061
Comfort Audio
B



TEXT_PRODUCTS_PRICE£1,017.44

 e
 Model: HPU6060

 Comfort Audio
 B

 TEXT_PRODUCTS_PRICE£1,783.95
 TEXT_PRODUCTS_PRICE£1,783.95



Model: HPU6013

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



o

Model: HPU6056

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



O

Model: HPU6058

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



O Model: PRU3201

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



o Model: PRU3202

Comfort Audio
B



O Model: PIU3213

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



O

Model: PRU3005

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Selecta Clarity FM System 1

Model: HPU6013

Comfort Audio

The Selecta Clarity FM System is a lightweight, easy to use, portable radio system, ideal for students with hearing impairments and all hearing aid users operating in a work environment.

This EX DEMONSTRATION CASE is in great condition and at a massivley discounted price for you, the customer. This system is a simple and effective system that amplifies sound from the microphone and transmits it to the receiver, which is worn via neck loop, earphones or headphones.

Selecta Clarity System 1 consists of:

- 1 x FM microphone transmitter (Selecta T10)
- 1 x Receiver (Selecta R20)
- 1 x Neck Loop
- 1 x Carry Bag

Offers a first class sound and can be used with a hearing aid via a neck loop.

Extremely easy to set up as all the accessories you need are included in the bag. Simply turn the units and enjoy first class sound!

The transmitter and receiver weigh only 40 grams each, including the battery.

Price excludes VAT.

This product comes with a 6 month warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Selecta Clarity FM System 2

Model: HPU6060

Comfort Audio

The Selecta Clarity FM System is a lightweight, easy to use, portable radio system, ideal for students with hearing impairments and all hearing aid users operating in a work environment.

Consists of:

- 1 x FM microphone transmitter (Selecta T10)
- 1 x Receiver (Selecta R20)
- 1 x Integrated microphone transmitter (T10 Mix).

It offers a first class sound and can be used with a hearing aid via a neck loop.

It's easy to set up as all the accessories you need are included in the bag.

The transmitter and receiver weigh only 40 grams each including the battery.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Selecta Clarity FM System 3

Model: HPU6061

Comfort Audio

The Selecta Clarity FM System is a lightweight, easy to use, portable radio system, ideal for students with hearing impairments and all hearing aid users operating in a work environment.

Consists of:

1x FM microphone transmitter (Selecta T10)

1 x Receiver (Selecta R20)

1 x 13T conference microphone.

It offers a first class sound and can be used with a hearing aid via a neck loop.

It's easy to set up as all the accessories you need are included in the bag.

The transmitter and receiver weigh only 40 grams each including the battery.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Selecta Clarity FM System 4

Model: HPU6062

Comfort Audio

The Selecta Clarity FM System is a lightweight, easy to use, portable radio system, ideal for students with hearing impairments and all hearing aid users operating in a work environment.

Consists of:

- 1 x FM microphone transmitter (Selecta T10)
- 1 x Receiver (Selecta R20)
- 1 x 13T conference microphone
- 1 x Integrated microphone transmitter (T10 Mix)

It offers a first class sound and can be used with a hearing aid via a neck loop.

It's easy to set up as all the accessories you need are included in the bag.

The transmitter and receiver weigh only 40 grams each including the battery.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Touring Conference System 1

Model: PRU3202

Comfort Audio

The Touring Conference System features state of the art equipment using Swedish FM radio technology to provide the ultimate in sound clarity available today.

Ideal for use in meetings and conferences, the Touring Conference System ensures that ALL participants can hear clearly with the ease of pressing a button.

The wireless, discreet, and light-weight units charge easily in the case.

Touring Conference System 1:

- 1 x T10 mix microphone
- 6 x T10 momentary microphone
- 3 x R20 receiver
- 3 x Neck loop receiver
- 3 x Headphones
- 1 x Charging Case and power supply unit

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121.

See leaflet for further details.

Price excludes VAT

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Touring Conference System 2

Model: PRU3201

Comfort Audio

The Touring Conference System features state of the art equipment using Swedish FM radio technology to provide the ultimate in sound clarity available today.

Ideal for use in meetings and conferences, the Touring Conference System ensures that ALL participants can hear clearly with the ease of pressing a button.

The wireless, discreet, and light-weight units charge easily in the case.

Touring Conference System 2:

- 1 x T10 mix microphone
- 15 x T10 momentary microphone
- 4 x R20 receiver
- 4 x Neck loop receiver
- 3 x Headphones
- 2 x Charging Case and power supply unit

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

Education/Work Systems -/- Portable Infrared Systems



Comfort Conference Multi User Infrared Case (1)

Model: PIU3209

Comfort Audio

The Comfort Conference is a superb portable infrared hearing system, which works as a complement to a personal hearing aid

This EX DEMONSTRATION CASE is in great condition and at a massivley discounted price for you, the customer. The RI50 receivers are brand new.

The Comfort Conference Multi User Case can serve up to 10 people from one portable hand held case. It is simple to use, allowing it to be set up for a meeting very rapidly.

Extra microphones are available for covering larger areas.

We can design you a complete system to your individual requirements, with various combinations of microphones, neck-loops and headphones. Please contact us to discuss your requirements or choose one of the ready made products below. Each of the ready made systems provide for up to 3 users. This can be increased to 10 users.

MULTI USER CASE 1:

- 1 x Case with charger
- 1 x DIR 23 omni-directional microphone
- 3 x RI250 Receivers
- 3 x Neckloops
- 1 x Headphones

Price excludes VAT.

This product comes with a 6 month warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Comfort Conference Multi User Infrared Case (2)

Model: PIU3210

Comfort Audio

The Comfort Conference is a superb portable infrared hearing system, which works as a complement to a personal hearing aid.

The Comfort Conference Multi User Case can serve up to 10 people from one portable hand held case. It is simple to use, allowing it to be set up for a meeting very rapidly.

Extra microphones are available for covering larger areas.

We can design you a complete system to your individual requirements, with various combinations of microphones, neck-loops and headphones. Please contact us to discuss your requirements or choose one of the ready made products below. Each of the ready made systems provide for up to 3 users. This can be increased to 10 users.

MULTI USER CASE 2:

- 1 x Case with charger
- 1 x DIR 23 microphone
- 3 x RI250 Receivers
- 3 x Neckloops
- 1 x Headphones
- 1 x Extension Mic

Price excludes VAT.

This product comes with a 1 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Comfort Conference Multi User Infrared Case (3)

Model: PIU3211

Comfort Audio

The Comfort Conference is a superb portable infrared hearing system, which works as a complement to a personal hearing aid.

The Comfort Conference Multi User Case can serve up to 10 people from one portable hand held case. It is simple to use, allowing it to be set up for a meeting very rapidly.

Extra microphones are available for covering larger areas.

We can design you a complete system to your individual requirements, with various combinations of microphones, neck-loops and headphones. Please contact us to discuss your requirements or choose one of the ready made products below. Each of the ready made systems provide for up to 3 users. This can be increased to 10 users.

MULTI USER CASE 3:

- 1 x Case with charger
- 1 x DIR 23 microphone
- 3 x RI250 receivers
- 3 x neck loops
- 1 x Headphones
- 1 x Extension microphone
- 1 x T10 radio microphone
- 1 x RXI Mixer
- 1 x Microphone remote control

Price excludes VAT.

This product comes with a 1 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Comfort Conference Multi User Infrared Case (4)

Model: PIU3212

Comfort Audio

The Comfort Conference is a superb portable infrared hearing system, which works as a complement to a personal hearing aid.

The Comfort Conference Multi User Case can serve up to 10 people from one portable hand held case. It is simple to use, allowing it to be set up for a meeting very rapidly.

Extra microphones are available for covering larger areas.

We can design you a complete system to your individual requirements, with various combinations of microphones, neck-loops and headphones. Please contact us to discuss your requirements or choose one of the ready made products below. Each of the ready made systems provide for up to 3 users. This can be increased to 10 users.

MULTI USER CASE 4:

- 1 x Case with charger
- 1 x DIR 23 microphone
- 3 x RI250 receivers
- 3 x neck loops
- 1 x Headphones
- 1 x T10 radio microphone
- 1 x RXI Mixer
- 1 x Microphone remote control

Price excludes VAT.

This product comes with a 1 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Comfort Conference Single User Infrared Case

Model : PIU3207

Comfort Audio

The Comfort Conference is a superb personal and portable infrared hearing system, which works as a complement to a personal hearing aid.

This EX DEMONSTRATION CASE is in great condition and at a massivley discounted price for you, the customer.

In situations such as group meetings Comfort Conference can help hearing aid users to hear more clearly.

A digital signal processor filters the sound to reduce background noise and make speech more intelligible.

The user wears a neckloop receiver which transmits the sound directly to the hearing aid.

The case is ideal for meetings, small conferences, educational environments and home discussions.

The easy-to-use unit has personal tone and volume controls to put the user firmly in control.

The Comfort Conference Single User Case contains:

- 1 x DRS 23 omni-directional microphone with charger unit
- 1 x Neck loop or headphones
- 1 x Sennheiser Infrared receiver
- 1 x 2 way charger & power supply.

Price excludes VAT.

This product comes with a 6 month warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



Comfort Conference Student User Infrared Case

Model: PIU3208

Comfort Audio

The Comfort Conference is a superb personal and portable infrared hearing system, which works as a complement to a personal hearing aid.

This EX DEMONSTRATION CASE is in great condition and at a massivley discounted price for you, the customer.

In situations such as group meetings Comfort Conference can help hearing aid users to hear more clearly.

A digital signal processor filters the sound to reduce background noise and make speech more intelligible.

The user wears a neckloop receiver which transmits the sound directly to the hearing aid.

The case is ideal for meetings, small conferences, educational environments and home discussions.

The easy-to-use unit has personal tone and volume controls to put the user firmly in control.

The Comfort Conference Student User Case contains:

- 1 x DIR 23 omni-directional microphone with charger unit
- 1 x Remote for the DIR 23
- 1 x Radio Microphone T10 & charger unit (for the lecturer)
- 1 x Mixer for radio microphone
- 1 x Neck loop or headphones
- 1 x Infrared receiver
- 1 x 2 way charger & power supply

Price excludes VAT.

This product comes with a 6 month warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



o

Model: PIU3208

Comfort Audio

В



0

Model: PIU3207

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



^

Model: PIU3212

Comfort Audio

h

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



0

Model: PIU3211

Comfort Audio

h

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



 $\overline{}$

Model: PIU3210

Comfort Audio

h

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



0

Model : PIU3209

Comfort Audio

h

Tour Guide Systems -/- FM Tour Guide Cases



FM Tour Guide Case (1)

Model : PRU3001

Comfort Audio

The FM Tour Guide Case features reliable, high performance technology to provide the ultimate in sound clarity.

Ideal for use in guided tours, the Tour Guide Case ensures that ALL participants can hear clearly, by simply wearing a receiver and a neck loop or ear/headphones.

The wireless, discreet, and light-weight units charge easily in the case provided.

The range from microphone to transmitter is up to 30 metres depending on the environment. The operating time of the units is up to 10 hours.

FM Tour Guide Case (1) contains:

- 3 x R20 receiver
- 1 x T10 microphone
- 3 x neck loop
- 3 x headphones
- 1 x Charging case and power supply

Read how the Tour Guide System helped the National Trust site, Little Moreton Hall with their guided tours.

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will do our best to find a hearing system perfect for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



FM Tour Guide Case (1) Ex Demonstration Case

Model: PRU3001

Comfort Audio

The FM Tour Guide Case features reliable, high performance technology to provide the ultimate in sound clarity.

Ideal for use in guided tours, the Tour Guide System ensures that ALL participants can hear clearly, by simply wearing a receiver and a neck loop or ear/headphones.

The wireless, discreet, and light-weight units charge easily in the case provided.

The range from microphone to transmitter is up to 30 metres depending on the environment. The operating time of the units is up to 10 hours .

Touring Guide Case (1):

- 3 x R20 receiver
- 1 x T10 microphone
- 3 x neck loop
- 3 x headphones
- 1 x Charging case and power supply

Read how the Tour Guide System helped the National Trust site, Little Moreton Hall with their guided tours.

See leaflet for further details.

Price excludes VAT.

This product comes with a 6 month warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



FM Tour Guide Case (2)

Model: PRU3002

Comfort Audio

The FM Tour Guide Case features reliable, high performance technology to provide the ultimate in sound clarity.

Ideal for use in guided tours, the Tour Guide System ensures that ALL participants can hear clearly, by simply wearing a receiver and a neck loop or ear/headphones.

The wireless, discreet, and light-weight units charge easily in the case provided.

The range from microphone to transmitter is up to 30 metres depending on the environment. The operating time of the units is up to 10 hours .

FM Tour Guide Case (1) contains:

- 9 x R20 receiver
- 1 x T10 microphone
- 9 x neck loop
- 3 x headphones
- 1 x Charging case and power supply

Read how the Tour Guide System helped the National Trust site, Little Moreton Hall with their guided tours.

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will do our best to find a hearing system perfect for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



FM Tour Guide Case (3)

Model: PRU3003

Comfort Audio

The FM Tour Guide Case features reliable, high performance technology to provide the ultimate in sound clarity.

Ideal for use in guided tours, the FM Tour Guide Case ensures that ALL participants can hear clearly, by simply wearing a receiver and a neck loop or ear/headphones.

The wireless, discreet, and light-weight units charge easily in the case provided.

The range from microphone to transmitter is up to 30 metres depending on the environment. The operating time of the units is up to 10 hours .

FM Tour Guide Case (3) contains:

- 8 x R20 receiver
- 1 x T10 MOM microphone
- 1 x T10 MIX microphone
- 8 x neck loop
- 3 x headphones
- 1 x Charging case and power supply

Read how the Tour Guide System helped the National Trust site, Little Moreton Hall with their guided tours.

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will do our best to find a hearing system perfect for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



FM Tour Guide Case (4)

Model: PRU3004

Comfort Audio

The FM Tour Guide Case features reliable, high performance technology to provide the ultimate in sound clarity.

Ideal for use in guided tours, the Tour Guide System ensures that ALL participants can hear clearly, by simply wearing a receiver and a neck loop or ear/headphones.

The wireless, discreet, and light-weight units charge easily in the case provided.

The range from microphone to transmitter is up to 30 metres depending on the environment. The operating time of the units is up to 10 hours .

FM Tour Guide Case (4) contains:

10 x R20 receiver

10 x neck loop

3 x headphones

1 x Charging case and power supply

Read how the Tour Guide System helped the National Trust site, Little Moreton Hall with their guided tours.

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will do our best to find a hearing system perfect for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



FM Tour Guide Case (5)

Model: PRU3207

Comfort Audio

The FM Tour Guide Case features reliable, high performance technology to provide the ultimate in sound clarity.

Ideal for use in guided tours, the Tour Guide System ensures that ALL participants can hear clearly, by simply wearing a receiver and a neck loop or ear/headphones.

The wireless, discreet, and light-weight units charge easily in the case provided.

The range from microphone to transmitter is up to 30 metres depending on the environment. The operating time of the units is up to 10 hours.

Touring Guide Case (5):

- 3 x R20 receiver
- 1 x T10 microphone
- 1 x DRS microphone
- 1 x RX
- 3 x neck loop
- 3 x headphones
- 1 x charging case and power supply

Read how the Tour Guide System helped the National Trust site, Little Moreton Hall with their guided tours.

Gordon Morris Ltd. will find a system that fits your specific requirements so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will do our best to find a hearing system perfect for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



M

Model: PRU3002

Comfort Audio

В



M

Model: PRU3001

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



_

Model: PRU3207

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



0

Model: PRU3004

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



^

Model: PRU3003

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



0

Model : PRU3001

Comfort Audio

В

Tour Guide Systems -/- DigiSystem Tour Guide Cases



DigiSystem Tour Guide Case (1)

Model: PDU3001

Comfort Audio

A REVOLUTION IN ASSISTIVE LISTENING TECHNOLOGY.... THE IDEAL SYSTEM FOR GUIDED TOURS

Gordon Morris Ltd. are proud to introduce the Comfort DigiSystem Tour Guide Case.

Sound from the tour guides' voice is transmitted from the microphone to the receiver...

crystal clear...

with no delay or echo...

And without anyone else being able to hear it....

The range of transmission is up to 30 metres, depending on the environment, and the operating time of the receivers and transmitters is up to 10 hours.

System 1 contains:

- 1 x DM-10 Microphone
- 2 x DH-10 Receiver
- 2 x Neck Loop
- 1 x Case
- 2 x Headphones

If you require a smaller system such as this one, you may want a small carry pouch (as pictured below) instead of the larger silver case. This option is available and is slightly cheaper but headphones must be bought separately and units do not charge in the case. Please enquire for more details (01458 272121).

Gordon Morris Ltd. will help you find a system that fits your specific requirements - you can specify how many receivers and transmitters you need depending on the site and the budget - so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will endeavour to find the perfect system for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



DigiSystem Tour Guide Case (2)

Model: PDU3002

Comfort Audio

A REVOLUTION IN ASSISTIVE LISTENING TECHNOLOGY.... THE IDEAL SYSTEM FOR GUIDED TOURS

Gordon Morris Ltd. are proud to introduce the Comfort DigiSystem Tour Guide Case.

Sound from the tour guides' voice is transmitted from the microphone to the receiver...

crystal clear...

with no delay or echo...

And without anyone else being able to hear it....

The range of transmission is up to 30 metres, depending on the environment, and the operating time of the receiver and transmitters is up to 10 hours.

System 2 contains:

1 x DM-10 Microphone

3 x DH-10 Receiver

3 x Neck Loop

1 x Case

2 x Headphones

If you require a smaller system such as this one, you may want a small carry pouch (as pictured below) instead of the larger silver case. This option is available and is slightly cheaper but headphones must be bought separately and units do not charge in the case. Please enquire for more details (01458 272121).

Gordon Morris Ltd. will help you find a system that fits your specific requirements - you can specify how many receivers and transmitters you need depending on the site and the budget - so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will endeavour to find the perfect system for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.



DigiSystem Tour Guide Case (3)

Model: PDU3003

Comfort Audio

A REVOLUTION IN ASSISTIVE LISTENING TECHNOLOGY.... THE IDEAL SYSTEM FOR GUIDED TOURS

Gordon Morris Ltd. are proud to introduce the Comfort DigiSystem Tour Guide Case.

Sound from the tour guides' voice is transmitted from the microphone to the receiver...

crystal clear...

with no delay or echo...

And without anyone else being able to hear it....

The range of transmission is up to 30 metres, depending on the environment, and the operating time of the receiver and transmitters is up to 10 hours.

System 3 contains:

1 x DM-10 Microphone

9 x DH-10 Receiver

9 x Neck Loop

1 x Case

2 x Headphones

Gordon Morris Ltd. will help you find a system that fits your specific requirements - you can specify how many receivers and transmitters you need depending on the site and the budget - so if the set systems are not suitable, please call us on + 44 (0)1458 272121. We will endeavour to find the perfect system for you.

See leaflet for further details.

Price excludes VAT.

This product comes with a 2 year warranty.

You may experience problems opening the PDF leaflet if you have Internet Explorer version 6 or below. To resolve this please use the free download of Internet Explorer version 7 from www.microsoft.com. Alternatively you can click SAVE and then open.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: PDU3003

Comfort Audio

В



Model : PDU3002

Comfort Audio

R

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : PDU3001

Comfort Audio

c -/- Loop Accessories

Model: ACM5008

Univox

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: ALT5006

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: ALT5005

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: ALT5004

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: ALT5003

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : ALT5001



Model : ALT5002

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



0.5mm Copper Tape 100m

Model: ALT5001

0.5mm Copper Tape 100m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



0.75mm Copper Tape 100m

Model: ALT5002

0.75mm Copper Tape 100m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



1.5mm Copper Tape 100m

Model: ALT5003

1.5mm Copper Tape 100m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



2.5mm Copper Tape 100m

Model : ALT5004

2.5mm Copper Tape 100m

Price excludes VAT



3.0mm Copper Tape 100m

Model: ALT5005

3.0mm Copper Tape 100m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



5.0mm Copper Tape 100m

Model: ALT5006

5.0mm Copper Tape 100m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

i

Model : SPM7010

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Line Converter LCU1

Model: SPM7010

Line Converter LCU1

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



n

Model : ALM5001

Univox by Bo Edin

n

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Printed Gaffer Tape 50m

Model: ALT5007

Printed Gaffer Tape 50m

Price excludes VAT



Model: ALT5007

R

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

UniVox DLS-50 Mounting Plate

Model: ACM5008

Univox

DLS-50 Mounting Plate

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Univox Mounting Plates for PLS100/300

Model: ALM5001

Univox by Bo Edin

Univox Mounting Plates for PLS100/300

Price excludes VAT

c -/- Infrared Accessories



Model: AID5003

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AID5007

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AID5013

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : AID5014

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: IRU2008

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: IRU2005



Model: IRU2003

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AID5008

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : AID5005

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AID5004

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AID5002

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : AID5001



Model: AIC5006

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AIC5005

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : AIC5003

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AIC5002

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AIC5001

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



10 Way Charger

Model: AIC5001

10 Way Charger

Price excludes VAT



10 Way Charger PSU

Model: AIC5002

10 Way Charger PSU

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



2 Way Charger (for BA151)

Model: AIC5003

2 Way Charger (for BA151)

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Cluster Kit

Model: AID5010

Sennheiser

Cluster Kit (IZM-20)

Cluster mounting kit, contains a flange with 3/8" internal thread at the bottom and screws for mounting two, three or four SI 30 / SZI 30.

Every modulator/radiator must be provided with an IZK mounting clamp (but these are not included with the radiators or modulators). The radiators can be rotated individually.

Price excludes VAT.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



GZG 1029 Swival Bracket SZ 1015T

Model: AID5007

Sennheiser

GZG 1029 Swival Bracket SZ 1015T

Swivel joint for aligning radiators. SZI 1029 and SZI 1015 radiators can be directly connected; SI 30 and SZI 30 require the IZK 20 mounting clamp.

Price excludes VAT.



GZP10 Mounting Plate

Model: AID5014

Sennheiser

GZP10 Mounting Plate

Mounting plate for wall and ceiling mounting of IR radiators.

Price excludes VAT.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Infrared Receiver 12 Way Charger Case(PE 300C)

Model: AIC5006

Infrared Receiver 12 Way Charger Case(PE 300C)

Charges Star Sound infrared receivers.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Infrared Receiver 2 Way Charger(PE 534)

Model: AIC5005

Infrared Receiver 2 Way Charger(PE 534)

Charges Star Sound infrared receivers.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



KK20 -1 1m DC Lead

Model: AID5001

KK20 -1 1m DC Lead

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



KK20 -7 7m DC Lead

Model : AID5002

KK20 -7 7m DC Lead

Price excludes VAT



KKY20-015 DC 4 Way Lead

Model: AID5003

Sennheiser

KKY20-015 DC 4 Way Lead

4-way "octopus" cable for connecting up to four SI 30 / SZI 30 to an NT 20-4 plug-in mains unit.

Price excludes VAT.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



KR20 - 015 15cm Audio Connection Lead

Model: AID5004

KR20 - 015 15cm Audio Connection Lead

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



KR20 -7 7m Audio Connection Cable

Model: AID5005

KR20 -7 7m Audio Connection Cable

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AID5010

Sennheiser

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Mounting Clips (IZK20)

Model: AID5013

Sennheiser

Mounting Clips (IZK20)

Mounting clamp for secure attachment of an SI 30/ SZI 30.

Price excludes VAT.



NT 1015 PSU for SZI 1015T

Model: IRU2005

NT 1015 PSU for SZI 1015T

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



NT-20-4-UK PSU

Model: IRU2008

Sennheiser

NT-20-4-UK PSU

Plug-in mains unit for up to four SI 30 / SZI 30. For easy installation of SI 30 / SZI 30 clusters.

Price excludes VAT.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Rubber Ear Pieces for Stethosets

Model: AID5008

Rubber Ear Pieces for Stethosets

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



SI30/SZI30 Power Supply Unit

Model: IRU2003

Sennheiser

SI30/SZI30 Power Supply Unit

Plug-in mains unit for an SI 30 modulator/radiator or an SZI 30 radiator. Available as UK version.

Price excludes VAT.

c -/- Education/Conference Accessories

Model: HPU6027

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6025

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6024

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : HPU6023

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6019

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6054

Comfort Audio

Model: HPU6017

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6016

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6015

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AIH5003

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6031

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6033

Comfort Audio



Model : MRU4050

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: MRU4057

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : PCU3022

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6026

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



1

Model: HPU6018

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



1

Model: MRU4026

Comfort Audio

1



Model : MRU4018

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



2

Model: HPU6059

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



2

Model: HPU6021

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



2

Model: HPU6020

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Clip-on Microphone for Telelink

Model: HPU6024

Comfort Audio

Clip-on Microphone for Telelink

Price excludes VAT



Comfort Audio Headphones

Model: AIH5003

Comfort Audio

Comfort Audio Headphones.

To be used in conjuction with any Comfort Audio product - Contego, Duett, DigiSystem etc.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.



Comfort Conference RX1 Mixer

Model: HPU6029

Comfort Audio

Comfort Conference RX1 Mixer (with 1 radio microphone input)

Comfort Conference Mixer

Comfort Conference MIXER allows to mix the sound from Comfort Conference with the sound from wireless microphones, table microphones, TV, radio and Dictaphone. After the digital sound processing in Comfort Conference the mixed sound is transmitted via the transmitter in Comfort Conference. CC MIXER also includes a remote module allowing the user to choose when the omni directional microphones should be active.

Microphone Inputs

CC MIXER has inputs for one or more table microphones or one unidirectional microphone. All sound on this input is put through the advanced adaptive digital sound processing in Comfort Conference.

Input for TV, Radio or Dictaphone

There is also a LINE IN input for connecting other sound sources.

Integrated FM Receivers

Sound from wireless microphones, for example lecture microphones, can be received and mixed with the sound from Comfort Conference via integrated FM receivers. CC MIXER is available in three versions: with two FM receivers, with one FM receiver and one with no FM receiver.

Remote Control

The microphone in Comfort Conference and connected microphones can be turned on or off with an ordinary infrared remote control. In that way the listener can decide when the omni directional microphones should be used.

Level Adjustment and Switch

CC MIXER has a volume control for the LINE IN input and the FM receivers. By this means correct balance between the different sources can be achieved.

Price excludes VAT



Comfort Conference RX2 Mixer

Model: HPU6030

Comfort Audio

Comfort Conference RX2 Mixer (with 2 radio microphone inputs)

Comfort Conference Mixer

Comfort Conference MIXER allows to mix the sound from Comfort Conference with the sound from wireless microphones, table microphones, TV, radio and Dictaphone. After the digital sound processing in Comfort Conference the mixed sound is transmitted via the transmitter in Comfort Conference. CC MIXER also includes a remote module allowing the user to choose when the omni directional microphones should be active.

Microphone Inputs

CC MIXER has inputs for one or more table microphones or one unidirectional microphone. All sound on this input is put through the advanced adaptive digital sound processing in Comfort Conference.

Input for TV, Radio or Dictaphone

There is also a LINE IN input for connecting other sound sources.

Integrated FM Receivers

Sound from wireless microphones, for example lecture microphones, can be received and mixed with the sound from Comfort Conference via integrated FM receivers. CC MIXER is available in three versions: with two FM receivers, with one FM receiver and one with no FM receiver.

Remote Control

The microphone in Comfort Conference and connected microphones can be turned on or off with an ordinary infrared remote control. In that way the listener can decide when the omni directional microphones should be used.

Level Adjustment and Switch

CC MIXER has a volume control for the LINE IN input and the FM receivers. By this means correct balance between the different sources can be achieved.

Price excludes VAT



DIR23 Infrared Microphone

Model: HPU6026

Comfort Audio

Comfort Conference DIR23 Microphone

The DIR23 Infrared Microphone works as part of the Comfort Conference system.

Comfort Conference covers a range of quality products for sound processing, picking up the sounds in the room and working as a complement to your personal hearing aid. As the digital signal processor brings out speech at the same time as it reduces disturbing sounds, a hearing impaired person are able to participate in all activities on equal conditions with normally hearing persons.

A unique, advanced digital sound processing

The microphone of the Comfort Conference has an omni directional reception, picking up sounds from a wide area. The sound, which after certain amplification passes the active signal processor, reaches the transmitter considerably improved as regard to speech quality.

Wireless sound transmission

The transmitter transmits the sound wirelessly to the user by means of frequency modulated radio waves or infra-red light (IR). The user may use mini receiver (MLx) directly attached to the hearing aid, a body worn receiver with neck loop or an IR receiver with neck loop.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

DRS Power Supply Unit

Model: HPU6027

Comfort Audio

DRS Microphone Power Supply Unit

Price excludes VAT.



DRS Radio Microphone

Model: MRU4023

Comfort Audio

DRS Radio Microphone

The DRS Radio Microphone works as part of the Comfort Conference system.

Comfort Conference covers a range of quality products for sound processing, picking up the sounds in the room and working as a complement to your personal hearing aid. As the digital signal processor brings out speech at the same time as it reduces disturbing sounds, a hearing impaired person are able to participate in all activities on equal conditions with normally hearing persons.

The DRS microphone has an omni-directional reception, picking up sounds from a wide area. The sound, which after certain amplification passes the active signal processor, reaches the transmitter considerably improved as regard to speech quality.

The DRS is FM-transmitting and covers the bands 196.4 - 218 MHz and it is possible as an option to program any of all available frequencies in these bands.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Extension Microphone for Comfort Conference

Model: HPU6032

Comfort Audio

Extension Microphone for Comfort Conference

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Infrared Remote for Comfort Conference

Model: HPU6031

Comfort Audio

Infrared Remote Control for Comfort Conference System

This remote allows the user to have complete control over who they are hearing as it sends infrared signals to the microphone.

For use with Comfort Conference Multi-User cases 2 and 3, and also the Single User Premier Cases (infrared and radio versions).

Price excludes VAT



o Model: HPU6030

Comfort Audio
B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6029

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: MRU4023

Comfort Audio

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



R20 M Receiver

Model: HPU6059

Comfort Audio

Selecta R20 M Receiver with a built-in microphone

Built-in Microphone

You can easily use the receiver to listen to the person next to you. The directional microphone setting effectively reduces disturbing background sounds in noisy environments.

Flexible and Functional

The Selecta R20 M FM Receiver is available in three different models that covers the band from 169.4 - 218 MHz. All models have up to 100 adjustable channels. Headphones, neck loop or direct input leads can be connected to Selecta R20 M.

Small and Light

Only 85 x 25 35 mm and a weight of just 45 grams, including battery! Easy to attach direct to the clothes with a practical clip to be placed in the pocket.

Top Sound Quality

Guarantees the best possible speech understanding.

User Friendly

With seperate volume control and On/Off button you can get your favourite volume on start-up.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



R20 Neck Loop

Model: HPU6020

Comfort Audio

R20 Neck Loop

Flexible and functional neck loop made of nylon.

New and modern look.

Comfortable to wear.

With the extension cable you can have the receiver in the pocket.

Price excludes VAT



R20 Selecta

Model: HPU6021

Comfort Audio

R20 Selecta FM receiver

Flexible and Functional

The Selecta R20 FM receiver is available in three different models that covers the band from 169.2 -218 MHz. All models have up to 100 adjustable channels. Headphones, neck loop or direct input leads can be connected to Selecta R20.

Small and Light

Only 85 x 25 x 35 mm and a weight of just 45 grams, including battery! Easy to attach direct to the clothes with a practical clip or can be placed in the pocket.

Top Sound Quality

Guarantees the best possible speech understanding.

User Friendly

With seperate volume control and On/Off button you can get your favourite volume on start-up.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Selecta Clarity Pouch

Model: HPU6023

Comfort Audio

Selecta Clarity Pouch

This lightweight, stylish pouch holds all the units for the Selecta Clarity.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Selecta Conference Case

Model: PCU3022

Comfort Audio

Selecta Conference Case

Price excludes VAT



Selecta Neck Hook

Model: HPU6025

Comfort Audio

Selecta Neck Hook

For use with the Selecta R20 Receiver.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Spool Cord for Extension Microphone 4.8m

Model: HPU6033

Comfort Audio

Spool Cord for Extension Microphone 4.8m

Price excludes VAT



T10 Blue Tooth

Model: HPU6018

Comfort Audio

T10 Blue Tooth

Selecta BT Z combines Bluetooth technology with FM technology for hearing impaired people. Selecta BT Z works as a link between two telephones and the hearing aid at the same time. It can also be used as a wireless microphone.

Wireless communication with two telephones

Selecta BT Z is connected with your mobile and your wireless telephone via BluetoothTM and the sound from the telephone is transmitted further on up to the receiver at the hearing aid via FM technology. The microphone in Selecta BT Z picks up your voice and that sound is transmitted via BluetoothTM to the telephone. The directional microphone setting effectively reduces disturbing background sounds in noisy environments.

Comfortable telephone communication

Just by pressing one button on Selecta BT Z you activate the voice controlled ringing of the telephone, answering incoming calls or disconnecting a call. Selecta BT Z change automatically between working as a wireless microphone and transferring telephone sound. It is also possible to adjust the sound level by pressing buttons on Selecta BT Z. BluetoothTM technology implies that you do not even have to wear the telephone as the range is up to 10 metres.

A unique FM transmitter for many applications

The FM transmitter covers the total band 169,4 - 218 MHz and it may be programmed to any normally used frequencies in that band. Selecta BT Z may be attached directly to the clothes via a clip or it can be used with a clip on microphone. Other sound sources can be connected as well, e.g. TV/Video.

Small and light

Only 85 x 25 x 35 mm and weighing just 50 grams, including battery! Selecta BT Z is flexible both as a wireless microphone at a seminar and when making a phone call. An elegant design gives Selecta T10 BT Z a sophisticated look.

Low power

Selecta BT Z is operated by one ordinary AAA battery or one rechargeable NiMH battery. Selecta BT Z has an integrated charge control circuit.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



T10 Charger Unit

Model: HPU6054

Comfort Audio

T10 Charger Unit

Price excludes VAT



T10 Power Supply

Model: HPU6016

Comfort Audio

T10 Radio Microphone Power Supply

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



T10 Radio Microphone

Model: MRU4018

Comfort Audio

T10 Radio Microphone

Flexible and functional

Programmable up to hundred different channels in the band 169,4 - 218 MHz. Adjustable deviation fitting different receivers to achieve optimal signal/noise ratio.

Small and light

Only 85 x 25 x 35 mm and weighing just 45 grams, including battery! The flexibility and lightness make the lecturer forget it.

Top sound quality

Guarantees the best possible speech understanding.

User friendly

Selecta T10 may pick up voices in many different ways. The transmitter has an internal microphone and thanks to its tiny size it may be attached to a neck worn holder or even directly to clothes via a clip. Connect an external microphone if Selecta T10 is placed in your pocket or attached to the belt.

Versatile

Via the aerial connector other sound sources can be connected, e.g. ${\sf TV/Video}$.

Low power

Selecta T10 is operated by one ordinary AAA battery or one rechargeable NiMH battery. A green LED indicates function and battery status.

Environmentally friendly

The integrated charge control circuit is designed for charging one NiMH battery. A red LED next to the battery cover indicates charge status.

Price excludes VAT



T10 Radio Microphone MIX

Model: MRU4026

Comfort Audio

FM TRANSMITTER FOR 169,4 – 218 MHZ WITH INTEGRATED RECEIVER AND MIXER

Selecta T10 Mix is a FM transmitter with integrated receiver. The sound from another FM transmitter is mixed together with its own sound and transmitted to the listener. In some aspects, the Selecta T10 Mix has the same functionality as Selecta T10.

Flexible and functional

Programmable up to hundred different channels in the bands 169,4 - 218 MHz.

Adjustable deviation fitting different receivers to achieve optimal signal/noise ratio.

Small and light

Only 85 x 25 x 35 mm and weighing just 45 grams, including battery! The flexibility and lightness makes the wearer forget it!

Top sound quality

Guarantees the best possible speech understanding.

User friendly

Selecta T10 Mix may, besides the built in FM receiver, pick up sound in many different ways. The transmitter has an internal microphone and thanks to its tiny size it may be attached to a neck worn holder or even directly to clothes via a clip. Connect an external microphone if Selecta T10 Mix is placed in your pocket or attached to the belt.

Versatile

Via the aerial connector other sound sources can be connected, e.g. TV/Video.

Low power

Selecta T10 Mix is operated by one ordinary AAA battery. A green LED indicates function and battery status. The integrated charge control circuit is designed for charging one NiMH battery. A red LED next to the battery cover indicates charge status.

Price excludes VAT



T10 Radio Microphone MOM

Model: MRU4050

Comfort Audio

FM TRANSMITTER FOR 169,4 - 218 MHZ

Selecta T10 Momentary, is a push to talk FM transmitter.

Flexible and functional

Programmable up to hundred different channels in the bands 169,4 - 218 MHz. Adjustable deviation fitting different receivers to achieve optimal signal/noise ratio.

Handheld microphone

The intention is to use Selecta T10 Mom as a handheld microphone. Press the yellow button to transmit and when the button is released the transmission ends.

Small and light

Only 85 x 25 x 35 mm and weighing just 45 grams, including battery! The flexibility and lightness make the lecturer forget it.

Top sound quality

Guarantees the best possible speech understanding.

Low power

Selecta T10 is operated by one ordinary AAA battery or one rechargeable NiMH battery. A green LED indicates function and battery status.

Environmentally friendly

The integrated charge control circuit is designed for charging one NiMH battery. A red LED next to the battery cover indicates charge status.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

T10 Rechargable Battery including Cable

Model: HPU6017

Comfort Audio

T10 Rechargable Battery including Cable

Price excludes VAT



T10 Stand

Model: HPU6015

Comfort Audio

T10 Stand

Stand for the T10 radio microphone.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



T10 Z Radio Microphone

Model: MRU4057

Comfort Audio

T10 Z Radio Microphone

Selecta T10 Z is a FM-Transmitter with a zoom function for all situations.

Selecta T 10 Z makes it possible for the user to get the best possible reception of sound on every occasion thanks to the microphone settings for directional and omni-directional sound.

The directional microphone setting effectively reduces disturbing background sounds in noisy environments.

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



х

Model: HPU6032

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Y Lead Charging

Model: HPU6019

Comfort Audio

Y Lead Charging

Price excludes VAT

c -/- Domestic Accessories



Model: ACA5009

Univox

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: HPU6055

Comfort Audio

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: ACA5004

Univox by Bo Edin

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: ACM5005

Univox by Bo Edin

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: ACA5003

Univox by Bo Edin

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model : AIH5003

Comfort Audio



a

Model: ALP5002

Univox

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Α

Model: ACM5008

Univox by Bo Edin

Α

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

а

Model: ACA5006

Univox

R

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Audio Kit

Model: ACA5010

Comfort Audio

Audio Kit

The Audio Kit can be used to listen to the TV, mp3 players, PC's, laptops and the radio.

The Audio Kit comes with the Comfort Contego and Comfort DigiSystem as standard.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

Autoscart

Model: ACA5004

Univox by Bo Edin

Autoscart.

The Autoscart connects to the back of the television so that sound can be heard by the hearing aid user.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Car Loop Interface Kit

Model: ACA5006

Univox

Car Loop Interface Kit

This kit allows the hearing aid user to completely cut out annoying and disturbing background noises when driving or as a passenger in the car.

The car loop interface kit must be fitted by a qualified electrician. Please contact us on 01458 272121 if you have any queries.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Comfort Audio Headphones

Model: AIH5003

Comfort Audio

Comfort Audio Headphones.

To be used in conjuction with any Comfort Audio product - Contego, Duett, DigiSystem etc.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

DLS-50 Mounting Plate

Model: ACM5008

Univox by Bo Edin

DLS-50 Mounting Plate.

For use in conjunction with the DLS-50 loop amplifier.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Duett External Microphone

Model: HPU6055

Comfort Audio

Duett External Microphone

To be used in conjunction with the Comfort Duett to listen to the television and other sound sources.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Duett Neck Loop

Model: AIN5004

Comfort Audio

Duett Neck Loop.

To be used in conjunction with the Comfort Duett.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.



Duett Telephone Kit

Model: HPU6043

Comfort Audio

Duett Telephone Kit

To be used in conjunction with the Comfort Duett. The base unit is plugged into the phone handset and sound can be heard through the users' headphones, earphones or neck loop.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Duett Television Kit

Model: HPU6044

Comfort Audio

Duett Television Kit

To be used in conjunction with the Comfort Duett.

The base unit is plugged into the TV via scart or phono lead. Simple to set up and effective to listen with.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Large Loop Pad

Model: ALP5002

Univox

Large Loop Pad.

Place the loop pad under your favourite cushion or chair and listen to the television in crystal clear sound.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.



Sofa Loop Cable

Model: ACA5009

Univox

Sofa Loop Cable.

To be used when wanting to loop a sofa to watch television. The coverage of the loop is larger than a loop pad.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



...

Model: ACA5010

Comfort Audio

s

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



ш

Model: HPU6044

Comfort Audio

R

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



u

Model: HPU6043

Comfort Audio

В

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



u

Model: AIN5004

Comfort Audio

u



UniVox Power Supply

Model: ACM5005

Univox by Bo Edin

UniVox Power Supply.

To be used in conjunction with UniVox loop amplifiers.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

UniVox Scart Lead

Model: ACA5003

Univox by Bo Edin

UniVox Scart Lead.

This lead works with all the UniVox domestic loop amplifiers so that the user may watch and listen to the television.

Price excludes VAT. Please note that individual users may qualify for VAT exemption. For more information, go to the VAT Exempt Form tab on the left hand side of the screen.

c -/- Radio Microphone Accessories

Model: MRU4031

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: AMA5002

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4008

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4029

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4028

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4014

Model: MRU4005

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4030

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4039

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: MRU4036

Sennheiser

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Aerial Cables Rack Mount AM2

Model: MRU4039

Aerial Cables Rack Mount AM2

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

BA2015 Rechargeable Battery for Series 300 Microphone

Model: MRU4005

BA2015 Rechargeable Battery for Series 300 Microphone

Price excludes VAT.

Charging Stand for Series 300 Microphones

Model: MRU4030

Charging Stand for Series 300 Microphones

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

EJ-8LT Okayo Tie-clip Microphone only

Model: MRU4046

EJ-8LT Okayo Tie-clip Microphone only

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

J

Model : MRU4046

J

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

LIB 21 Microphone only

Model: MRU4031

LIB 21 Microphone only

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

M

Model: MRU4007

R

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

MBWT3 Rack Mount Kit (for one receiver)

Model: MRU4028

MBWT3 Rack Mount Kit (for one receiver)

Price excludes VAT

MBWT4 Rack Mount Kit (for two receivers)

Model: MRU4029

MBWT4 Rack Mount Kit (for two receivers)

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

NT1UK Power Supply for L2015

Model: MRU4014

NT1UK Power Supply for L2015

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Rack Kit for G2 Series

Model: MRU4036

Sennheiser

Rack Kit for G2 Series

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

WM3310 Clip only

Model: MRU4007

WM3310 Clip only

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

WM3310 Microphone only

Model: MRU4008

WM3310 Microphone only

Price excludes VAT

YW3500 Powered Antenna VHF

Model: AMA5002

YW3500 Powered Antenna VHF

Price excludes VAT

c -/- Wired Microphone Accessories

Model: SPM7008

Audio Technica

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: SPM7006

Audio Technica

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: SPM7007

Audio Technica

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: AMS5006

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: AMS5007

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: AMS5004

Model: AMS5003

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model: AML5003

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Model : AML5002

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



Model: AMS5002

Audio Technica

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



AT8601 Threaded Gooseneck Base

Model: AMS5010

Audio Technica

AT8601 Threaded Gooseneck Base

Securely and confidently mount your microphone with Audio Technica's AT8601 Microphone Desk Stand for 5/8"-27 Threaded Stand Clamps.

This rubber-base microphone stand will resist slips and provide a reliable stand for your 5/8" microphone.

Price excludes VAT



AT8615RS Plug-In Desk Stand with Switch

Model: AMS5002

Audio Technica

AT8615RS Plug-In Desk Stand with Switch

QM plug-in desk stand

XLRF in, XLRM out for all QM mics

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Behringer Mixer Xenyx 802

Model: SPM7009

Behringer

Behringer Mixer Xenyx 802

Prices exclude VAT.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Boom Arm for Floor Stand

Model: AMS5003

Boom Arm for Floor Stand

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

е

Model: SPM7009

Behringer

е

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Folding Microphone Stand

Model: AMS5007

Folding Microphone Stand

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Pre Amp AT8801/UK

Model: SPM7007

Audio Technica

Pre Amp AT8801/UK

Price excludes VAT.

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Smart Mixer 4 Input Mixer ATMX341A

Model: SPM7006

Audio Technica

Smart Mixer 4 Input Mixer ATMX341A

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Smart Mixer AT-MX351

Model: SPM7008

Audio Technica

Smart Mixer AT-MX351

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Table Top Microphone Stand

Model: AMS5004

Table Top Microphone Stand

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Table Top Stand

Model: AMS5006

Table Top Stand

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77



u

Model: AMS5010

Audio Technica

B

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

XLR Lead 10m

Model: AML5003

XLR Lead 10m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

XLR Lead 5m

Model: AML5002

XLR Lead 5m

Price excludes VAT

TEXT_PRODUCTS_SPECIALS_PRICE£660.77

Product name Categor	y Page
Education/Conference	Ac 185
Education/Conference	Ac 185
Education/Conference	Ac 186
Boundary/Shotgun Micr	op 103
Education/Conference	Ac 186
Education/Conference	Ac 186
Across Counter Syste	ms 58
Across Counter Syste	ms 58
Education/Conference	Ac 185
Across Counter Syste	ms 58
Gooseneck Microphon	es 113
Education/Conference	Ac 186
Education/Conference	Ac 186
Domestic Accessori	es 203
	i 39
	i 39
Domestic Accessori	es 203
Loop Amplifie	rs 44
Education/Conference	Ac 187
Domestic Accessori	es 203
Infrared Accessori	es 180
Infrared Accessori	es 180
Loop Accessori	es 174
Radio Microphon	es 124
Radio Microphon	es 124

Ra	adio	Micro	phone	s 124
Ra	adio	Micro	phone	s 124
Ra	adio	Micro	phone	s 124
Ra	adio	Micro	phone	s 124
Portable	e Inf	rared	d Case	s 93
Infra	ared	Acces	ssorie	s 178
Infra	ared	Acces	ssorie	s 178
Infra	ared	Acces	ssorie	s 179
Infra	ared	Acces	ssorie	s 179
Infra	ared	Acces	ssorie	s 179
Infra	ared	Acces	ssorie	s 180
Infra	ared	Acces	ssorie	s 180
Infra	ared	Acces	ssorie	s 180
Infra	ared	Acces	ssorie	s 179
Infra	ared	Acces	ssorie	s 179
Infra	ared	Acces	ssorie	s 178
Infra	ared	Acces	ssorie	s 178
Infra	ared	Acces	ssorie	s 178
Infra	ared	Acces	ssorie	s 178
Infra	ared	Acces	ssorie	s 179
			:	i 39
Education	on/Co	onfere	ence A	c 186
Wired M:	icrop	hone	Access	s 216
Radio M	icrop	hone	Access	s 210
Radio M	icrop	hone	Access	s 210
Wired M:	icrop	hone	Access	s 216
Wired M:	icrop	hone	Access	s 216
Radio M	icrop	hone	Access	s 210
Radio M	icrop	hone	Access	s 211
Radio M	icrop	hone	Access	s 210
Radio M	icrop	hone	Access	s 211
D:	igi 7	ransr	nitter	s 27
D:	igi 7	ransr	nitter	s 27
D	igi 1	Transr	nitter	s 27
D:	igi 1	Transr	nitter	s 27
Radio M	icrop	hone	Access	s 211
Radio M	icrop	hone	Access	s 211
Wired M:	icrop	hone	Access	s 215
Radio M:	icrop	hone	Access	s 210
Wired M:	icrop	hone	Access	s 216
Wired M:	icrop	hone	Access	s 215
Wired M:	icrop	hone	Access	s 215

	Gooseneck Microphones	113
	Wired Microphone Access	215
	Telephones	21
	Wired Microphone Access	215
	Radio Microphone Access	210
	Gooseneck Microphones	113
	Wired Microphone Access	215
	Digi Receivers	36
	Digi Receivers	36
_	Gooseneck Microphones	113
	Loop Accessories	175
0.5mm Copper Tape 100m	Loop Accessories	175
0.75mm Copper Tape 100m	Loop Accessories	175
1	Education/Conference Ac	187
1	Education/Conference Ac	188
1	Education/Conference Ac	187
1.5mm Copper Tape 100m	Loop Accessories	175
10 Way Charger PSU	Infrared Accessories	181
10 Way Charger	Infrared Accessories	180
13A Small Boundary Microphone	Boundary/Shotgun Microp	103
13C Tie-clip Microphone	Wired Tie-Clip Micropho	122
13T Boundary Microphone	Boundary/Shotgun Microp	104
2	Education/Conference Ac	188
2	Education/Conference Ac	188
2	Education/Conference Ac	188
2 Way Charger (for BA151)	Infrared Accessories	181
2.5mm Copper Tape 100m	Loop Accessories	175
3	Portable Loop Cases	67
3	Portable Loop Cases	67
3	Wired Tie-Clip Micropho	122
3	Boundary/Shotgun Microp	104
3	Portable Loop Cases	67
3	Boundary/Shotgun Microp	104
3	Portable Loop Cases	67
3.0mm Copper Tape 100m	Loop Accessories	176
5.0mm Copper Tape 100m	Loop Accessories	176
7	Portable Loop Cases	67
7	Portable Loop Cases	67
7	Portable Loop Cases	68
7	Portable Loop Cases	68
8	Boundary/Shotgun Microp	104
A	Portable Infrared Cases	93

A	Portable Infrared Cases	94
a	Wired Tie-Clip Micropho	122
A	Portable Infrared Cases	94
A	Portable Infrared Cases	93
A	Portable Infrared Cases	93
A	Infrared Receivers	81
A	Portable Loop Cases	68
A	Portable Loop Cases	68
A	Portable Loop Cases	68
A	Portable Loop Cases	68
A	Portable Infrared Cases	93
A	Portable Infrared Cases	93
A	0	12
a	Domestic Accessories	204
a	Domestic Accessories	204
A	0	12
A	Domestic Accessories	204
A	Loop Amplifiers	44
Aerial Cables Rack Mount AM2	Radio Microphone Access	211
AT815B Line + Gradient Condenser Microphone	Boundary/Shotgun Microp	105
AT8601 Threaded Gooseneck Base	Wired Microphone Access	216
AT8615RS Plug-In Desk Stand with Switch	Wired Microphone Access	217
ATM33a Cardioid Condenser Microphone	Handheld Condenser Micr	119
Audio Kit	Domestic Accessories	204
Autoscart	Domestic Accessories	205
В	Handheld Condenser Micr	119
BA151 Battery	Infrared Receivers	81
BA2015 Rechargeable Battery for Series 300 Microphone	Radio Microphone Access	211
Behringer Mixer Xenyx 802	Wired Microphone Access	217
Bluetooth Microphone DM-80	Digi Transmitters	28
Boom Arm for Floor Stand	Wired Microphone Access	217
С	Handheld Condenser Micr	119
Car Loop Interface Kit	Domestic Accessories	205
Charging Stand for Series 300 Microphones	Radio Microphone Access	212
Clip-on Microphone for Telelink	Education/Conference Ac	188
Cluster Kit	Infrared Accessories	181
Comfort Conference Multi User Infrared Case (2)	Portable Infrared Syste	156
Comfort Conference Multi User Infrared Case (1)	Portable Infrared Syste	155
Comfort Conference Single Radio Case	Portable FM Radio Syste	144
Comfort Duett with Neck Loop	Personal Listening Devi	5
Comfort Audio Headphones	Domestic Accessories	205
Comfort Duett with Earphones	Personal Listening Devi	3
-	2	

Comfort Conference Premier Radio Case	Portable FM Radio Syste	143
Comfort Duett with Headphones	Personal Listening Devi	4
Comfort Conference Multi User Infrared Case (3)	Portable Infrared Syste	157
Comfort Conference RX1 Mixer	Education/Conference Ac	190
Comfort Conference RX2 Mixer	Education/Conference Ac	191
Comfort Audio Headphones	Education/Conference Ac	189
Comfort Conference Multi User Infrared Case (4)	Portable Infrared Syste	158
Comfort Conference Single User Infrared Case	Portable Infrared Syste	159
Comfort Conference Student User Infrared Case	Portable Infrared Syste	160
Conference Microphone DC-20	Digi Transmitters	30
Conference Microphone DC-10	Digi Transmitters	29
Conference Folder	Portable Loop Cases	69
Contego FM Radio System with Headphones	Personal Listening Devi	6
Contego FM Radio System with Neck Loop	Portable FM Radio Syste	146
Contego FM Radio System with Neck Loop	Personal Listening Devi	8
Contego FM Radio System with Headphones	Portable FM Radio Syste	145
CTC-120 Across Counter System	Across Counter Systems	58
D	Radio Microphones	125
D	Radio Microphones	125
D	Radio Microphones	125
Digi Bag	i	39
Digi Car Charger with USB	i	40
Digi Charger Stand (DM/DH)	i	40
Digi Charger Stand (DC)	i	40
Digi Earbuds	i	41
Digi Necklace (for DC-10/20)	i	41
Digi Necklace (for DH-10)	i	42
Digi Neck Loop	i	41
DigiSystem Tour Guide Case (2)	DigiSystem Tour Guide C	171
DigiSystem Tour Guide Case (1)	DigiSystem Tour Guide C	170
DigiSystem Power Supply	i	42
DigiSystem Tour Guide Case (3)	DigiSystem Tour Guide C	172
DIR23 Infrared Microphone	Education/Conference Ac	192
DLS-50 Mounting Plate	Domestic Accessories	206
DRS Power Supply Unit	Education/Conference Ac	192
DRS Radio Microphone	Education/Conference Ac	193
Duett External Microphone	Domestic Accessories	206
Duett Neck Loop	Domestic Accessories	206
Duett Telephone Kit	Domestic Accessories	207
Duett Television Kit	Domestic Accessories	207
e	Across Counter Systems	59
е	Telephones	21

e	Wired Microphone Access	217
e	Portable FM Radio Syste	147
e	Telephones	21
e	Portable FM Radio Syste	147
e	Portable FM Radio Syste	147
e	Portable FM Radio Syste	146
Earset Receiver DE-10	Digi Receivers	37
ECM-600ST Handheld Microphone	Handheld Condenser Micr	120
EJ-801RC Okayo Table Top Receiver & Charger	Radio Microphones	125
EJ-801TS Okayo Handheld Radio Microphone	Radio Microphones	126
EJ-8LT Okayo Tie-clip Microphone only	Radio Microphone Access	212
EJ-8LT Okayo Radio Microphone Body Pack	Radio Microphones	126
ES933 Suspended Microphone	Boundary/Shotgun Microp	106
ES945 360 Degree Boundary Ceiling Mount Microphone	Boundary/Shotgun Microp	107
ES945/W 360 Degree Boundary Ceiling Mount Microphone	Boundary/Shotgun Microp	108
EW122 Tie-clip Radio Microphone System	Radio Microphones	127
EW165 Handheld Radio Microphone System	Radio Microphones	128
EW322 Tie-clip Radio Microphone System	Radio Microphones	129
EW345 Handheld Radio Microphone System	Radio Microphones	130
Extension Microphone for Comfort Conference	Education/Conference Ac	193
Field Strength Meter with CD and Case	Loop System Testing Equ	79
Field Strength Meter	Loop System Testing Equ	78
FM Tour Guide Case (5)	FM Tour Guide Cases	167
FM Tour Guide Case (4)	FM Tour Guide Cases	166
FM Tour Guide Case (1)	FM Tour Guide Cases	162
FM Tour Guide Case (3)	FM Tour Guide Cases	165
FM Tour Guide Case (1) Ex Demonstration Case	FM Tour Guide Cases	163
FM Tour Guide Case (2)	FM Tour Guide Cases	164
Folding Microphone Stand	Wired Microphone Access	217
Freeport Radio Tie-clip Microphone System	Radio Microphones	132
Freeport Radio Handheld Microphone System	Radio Microphones	131
Geemarc CL100 Telephone	Telephones	22
Geemarc CL200 Telephone	Telephones	23
GZG 1029 Swival Bracket SZ 1015T	Infrared Accessories	181
GZP10 Mounting Plate	Infrared Accessories	182
Handset Receiver DH-10	Digi Receivers	38
HDC202 Okayo Charger Unit for Radio Microphones	Radio Microphones	132
i	DigiSystem Tour Guide C	173
i	Loop System Testing Equ	79
i	i	42
I	Infrared Receivers	81
I	Infrared Radiators	86

i	Digi Transmitters	31
i	Digi Transmitters	31
i	i	42
i	i	43
i	DigiSystem Tour Guide C	172
I	Infrared Receivers	81
i	DigiSystem Tour Guide C	173
i	i	43
i	i	43
i	Loop System Testing Equ	79
i	i	43
i	Loop Accessories	176
ILP20 Infoloop Portable Loop System	Across Counter Systems	59
ILP21 Infoloop Extension Microphone	Across Counter Systems	59
ILP24 Infoloop Plastic Case	Across Counter Systems	60
ILP25 Infoloop Fabric Carry Case	Across Counter Systems	60
ILP26 Infoloop Clear Perspex Shelf	Across Counter Systems	60
Infrared Receiver 12 Way Charger Case(PE 300C)	Infrared Accessories	182
Infrared Neck Loop & Connecting Cable	Infrared Receivers	82
Infrared Remote for Comfort Conference	Education/Conference Ac	193
Infrared TV Listener & Stethoclip	Personal Listening Devi	9
Infrared TV Listener & Neck Loop	Personal Listening Devi	8
Infrared Receiver 2 Way Charger(PE 534)	Infrared Accessories	182
J	Radio Microphone Access	212
J	Radio Microphones	133
J	Radio Microphones	133
KK20 -1 1m DC Lead	Infrared Accessories	182
KK20 -7 7m DC Lead	Infrared Accessories	182
KKY20-015 DC 4 Way Lead	Infrared Accessories	183
KR20 - 015 15cm Audio Connection Lead	Infrared Accessories	183
KR20 -7 7m Audio Connection Cable	Infrared Accessories	183
L	Across Counter Systems	61
L	Across Counter Systems	61
1	Digi Transmitters	31
1	Infrared Accessories	183
L	Across Counter Systems	61
L	Across Counter Systems	61
Large Loop Pad	Domestic Accessories	207
LIB 21 Microphone only	Radio Microphone Access	212
Line Converter LCU1	Loop Accessories	176
LPS1 Nokia Neck Loop	Telephones	24
LPS4 Nokia Neck Loop	Telephones	25

М	FM Tour Guide Cases	167
M	FM Tour Guide Cases	168
M	Radio Microphones	133
M	Radio Microphones	133
m	Across Counter Systems	61
M	Radio Microphone Access	212
M-1 Gooseneck Microphone	Gooseneck Microphones	114
MB4K/C Microphone	Handheld Condenser Micr	121
MBWT3 Rack Mount Kit (for one receiver)	Radio Microphone Access	212
MBWT4 Rack Mount Kit (for two receivers)	Radio Microphone Access	213
Microphone Mix DM-20	Digi Transmitters	33
Microphone Mini DM-05	Digi Transmitters	32
Mounting Clips (IZK20)	Infrared Accessories	183
n	0	12
n	Loop Amplifiers	44
n	Personal Listening Devi	9
n	Loop Accessories	176
n	0	13
n	Personal Listening Devi	9
n	0	12
n	0	12
n	Infrared Receivers	82
n	Across Counter Systems	62
n	Personal Listening Devi	9
n	Across Counter Systems	62
n	Across Counter Systems	61
n	0	12
n	Loop Amplifiers	45
n	Loop Amplifiers	44
n	Loop Amplifiers	44
n	Loop System Testing Equ	80
n	Loop Amplifiers	45
n	Loop Amplifiers	44
n	Loop Amplifiers	46
n	0	13
n	Loop Amplifiers	46
NT 1015 PSU for SZI 1015T	Infrared Accessories	184
NT-20-4-UK PSU	Infrared Accessories	184
		-

NT1UK Power Supply for L2015	Radio Microphone Access	213
0	Education/Conference Ac	194
0	Education/Conference Ac	194
0	Personal Listening Devi	10
0	Portable Loop Cases	69
0	Personal Listening Devi	10
0	Personal Listening Devi	10
0	Personal Listening Devi	10
0	Personal Listening Devi	10
0	Portable Infrared Syste	161
0	Portable Infrared Syste	161
0	Portable Infrared Syste	161
0	FM Tour Guide Cases	168
0	FM Tour Guide Cases	168
0	FM Tour Guide Cases	168
0	Portable Infrared Syste	161
0	Portable Infrared Syste	160
0	Portable FM Radio Syste	147
0	Portable FM Radio Syste	147
0	Portable FM Radio Syste	147
0	Portable FM Radio Syste	148
0	Portable FM Radio Syste	148
0	Portable FM Radio Syste	148
0	FM Tour Guide Cases	168
0	Portable Infrared Syste	161
Р	Telephones	25
Р	Telephones	25
P380 Portable Loop System (2)	Portable Loop Cases	70
P380 Portable Loop System (4)	Portable Loop Cases	71
P380 Portable Loop System (3)	Portable Loop Cases	71
P380 Portable Loop System (1)	Portable Loop Cases	70
P70A Portable Loop System (4)	Portable Loop Cases	73
P70A Portable Loop System (2)	Portable Loop Cases	72
P70A Portable Loop System (3)	Portable Loop Cases	73
P70A Portable Loop System (1)	Portable Loop Cases	72
PAIRS 80 (1)	Portable Infrared Cases	95
PAIRS 80 (3)	Portable Infrared Cases	97
PAIRS 80 (4)	Portable Infrared Cases	98
PAIRS 80 (2)	Portable Infrared Cases	96
PAIRS Case (1)	Portable Infrared Cases	99
PAIRS Case (3)	Portable Infrared Cases	101
PAIRS Case (2)	Portable Infrared Cases	100

PAIRS Case (4)	Portable Infrared Cases	102
PALS Portable Loop System (4)	Portable Loop Cases	77
PALS Portable Loop System (1)	Portable Loop Cases	74
PALS Portable Loop System (3)	Portable Loop Cases	76
PALS Portable Loop System (2)	Portable Loop Cases	75
Perspex Loop Sign	Across Counter Systems	62
Pre Amp AT8801/UK	Wired Microphone Access	218
Printed Gaffer Tape 50m	Loop Accessories	176
PRO 42 180 Degree Boundary Ceiling/Table Mount Microphone	Boundary/Shotgun Microp	109
PRO 44 180 Degree Boundary Ceiling/Table Mount Microphone	Boundary/Shotgun Microp	110
PRO47T Gooseneck Threaded Microphone	Gooseneck Microphones	115
PRO47TL Gooseneck Threaded Microphone (long)	Gooseneck Microphones	116
PRO49QL Quick Mount Gooseneck Microphone	Gooseneck Microphones	117
R	Gooseneck Microphones	118
R	Boundary/Shotgun Microp	110
r	Radio Microphones	133
R	Education/Conference Ac	194
R	Boundary/Shotgun Microp	110
r	Loop Accessories	177
R20 M Receiver	Education/Conference Ac	195
R20 Neck Loop	Education/Conference Ac	195
R20 Selecta	Education/Conference Ac	196
Rack Kit for G2 Series	Radio Microphone Access	213
RI 150 Infrared Stethoset	Infrared Receivers	83
RI150LL Mono Infrared Loop Receiver	Infrared Receivers	84
Rubber Ear Pieces for Stethosets	Infrared Accessories	184
S	Boundary/Shotgun Microp	111
S	Boundary/Shotgun Microp	111
Sarabec Tie-clip Microphone	Wired Tie-Clip Micropho	123
SDR 20/SWE208 Receiver	Radio Microphones	136
SDR 20/SWE183 Receiver	Radio Microphones	135
SDR 20/SWE213 Receiver	Radio Microphones	137
SDR 20/SWE173 Receiver	Radio Microphones	134
Selecta Clarity FM System 2	Portable FM Radio Syste	150
Selecta Clarity FM System 4	Portable FM Radio Syste	152
Selecta Clarity FM System 1	Portable FM Radio Syste	149
Selecta Clarity Pouch	Education/Conference Ac	196
Selecta Conference Case	Education/Conference Ac	196
Selecta Neck Hook	Education/Conference Ac	197
Selecta Clarity FM System 3	Portable FM Radio Syste	151
SI 30 IR Emitter 80m Master	Infrared Radiators	86
SI30/SZI30 Power Supply Unit	Infrared Accessories	184

Small Loop Pad	Across Counter Systems	62
Smart Mixer 4 Input Mixer ATMX341A	Wired Microphone Access	218
Smart Mixer AT-MX351	Wired Microphone Access	218
Sofa Loop Cable	Domestic Accessories	208
Spool Cord for Extension Microphone 4.8m	Education/Conference Ac	197
Standard Microphone DM-10	Digi Transmitters	34
Star Sound 2 Channel Infrared Radiator	Infrared Radiators	87
Star Sound Infrared Receiver	Infrared Receivers	85
STS-KOO1-L SecuriCom Bridge Mounted Speech Trans and Loop	Across Counter Systems	63
STS-KOO2-L SecuriCom Surface Mounted Speech Trans with Loop	Across Counter Systems	63
STS-KOO3-L SecuriCom Flush Mounted Speech Trans with Loop	Across Counter Systems	64
SZI 1015 Slave Radiator	Infrared Radiators	88
SZI 1015T IR Emitter Master Unit	Infrared Radiators	89
SZI 1029 5 Watt Radiator	Infrared Radiators	90
SZI 30 IR Emitter 80m Slave	Infrared Radiators	91
T	Handheld Condenser Micr	121
t	Infrared Receivers	85
Т	Across Counter Systems	64
T	Radio Microphones	137
T	Boundary/Shotgun Microp	111
t	Infrared Radiators	92
T	Across Counter Systems	64
T	Across Counter Systems	64
T Hook for Ericsson Phones	Telephones	26
T sticker	Across Counter Systems	65
T10 Blue Tooth	Education/Conference Ac	198
T10 Charger Unit	Education/Conference Ac	198
T10 Power Supply	Education/Conference Ac	199
T10 Radio Microphone MIX	Education/Conference Ac	200
T10 Radio Microphone MOM	Education/Conference Ac	201
T10 Radio Microphone	Education/Conference Ac	199
T10 Rechargable Battery including Cable	Education/Conference Ac	201
T10 Stand	Education/Conference Ac	202
T10 Z Radio Microphone	Education/Conference Ac	202
Table Top Microphone Stand	Wired Microphone Access	218
Table Top Stand	Wired Microphone Access	218
Telelink		35
	Digi Transmitters	
Touring Conference System 1	Portable FM Radio Syste	153
Touring Conference System 2	Portable FM Radio Syste	154
u 	Domestic Accessories	208
u	Domestic Accessories	208
u	Domestic Accessories	208

u	Domestic Accessories	208
u	Wired Microphone Access	219
U841RX Boundary Microphone	Boundary/Shotgun Microp	112
U859QL Cardioid Condenser Gooseneck Microphone	Gooseneck Microphones	118
Uni 70 Across Counter System (2)	Across Counter Systems	66
Uni 70 Across Counter System (3)	Across Counter Systems	66
Uni 70 Across Counter System (1)	Across Counter Systems	65
Univox AC/DC 100 Loop Amplifier	Loop Amplifiers	46
Univox DLS 50 Loop Amplifier	0	16
Univox DLS 380 Loop Amplifier	0	15
UniVox DLS 50 System 1 (with cable & clips)	0	17
Univox DLS 30 TV Loop Amplifier	0	14
UniVox DLS 30 Loop Amplifier	0	13
UniVox DLS 70 Loop Amplifier	Loop Amplifiers	52
UniVox DLS 50 System 1 (with cable & clips)	Loop Amplifiers	49
UniVox DLS 50 System 2 (with loop pad)	Loop Amplifiers	50
UniVox DLS 50 System 3 (with car loop kit)	Loop Amplifiers	51
UniVox DLS 50 System 2 (with loop pad)	0	18
Univox DLS 380 Loop Amplifier	Loop Amplifiers	47
Univox DLS 50 Loop Amplifier	Loop Amplifiers	48
UniVox DLS 50 System 3 (with car loop kit)	0	19
UniVox DLS 70 Loop Amplifier	0	20
UniVox DLS-50 Mounting Plate	Loop Accessories	177
UniVox Listener	Loop System Testing Equ	80
Univox Mounting Plates for PLS100/300	Loop Accessories	177
Univox PLS 700 Loop Amplifier	Loop Amplifiers	53
Univox PLS 300 Loop Amplifier	Loop Amplifiers	53
Univox PLS 100 Loop Amplifier	Loop Amplifiers	52
UniVox Power Supply	Domestic Accessories	209
Univox PLS 900 Loop Amplifier	Loop Amplifiers	54
Univox SLS 700 Loop Amplifier	Loop Amplifiers	57
Univox SLS 100 XF Loop Amplifier	Loop Amplifiers	55
Univox SLS 300 XF Loop Amplifier	Loop Amplifiers	56
UniVox Scart Lead	Domestic Accessories	209
UniWake	Personal Listening Devi	11
W	Radio Microphones	138
WM3220 Handheld Radio Microphone	Radio Microphones	139
WM3310 Clip only	Radio Microphone Access	213
WM3310 Microphone only	Radio Microphone Access	213

WM3310 Tie-clip Radio Microphone	Radio Microphones	140
WM3310H Radio Microphone & Headset	Radio Microphones	141
WT 3800 Receiver Frame	Radio Microphones	141
WT3810 Receiver Table Top	Radio Microphones	142
x	Education/Conference Ac	202
XLR Lead 10m	Wired Microphone Access	219
XLR Lead 5m	Wired Microphone Access	219
Y Lead Charging	Education/Conference Ac	202
YW3500 Powered Antenna VHF	Radio Microphone Access	214
Z	Infrared Radiators	92
Z	Infrared Radiators	92
Z	Infrared Radiators	92
Z.	Infrared Radiators	92