



EDL Displays, Inc.

3023

Installation and Operation Manual

Model 3023

LCD Video Monitor

Revised February 20, 2006

www.edldisplays.com

Table of Contents

INTRODUCTION	3
FEATURES	3
SPECIFICATIONS	3
INSTALLATION	5
<i>GENERAL</i>	5
<i>UNPACKING</i>	5
<i>MECHANICAL INSTALLATION</i>	5
SIGNAL INPUT CONNECTIONS	6
GRAPHICAL USER INTERFACE AND ON-SCREEN DISPLAY	11
Main Menu	12
PICTURE Submenu	12
OSD Submenu	13
UTILITY Submenu	13
Quick Menu	13
RECOMMENDED USE	15
Safety Precautions and Maintenance	15

Table of Figures

FIGURE 1 MODEL 3023 OUTLINE DRAWING	9
FIGURE 2 REAR PANEL INPUT CONNECTIONS	10
FIGURE 3 IR REMOTE	11

Introduction

Features

- 23.1" diagonal LCD (equivalent to 25" CRT)
- Rugged design intended for harsh environments
- Metal Enclosure with VESA mount, Rack mount, Console mount or Tabletop
- Auto-detection of multiple display formats from 640x480 to 1600x1280, including interlaced formats, with excellent scaling to 1600x1200 native resolution
- VESA DPMS compliant, VESA DDC1/2 plug and play compliant
- Full-range backlight dimming standard
- Backlight stabilization standard
- Accepts digital or analog RGB at DVI-I connector, S-video or composite video at DIN or RCA connector



Specifications

Display	
Active area	470.4mm x 352.8mm (18.5" x 13.9")
Native resolution	1600 x 1200
Pixel pitch	0.29mm (0.098 X RGB)
Colors	16,777,216 (256 gray levels)
Contrast ratio	400:1 (typical, at 25°C)
Luminance	250 cd/m ² (typical, at 25°C)
Luminance variation	25% (max, at 25°C)
Viewing angle, H	± 80° (typical, for CR ≥ 10)
Viewing angle, V	± 80° (typical, for CR ≥ 10)
CIE white	X = 0.313, Y = 0.329 (typical, at 25°C)
Response time	t _r = 15msec, t _f = 10msec (typical, at 25°C)
Backlight	
Type	6 CCFL
Lifetime	50,000 hrs

	(typical, at 25°C)
Electromagnetic Environment	
Susceptibility	Per EN55022
Emissions	Per EN55022, FCC class A
Safety	
Design	Per UL/C 1950, EN60950
Physical Environment	
Temperature (operating)	0°C to +50°C
Temperature (storage)	-20°C to +60°C
Relative Humidity (operating)	90%, condensing (to 50°C)
Relative Humidity (storage)	90%, condensing (to 60°C)
Altitude (operating)	Sea level to 15,000ft (4500m)
Altitude (storage)	Sea level to 40,000ft (12000m)
Shock (operating)	30g, 11msec ½ sine
Shock (storage)	30g, 11msec ½ sine
Weight (in standard configuration)	36lbs. (16.3Kg)
Power (in standard configuration)	95W
Vibration (operating)	±1mm, 2 to 13Hz; 0.7g, 13 to 100Hz, 3 axes
Vibration (storage)	TBD
Inputs	
Video signal input	RGB digital (TMDS) or RGB analog, 0.7V _{D-D} into 75Ω, S-video or composite video
Sync signal input	Separate TTL H&V, Composite TTL H&V, Sync on green
Sync selection	Automatic
Signal connector	DVI-I for RGB, DIN for S-video, RCA jack for composite video (RGB via HD-15 or BNC handled with cable options)

INSTALLATION

GENERAL

This section describes the installation of the monitor. The monitor is pre-aligned at the factory to user input requirements. However, there may still be the need for some minor adjustments to be made. Those procedures will be provided later in the Calibration Procedures section.

UNPACKING

Before unpacking, the carton should be inspected for shipping damage. The carton should be carefully opened and the monitor removed. The monitor should then be carefully inspected for shipping damage. If damage has occurred, the shipping carton and all packing materials should be saved for possible inspection by the shipping company. The shipping company and EDL Displays should be notified at this time.

MECHANICAL INSTALLATION

The 3023 monitor is designed to be mounted and secured in place on any flat surface.

SIGNAL INPUT CONNECTIONS

The Model 3023 LCD Monitor accepts both digital and analog video signals at its integrated connector (DVI-I).

When connecting the monitor to a digital signal source, it is necessary to use a cable that terminates on the monitor end with a DVI-I connector that mates to the monitor's connector, and on the source end with a DVI connector appropriate to the source – usually a DVI-D connector. (See cable descriptions below for details.)

When connecting the monitor to an analog signal source, it is necessary to use a cable that terminates on the monitor end with a DVI-I connector that mates to the monitor's connector, and on the source end with an HD-15 connector or with some combination of three to five BNC connectors, as appropriate to the source. (See cable descriptions below for details.)

Provided the correct cable is used, the monitor will automatically sense and adapt to any analog or digital signals applied. In the case of analog signals, the monitor will automatically sense and adapt to the sync type (sync-on-green, composite separate sync, or separate horizontal and vertical syncs).

Video Input Connector Pin Assignments

Pin	Signal	Pin	Signal
1	TMDS Data 2 -	16	Hot Plug Detect
2	TMDS Data 2 +	17	TMDS Data 0 -
3	TMDS Data 2/4 Shield	18	TMDS Data 0 +
4	TMDS Data 4 -	19	TMDS Data 0/5 Shield
5	TMDS Data 4 +	20	TMDS Data 5 -
6	DDC Clock	21	TMDS Data 5 +
7	DDC Data	22	TMDS Clock Shield
8	Analog Vertical Sync	23	TMDS Clock +
9	TMDS Data 1 -	24	TMDS Clock -
10	TMDS Data 1 +	C1	Analog Red
11	TMDS Data 1/3 Shield	C2	Analog Green
12	TMDS Data 3 -	C3	Analog Blue
13	TMDS Data 3 +	C4	Analog Horizontal Sync (or composite H & V sync)
14	+5VDC (power input)	C5	Analog Ground (RGB return)
15	Ground (5VDC, and analog H and V sync return)		

Cable Options

DVI-I to DVI-D

This cable should be used when connecting the monitor to a signal source that provides digital outputs by way of a DVI-D connector.

DVI-D (output)	Signal	DVI-I (input)
1	TMDS Data 2 -	1
2	TMDS Data 2 +	2
3	TMDS Data 2/4 Shield	3
4	TMDS Data 4 -	4
5	TMDS Data 4 +	5
6	DDC Clock	6
7	DDC Data	7
8	Not connected	8
9	TMDS Data 1 -	9
10	TMDS Data 1 +	10
11	TMDS Data 1/3 Shield	11
12	TMDS Data 3 -	12
13	TMDS Data 3 +	13
14	+5VDC (power input)	14
15	Ground (5VDC, and analog H and V sync return)	15
16	Hot Plug Detect	16
17	TMDS Data 0 -	17
18	TMDS Data 0 +	18
19	TMDS Data 0/5 Shield	19
20	TMDS Data 5 -	20
21	TMDS Data 5 +	21
22	TMDS Clock Shield	22
23	TMDS Clock +	23
24	TMDS Clock -	24

DVI-I to 3 BNC

This cable should be used when connecting the monitor to an analog source that provides RGB video with composite sync on green by way of three BNC connectors.

Source (output)	Signal	DVI-I (input)
BNC R	Analog Red	C1
BNC G	Analog Green (with composite sync)	C2
BNC B	Analog Blue	C3
(BNC shells)	Analog Ground	C5

DVI-I to 4 BNC

This cable should be used when connecting the monitor to an analog source that provides RGB video and separate composite sync by way of four BNC connectors.

Source (output)	Signal	DVI-I (input)
BNC R	Analog Red	C1
BNC G	Analog Green	C2
BNC B	Analog Blue	C3
BNC H/C	Composite Sync	C4
(BNC RGB shells)	Analog RGB Ground	C5
(BNC H/C shell)	Sync Ground	15

DVI-I to 5 BNC


This cable should be used when connecting the monitor to an analog source that provides RGB video and separate horizontal and vertical sync by way of 5 BNC connectors.

Source (output)	Signal	DVI-I (input)
BNC R	Analog Red	C1
BNC G	Analog Green	C2
BNC B	Analog Blue	C3
BNC H/C	Horizontal Sync	C4
BNC V	Vertical Sync	8
(BNC RGB shells)	Analog RGB Ground	C5
(BNC H/C and V shells)	Sync Ground	15

DVI-I to HD-15

This cable should be used when connecting the monitor to an analog source that provides RGB video and separate horizontal and vertical sync by way of a VGA style HD-15 connector.

Source HD-15 (output)	Signal	DVI-I (input)
1	Analog Red	C1
2	Analog Green	C2
3	Analog Blue	C3
13	Horizontal Sync	C4
14	Vertical Sync	8
6, 7, 8	Analog RGB Grounds	C5
10	Sync Ground	15



EDL DISPLAYS INC. 1300 Research Park Dr. Dayton, Ohio 45432	
TITLE LCD 3023 Outline Drawing	
SIZE B	DATE 02/05/03
REV 01	SHEET 1 OF 1

Figure 1 Model 3023 Outline Drawing




Figure 2 Rear Panel input connections

Operation

Graphical User Interface and On-Screen Display

The 3023 has an integrated On-Screen Display (OSD) that is used to control various display and system parameters. The OSD can be controlled by either the front keypad or an infrared (IR) remote controller.



Figure 3 IR Remote

Keys:

AUTO	Press to perform an automatic adjustment procedure. Only applicable for analog RGB source modes.
SOURCE	1 st button press displays the current source. 2 nd button press searches for the next available input source in the following order: 1. Digital RGB 2. Analog RGB 3. Composite Video 4. S-Video After S-Video the cycle starts over at Digital RGB.
Note: When either the Main Menu or Quick Menu is activated, the SOURCE button acts like the EXIT button to exit the menu or to move up a level.	
MENU	Press to enter the Main Menus or move down to a submenu in the Main Menu.
EXIT	Leave the menu or move up a level out of a submenu. (IR only – use the SOURCE button to perform this function on the keypad)
UP	Navigate the menu functions
DOWN	Navigate the menu functions
LEFT	Navigate the menu functions and select displays settings
RIGHT	Navigate the menus function and select display settings

Main Menu

If the MENU button is pressed while no OSD is active, the Main Menu will be activated. The Main Menu consists of 3 submenus: PICTURE, OSD and UTILITY. Use the LEFT or RIGHT buttons on either the IR remote controller or the keypad to select the submenu. The DOWN or MENU button will enter the selected submenu.

PICTURE Submenu

The PICTURE submenu contains different functions depending on the current source selection. If the current source is Digital RGB or Analog RGB, then the PICTURE submenu contains the following functions:

- BRIGHTNESS
- CONTRAST
- PHASE
- FREQUENCY
- H POSITION
- V POSITION
- SHARPNESS

When the selects source is either of Composite or S-Video, the PICTURE functions are:

- BRIGHTNESS
- CONTRAST
- HUE
- SATURATION
- SHARPNESS

Use the UP or DOWN button to select the desired function. Use the LEFT or RIGHT button to set the value of the selected function.

OSD Submenu

The OSD submenu contains the following functions:

- H POS
- V POS
- OSD TIMEOUT
- LANGUAGE

Use the UP or DOWN button to select the desired function. Use the LEFT or RIGHT button to set the value of the selected function.

UTILITY Submenu

The UTILITY submenu contains the following functions:

- FREEZ FRAME
- RESET
- COLOR TEMPERATURE
- INFO

Use the UP or DOWN button to select the desired function. Use the LEFT or RUGHT button to set the value of the selected function.

Quick Menu

If any of the direction buttons are pressed while no OSD is active, the Quick Menu will be activated. The Quick Menu consists of 4 functions:

- BRIGHTNESS
- CONTRAST
- PIP MODE

- SCALING MODE

The UP or DOWN button will scroll through the Quick Menu to select a function. Use the LEFT or RIGHT buttons to adjust or change the value of the selected function. EXIT or SOURCE will exit the Quick Menu.

Recommended Use

Safety Precautions and Maintenance

- DO NOT OPEN THE MONITOR. There are no user serviceable parts inside and opening or removing covers may expose you to dangerous shock hazards or other risks. Refer all servicing to qualified service personnel.
- Do not spill any liquids into the cabinet or use your monitor near water.
- Do not insert objects of any kind into the cabinet slots, as they may touch dangerous voltage points, which can be harmful or fatal or may cause electric shock, fire or equipment failure.
- Do not place any heavy objects on the power cord. Damage to the cord may cause shock or fire.
- Do not place this product on a sloping or unstable cart, stand or table, as the monitor may fall, causing serious damage to the monitor.
- The power cable connector is the primary means of detaching the system from the power supply. The monitor should be installed close to a power outlet that is easily accessible.
- The inside of the fluorescent tubes located within the LCD monitor contains mercury. Please follow the bylaws or rules of your local municipality to dispose of this tube properly.

Immediately unplug your monitor from the wall outlet and refer servicing to qualified service personnel under the following conditions:

- When the power supply cord or plug is damaged.
 - If liquid has been spilled or objects have fallen into the monitor.
 - If the monitor has been exposed to rain or water.
 - If the monitor has been dropped or the cabinet is damaged.
 - If the monitor does not operate normally by following operating instructions.
-
- Allow adequate ventilation around the monitor so that heat can properly dissipate. Do not block ventilated openings or place the monitor near a radiator or other heat sources. Do not put anything on top of monitor.
 - Handle with care when transporting. Save packaging for transporting.
 - For optimum performance, allow 20 minutes for warm-up.

- Adjust the monitor height so that the top of the screen is at or slightly below eye level. Your eyes should look slightly downward when viewing the middle of the screen.
- Position your monitor no closer than 16 inches and no further away than 228 inches from your eyes. The optimal distance is 24 inches for 3023.
- Rest your eyes periodically by focusing on an object at least 20 feet away. Blink often.
- Position the monitor at a 90° angle to windows and other light sources to minimize glare and reflections. Adjust the monitor tilt so that ceiling lights do not reflect on your screen.
- If reflected light makes it hard for you to see your screen, use an anti-glare filter.
- Clean the LCD monitor surface with a lint-free, non-abrasive cloth. Avoid using any cleaning solution or glass cleaner!
- Adjust the monitor's brightness and contrast controls to enhance readability.
- Use a document holder placed close to the screen.
- Position whatever you are looking at most of the time (the screen or reference material) directly in front of you to minimize turning your head while you are typing.
- Avoid displaying fixed patterns on the monitor for long periods of time to avoid image persistence (after-image effects).
- Get regular eye checkups.

Ergonomics

- Adjust the brightness until the background raster disappears.
- Do not position the Contrast control to its maximum setting.
- Use the preset Size and Position controls with standard signals.
- Use the preset Color Setting.
- Do not use primary color blue on a dark background, as it is difficult to see and may produce eye fatigue to insufficient contrast.

	Warning	
<p>To prevent fire or shock hazards, do not expose this unit to rain or moisture. Also, do not use this unit's polarized plug with an extension cord receptacle or other outlets unless the prongs can be fully inserted.</p> <p>Refrain from opening the cabinet, as there are high voltage components inside. Refer servicing to qualified service</p>		

personnel.



CAUTION



To reduce the risk of electric shock, make sure power cord is unplugged from wall socket. To fully disengage the power to the unit, please disconnect the power cord from the AC outlet. Do not remove cover (or back). No user serviceable parts inside. Refer servicing to qualified service personnel.