

Liberty 636

Liberty 36v Folding Bike

User Manual

Thank you for your decision to buy this product.



Please use this product according to the instructions.
Please keep the instructions in a handy place.



Liberty 636 Folding Electric Bike
36 Volt/10 ah Li-ion

Introduction

Dear Customer,

Wow! You are excited! You have just received your brand new ebike. We, too, are excited because as designers and developers of our bikes, we love to make you happy, and we believe your new ebike will give you lots of fun. I know you want to get this bike on the road immediately, but please STOP!

Why? Well, first of all, you need to charge your batteries fully before using them. So, while your ebike is charging, take the time to read this manual. We have worked hard to make it as readable as possible. This manual will help prevent injury and teach you how to care for your new ebike.

► It is the owner's responsibility to carefully read all of the contents of this manual and to comply with all laws pertaining to the operation of bicycles and/or electric bicycles in your local jurisdiction. If you have any questions, please consult with the laws web page on www.iloveEbikes.com or consult your local department of motor vehicles for clarification.

► These electric bikes are not classified as motor vehicles, however, to drive them on the roads various states have differing laws.

► We have worked hard to provide you a quality, well-designed product without defects. That is our responsibility. You, too, have a part to play. With proper care, maintenance and attention to bicycle safety rules, your ebike will give you years of enjoyment.

► Please read the instructions carefully before using your ebike. Do not ride this bicycle until you have read and thoroughly understand the owner's manual. It contains information critical to your safety. If you have questions about the operation of this electric bicycle, consult your authorized dealer. It is extremely important that you follow the safety guidelines contained in this manual in order to ensure your maximum safety. If you loan your bike to anyone, make sure they also know how to operate it safely.

► When using, the load should not be greater than the maximum capacity, and please pay attention to increase the braking distance during rainy or snowy days.

► This ebike can operate in the rain and snow, but it **CANNOT** be submerged in water. When the motor is submerged in water, it may short circuit and fail, which is **NOT** covered by the warranty.

► Please don't dismantle and repair the spare parts by yourself, but go to the local dealer.

► Please take time to record the following information:

Recording Your Ebike Info

Serial
Number: _____

Model: 636


Color: _____

Date of
Purchase: _____

Dealer's Name: _____

Dealer's Ph. #: _____

Dealer's Email: _____



The serial number is stamped on the motor.

Important Instructions

►Safeguard your battery to insure continued high performance. It should be recharged after each use. The normal full-cycle battery life, if it is continuously discharged and recharged, is between 300–1000 cycles (depending on which battery came with your bike) after which the storage capacity of the battery will gradually decline.

CAUTION! Fully charge the batteries before the first use!

►Failure to do this can result in decreased battery performance for the life of the bike. Fully charge the battery each time you use the bike.

►Battery performance is affected by the temperature and is generally better in warm temperatures. When the temperature is below 32° F (0° C), the battery current may decrease by a third. Consequently, the travel range on a full charge in cold environments is much less, but will return to normal when the temperature is back to room temperature.

►Frequent stopping and starting, riding uphill, traveling against a strong wind, starting from a standstill, riding on rough or muddy roads, and carrying more than one person or heavy loads will consume extra battery power and shorten the range. A few tips to prolong the battery life during these conditions is as follows:

►Frequent braking – try to look ahead and coast rather than frequently stopping and starting.

►Riding uphill or against a stiff wind – pedal to supplement the battery power.

►When starting from a standstill, use the pedals to help bring you up to speed.

►When the battery meter indicates the voltage is low, switch to manual power and avoid using the battery, so you don't shorten the battery life.

►To prevent premature failure of your battery and for your warranty to remain in effect on your battery, **YOU MUST CHARGE AND DISCHARGE THE BATTERY AT LEAST ONCE PER MONTH.**



Always turn off the motor and remove the key from the ignition before and during charging to prevent serious damage to the controller and to the batteries!

►This electric bicycle can be used in the rain, however, **the motor and other electrical parts must not be submerged in water.** The controller, motor and other electrical devices may be short circuited causing damage, which is **NOT** covered by warranty, and creating possible dangerous situations.



DO NOT use chargers or other components other than that which has been approved and tested by this company. This company is not responsible for damages caused by the use of other products not specifically designed and tested for use with this electric bike.

►Battery chargers contain sensitive electronics. Improper use, dropping, or sudden jolts can damage the charger and its internal electronics which is **NOT** covered by warranty. **Do not leave the charger on for more than 10 hours!**

►Check all nuts, bolts, screws, and spokes to make sure they are tight before riding. If any screws, nuts, or bolts are loose, put some thread lock on the threads and then tighten.



When riding down hill, you MUST have the key on even if you are NOT using the throttle and even if the battery is not in the bike. The motor will generate enough electricity to RUIN your controller which is NOT covered by warranty.

Table of Contents

Introduction.....	2
Important Instructions.....	3
Table of Contents	4
Assembly	5
Safety Precautions.....	7
General Operating Instructions	8
Battery Charging and Battery Precautions.....	9
Specific Operating Instructions.....	10
Maintenance	11
Troubleshooting.....	12
Warranty.....	13
Federal Electric Bike Law	14

ASSEMBLY

Only minimal assembly is required for your new ebike. You will be required to do the following:

Unfolding the Frame

The frame of your bike folds in the middle. The quick-release latch is released and lifted up to allow the locking pin to release and unfold the bike.

Insert Upper Handlebar Stem

Your bike upper handlebar stem is inserted into the lower stem and is tightened with the quick-release handle as in picture. You can snug up the quick release with the hand nut opposite the handle to get the proper tightness.



Unfold the Handlebars

Unfold the handlebars and lock into place. The hinge has a quick-release that is released and slid off the base and then needs to be slid to one side to unlock the hinge.

Adjusting the Seat


The seat is adjusted with the quick-release. The tightness of the quick-release clamp can be adjusted with the hand nut on the opposite side of the handle.




Fastening Headlight

To fasten the headlight follow the steps below:

1. Loosen the bolt that holds the front fender.
2. Slide front headlight bracket onto the bolt that you removed. For best performance, turn the nut so the hex head fits into the slot on the headlight bracket.
3. We recommend you use threadlock on all bolts and nuts to insure that they do not vibrate loose during use.
4. Tighten hex head with a 10mm wrench to make sure headlight is at the correct angle for shining on the path ahead.





Installing the Pedals

- Note the left and right of the pedal.
- [L] left [R] right are stamped on the threaded end of the pedal.
- Attach the L pedal to the L crank, then R pedal to R crank.
- Screw the pedals in and tighten them fully.



The L pedal has left-hand threads, and the R pedal has right-hand threads. Misapplication is not covered under warranty.

Brake Adjustment



Cable adjustment

Pad adjustment



Your bike's front and rear brakes have a pad that ride on the rim of the wheel for braking. These are adjusted by tightening the cable and by adjusting the stem of the pad. The front brake should be adjusted so that it slows the tire but cannot make it skid. The rear brake should be adjusted so that if necessary it can skid the tire. Adjust the pads on both sides of the bike. Cables also have adjustment at the brake levers on the handlebars.



Take note that the rear brake is on the left side of the handlebar, and the front brake is on the right side of the handlebar.

Safety Precautions

- Before operating your bicycle, inspect it carefully to avoid accidents or damage.
- Do not drive close to other vehicles.
- ALWAYS keep the power switched OFF until you are seated on the bike and ready to ride.
Turning the power on and then accidentally twisting the throttle can result in the bike lurching forward and may cause an accident, damage, or injury.
- NEVER attempt to disassemble the motor, battery, controller or throttle. This can result in injury, fire, or damage to the bike.
- ONLY use the charger supplied with your bike to charge the battery. Using the improper charger can result in fire or explosion.
- KEEP the batteries out of the reach of children.
- Obey all traffic laws relevant to the operation of bicycles and electric bicycles.
- Use the turn signals (if equipped) or hand signals at all times when making turns.
- KEEP both hands on the handlebars at all times.
- DO NOT hang objects on or under the handlebars.
- DO NOT brake suddenly in the rain or on slippery, wet surfaces.
- USE extreme caution when riding near other vehicles. Assume they do not see you, and be careful at intersections and when starting from a stopped position.
- When cleaning your electric bike, do not use a steady direct stream of water from a hose. Use a cloth to avoid short-circuiting any electrical components. Your electric bike has a durable finish and does not need to be waxed. Clean with a mild detergent and buff to restore its original shine.
- Please wear a safety helmet and glasses for your own protection whenever riding.
- Wear bright clothing to help make you visible to other motor vehicles.
- Do not wear loose clothing that can become caught on the bicycle.
- Do not leave the charger connected to the battery for more than 10 hours.

General Operating Instructions

BEFORE YOU RIDE

1. Charge your battery until the green indicator light on the charger comes on, but do **not** allow it to charge more than 10 hours.
2. Check the air pressure of the tires. Make sure they are at the recommended psi embossed on the sidewall of the tire.
3. Check the front and back brakes, and the condition of the front and back wheels, handlebar, and saddle. Make sure they are tight and fastened. Make sure all quick releases are locked and secure and that all parts are in good working order. Inspect your bike completely.
4. If it was removed, install the charged battery in the battery seat of bike and lock it.
5. Raise the kickstand.
6. Sit on the bike and turn the bike on. The power lights/meter should show your battery capacity.
7. Pedaling or using the throttle on the right hand will begin to accelerate the bike.

ATTENTION: After the power is on, if the rider twists the throttle the bike will lurch forward! Do not turn the power on until you are ready to go.

The hand brake will automatically cut the power to the motor as also will releasing the throttle. While starting or climbing a hill, pedal as much as possible, so that the electric power will not be drained too much. At the same time, it can lengthen the life of the battery and motor.

ATTENTION: When riding down hills, do not turn off the power, otherwise the controller and motor will be easily damaged which is NOT covered under warranty.

While running, if the battery power is getting low, the battery meter will lessen. At this time you should pedal your ebike like a regular bike and charge the battery as soon as you get to an electrical outlet. Turn off the power and remove the key while parking. If you decide to push your bike for any reason, make sure to turn the power off, so you don't accidentally turn the throttle making the electric bicycle start suddenly and cause an accident. To help get the best distance out of your electric bike, refrain from a lot of braking and coast as much as possible.

Battery Charging

It is important that you charge your batteries after every use. This will extend the total life of your battery. Once the charger has indicated that your battery is fully charged the green light will come on, unplug the power source from the bicycle and the electrical outlet and store in a cool, dry place. Do not leave the charger plugged into the battery for long periods of time as this can damage the battery.



1. Turn the key to OFF and remove the key.
2. Insert plug of the charger into charging port of the battery box.
You can charge your battery while still in the bike or you can take it out of the bike and charge where it is most convenient.
3. Insert the charger into the wall outlet. **Do not plug charger into outlet until you first plug the charger into the battery charging port.** A red light will come on. It can take up to 8 hours to recharge the battery completely. On most chargers, a green light will appear when it is fully charged.
4. When the light turns from red to green, it indicates that the battery is full. If possible, charge for an additional 2-3 more hours to fully balance the battery.


After the green light comes on, the charger is in trickle charge mode. If you will be gone for many hours, you should unplug the charger. This is especially true in hot weather. Avoid overcharging and damaging the battery. The charger will become warm during charging, so keep charger away from any flammable materials. You can also charge the battery when it is removed from the bicycle. This is especially convenient during cold nights or when your bike is not parked near an electrical outlet. Because specifications of the charger may change in the process of production, please read the information on the charger itself or the charger manual (if included) in detail before using. **Always charge the bike in a dry and clean place. Keep the charger dry and clean.**

Battery Precautions

- Do not touch the two poles of the battery with your hands when the battery is removed for charging. Also, the two battery poles should not be touched with any metal or other material that conducts electricity.
- While charging, put the battery in a secure place where children can't reach.
- Do not use any charger other than the one that came with your Liberty Electric Bike. If you need another charger, contact your local dealer.
- Do not attempt to open or repair your charger. The electronics contain high-pressure circuits, so don't dismantle by yourself.
- Prevent liquids, metal and metal filings from permeating the charger, and be careful to not drop or hit the charger which could cause damage.
- Do not put anything on top of the charger while charging. It must be well-ventilated to allow all the heat generated to dissipate.
- When charging, if there is a peculiar smell or the temperature is too high, please stop charging immediately.
- To prevent premature failure of your battery and for your warranty to remain in effect on your battery, **YOU MUST CHARGE AND DISCHARGE THE BATTERY AT LEAST ONCE PER MONTH.** Do NOT use the battery in a very low state.
- The charger will produce heat up to **185°F (85°C)** in the course of using, so keep it away from flammable articles while using.
- It is normal that the mileage capacity will reduce as a result of low temperatures.
- While carrying the charger, DO NOT bump, drop, or damage, otherwise it may result in failure.
- Avoid any contact with water when charging your battery. If a plug or socket gets wet, dry it completely before using.
- Do not leave the charger connected to the battery and the outlet for more than 10 hours.
- Always use the charger according to the instructions.

Removing the Battery from the Bike

- Loosen the quick-release from the seat and lift seat from the seat post.
- Turn key to release the locking pin.
- Lift handle on top of the battery and slide out battery from its position in the bike.



Specific Operating

Instructions


Your bike has a KEY switch on the battery with an ON/OFF position. A battery meter is located on the top of the battery which shows the charge if you press the button next to the battery meter.

To ride your bike your key switch needs to be ON. Once it is on, your handlebar battery meter will light up so you can see how much charge is in your battery. Always make sure it is at full charge when you begin to ride your bike.

The light switch is located on the left handlebar. Press the red button to turn the headlight ON or OFF.

Your bike is equipped with 6 speed shimano gears. You can go through the gears by turning the left handlebar.

On the right handlebar is the throttle. You can start your bike by pedaling or by twisting the throttle. As you pedal, the motor will automatically help you if the key switch is in the ON position on the battery.



MAINTENANCE

Wheels: Wheels should be properly placed in the fork or dropouts. If you hear any irregular noise from the wheels or brakes, they should be checked and adjusted. The wheels should rotate smoothly without wobbling from side to side. Check the bearing play of the hubs regularly by lifting the bicycle and spinning the wheel. It should continue to spin for several turns after you stop spinning the wheel. The motorized wheel will NOT spin as freely as the non-motorized wheel. To check the play of the hubs, try to move the rim from side to side between the forks. No substantial play should exist. If you detect play or if the wheel is difficult to turn, please contact your local dealer or your local bike shop to have it serviced.

Rims: The rims should be smooth and without cracks, breaks or bulges.

Spokes: If your bike has spokes, check their tension regularly. About the same tension should be on all the spokes. If there is some minor loosening of the spokes, you may tighten the nipples, but it is recommended that you take it to a bicycle mechanic for proper adjustment. If there is a loose spoke or if the rim has side play of more than 1/8" (4mm), immediately have the wheel trued by a bicycle mechanic. **DO NOT RIDE WITH LOOSE SPOKES! Riding with loose spokes may cause the wheel to fail.**

Tires: Inflate your tires to the pressure embossed on the sidewall. Every time you ride, make sure the tires are properly inflated. Improper tire pressure will make riding more difficult, cause excessive wear, and cause premature failure of the tires. The tires should be properly seated in the rim and the fitting of the tire beads and rim beads should be checked. If the tube is pinched between the rim and the tire, it will fail when inflated. Make sure that the tires are not cracked or worn unevenly. Check for bulges. Check and make sure that the valve stem is straight in the rim. Irregular tires should be replaced immediately.

Handlebar and Display: We have created the handlebar display so that you can easily see it while riding. To straighten the handlebars, turn the stem binder bolt to loosen it and straighten the handlebars so they are aligned properly with the front wheel and tighten. Loose or damaged grips on your handlebars are dangerous! If your grip comes off, you could lose control of your bicycle. Replace as needed.

Brakes: Riding with brakes that are worn or damaged or with worn cables or wheels in poor condition may result in losing control of your bicycle. Wet weather may hinder the brake performance. You need more distance to safely stop in the rain or on a wet or icy street. Before each ride, check to make sure your brake cables are free of obstacles and are adjusted and working properly.

Batteries/Fuses: Your batteries are in a protective case with a handle to enable you to easily take these on and off your bike. There is a locking key to lock the batteries on your bike to discourage theft. Do not attempt to open your battery box without first contacting your dealer. This **WILL** void your warranty. If you suspect your battery is not working properly, you can test it with an inexpensive voltage meter. If you get a "zero" voltage reading, then check and replace your fuse. (Check the pages of this manual that are specific for your battery.) If this doesn't fix the issue, then contact your local dealer.

Chain: Lubricate the chain with oil every three months to ensure it stays free of rust as well as every time that it is ridden in wet weather.

Troubleshooting

Problem	Solution
A. You turn the power on, the indicator lights are all on, but with throttle or pedal assist, the ebike doesn't work.	<ol style="list-style-type: none"> 1. Your controller needs to be replaced, or 2. Your motor needs to be replaced.
B. You turn the power on, the indicator lights are all on, bike works with throttle, but not with pedal assist.	<ol style="list-style-type: none"> 1. Your controller needs to be replaced, or 2. Your pedal assist module needs to be replaced, or 3. Your motor needs to be replaced.
C. You turn the power on, the indicator lights are all on, bike works with pedal assist, but not with throttle.	<ol style="list-style-type: none"> 1. Your controller needs to be replaced, or 2. Your throttle needs to be replaced, or 3. Your motor needs to be replaced.
D. You turn the power on, then twist the throttle, but the ebike doesn't work.	<ol style="list-style-type: none"> 1. Check your battery to see if it needs to be charged, or 2. Your fuse needs to be replaced, or 3. Your controller needs to be replaced, or 4. Your motor needs to be replaced.
E. The switch is turned on, and the ebike takes off without using the throttle.	<ol style="list-style-type: none"> 1. Check whether the throttle is stuck in the on position. 2. Lubricate or replace the throttle if it is faulty.
F. After stopping, the ebike doesn't start when the throttle is twisted.	<ol style="list-style-type: none"> 1. Check whether the brake handles are fully released. 2. Check A., B., and C. above.
G. The speed is unusually slow.	<ol style="list-style-type: none"> 1. Make sure throttle is operating correctly. 2. Check to see if the battery is fully charged. 3. Make sure speed limiter is not connected.
H. You connect the power to the charger, but the indicator light does not come on.	<ol style="list-style-type: none"> 1. Check whether there is electricity to the charger. 2. If you have a voltage meter, you can check to see if the charger produces the correct current.
I. You plug in the charger to the ebike and the outlet, and the green light comes on instead of the red light. This means it isn't charging.	<ol style="list-style-type: none"> 1. Check to see if the batteries are fully charged. 2. Check whether the charger is plugged in properly to both the battery and the outlet. 3. Check the voltage of the charger and battery. 4. If "zero" voltage on the charger, then it needs to be replaced. 5. If "zero" voltage from the battery, then check the fuse.
<p style="text-align: center;">If all above mentioned situations are normal, then there is some other problem. Please call your local Liberty ebike dealer.</p>	

Warranty

With normal care and recommended maintenance, this electric bicycle is warranted to be free of defects in materials and workmanship for the following period of time:

3 months – electronic controller, charger, and throttle

6 months – hub motor and battery

1 year – frame.

We will repair or replace, at our option, any product or part that is defective in material or workmanship without charge if the product is presented to us at our authorized Liberty Electric Bike Service Center at 1-800-806-7109 with dated proof of purchase inside of warranty period. Shipping charges are not covered under this warranty.

This limited warranty does not cover the normal wear of items such as tires, brakes, chains, and other items. All implied warranties are limited to the stated time period.

Liberty Seamless Enterprises, Inc., Liberty Electric Bike Company, and any of its subsidiaries will not be liable for any incidental or consequential damages.

This limited warranty gives you specific legal rights, and you may have other rights from state to state.

This warranty applies to normal consumer use of the product. Use in a rental fleet, commercial setting, or government fleet will void this warranty. Inappropriate use such as trick riding, abusive riding, or offroad riding will void the warranty as well as violating the instructions in this manual.

Electric Bicycle Regulations

- Federal law says that an electrically driven bicycle is considered a "bicycle" and the laws of bicycles apply if:
 - o Electrically driven bicycle has less than 750 watt motor
 - o Functional pedals
 - o Max speed is less than 20mph
- The Federal law shall supersede any State law or requirement with respect to low-speed electric bicycles. (The state must regulate the electric bicycle as a bicycle)
- Federal definition of a bicycle
 - o Sec. 1512.2. [Amended]
- § 2. Amend Sec. 1512.2, to revise paragraph (a) to read as follows:
 - (a) Bicycle means:

Federal Electric Bicycle Law HR 727



SECTION 1. CONSUMER PRODUCT SAFETY ACT.

The Consumer product Safety Act (15 U.S.C. 2051 et seq) is amended by added at the end of the following:

LOW-SPEED ELECTRIC BICYCLES

SEC. 38. (a) Notwithstanding any other provision of law, low-speed electric bicycles are consumer products within the meaning of section 3(a)(1) and shall be subject to the Commission regulations published at section 1500.18(a)(12) and part 1512 of title 16, Code of Federal Regulations.

(b) For the purpose of this section, the term 'low-speed electric bicycle' means a two- or three-wheeled vehicle with fully operable pedals and an electric motor of less than 750 watts (1 h.p.), whose maximum speed on a paved level surface, when powered solely by such a motor while ridden by an operator who weighs 170 pounds, is less than 20 mph.

(c) To further protect the safety of consumers who ride low-speed electric bicycles, the Commission may promulgate new or amended requirements applicable to such vehicles as necessary and appropriate.

(d) This section shall supersede any State law or requirement with respect to low-speed electric bicycles to the extent that such State law or requirement is more stringent than the Federal law or requirements referred to in subsection (a).

"We recommend you laminate this sheet and keep with you when riding"