Alcatel-Lucent **OmniPCX** Office



Alcatel-Lucent IP Touch 4018 Phone Alcatel-Lucent IP Touch 4008 Phone Alcatel-Lucent 4019 Digital Phone



User manual


Introduction

Thank you for choosing a telephone from the IP Touch 4008/4018 Phone/4019 Digital Phone range manufactured by Alcatel-Lucent.

Your terminal has a new ergonomic layout for more effective communication.



How to use this guide



These symbols can be supplemented by small icons or text.

Contents

1.)


2.

3.


4.

Get	ting to know your telephone	p.6
Usir	ng your telephone	p.7
1.1	Making a call	р.7
1.2	Receiving a call	
1.3	Using the telephone in "Hands free" mode	р.7
1.4	Activating the loudspeaker during a conversation (receiver lifted)	р.7
1.5	Calling your correspondent by name (company directory)	р.7
1.6	Make a call using the personal phone book	
1.7	Filtering calls using the voice mailbox	
1.8	Redialling	р.8
1.9	Make a call-back request to a busy number	р.8
1.10	Answering an internal call in intercom mode	
1.11	-	
1.12	Mute, so that your correspondent cannot hear you	
Dur	ing a conversation	p.10
2.1	Making a second call during a conversation	
2.2	Answering a second call during a conversation	
2.3	Switching between calls (Broker call).	
2.4	Transferring a call	
2.5	Transfer a call to the voice mailbox of an absent party	
2.6	Three-way conference with internal and/or external correspondents (conference)	
2.7	Placing a call on hold (hold)	
2.8	Placing an outside call on hold (parking)	
2.9	Intrusion into an internal conversation	
	Store a number	
	Adjust audio volume	
	et me' conference	•
3.1	Initiate a 'Meet me' conference	•
3.2	Join a 'Meet me' conference	
	•	•
Sha	ring	
4.I	Receiving supervised call ringing	
4.2	Answering the general bell	
4.3	Manager/secretary filtering	
4.4	Call pick-up	
4.5	Answering briefly in place of the operator	p.14
4.6	Hunting groups	
4.7	Calling an internal correspondent on his/her pager	p.15
4.8	Answering a call on your pager	
4.9	Calling a correspondent on his/her loudspeaker	
4.10	Sending a written message to an internal correspondent	p.16
4.11		
4.12	Sending a recorded message to a number / a distribution list	p.17
4.13	Broadcasting a message on the loudspeakers of a station group	p.17
4.14	Modify the automated attendant welcome message remotely	p.17


5.)	Keep in touch	p.18
	5.1 Selecting calls to be diverted 5.2 Diverting calls to another number (immediate diversion). 5.3 Diverting your calls to your voice message service. 5.4 When you return, consult recorded messages. 5.5 Activate/disable the personal assistant. 5.6 Personal assistant : reaching you with one number only. 5.7 Diverting calls to your pager 5.8 Forwarding your calls from the receiving terminal ("Follow me") 5.9 Applying a selective diversion. 5.10 Diverting all group calls. 5.11 Cancelling all diversions. 5.12 Diverting calls when your line is busy (divert if busy) 5.13 Do not disturb 5.14 Leaving a recorded message for internal callers 5.15 Consulting written messages 5.16 Message notification	p.18 p.18 p.18 p.19 p.19 p.19 p.19 p.19 p.19 p.20 p.20 p.20 p.20 p.20 p.21
6.)	Managing your charges	p.22
	6.1 Charging your calls directly to business accounts	р.22 р.22
7.	Programming your telephone	n 23
		P.23
	7.1 Initializing your voice mailbox. 7.2 Customising your voice greeting . 7.3 Modifying your personal code . 7.4 Configuring the telephone ringer . 7.5 Adjusting screen brightness . 7.6 Selecting language . 7.7 Make a call using the personal phone book . 7.8 Programming direct call keys . 7.9 Programming an appointment reminder . 7.10 Identify the terminal you are on . 7.11 Broadcasting background music on your loudspeaker . 7.12 Lock / unlock your telephone . 7.13 Activating/deactivating "forced headset" mode .	p.23 p.23 p.23 p.24 p.24 p.24 p.24 p.24 p.25 p.25 p.25 p.25
8.	7.1 Initializing your voice mailbox. 7.2 Customising your voice greeting 7.3 Modifying your personal code 7.4 Configuring the telephone ringer 7.5 Adjusting screen brightness 7.6 Selecting language 7.7 Make a call using the personal phone book 7.8 Programming direct call keys 7.9 Programming an appointment reminder 7.10 Identify the terminal you are on 7.11 Broadcasting background music on your loudspeaker 7.12 Lock / unlock your telephone.	p.23 p.23 p.23 p.24 p.24 p.24 p.24 p.24 p.25 p.25 p.25 p.25 p.25
8.	7.1 Initializing your voice mailbox. 7.2 Customising your voice greeting 7.3 Modifying your personal code 7.4 Configuring the telephone ringer 7.5 Adjusting screen brightness 7.6 Selecting language 7.7 Make a call using the personal phone book 7.8 Programming direct call keys 7.9 Programming an appointment reminder 7.10 Identify the terminal you are on 7.11 Broadcasting background music on your loudspeaker 7.12 Lock / unlock your telephone. 7.13 Activating/forced headset" mode	P.23 P.23 P.23 P.24 P.24 P.24 P.25 P.25 P.25 P.25 P.25 P.25 P.25 P.25



Using your telephone



Using your telephone



1.8	Redialling		
Redialli	ing the last numbe	r dialled (redial)	_
	\rightarrow	last number redial	
'redial' key(sho press)	ort		
Call ba	ck on the last 10 r	umber dialled	
	OR	Rediallist OK	
'redial' (long p			
		OK	
	the no. in the issued	start the call	
1.9 Make a call-back request to a busy number			




Using your telephone


Answering an internal call in intercom mode (Alcatel-Lucent IP Touch 4008/4018 Phone only) 1.10 You can answer without lifting the receiver. When you receive an internal call, your telephone rings and you are connected directly in hands free mode. The screen shows the caller's identity. • To activate - Terminal idle: corresponding LED lights up 6 When your caller hangs up, intercom mode remains active. ----To deactivate - Terminal idle: The corresponding LED goes out Sending DTMF signals 1.11 During a conversation you sometimes have to send DTMF signals, such as with a voice server, an automated attendant or a remotely consulted answering machine. OK CONV. MFcode during a to activate conversation The function is automatically cancelled when you hang up. ___

1.12 Mute, so that your correspondent cannot hear you


You can hear your correspondent but he/she cannot hear you:



2 During a conversation




During a conversation



During a conversation

OK



'Meet me' conference

The 'Meet me' function is used to set up a conference with a maximum of 6 persons: the 'master' of the conference (who has the rights for initiating the conference) and the participants (maximum of 5) who meet for the conference.

Initiate a 'Meet me' conference 3.1

In order for the participants to join the conference, you must first decide on a meeting time for the conference and send them the access code.



3

When the system prompts you to enter a code or password, you are allowed 3 attempts before the system rejects your request.

from the outside, dial



lift the receiver (see making a

call)



enter the 'meet me'

code

the 'meet me' conference activation conference activation call number

telephone number (internal)

enter your

the conference is set-up enter the conference

enter your access code personal password

activation code : this code is defined by the administrator during system configuration

- call number for activating the 'Meet me' conference: this call number is used by the conference master when he wishes to initiate a conference from an external set. This number must have been defined previously by the system administrator
- password: the default password cannot be used. If necessary, refer to chapter"Modifying your personal code"



When the conference master on-hooks, all the communications will be cut-off.

Join a 'Meet me' conference 3.2

Once set-up by the conference master, the participants can join the 'Meet me' conference (5 participants maximum).





lift the receiver enter the joining code for the 'meet me' (see making a

from the outside, dial the 'meet me' conference joining call number



call)

You are in conference mode

enter the conference access code

ioining code : this code is defined by the administrator during system configuration

conference

call number for joining the 'Meet me' conference: this call number allows the participants to join a conference from an external set. This number must have been defined previously by the system administrator



An audible beep sounds when a participant joins the conference. 2 audible beeps sound when a participant leaves the conference.



You cannot join a conference if the maximum allowed number of participants is already reached.




If the conference has not yet been set up by the conference master you are put on hold until the conference is initiated (5 minutes maximum).




If you cannot directly reach the conference, you have to call first an internal user or an automatic operator. This one dials the call number for joining the 'Meet-me' conference and then transfers your call (10 seconds).


4



Call pick-up You hear a telephone ringing in an office where no-one can answer. If authorised, you can answer the call on your own telephone. If the telephone ringing is in your own pick-up group: 'group call pick-up' programmed key • If the telephone ringing is not in your pick-up group: OK Pickup oĸ Set number of telephone ringing 'set call pick-up' number of programmed key telephone ringing The system can be configured to prevent call pick-up on certain telephones. Answering briefly in place of the operator Outside calls to the operator will ring on your telephone and you can answer the call: your telephone will ring at the 4 same time as the switchboard "operator help" same key to programmed key cancel • Calls to the switchboard: calls to the switchboard will ring on \rightarrow your telephone

"operator help" programmed key







• The 27 standard messages are shown below:

Ι	Call me back	15	Meeting on (*)
2	Call me back tomorrow	16	Meeting on at _:_ (*)
3	Call me back at _:_ (*)	17	Out for a while
4	Call back (*)	18	Absent for the rest of the day
5	Call the attendant	19	Absent, back at _:_ (*)
6	Call the secretary		Absent, back on at _:_ (*)
7	l will call back at _:_ (*)	21	On vacation, back on (*)
8	Use paging		External meeting
9	Please fetch your fax	23	External meeting, back on (*)
10	Please fetch your mail	24	l am in room nr (*)
11	Please cancel your forwarding	25	In a meeting - do not disturb
12	Visitors are waiting	26	At lunch
13	You are expected at reception	27	Indisposed
14	Meeting at _:_ (*)	(*)	Messages to be completed using numeric keypad


4.11 Send a voice message copy






5.1 Selecting calls to be diverted

When a diversion is applied, you can select the types of call to be diverted: outside, internal, all



5.2 Diverting calls to another number (immediate diversion)


The number can be your home, portable or car phone, voice message or an internal extension (operator, etc.).




Diverting your calls to your voice message service 5.3 OK Immediate+UM Forward OK \rightarrow diversion is acknowledged select the 'diversion' function When you return, consult recorded messages 5.4 The light indicates that messages have been received. display number of new and old ÍM OK Voice messages personal code display name of sender, with date, time ОК Consult <u>م</u> and ranking of message select message ок Play Clear (i ок listen to message erase message Call OK OR Sendcopy call back sender of message send a copy of a message Activate/disable the personal assistant 5.5 display of personal assistant state (active or Settings ОК Assistant OK not actve) ON/OFF ок OK (On OK Off OR

18

Keep in touch



Keep in touch




Keep in touch

The 27 standard messages are shown below:

Call me back	15	Meeting on (*)
Call me back tomorrow	16	Meeting on at _:_ (*)
Call me back at _:_ (*)	17	Out for a while
Call back (*)	18	Absent for the rest of the day
Call the attendant	19	Absent, back at _:_ (*)
Call the secretary	20	Absent, back on at _:_ (*)
l will call back at _:_ (*)	21	On vacation, back on (*)
Use paging	22	External meeting
Please fetch your fax	23	External meeting, back on (*)
Please fetch your mail	24	I am in room nr (*)
Please cancel your forwarding	25	In a meeting - do not disturb
Visitors are waiting	26	At lunch;
You are expected at reception	27	Indisposed
Meeting at _:_ (*)	(*)	Messages to be completed using numeric keypad
	Call me back tomorrow Call me back at _:_ (*) Call back (*) Call the attendant Call the secretary I will call back at _:_ (*) Use paging Please fetch your fax Please fetch your fax Please fetch your forwarding Visitors are waiting You are expected at reception	Call me back tomorrow 16 Call me back at _:_ (*) 17 Call back (*) 18 Call the attendant 19 Call the secretary 20 I will call back at _:_ (*) 21 Use paging 22 Please fetch your fax 23 Please fetch your mail 24 Visitors are waiting 26 You are expected at reception 27

5.15 Consulting written messages

The light indicates that messages have been received.



previous message


During the display of the information:



call back the message sender (the message is erased automatically after the call)

next message

During consultation of a message, pressing the 'i' key provides access to the following functions: (\bigcirc)



5.16 Message notification

A message is left in your mailbox but you are not at your desk. You can configure your telephone so that you receive notification of the message on another telephone.



activate/deactivate message notification



enter the number of the set where the notification is to be received





ок apply

enter the number change the time slot

The time slot during which notification is activated can be changed.






change times

apply

Managing your charges 6



- When the internal correspondent who has taken the call on-hooks, you are called back and can:
- I. Read information concerning call (cost, duration, number of units...).




2. Print a charge ticket.

3. Terminate consultation.

call




7 Programming your telephone



Programming your telephone

V Activate/disable meeting mode (progressive ringing)	7.6 Selecting language
Progressive OK On OFF OK	7.6 Selecting language
to deactivate to activate apply your choice V Activate/deactivate discreet ring mode	Settings OK Options OK
Beeps OK On Off OK	
to deactivate to activate apply your choice Adjust ringer volume while a call arrives	select the language apply your choice of your choice
Call \rightarrow \bigcirc OR \checkmark	7.7 Make a call using the personal phone book
your telephone adjusting the ringer volume rings	
7.5 Adjusting screen brightness	press and enter the name* enter the number release * Enter the name :
Settings OK Phone OK Contrast OK	enter the text: the number pad keys have letters that you can display by successive presses
	position the cursor in the entry field
	erase last character entered
adjusting screen brightness apply your choice	enter a digit (keys 0 to 9)
	7.8 Programming direct call keys
	24 one direct call key to enter the number programme

Programming your telephone




ACD : Agent set

8.1 Agent set

8

A call centre solution allows optimum distribution of calls to agents according to their availability and skills.



8.3 The four operating statuses of the agent set

An agent's availability is determined by the operating status (of which there are 4), that the agent can change at any time. These statuses are:

- In service, the agent is ready to receive calls.
- Withdrawn , the agent has withdrawn from the ACD application.
- Additional task, the agent is performing a task concerning a call and is not taking other calls.
- Temporarily absent, the agent has taken a break and is not taking calls.


8.4 Changing the operating status of the set

The operating status change codes are defined when the system is configured. Contact the system administrator to obtain these codes.



•	the feature	code
	to activate	

A melody is played: activation accepted, the change of status has been carried out



Guarantee and clauses

Independently of the legal warranty that covers this appliance, it is guaranteed for 1 year, parts and labour, counting from the date indicated on your invoice.

The invoice will be demanded if making a claim under the warranty. The warranty does not however apply in the following cases: in the event of use that does not comply with the instructions given in this user's manual, faults or damage caused by natural wear, damage resulting from a cause external to the appliance (e.g. impact, fall, exposure to dampness, etc.), noncompliant installation or modifications or repairs carried out by people who are not approved by the manufacturer or retailer.

Warning: never place your telephone in contact with water. To clean your telephone, you may however use a damp soft cloth. Never use solvents (trichlorethylene, acetone, etc.) which may damage the plastic parts of your telephone. Never spray it with cleaning products.

The ear piece and microphone area of the handset may attract metallic objects that may be dangerous for the ear.

To avoid accidentally damaging the set telephone line connector, make sure you position the cord correctly in the compartment intended for this purpose.

The wording is not contractual and may be subject to change. Some functions of your telephone are controlled by a software key and the configuration of the unit.

Declaration of compliance

EC countries: we, **Alcatel-Lucent Enterprise**, declare that the Alcatel-Lucent IP Touch 4008/4018 Phone and 4019 Digital Phone products comply with the essential demands of Directive 1999/5/CE of the European Parliament and Council. A copy of the original of this declaration of compliance can be obtained from your installer.



Information relative to the environment

This symbol indicates that at the end of its life, this product should be subject to special collection and disposal in member countries of the European Union, as well as in Norway and Switzerland. By ensuring this product is disposed of correctly, you will help to conserve natural resources and help prevent potential negative consequences to the environment and human health which could otherwise be caused by inappropriate disposal of this product. For further details about recycling this product, please contact the supplier who sold you the product.

Operating conditions

Operating temperature range: -5°C /45°C .

Acoustic shock protection

The acoustic level of the signal generated by the handset earpiece is less than 130 dBspl for a transient signal (123 dBspl for Australia) and less than 118 dBspl (rms) for a continuous signal (120 dBA for Australia).

Directive 2003/10/EC specifying the risks inherent in noise at work

The ring contributes towards overall daily noise; at its maximum setting, the level is 105 dBA at 60 cm from terminal. To reduce the level, the following is recommended:

- reduce the setting (9 levels of 5 dB) $\,$
- program a progressive ring

Alcatel, Lucent, Alcatel-Lucent and the Alcatel-Lucent logo are trademarks of Alcatel-Lucent. All other trademarks are the property of their respective owners. The information presented is subject to change without notice. Alcatel-Lucent assumes no responsibility for inaccuracies contained herein. Copyright © 2007 Alcatel-Lucent. All rights reserved.