

ONE YEAR LIMITED WARRANTY

Conair will (at our option) repair or replace your appliance free of charge for 12 months from the date of purchase if the appliance is defective in workmanship or materials.

To obtain service under this warranty, return the defective product to the service center nearest you, together with your sales slip and \$7.50 for postage and handling. **ANY IMPLIED WARRANTIES, OBLIGATIONS OR LIABILITIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL BE LIMITED IN DURATION TO THE 12 MONTH DURATION OF THIS WARRANTY.** Some provinces do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

IN NO EVENT SHALL CONAIR BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WHATSOEVER. Some provinces do not allow the exclusion or limitation of special, incidental or consequential damages, so the above limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from province to province.

For service, please bring or send defective unit with sales slip to the nearest service centre listed below.

Service Centers:

Conair Consumer Products Inc.
156 Parkshore Drive
Brampton, Ontario
L6T 5M1

Visit us on the web at: www.conair.com
©2001 Conair Consumer Products Inc.
Brampton, Ontario L6T 5M1

IB-3868
MBTS4TC
00CN1389

IMPORTANT SAFETY INSTRUCTIONS

When using an electrical appliance, basic precautions should always be followed, including the following: Read all instructions before using this appliance.

DANGER– To reduce the risk of electric shock:

- 1) Always unplug this appliance from the electrical outlet immediately after using and before cleaning.
- 2) Do not reach for an appliance that has fallen into water. Unplug immediately.
- 3) Do not place or store motor housing where it can fall or be pulled into the bathtub. Do not fully immerse in or drop into water or other liquid. Store in dry place.

WARNING– To reduce the risk of burns, fire, electric shock, or injury to persons:

- 1) An appliance should never be left unattended when plugged in. Unplug from outlet when not in use, and before putting on or taking off parts.
- 2) Close supervision is necessary when this appliance is used by, on, or near children, invalids, or disabled persons.
- 3) Use this appliance only for its intended use as described in this manual. Do not use attachments not recommended by Conair.
- 4) Never operate this appliance if it has a damaged cord or plug, if it is not working properly, or if it has been dropped or damaged, or dropped into water. Return the appliance to a service center for examination and repair.
- 5) Do not carry this appliance by supply cord or use cord as a handle.
- 6) Keep the cord away from heated surfaces.
- 7) Never operate the appliance with the openings blocked. Keep the opening free of lint, hair, and other particles. Do not operate on top of shag or loose pile rugs.
- 8) Never drop or insert any object into any opening.
- 9) Do not use outdoors.
- 10) Do not operate where aerosol (spray) products are being used or where oxygen is being administered.
- 11) To disconnect, turn control to the “off” position, then remove plug from outlet.

HOW TO USE BATH MAT AND MOTOR HOUSING

- 1) Remove bath mat, motor housing, soft surface mat, and air hose from packaging. Do not fill tub first.
- 2) Insert one end of the air hose into the female receptacle on one end of the mat. Press in firmly.
- 3) Place mat into tub with hose end towards the front of tub. Press mat firmly down to engage suction cups on bottom of mat. Suction cups may lose grip on textured surfaces or tubs with some dirt buildup. Clean area and moisten suction cups to increase suction cup grip.
- 4) Place motor housing on the floor conveniently between the bathtub and electrical outlet. Never place the motor housing where it can fall into the tub. Have the motor housing face the user in the tub, as the infrared Remote Control needs to be aimed by the user towards the motor housing.
- 5) Plug motor housing into 120 V AC outlet. See ALCI operating instructions to familiarize yourself with ALCI use and function.
- 6) Insert the other end of the air hose into the motor housing.
- 7) Test the Unit by pushing rocker switch on the front of appliance to "HIGH". You should hear the motor turn on.
- 8) Test operation of the Remote Control by pushing the rocker switch to the "REMOTE" position. Now press the remote's power "ON" button; motor will run on the "HIGH" setting. Try other settings to become familiar with the unit's operation. (See "How To Use Remote Control")
- 9) Now fill the bathtub with the amount and temperature of bath water desired. Turn on unit to desired setting.
- 10) Exercise extra caution getting into and out of the bathtub.
- 11) The bath mat massager will not keep hot bath water heated. Even on the HIGH setting, the user should expect hot bath water to cool off.
- 12) Use of salts and oils is acceptable with your Bath Mat Massager. Please clean the bath mat with fresh tap water before storing. Also note that your additions of salt or oil may make tub and bath mat surfaces slippery.
- 13) After use, be sure you are dry before unplugging power unit.
- 14) To store, drain all water from the bath mat sections by rotating gently over the bathtub. Disconnect the air hose from the power unit and drain air hose into tub as well. After all free water has dripped into the tub, gently wipe any wet surfaces with a clean dry towel before storing.
- 15) Dry the Remote Control Power Module after use. Avoid submerging or having control float on water for long periods of time.

CLEANING AND DISINFECTING YOUR THERMAL BATH SPA MAT

- 1) Your Bath Mat can be cleaned with any mild detergent or soap. Cleaning is recommended after each use.
- 2) Disinfect your unit periodically to keep it bacteria-free. With frequent use, disinfect weekly. With infrequent use, disinfect after each use.

FEATURES

- 1) Powerful AC motor with "Off", "High", and "Remote" settings
- 2) 4 section, foldable bath mat.
- 3) Soft cushion seat for comfort.
- 4) 9 foot flexible hose for adaptability to any standard tub.
- 5) ALCI (120V AC 60 Hz) for safety, with 6 ft. line cord attached to power pack (120V 60 Hz).
- 6) Floating Remote Control Power Module that allows remote operation of the BATH MAT. Remote functions include: High Volume Bubbles, Medium Bubbles, Low Bubbles, Pulse Bubbles, Random Bubbles, and ON/ OFF function.

RECOMMENDED MASSAGING TIMES

Massage should generally last only 15-20 minutes.

Caution: Read safety rules and operating instructions carefully. This product is intended for indoor use on permanent tubs. Do not use outdoors or in inflatable tubs or pools.

CONAIR®

B O D Y B E N E F I T S®



Deluxe Thermal Spa

Bath Mat with Remote Control

INSTRUCTION BOOKLET FOR MBTS4TC

- 12) Do not use if you have sensitive skin areas or poor circulation. Use by unattended children or incapacitated persons may be dangerous.
- 13) Disconnect power when not in use, and store in dry place.
- 14) Never use while sleeping or drowsy.
- 15) Keep the Remote Control Power Module dry when possible. After use, store in a cool, dry place. Avoid submerging or having control float on water for long periods of time.

SAVE THESE INSTRUCTIONS FOR HOUSEHOLD USE ONLY


OPERATING INSTRUCTIONS

This appliance has a polarized plug (one blade is wider than the other). As a safety feature, this plug will fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature.

This appliance is equipped with an Appliance Leakage Circuit Interrupter (ALCI), a safety feature that renders it inoperable under some abnormal conditions, such as immersion in water.

To make sure the ALCI is functioning properly, perform the following test. The purpose of this test is to allow you to make sure the exclusive water sensing system (ALCI) is working.

- 1) Plug in appliance and press test button on plug (see appropriate diagram below).
- 2) Appliance will stop working. There will be an audible click and a reset button will pop out.
- 3) To reset ALCI with a reset button, unit should be unplugged. Then push in reset button, and reinsert plug into outlet.
- 4) If ALCI is not functioning properly, return appliance to an authorized Conair service center.
- 5) It is important that if immersion of the transformer or the ALCI occurs, this unit be brought to a service center. Do not try to reset.
- 6) Be sure to repeat test every time you use appliance to confirm ALCI is operational. Should the appliance go off and the ALCI reset button pop up during use, this could indicate a malfunction in the appliance.



HOW TO USE REMOTE CONTROL

- 1) Find the Remote Control Power Module and carefully remove it from its wrapping.
- 2) Remove battery cover by removing 2 screws on the end of the remote control. Insert the 2 "AAA" batteries (which are included) following instructions engraved inside the battery enclosure. Carefully replace battery cover and make sure "O" ring is intact.
- 3) Your Remote Control has the following features:
 - Power On/Off - Remotely turn motor On or OFF
 - High Bubbles - Highest bubble action
 - Medium Bubbles - Medium bubble action
 - Low Bubbles - Softest bubble action
 - Pulse Feature - Pulse between "High" and "Low" every 3 seconds for custom comfort
 - Random Feature - Pulse levels alternately change between "High", "Medium" and "Low".
- 4) Aim the remote control at the top front of the motor housing. If the remote does not work, check to see that the power switch is set to the "remote" position, and that the batteries in the remote are fresh and making good contact.

USER MAINTENANCE INSTRUCTIONS

The Body Benefits® Bath Mat can help you relax, relieve tension and soothe sore muscles. Consult your physician or physical therapist for recommendations regarding Bath Mat, including water temperature and duration and frequency of use.

CARE AND MAINTENANCE

Keep your unit clean and clear of obstruction. Check the hose and mat controls, air intakes, and connections periodically to make sure they are free of obstruction, hair, lint and other particles that could block airflow.

If the Remote control does not work, first check the setting on the rocker power switch on the motor housing, and make sure that the "REMOTE" position has been selected. Then check operation by aiming the remote at the motor housing, and selecting a function. If the remote still does not operate the unit, make sure that the ALCI "reset" button is engaged. Now check to make sure that the batteries in the remote are fresh, and making good contact in the battery housing.

CLEANING AND DISINFECTING YOUR THERMAL BATH SPA MAT

- 1) Your Bath Mat can be cleaned with any mild detergent or soap. Cleaning is recommended after each use.
- 2) Disinfect your unit periodically to keep it bacteria-free. With frequent use, disinfect weekly. With infrequent use, disinfect after each use.

FEATURES

- 1) Powerful AC motor with “Off”, “High”, and “Remote” settings
- 2) 4 section, foldable bath mat.
- 3) Soft cushion seat for comfort.
- 4) 9 foot flexible hose for adaptability to any standard tub.
- 5) ALCI (120V AC 60 Hz) for safety, with 6 ft. line cord attached to power pack (120V 60 Hz).
- 6) Floating Remote Control Power Module that allows remote operation of the BATH MAT. Remote functions include: High Volume Bubbles, Medium Bubbles, Low Bubbles, Pulse Bubbles, Random Bubbles, and ON/ OFF function.

RECOMMENDED MASSAGING TIMES

Massage should generally last only 15-20 minutes.

Caution: Read safety rules and operating instructions carefully. This product is intended for indoor use on permanent tubs. Do not use outdoors or in inflatable tubs or pools.

CAUTIONS

- This unit should not be used in the following cases: Tuberculosis, benign and malignant tumors, hemorrhages, inflammations of the skin, phlebitis and thrombosis, open and fresh wounds, bruises, broken skin or varicose veins, or undetermined calf pain.
- Consult your physician, if you have any therapeutic questions regarding unit's use.
- Do not use on any unexplained pain before consulting your physician.
- Discontinue use of unit if pain increases or swelling occurs after application.
- Do not use on any part of the body that is anesthetized.
- Do not use on any part of the body where recent surgery was performed.
- The recommended massage time is 15-20 minutes.


CAUTION

**MAT MAY MOVE WHEN YOU
ENTER OR EXIT BATHTUB:
EXERCISE CAUTION**

GET TO KNOW YOUR BODY BENEFITS® THERMAL SPA BATH MAT



Floating Remote Controller
 Customize bubbling action as you soak, for the perfect relaxing massage.
 On/Off
 High Bubbles
 Medium Bubbles
 Low Bubbles
 Pulsating Bubbles
 Random Bubbles



Over 300 Individual Aeration Vents
 provide a constant stream of heated bubbling action

Safe To Use
 The Conair Bath Mat is equipped with a special Appliance Leakage Circuit Interrupter (ALCI) safety feature

9 Foot Flexible Tube
 for easy adaptability to any standard tub

Bubbling Bath Mat
 comforts and soothes with constant streams of bubbling action

Patent Pending

Foldable Mat
 for easy storage

Translucent Housing and Remote Control Holder


Manual Switch
 Off/High/Remote

All the Comforts of a Spa or Whirlpool Bath swirls of water and warm bubbles massage and relax muscles, creating a therapeutic bath at home

Powerful Motor
 provides many hours of bubbling luxury

No-slip Grip Feet
 with cord wrap feature

Soft Cushion
 for additional comfort



Thermal Spa Bath Mat maintains warm water temperature. It does not heat water to a higher temperature.