

EQUIPMENT Q4

YOUR SOURCE FOR THE LATEST IN MEDICAL EQUIPMENT

Rely on Us

2013 Edition

HENRY SCHEIN®
MEDICAL

In This Issue...

Autoclaves	18, 19
Blood Pressure Monitors	10, 18, 20
ECG, Holter and Supplies	7, 20
Electro Surgery	6, 17
Exam Tables	8, 17
Imaging	4-5
Laboratory	11, 12, 14
Lights	9, 19, 21
Point-of-Care Testing	12, 13, 15, 22, 23
Otoscopes, Ophthalmoscopes, Desk Charger Sets	2, 3
Oximeters	16, 20
Scales	9, 10
Thermometers	2, 18
Vital Signs Monitors	2, 7

Special Year-End Offer: Omron Automatic BP Monitor with 5 Cuffs!

- 5 Cuffs, ranging from 12-50 cm (5" to 20"): enables consistent and accurate readings on virtually all patients
- Clinically validated for children ages 3 years and older
- Motion Stop Function
- Irregular Pulse Indicator
- Auto Off
- Can be used on table or wall mounted (*basket sold separately*)

(620-0069)
(HBP1300)

(620-0070)
Wall mount kit w/Basket

**LIMITED TIME
SPECIAL OFFER!**



Welch Allyn Connex Integrated Wall System with vital signs monitor See page 3



WelchAllyn®

Ask your Sales Consultant for more information!

2013 Section 179 is \$500,000

Q4

3 EASY PAYMENT PLAN

Maximize Your Section 179 Deduction!

**25%
DOWN**

THEN 3 EASY PAYMENTS AT

30 | 60 | 90 DAYS

Please ask your Henry Schein Representative for complete details, \$5000 minimum equipment purchase.

HENRY SCHEIN®
Henry Schein, Inc. • 135 Duryea Road • Melville, NY 11747

PRSR STD
U.S. POSTAGE
PAID
HENRY SCHEIN, INC.

To Order: **1.800.P.SCHEIN**
(1.800.772.4346) 8am-9pm, et

To Fax: **1.800.329.9109** 24 Hrs

www.henryschein.com/medical



EQUIPMENT



Welch Allyn

Universal Desk Charger Sets with PanOptic™ Ophthalmoscope and MacroView™ Otoscope

Keep your diagnostic instruments powered up and ready to go with our most popular handles and instruments in one easy-to-order set.

- Colored LEDs signal power is on and instruments are charging
- Advanced circuitry ensures constant, safe charging, and optimal, long-lasting lamp life
- Optional wall mount kit and/or specula tray

#71811-MPS
(566-3526)ea
Contains: universal desk charger, #11810 PanOptic™ ophthalmoscope, #23810 MacroView™ otoscope & 2-#71900 lithium-ion handles.

#71811-MP
(670-0724)ea
Contains: universal desk charger, #11810 PanOptic™ ophthalmoscope, #23810 diagnostic otoscope & 2-#71670 NiCad handles.

#71641-M
(977-0545)ea
Contains: universal desk charger, #11720 coaxial ophthalmoscope, #23810 MacroView™ otoscope & 2-#71670 NiCad handles.



Welch Allyn

SureTemp® Plus 690 Electronic Thermometer

Combines the speed of ear thermometry with the accuracy and reliability of traditional oral thermometry. Takes fast, 4–6-second oral temperatures, 10-second pediatric axillary and rectal temperatures, and 15-second adult axillary temperatures.

- Accurate to within +/- 0.2°F (0.1°C)
- Interchangeable, removable probe wells to reduce the risk of cross contamination
- Large LCD that can display temperatures in Fahrenheit or Celsius
- Last-temperature recall
- Mode selection and recall buttons
- Four different temperature modes
- Convenient storage for 25 probe covers
- Takes about 6000 readings on 3 AA batteries (included)

Thermometer, with Oral Probe, Well, and 4' Cord
(203-3856)ea

Thermometer, with Wall Mount, Oral Probe, Well, and 4' Cord
(178-8374)ea

Thermometer with Wall Mount, Oral Probe and 9' Cord
(454-2689)ea

Wall Holder Mount for Thermometer
(206-8985)ea

Probe Covers
(108-4667)1000/box

Probe Covers
(840-2661)250/box
Oral/Axillary Probe, Well, and 9' Cord
(695-8954)ea

Rectal Probe, Well, and 4' Cord
(741-8045)ea



Welch Allyn

3.5-V Ophthalmoscope Heads

#11710, Standard Ophthalmoscope
For true tissue color and consistent, long-lasting illumination.
(566-7562)ea

#11720, Coaxial Ophthalmoscope
For shadow-free spot and easier entry into undilated pupils.
(566-8512)ea



Welch Allyn

KleenSpec® Disposable Otoscope Specula

Diagnostic Type850/bag

Specify:
2.75 mm(566-1679)
4.25 mm(566-5113)



Welch Allyn

3.5-V Otoscope Head

#25020
(566-5884)ea
Contains: illuminator complete with 4 polypropylene specula (sizes 2.5 mm, 3 mm, 4 mm, & 5 mm.)



Welch Allyn

Rechargeable Handles for Diagnostic Instrument Heads

#71670, 3.5-V Desk Charger Style
(566-0193)ea

#71000, 3.5-V Direct Plug-in Style
Rechargeable from any 110-V outlet.
(566-2474)ea

#72800, 2.5-V PocketScope™
With rechargeable battery.
(566-8853)ea

#72801, 2.5-V PocketScope™
(without battery)
3.5-V Halogen for Streak Option.
(102-3050)ea

#71000-C, 3.5-V Nickel-Cadmium
Can be converted for use with standard C-cell batteries.
(566-3656)ea



Welch Allyn

SofSpec® Reusable Otoscope Specula-Diagnostic

Each speculum features an elastomer tip specially contoured for an ultrapneumatic seal. For use with models #20000, #25020, & PocketScope™.

#24323, 3 mm
(566-8998)ea

#24325, 5 mm
(566-8039)ea

#24327, 7 mm
(101-1732)ea

#24420, Complete Set
(566-2350)ea
Contains: 1 of each: 3 mm, 5 mm, & 7 mm.



Welch Allyn

Spot Vital Signs® LXI

SureBP™ measures blood pressure in 15 seconds as the cuff is inflating—resulting in time savings for you and improved comfort for your patients.

- Pulse rate and MAP included
- Choice of SureTemp® Plus or Braun ThermoScan® PRO 4000
- Choice of Masimo or Nellcor pulse oximetry
- Manually enter weight, height, respiration rate, and pain level
- Calculates Body Mass Index, connects to Health-o-meter or Tanita digital scales
- 50-reading memory allows retrieval of previous data
- Connectivity-ready
- Bigger, brighter LCD readout provides greater visibility from farther away

#450TOEL, SureBP™ and SureTemp Plus Thermometer
(288-1789)ea

#450E0, with SureBP™ and Braun ThermoScan PRO 4000 Thermometer
(566-0606)ea

#45MT0, with SureBP™, Masimo SpO₂, and SureTemp Plus Thermometer
(566-3759)ea

#45ME0, with SureBP™, Masimo SpO₂, and Braun ThermoScan PRO 4000 Thermometer
(566-3405)ea

#45NT0, with SureBP™, Nellcor SpO₂, and SureTemp® Plus Thermometer
(566-0052)ea

#45NE0, with SureBP™, Nellcor SpO₂, and Braun ThermoScan PRO 4000 Thermometer
(566-7992)ea



Welch Allyn

Spot Vital Signs™ Devices

- Fast and accurate—completes BP, pulse rate, temperature, and SpO₂ in approximately 30 seconds
- Multiparameter and modular so you can select precisely the vital signs you need
- Optional Masimo® or Nellcor® pulse oximetry
- Optional SureTemp® thermometry
- IR connectivity to interface with computerized patient records
- Portable—carry it, wheel it, or mount it
- Big, bright, easy-to-read LCD screen
- Offers you one of the lowest priced multiparameter instruments on the market
- Fully upgradeable to meet your changing needs
- Integrated long-life battery enhances portability and continuous operation

#4200B-E1, Spot Vital Signs with NIBP only (pulse rate and MAP)
(151-1071)ea

#42N0B-E1 Spot Vital Signs with NIBP and Nellcor Pulse Oximetry
(611-4160)ea

#420TB-E1, Spot Vital Signs with NIBP and SureTemp Thermometer
(464-7803)ea

#42NTB-E1, Spot Vital Signs with NIBP, Nellcor Pulse Oximetry and SureTemp Thermometer
(522-6109)ea



Welch Allyn

ProBP™ 3400

Small enough to carry everywhere, with the same accuracy as Welch Allyn industry-leading vital signs devices, the Connex® ProBP™ 3400 digital blood pressure device is a smart choice for just about every

clinical setting. SureBP™ technology lets you take fast, accurate blood pressure readings in just 15 seconds, while USB-wired connectivity lets you send them straight to your EMR/HIS. Includes medium cuff. The ProBP™ 3400 is not intended for neonatal use.

With SureBP™ Thermometry....ea

Specify:
Handheld, #34XFHT-B(566-0229)
Wall Mount, #34XFWT-B(566-0233)
Mobile Stand, #34XFST-B(566-0238)

With Standard BPea

Specify:
Handheld, #34XXHT-B(566-0227)
Wall Mount, #34XXWT-B(566-0232)
Mobile Stand, #34XXST-B(566-0237)



HENRY SCHEIN®

OTOSCOPE SPECULUM TIPS

These disposable tips are carefully manufactured to be free of rough edges or burrs. They are designed for a snug fit on Welch Allyn®, Propper™, and Heine™ otoscopes. They will not fit the Welch Allyn® Macroview™.

2.5mm
(112-5527)1000/bag

4.0mm
(112-5528)1000/bag



HENRY SCHEIN®

DIGITAL EAR THERMOMETER

- For professional or personal use
- Instant reading results in 1 second
- Memory feature recalls last reading
- Fever alarm
- Low battery indicator
- Replaceable lithium battery
- °F or °C measuring mode
- Box includes 15 disposable probe covers

Digital Ear Thermometer
(900-6438)ea

Digital Ear Thermometer Probe Covers
(900-6439)150/box



COVIDIEN

positive results for life

Genius™ 2 Tympanic Thermometer

- “Peak Select” technology records and analyzes up to 100 temperature measurements and selects the most accurate reading in 1 to 2 seconds
- Redesigned tapered probe tip facilitates proper ear-canal alignment, minimizing technique-related errors and increasing patient comfort
- Rugged tip-based sensor construction improves durability and accuracy, minimizing the need for recalibration
- No-touch probe cover application and ejection reduce potential cross contamination
- Programmable display shows oral, rectal, axillary, and core or an absolute temperature reading in ear mode
- Temperature range: 91.4°F to 107.6°F

#303000, Thermometer with Base
(106-6433)ea

#303030, Probe Covers
(194-3810)96/box

EQUIPMENT



Heartline® Electrodes by Cardiac Science™

- Provide high-quality data for virtually any cardiac application
- Ideal for both long-term monitoring and short-term diagnostic procedures

#007781, Oblong, DuraFoam, Wet Gel, 37 mm x 53 mm
(120-2998)30/pouch

#007778, Oblong, Comfort Tape, Wet Gel, 37 mm x 53 mm
(120-2333)30/pouch

#007784, SensaCloth, Pediatric, Solid Gel, 30 mm
(120-8783)30/pouch



CardioSens® Resting Tab Electrodes by Cardiac Science™

- Premium tin construction provides excellent signal quality
- Latex-free
- A favorite among clinicians

CardioSens™ Ultra II Premium
Offers aggressive adhesion, fast signal stabilization, and high conductivity.
(120-1455)100/bag

CardioSens™ K
Offers a hypoallergenic, karaya-gum-based adhesive for sensitive skin.
(120-2188)100/box

CardioSens™ Advantage
Features a unique, highly conductive narrow adhesive.
(120-2289)100/box



Blue Max™ Electrodes by Cardiac Science™

For Monitoring and Resting ECGs

- Highly conductive wet gel for clean tracings
- Minimal baseline wandering
- Unique offset snap connection reduces motion artifact during stress testing
- Specially formulated adhesive stays in place

#097001, Vinyl, Offset Snap, 40 mm
(120-4000)25/bag

#097014, Foam, 30 mm
(120-9305)10/pkg

#097002, Foam, Offset Snap, 50 mm
(130-9743)25/bag

#015-0630-00, SUPAtab, Wet Gel
(362-3376)100/bag



Burdick® Atria 8500 ECG

This 12-lead resting portable ECG/EKG shows you what you need, comfortably. Features a friendly user interface, multiangle 7" widescreen, and a color display that makes reading waveform data easy. Protocol choices streamline your workflow.

Benefits:

- **Convenience.** Export records to network drives, USB, or EMRs. Store up to 300 ECG records
- **Connectivity.** Comes with Ethernet connectivity as a standard feature. It's compatible with wireless 802.11, and has bidirectional communication with our HeartCentrix® connectivity solution
- **Ease of use.** The easy-to-clean keyboard, dedicated function keys, intuitive menu, and on-screen QuickTips make it easy to use
- **Performance.** The AccuPrint™ feature restricts ECG printing if 10-second data quality is poor, ensuring a clear printout and eliminating retakes
- **Pediatric applications.** The optional interpretation package lets you calculate interpretations down to a 1-day-old infant
- **Flexibility.** The unit manually or automatically produces high quality 3-, 4-, 6-, and 12-lead ECG printouts
- **Durability.** Known for its legendary durability and dependability, Burdick is the preferred name in digital ECGs, for practices and clinics
- **Primary or acute care use.** The interpretation package provides a choice of brief or full-format statements (including reason statements)

Burdick 8500
(907-2319)ea



Assurance 50® “Fade-Resistant” Papers

Single Channel, Red Grid

Unique line of thermal recording media. Look and feel is similar to standard thermal charts, but difference is in acid-free base paper and patented chemical thermal coatings. Combination of these 2 elements works to deliver 50 years of ECG image life without worry or fading. Thermal chart contaminants such as UV light, PVC, alcohol, adhesive tape, and electrode creams are no longer of concern. No special care or handling is required. Guarantee clear, indelible original records, year after year.

#716-0233-00, 45 mm x 150' Roll
For Burdick EK-10, Elite, Elite II, and Medic 5
(120-3261)ea

#716-0234-00
For E3501, E600 8, Eclipse LE LEI, LE II, and LEI II
(120-1579)200 sheets/pkg

#716-0239-00
For Burdick Eclipse 850 and 850i
(120-0410)300 sheets/pad

Assurance 50® Fade-Resistant Paper
#716-0237-00
For Atria, Burdick Eclipse Plus, and Quest
(891-2720)200 sheets/pad

#716-0235-00
For Burdick Eclipse 8 and 800
(120-1651)300 sheets/pkg



Green Series™ 777 Integrated Wall System

Providing you with accurate, reliable, energy-efficient products you trust in a workflow that will help improve your practice's throughput.


- Standardize your facility with a sturdy, predrilled mounting board that mounts easily to any wall
- Choose either PanOptic™ Ophthalmoscope (11810 or 11820) or the Coaxial Ophthalmoscope (11720)
- Choose either MacroView™ Otoscope (23810 or 23820) or Pneumatic Otoscope (20200)
- Help improve workflow with contoured handles that automatically turn on/off
- Configure to meet your needs with the choice of the Wall Aneroid, ProBP™ Digital Blood Pressure Device, Spot Vital Signs® Device or Spot Vital Signs® LXi Device
- Optional KleenSpec® Disposable Diagnostic or Pneumatic Specula Dispenser
- Optional SureTemp® Plus 690 Electronic Thermometer
- Durable, easy-to-clean, high-impact ABS housing

GS 777 Wall Transformer
#77791-1MPX, With PanOptic Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board
(672-0016)ea

#77791-2MPX, With PanOptic, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board
(672-0018)ea

#77791-MX, With Coaxial Ophthalmoscope, MacroView Otoscope, Wall Aneroid, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board
(118-3650)ea

#77791-MXNOBP, With Coaxial Ophthalmoscope, MacroView Otoscope, KleenSpec Specula Dispenser, SureTemp Plus 690 Thermometer & Wall Board
(672-0020)ea



Connex® Integrated Wall System

Combines the advanced spot check and monitoring capabilities of the Welch Allyn Connex® Vital Signs Monitor with the Welch Allyn Integrated Diagnostic System (which includes an otoscope and ophthalmoscope), allowing clinicians to take and electronically capture accurate patient vital signs as well as perform basic diagnostic exams. This easy-to-use system features a large, intuitive, color touch-screen that can help with patient communications. Since the system is compact, wall-mounted, and comes with a cord management system, valuable floor space is saved and tangled, hanging cords are reduced. For connected facilities, patient vitals can be sent electronically, directly to an EMR/EHR system, reducing manual transcription errors and giving clinicians immediate access to accurate data—enhancing clinical decision-making and improving patient safety.

- Fast 15-second NIBP and pulse rate
- SureTemp Plus and/or Braun ThermoScan® PRO 4000 ear thermometry
- Masimo® or Nellcor® pulse oximetry
- Adult, pediatric, and neonatal blood pressure modes
- NIBP interval monitoring mode, including customizable interval programs
- Programmable visual and audible alarms for BP, SpO₂, temperature and pulse
- Integrated 3.5-V handles for physical assessment tools

Multiple configurations available:

Connex Wall System with Blood Pressure & MacroView Otoscope
#84MTVEC-B, With SpO₂ (Masimo), SureTemp, IR Temp (Braun PRO 4000) & Coaxial Ophthalmoscope
(871-0029)ea

#84MTVXC-B, With SpO₂ (Masimo), SureTemp & Coaxial Ophthalmoscope
(116-9798)ea

#84MTVXP-B, With SpO₂ (Masimo), SureTemp & PanOptic Ophthalmoscope
(871-0031)ea

#84NTVXC-B, With SpO₂ (Nellcor), SureTemp & Coaxial Ophthalmoscope
(566-0257)ea

#84NTVXP-B, With SpO₂ (Nellcor), SureTemp & PanOptic Ophthalmoscope
(566-0256)ea



#84NXVEC-B, With SpO₂ (Nellcor), IR Temp (Braun PRO 4000) & Coaxial Ophthalmoscope
(871-0019)ea

#84XTVXC-B, With SureTemp & Coaxial Ophthalmoscope
(566-0263)ea

#84XTVXP-B, with SureTemp & PanOptic Ophthalmoscope
(566-0262)ea

EQUIPMENT

ACUSON X300™ ultrasound system, premium edition (PE)

Take full advantage of the broad range of capabilities this product offers, including Abdominal, Cardiac, Stress Echo, Vascular, OB/GYN, Urology, and Superficial/Small Parts imaging.



- The all-around performer, designed to address the diverse needs of any practice
- Ergonomic features facilitate ease-of-use in small spaces
- Highly configurable reporting package created specifically for the office environment



The All-in-One Digital Radiography Solution

Konica Minolta puts all the pieces together

- Patient Registration
- Image Review
- Long Term Archive
- Web Based Collaboration
- Cloud Based Backup and Disaster Recovery
- Anti Virus Protection
- Information Portal

*ImagePilot
Sigma*
with
infromity



Cone Beam CT for Peripheral Extremity Imaging is now available in a Compact, faster and mobile version of Standard CT!

- Cone Beam CT for Peripheral Extremity Imaging. (Knee, Leg, Ankle, Foot, Toes, Elbow, Arm, Wrist, Hand, Fingers)
- Reduced Patient Radiation – Approx 1/10th the dose of Standard Extremity CTs
- Accurate Diagnosis - High Quality 3D images
- Weight Bearing Imaging showing Anatomy under Natural Load – Unique to Planmed Verity CT *
- Comfortable – Adapts to Patient vs. Patient to CT
 - o Gantry adjusts heights, tilts and rotates translating into pre-programmed positions via Touch-Screen (or maneuvered manually)
 - o Patient Positioning Chair – included
- Plugs into standard 110V outlet
- 5 Soft, Selectable Upholstery Colors



Fully eligible for your \$500,000 Section 179 Deduction for 2013!
*Henry Schein Financial Services or Henry Schein does not provide tax advice;
 please check with your personal advisors.*

Contact your Henry Schein Imaging Specialist,
Mary Casano: 864-252-6993

EQUIPMENT

Discover Why More Than 50% Of Your Patients Would Benefit From In-office DXA Scanning!



**Improved Patient Care.
Increased Revenue Opportunities.**

Enhance your Primary Care Physician practice with the Discovery™ bone densitometry system from Hologic. DXA scanning is a vital link for many patients as determining the status of an individual's bone mineral density (BMD) can be a critical factor for proper diagnosis and treatment.

Patients at Risk in Your Practice:

- All postmenopausal women
- Patient taking prescribed drugs that induce bone loss (proton pump inhibitors, serotonin reuptake inhibitors, steroids, and tamoxifen)
- Women aged 65 and over
- Men past the age of 70 or men under 70 whom are at risk of osteoporosis

In-office bone densitometry can be a dynamic solution to lagging financials. It could afford you the possibility of an exceptional return on investment (ROI) and provide an opportunity for you to grow your practice through stabilized reimbursement to achieve long-term success.*



Hologic's Discovery systems can evaluate your patients for osteoporosis, obesity, and cardiovascular risk.

HOLOGIC®
The Women's Health Company

Learn how bone densitometry can impact your practice today by calling your Henry Schein Sales Consultant.

HENRY SCHEIN®

New from

HENRY SCHEIN®
MEDICAL

SCANORA® 3D

The in-office ConeBeam CT system for ENT physicians and surgeons.

Short scan times from 10 to 26 seconds and effective exposure times from 2.25 to 6 seconds have the benefits of saving patient dose. Together with the integrated motorized seat and the rigid patient support, they increase the patient comfort and the diagnostic performance of the SCANORA® 3D system.

System highlights

- Stable seated patient
- Fully motorized chair
- 90 kV, 4–12.5 mA, pulsed X-ray generation
- Scan time 10 to 26 seconds
- Reconstruction time shorter than 1 minute
- Isotropic voxel size ranging from 0.133 to 0.35mm
- 12" HD ClearTouch Panel
- Compatible with leading navigation systems
- DICOM/PACS compatibility
- Small footprint (2.24 m²)

Contact your Henry Schein Representative



EQUIPMENT

Connectivity solutions that work.

Whether you need one diagnostic device or a combination, we have a diagnostic product and software solution that's a perfect fit for you.

IQ Digital Diagnostic Devices

- Lightweight and portable
- Intuitive user interface
- Connects to top EHR/EMR systems or to IQmanager®
- Designed to work in most IT environments

Save on eligible IQ Digital Diagnostic Devices September 3 – December 20, 2013!

For more information, call 866-850-5741 or visit midmark.com/DiagnosticsQ4.



Midmark Corporation, Versailles, OH, USA



Aaron 940™

Designed and engineered to be the most reliable and durable desiccator available today, the unit's life is prolonged by incorporating the latest in chip technology and reducing the number of internal parts, thereby generating less internal heat. Postprocedure and long-term cleanup are simplified by its nonabsorbing, nonstaining, high-impact plastic case. It continuously monitors every aspect of the unit's output. At the sign of any problem, the machine instantly disables the output and displays the appropriate error code on the display. The Bovie® 3-Button Handpiece is better designed inside and out. The basic function of a 3-button handpiece is to allow the user to control power up/down and to activate the high-frequency desiccator. The Aaron 940™ has a technology advantage right in the handpiece: a superbly engineered collet that's even gold-plated for superior conductivity. The collet is attached to the circuit board and the entire handpiece is encapsulated and formed in a high-tech polymer that combines comfort with a sure grip. The buttons on the handpiece have been designed for superior tactile feel and comfort.

- Dimensions: 15.9 cm (6.3") H x 22.2 cm (9") W x 11.4 cm (4.5") D
- Weight: ≤1.4 kg (≤3 lb)
- Output Power: To 40 watts (0–10 watts in 1/10th watt increments on both mono and bipolar)
- Output Frequency: 550 kHz
- Line Frequency: 50–60 Hz
- Warranty: 2 years

(357-0000)ea



Disposable Electrodes

All use the standard $\frac{3}{32}$ (2.3mm) stainless steel shaft. All molded electrodes feature safety grip insulators that combine patient and user safety with easy insertion into and removal from the surgical pencil. Packaged individually.

#A804, Sharp Dermal Tip, Non-sterile
For use with 800, 900, and 950 models.
(241-6402)100/box

#7-101-12, Blunt Tip, Non-sterile
(271-2856)100/box

Sterile Dermal Tips
For use with #800, #900,
and #950 models.50/box

Specify:
#A807, Blunt(590-1158)

#A805, Sharp(891-3055)

#ES01, Standard Blade, Sterile
(682-1876)50/box

#ES04, Extended Blade, Sterile
(673-2611)25/box

#ES18, Angled Blade, Sterile
(650-9472)5/box

#A806, Blunt Dermal Tip, Non-sterile
For use with 800, 900, and 950 models.
(590-9426)100/box



Aaron 1250™

Electrosurgical Generator

Multipurpose machine for use in the modern physician's office and surgicenter. It features both monopolar and bipolar functions to satisfy all surgical demands with safety, flexibility, reliability, and convenience. Also features Cut, Blend, Coagulation, Fulguration, and Bipolar modes. Incorporates automatic safety features such as self-test circuits, audible tones, discreet outputs, isolated circuitry, and Bovie NEM™ (neutral electrode monitoring) and has 120 W of cutting power and 90 W of blended cutting. It has 2 levels of Coagulation: Pinpoint (maximum power: 80 W) and Fulguration (maximum power: 40 W), plus Bipolar (maximum power: 30 W).

- 120 W of cutting power and 90 W of blended cutting
- Two levels of Coagulation: Pinpoint at 60 W and Fulguration at 40 W
- 30 W of Bipolar
- Rotary power control dials for ease of use
- BovieNEM™ pad sensing technology
- Digital error detection
- Accepts standard 3-pin connector pencils

(413-1384)ea



AARON 950™ High-Frequency Electrosurgical Generator

First high-frequency desiccator with Cut. It features Cut, Blend, Coagulation (60 W each), Fulguration/Desiccation (35 W), and Bipolar (30 W) modes with 6 presets for the veterinarian's favorite settings. Easy-touch color-coded membrane pads, on front panels, allow for quick selection of each setting. Power output may be increased or decreased via the 3-button handpiece or the rotary power-control dial. For maximum flexibility, a complete line of disposable and reusable electrodes (blade, ball, needle, and loop) and bipolar forceps are available.

#A950
(261-8478)ea \$2,199.99



Smoke Shark™

Smoke and Particle Remover

Designed to be easy to use and extremely effective at smoke and particle removal at the operative site. Although it is designed for use with all electrosurgical generators, it is also excellent for use in controlling laser smoke.

(869-0060)ea



Electrode Balls

#ES07, Extended, 5mm
(984-5459)5/box

#ES20, $\frac{3}{16}$ "
(682-5062)25/box



Electrode Needles

#ES02, Standard
(650-3112)25/box

#ES38, Modified
(896-7227)25/box



Smoke Shark™ Accessories

#SF18, Filter, 18 Hours, Long Life
(102-5207)ea

#786T, Tube, Non-sterile, $\frac{7}{8}$ " x 6'
(611-4235)24/pkg

FSSE Foot Switch
(493-1543)ea

EQUIPMENT

Patient-centered care. It's time.

Streamline your workflow and be more efficient so you can spend more time caring for your patients. The Midmark 625 Barrier-Free® Exam Table with IQscale™ and IQhub™ makes it all possible. Featuring an integrated digital scale, the 625 weighs patients quickly and discreetly while you run scale functions and send data to the EMR.

IQhub™ lets you connect other digital diagnostic devices at the point of care, including the IQecg® and IQspiro®. The diagnostic data is then ported directly through the IQhub™ to your computer with speed and accuracy.

Purchase an eligible 625 September 3 – December 20, 2013, and get up to \$800 back!

For more information, call **1-866-849-3349** or visit **midmark.com/ScheinQ4**.

**SPECIAL
CUSTOMER
INCENTIVE FOR THE
END OF 2013**



Midmark Corporation, Versailles OH USA

Did you know we have a turn key Exam Room Design & set up service for all Specialties?



Digital IQecg™

Makes your job easier with a range of reviewing and editing tools to help increase productivity and efficiency. At the touch of a button, you can capture an abnormal ECG as it appears on screen, enhance the diagnosis with tools like zoom and electronic calipers, quickly edit statements, and perform serial comparison.

Features include:

- Lightweight, portable design, weighing less than 11 oz
- View and monitor live, 12-lead ECG in selectable formats on screen
- Interpret and analyze data for neonate, pediatric, and adult patients via the Midmark 12-lead Resting Electrocardiogram Analysis Program
- Review and edit ECG results on screen with free text or customizable quick-edit statements
- Perform serial comparison with overlay of up to 4 ECG tests
- Save time and reduce data-entry errors by populating patient information directly from your EHR/EMR software
- Facilitate paperless office strategy: eliminate costs of thermal paper and the hassles of scanning and filing patient charts

USB Version
(112-4498)ea

IQ ECG Patient Cable
(386-1646)ea

IQ Cart
(115-4451)ea

IQ ECG Arm for IQ Cart
(386-1649)ea



IQspiro™ Digital Spirometry System

Combines a digital spirometer with innovative software solutions that make it fast and easy to capture, interpret, and retrieve patient information. This digital spirometer also features correct patient positioning that can optimize testing and an eject lever that saves time and alleviates handling of used mouthpieces.

- View real-time Flow/Volume Loop and Volume/Time graphs with fully customizable parameters
- Pre- and post-bronchodilator testing with automatic interpretation
- Eject lever alleviates handling of used mouthpiece
- Accurate and precise; meets or exceeds ATS 2005 Standards
- Lightweight, portable design weighs only 9 oz
- Correct, ergonomic patient testing orientation
- Easy-grasp, T-shaped-handle design for patient support and stability during testing
- Improved mouthpiece stability and protection with easy-latch door design
- Easy-to-print, full-page reports on standard paper

USB with Calibration Syringe
(386-1656)ea

USB
(386-1658)ea

Serial with Calibration Syringe
(386-1659)ea

Mouthpieces
(112-4697)25/box
(113-0611)500/case

IQManager™ Software
(112-4703)ea



Midmark IQvitals™ PC

This affordable, connected vital signs device is designed specifically for the digital practice. It electronically captures blood pressure, temperature, SpO₂, pulse rate, and weight. The easy-to-use, one-click operation simplifies staff training and improves workflow productivity, while a seamless connection to Midmark's IQmanager™ software or select EHR/EMRs offers digital access to all patient vital sign information.

#4-000-0400, IQvitals™ PC with Blood Pressure and Alaris® Turbo Temp® Thermometer
(115-7157)ea

#4-000-0410, IQvitals™ PC with Blood Pressure, Alaris® Turbo Temp® Thermometer and SpO₂
(115-7164)ea



#3-009-0021, Small Reusable SpO₂ Finger Sensor
(115-8778)ea

#3-004-2000, IQvitals™ Mobile Cart
(115-7758)ea



Midmark IQvitals™

This affordable, Windows®-based, touch-screen device provides automated blood pressure, temperature, SpO₂ and pulse rate readings with a touch of the screen. An alphanumeric keyboard allows for fast and easy entry of patient data, and the intuitive design increases productivity and simplifies staff training. IQvitals™ can be used as a stand-alone unit, connect to a computer with IQmanager™ software, or will connect seamlessly to select EHR/EMRs.

#4-000-0500, IQvitals™ with Blood Pressure and Alaris® Turbo Temp® Thermometer
(115-7159)ea

#4-000-0510, IQvitals™ with Blood Pressure, Alaris® Turbo Temp® Thermometer and SpO₂
(115-6751)ea



#1-100-1605, IQvitals™ Thermal Printer
(115-8229)ea

#1-100-1603, Fairbanks® TeleWeigh™ Digital Scale
(115-8149)ea

#3-004-2000, IQvitals™ Mobile Cart
(115-7758)ea

EQUIPMENT

How are You Managing Lung Disease? Your Choice is an EasyOne®



Point of Care Testing for Fast, Accurate and Easy Diagnosis

- Challenge testing
- Real time curves
- Pediatric incentives Trending
- Perform PFTs in under 30 minutes
- Automatic calibration and maintenance free
- Meets ATS/ERS standards
- Accommodates changing healthcare landscape ROI in less than 200 patients
- Proven ultrasound technology
- True portability for testing anytime, anywhere
- No calibration, simple 3L cal-check

TrueFlow
makes the difference

©2013 ndd Medical Technologies Inc, subject to changes without prior notice.

n d d

INTRODUCING The EasyOne Pro® LAB

The first FDA approved device
that can obtain LCI
(Lung Clearance Index)
through nitrogen washout



HENRY SCHEIN®

CLINTON
INDUSTRIES INC.

#1020 Oak Treatment Table

Solid hardwood legs, full laminate shelf, H-braces and adjustable backrest.
• 400-lb load capacity under normal use
• Also available with nonadjustable backrest
31"H x 30"W x 72"L
(122-5143)ea



CLINTON
INDUSTRIES INC.

Treatment Tables with Adjustable Backrest

31"H x 72"L
• Straight line table
• Solid wood legs with H-brace
#1010-24, 24"W
(173-7409)ea
#1010-27, 27"W
(122-3886)ea
#1010-30, 30"W
(701-3142)ea



CLINTON
INDUSTRIES INC.

Treatment Tables with Shelf and Adjustable Backrests

Each includes a bottom shelf for storage.
• Features hardwood legs, laminate shelf and adjustable backrest
• 400-lb load capacity under normal use
• Also available with nonadjustable backrest
• 72" long, 31" high and 24", 27" & 30" widths
#1020-24, 24" Wide
(110-9514)ea
#1020-27, 27" Wide
(795-0420)ea
#1020-30, 30" Wide
(608-8834)ea



CLINTON
INDUSTRIES INC.

Footstool without Handle

Chrome-plated steel footstool with 4 nonskid rubber feet.
9"H x 11¼"W x 14¼"L
(100-4441)ea



CLINTON
INDUSTRIES INC.

Premium Round Step-On Waste Receptacles

Available in a variety of exterior finishes and sizes that will suit any environment. Each features a removable inner bucket with handle, a chrome handle for easy cleaning and moving, 2 hazardous waste labels, and heavy-gauge steel construction.

Stainless Steel Finish, 32 qt, 25¼"H x 14"D
(122-0108)ea
Stainless Steel Finish, 20 qt, 17¼"H x 14"D
(122-0104)ea
Stainless Steel Finish, 13 qt, 15¼"H x 12"D
(122-0098)ea
White Enamel Finish, 32 qt, 25¼"H x 14"D
(122-0110)ea
White Enamel Finish, 20 qt, 17¼"H x 14"D
(122-0105)ea
White Enamel Finish, 13 qt, 15¼"H x 12"D
(122-0099)ea
Beige Enamel Finish, 32 qt, 25¼"H x 14"D
(122-0106)ea



Beige Enamel Finish, 20 qt, 17¼"H x 14"D
(122-0101)ea
Beige Enamel Finish, 13 qt, 15¼"H x 12"D
(122-0096)ea
Red Enamel Finish, 32 qt, 25¼"H x 14"D
(122-0107)ea
Red Enamel Finish, 20 qt, 17¼"H x 14"D
(122-0102)ea
Red Enamel Finish, 13 qt, 15¼"H x 12"D
(122-0097)ea



CLINTON
INDUSTRIES INC.

Plastic Rectangular Step-On Waste Receptacles

52 qt, 26"H x 15½"W x 14½"D
Available in 3 exterior finishes to suit most environments. Each features an easy-to-clean plastic shell and lid; a large, foot-pedal-operated lid, and 2 hazardous waste labels.

Ivory Finish
(122-0087)ea
Beige Finish
(122-0084)ea
Red Finish
(122-0085)ea



CLINTON
INDUSTRIES INC.

Premium Square Step-On Waste Receptacles

12"W x 13¼"D
Available in a variety of sizes that will suit any environment. Each features a full-width lid hinge, a self-closing lid with bumper strips, an interior bag holder, 2 hazardous waste labels, and heavy-gauge steel construction with a powder-coated finish.

White Enamel Finish, 32 qt, 21½"H
(122-0095)ea
White Enamel Finish, 24 qt, 16½"H
(122-0093)ea
Red Enamel Finish, 32 qt, 21½"H
(122-0094)ea
Red Enamel Finish, 24 qt, 16½"H
(122-0092)ea

EQUIPMENT



Health o meter® Professional

Digital Wall-Mounted Floor Scale

- Capacity: 400 lb (180 kg)
- Interfaces with leading vital signs monitor
- Mounts on wall or sits on table
- Remote LCD
- Functions: auto off, auto zero, auto out/tare, and lb/kg conversion
- Runs on 9-V battery (included) or optional adapter

#349KLX, 2-Piece LCD, 400 lb
(322-9265)ea



Health o meter® Professional

Digital Pediatric Scales

High-performance digital pediatric scale with motion-sensing technology to capture the weights of even the most active babies.

- Capacity 44 lb/20 kg
- Functions: Auto-Off, Auto-Zero, LB/KG conversion, and Zero-Out/Tare
- Measuring tape, 1" LCD readout (#553KL)
- #553KL additional functions: EMR capable and Hold/Release button
- Includes 6 AA batteries (#553KL); one 9V (#549KL)

#553KL
(104-7675)ea

#549KL
(110-0989)ea



Health o meter® Professional

600KL, Heavy-Duty Eye-Level Digital Scale

Fast and easy-to-use digital height rod provides option to capture height measurement electronically and accurately. Operating functions (BMI, LB/KG Lockout, Hold/Release, Auto Zero, Tare, Zero Out, Auto Off) included. Eye-level rotating display can be read from almost any angle and allows for patient privacy and ease of use.

- Capacity: 600 lb/272 kg
- Weight: 38 lb

(118-3183)ea

Health o meter® Professional

Elevate EMRscale

The Elevate meets government healthcare regulations regarding BMI and EMR/EHR compliance. Eye-level rotating display can be read from almost any angle and allows for patient privacy and ease of use. Fast and easy-to-use digital height rod provides option to capture height measurement electronically and accurately. Automatically calculates the patient's body mass index (BMI).

- Capacity: 600 lb/272 kg
 - Weight: 38 lb
- (120-5003)ea



Health o meter® Professional

Eye-Level Digital Scale with Height Rod

High weighing capacity, low profile, large base, and user-friendly interface.

- Capacity: 500 lb x 0.2 lb (227 kg x 0.1 kg)
- 170° swivel display with 1 LCD
- BMI, RS232 port, wheels, handle, large 14¼" x 14¼" platform, and height rod
- 1-year limited warranty

#597KL,
Digital Scale
(975-4610)ea



Health o meter® Professional

Mechanical Beam Scale

Maximum-strength, steel base-and-lever system. Features rotating, easy-to-read poise bars with engraved, long-lasting readings in lb/kg increments. Includes 2 counterweights to increase capacity to 500 lb (200 kg).

- Capacity: 500 lb (200 kg)
- Rotating dual-read display
- Optional wheels for easy mobility
- Engraved numerals
- Powder-coated, nonrusting scale
- 10-year warranty

#402KL
(120-1678)ea



Health o meter® Professional

Economical Digital Physician Scale

- Capacity 500 lb/220 kg
- 1" LCD readout
- Functions: BMI, EMR capable, Hold/Release button, Auto-Off, Auto-Zero, LB/KG conversion, and Zero-Out/Tare
- Height rod
- Optional adapter, connectivity through USB
- Eye level

#500KL
(106-6626)ea



WelchAllyn

Green Series™ 900 Procedure Light

This procedure light, featuring six LEDs, combines outstanding durability, extraordinary maneuverability, unparalleled spot quality and multiple mounting options. Whiter, brighter and greener: six white LEDs offer greater intensity. Touchless On/Off with dimming option. Multiple mounting options for floor space maximization. Disposable sheath available to help reduce the risk of infection due to cross-contamination. Rugged, ergonomic design allows for improved performance and long-lasting durability. Lower cost of ownership due to elimination of bulb replacement and lower energy consumption. 5-year limited warranty to include the LED light source and power supply only.

Light with Mobile Stand
(114-6258)ea
Light with Ceiling Mount
(114-6290)ea
Procedure Light with Wall Mount
(566-0097)ea



WelchAllyn

Green Series™ 600 Minor-Procedure Lights

Featuring 3 LEDs and a wider head, the GS 600 is designed specifically for demanding viewing conditions. Whiter, brighter, and greener: 3 white LEDs offer greater intensity. Other features include touchless power controls and an adjustable light output. It also has a disposable sheath available to help reduce the risk of infection due to cross contamination. Rugged, ergonomic design allows for improved performance and long-lasting durability. Low cost of ownership due to elimination of bulb replacement and lower energy consumption. 5-year limited warranty to include the LED light source and power supply only.

With Mobile Stand
(566-0088)ea
With Table/Wall Mount
(566-0089)ea



Ritter 250 LED Exam Light

Features LED technology for longer life, brighter intensity and reduced energy consumption. Provides up to 25,000 hours of lighting—more than 12 times longer than a traditional halogen exam-room light. Light head size: 4½" diameter x 4" long. Height: 36" long, flex length: 22".

LED Exam Light
(120-8051)ea
Caster Base Accessory
(386-4001)ea




HENRY SCHEIN®
ESSENTIAL SERIES
PENLIGHT
(831-0840)6/pkg
Disposable Penlights, Latex-Free
(900-4970)6/pkg

WelchAllyn

Green Series™ Exam Light IV

Perfect for the OB/GYN office or for specialties that require very focused light in specific areas, the GS Exam Light IV provides you with 3 times the typical light output and features a highly flexible light pipe that is twice as long as conventional pipes. And with a compact, unobtrusive head, it ensures pinpoint accuracy and provides true tissue color rendition during an exam. Utilizing white LEDs, the GS Exam Light IV provides a whiter, brighter light than halogen and consumes less energy. 5-year limited warranty to include the LED light source and power supply only.

Light with Table/Wall Mount
(114-2547)ea
Mobile Stand
For great office mobility and space usage. Attaches easily to unit.
(114-4177)ea
Disposable Light Sheath
(566-0989)25/box



Ritter 253 LED Medical Exam Light

Easy to use, easy to clean, durable and aesthetically pleasing. Because the controls are located on the light head within easy reach, you'll never have to reach around the patient to adjust the lighting.

- Lasts up to 50,000 hours, significantly longer than incandescent and halogen lighting
- Consumes up to 67% less energy than other medical lighting
- Ergonomic controls located on the light head for ease of use, including power and focal-spot adjustment
- Flex arm for easy positioning without drifting
- Available in table mount and mobile options



LED Exam Light, Light Only (Excludes Mounting Hardware)
(116-7696)ea

LED Exam Light, Exam Table Kit (Models 204/222**/223**/604/622**/623**/625)
(116-4300)ea

LED Exam Light, Exam Table Kit (Model 625 for 32" Upholstery)
(119-5834)ea

LED Exam Light, Procedure Chair Kit (Models 230/630/641)
(116-4299)ea

LED Exam Light, Mobile Caster Stand Kit (Includes Light & Caster Stand)
(116-3912)ea

Accessories
LED Exam Table Mounting Hardware Only (Models 204/222**/223**/604/622**/623**/625)
(117-2741)ea

LED Procedure Chair Mounting Hardware Only (Models 230/630/641)
(117-5458)ea

LED Light Mobile Caster Stand Only Caster Base Diameter 19", Casters (5) 2" Diameter, Base Tube 29" From Floor
(117-8263)ea

Disposable Sheaths
(117-8414) ..5 boxes of 25 per carton

**Mounts to tables with a 2006 or newer manufacture date.

EQUIPMENT



ReeVue Indirect Calorimeter

The REEVUE measures the oxygen that the body consumes. Using this measurement it calculates number of calories that an individual burns at rest in a day*. This technique is called Indirect Calorimetry. This information assists in nutritional assessment and medical nutrition therapy.

- Simple to use and provides on-screen and printed results in just 10 minutes
- Lightweight and portable
- Does not require a computer or manual calibration
- Provides an accurate method for measuring VO₂ (oxygen consumption) and RMR* (resting metabolic rate)

#9FG0125
(114-0163) ea

#9FG0079, Filter
(114-0171) ea

#9FG0186, Metabreather
(114-0168) 20/box

#9FG0094, Printer Paper
(114-0167) ea



HENRY SCHEIN®

PRO PLUS SERIES PROFESSIONAL STETHOSCOPE

Combination adult-size chest piece is precisely machined to exacting tolerances from surgical stainless steel for outstanding performance and rugged durability. Available in 3 striking colors for departmental coding or personal identification.

- Extra-large bell (1 3/4" diameter) for unsurpassed low-frequency response
- Ultrasensitive diaphragm (1 1/2" diameter) for greater amplification and crisper high-frequency response
- Color-coordinated nonchill bell and diaphragm retaining rim for patient comfort
- Stainless steel binaurals with double-leaf internal spring fixed at 15° angle for greater comfort
- Reinforcing yoke molded into flexible 22" PVC "Y" tubing
- Deluxe PVC ear tips (in small and large) for the ultimate in wearing comfort and acoustic seal
- Spare diaphragm included
- Available in 3 striking colors for departmental coding or personal identification
- Scope ID tag included
- Lifetime warranty
- Weighs 6.5 oz
- Overall length 31"

Latex-Freeea

Specify:

Black(900-4815)

Burgundy(900-4816)

Navy(900-4817)



HENRY SCHEIN®

PRO POCKET ANEROID SPHYGMOMANOMETER

- Value-priced aneroid that meets the needs of the most demanding professionals
- Precision-crafted movement is rated to 30,000 cycles and backed by a 20-year calibration warranty
- Extended graduation marks eliminate parallax error
- White numbers on contrasting black scale with red indicator needle for easier viewing
- Proprietary Size Guide Marking system enhances measurement ease and prevent miscuffing
- Chrome-plated brass deflation valve
- Inspected, assembled, and packaged in the USA
- Leatherette zippered carrying case
- Latex-free

Child
(112-6073)ea

Small Adult
(112-6071)ea

Adult, Latex-Free
(112-6072)ea


Large Adult
(112-6075)ea

Thigh
(112-6074)ea

seca | keyboard module

No connectivity kit or additional costs required.

360°



Body composition analyzer



Baby scale



Measuring stations/
Height measuring systems



Column scale



Flat scale



Multifunctional/
wheelchair scales



Chair scale

Connectivity without the hassle.

- Ready for use in 15 minutes.
- Transmit measurements directly into your digital patient files without any programming.
- Without any special technical know-how.
- Get connected without spending a penny more.



360° wireless USB adapter seca 456 included with every seca 360° wireless product



seca keyboard module



Integrate in patient medical records

seca | partner

Download the free seca keyboard module at www.seca.com

Is an antibiotic necessary?

Make a rapid determination...

VIRAL or **BACTERIAL**

MicrosCRP200

A single finger stick of whole blood gets you CBC and CRP results in 4.5 minutes!

Accurate diagnosis avoids unnecessary antibiotic prescriptions.

Reimbursement codes are applicable for each CBC and CRP test. The Micros CRP200 analyzer provides STAT testing, producing quantitative results that lead to a more accurate diagnosis.

IMMEDIATE / ACCURATE / EFFECTIVE



Hybrid Synergy™

HORIBA
Medical



QBC Diagnostics
Innovative Solutions for a Healthier World



QBC STAR Dry Hematology Analyzer

The QBC STAR dry hematology analyzer can deliver a 9-part CBC with the touch of a single button. The STAR's unique microprocessor performs self-calibration, ensuring the accuracy of results.

STAR Analyzer
(108-4403)ea

Contains: the QBC STAR instrument, 2 replacement 3.15A fuses, 2 rolls of thermal printer paper, screwdriver, forceps & power cord for 120V & 60Hz operation.

Hematology Controls
(117-4049)2 x 6/pkg


Contains: 6 vials ea of 2 different blood samples.

Internal Printer Paper
(932-7453)3/pkg

Fuses, 250V 3.15A, 5 x 20 mm
(116-8093)5/pkg

The **essential element** of a
successful laboratory...

LabDAQ®
laboratory information system



Better Processes.
Better Business.
Better Medicine.

- Maximize Laboratory Reimbursements
- Enhance Patient Safety
- Improve Facility Efficiencies
- Ensure Regulatory and HIPAA Compliance
- Achieve Total Connectivity Throughout Your Facility
- Meet Meaningful Use Criteria

LABDAQ LIS... THE ESSENTIAL ELEMENT FOR YOUR LABORATORY.

CompuGroup Medical • CGMUSA.Lab.Sales@cg.com • 800.359.0911 ext. 3 • CGMus.com

© Copyright 2012 CompuGroup Medical, Inc. All rights reserved. LabDAQ is a registered trademark of CompuGroup Medical, Inc.

EQUIPMENT



SIEMENS

Your Henry Schein Sales Consultant can provide you access to the Henry Schein LabTeam. This highly trained group of Clinical Laboratory Specialists offer expert lab consultation and analysis to assist your practice in advancing patient care, maximizing revenues and enhancing patient cost containment.

IMMULITE® 1000

The IMMULITE 1000 immunoassay system features an extensive menu, ease of use, reliability, robust hardware and excellent assay performance. The IMMULITE 1000 monitors onboard reagents and accommodates onboard dilutions, positive sample identification, and Remote Diagnostics.

Worldwide, IMMULITE 100 has been chosen for various types of immunoassay testing due to their flexible platforms, breadth of menu, ease of use, reliability, high-performance assays and fully integrated operation. Assays for cardiac biomarkers, thyroid function, reproductive endocrinology, infectious disease, TDM, serology, anemia, drugs of abuse, diabetes, tumor markers and esoterics are all easily run with true random access capability.

Turbo capabilities provide results in 15 minutes for critical STAT assays including the cardiac biomarkers Troponin I, CK-MB, and Myoglobin, as well as Intact PTH and hCG.

The IMMULITE 1000—designed to meet the immunoassay testing needs of the clinical laboratory today and tomorrow.



SIEMENS

Clinitek® Microalbumin Test Strips

Test for semiquantitative determination of microalbumin/creatinine in urine. Semiquantitative tests for protein (2–4 mg/dl) and creatinine. Includes an A:C ratio result.

- CLIA waived on CT status analyzer
- Dip-and-read test for albumin and creatinine in urine
- Determines an A:C ratio for greatest accuracy
- Use a random urine sample—reduces need for a 24-hour collection
- Timeframe: 60 seconds
- **Made in the USA**

#2083
(147-4712).....25/btl
CPT® Codes: 82044†/82570†



SIEMENS

Multistix® 10LS Pro Reagent Strips

More reliable tool for detecting kidney disease. Test for glucose, ketone, high protein, low protein, specific gravity, creatinine, pH, blood, nitrite, and leukocytes.

- Creatinine ratio to correct for varying urine concentrations
- Decreases false positive protein and false negative protein rates
- For over-65 patients and those with diabetes, CVD, or UTI
- Indication of a dilute requires patient to submit specimen, triggering another urine sample
- Automatic identification of strip configuration for Clinitek® 50 users
- **Made in the USA**

#1554
(147-2360).....100/btl
CPT® Codes: 81000†/81001†/81002†/81003†/82570QW†

SIEMENS

Clinitek Status+® Urine Analyzer

Provides convenient point-of-care testing with improved data integrity for more confidence in the results. Simple, fast, and accurate testing produces a result in about 60 seconds. Status analyzer can process basic urine strips, ratio tests, and hCG cassette tests. Full alphanumeric keyboard, easy-to-use touch-screen display, and automatic strip identification make this unit convenient to use. Eliminates need for visual reading, timing errors, and transcription errors. Memory to store 950 patient records. Future-ready for EMR when you are.

• **Made in the USA**
#1780
(795-0055).....ea

SIEMENS

DCA™ Vantage Analyzer

Point-of-care immunoassay analyzer for diabetes management. Provides precise and accurate quantitative test results for HbA1c in whole blood during a patient's visit to help improve decision making. With a single urine sample, the analyzer also provides quantitative test results for low levels of albumin, creatinine, and A:C ratio in the physician's office or clinic.

• **Made in the USA.**
#5075US, Analyzer (110-0743).....ea
#5035C, HbA1c Reagent Kit (147-8045).....10/pkg
#5068A, Hemoglobin Like Control Kit (147-6067).....ea
Contains: 2 vials of ea control: high & low.
CPT® Code: 83036QW†

Microalbumin/Creatinine Reagent Kits
Detects and monitors microalbuminuria, an early indication of kidney disease. Achieve test results in just 7 minutes from a urine specimen, using the DCA™ Vantage Analyzer. Existing DCA analyzers may be updated with a new program card.

• **Made in the USA.**
#6011A
(147-8917).....10/pkg
CPT® Codes: 83036QW†/82043†/82570†

DCA Microalbumin/Creatinine Control Kit
• **Made in the USA.**
#6012A
(147-8477).....ea
Contains: 2 vials of ea control (high & low) & reconstitution fluid.

The perfect pair for testing diabetic patients.
HbA1c and Microalbumin are both available for point-of-care (POC) testing.

Answers for life.

SIEMENS

SIEMENS

The perfect pair (HbA1c & microalbumin for POC testing):

- Perform quantitative urine microalbumin, creatinine, and albumin-to-creatinine ratio tests, and CLIA-waived HbA1c for managing diabetes on one analyzer: the DCA Vantage™
- The DCA Vantage analyzer has over 15 years of proven performance in the Point-of-Care (PoC) testing segment and over 100 peer reviewed articles to provide confidence in test results
- As another option, the Clinitek Status® can provide a 1 minute, CLIA-waived, semi-quantitative urine microalbumin, creatinine, and albumin-to-creatinine ratio results
- You can use both the DCA Vantage and the Clinitek Status analyzers in CLIA-waived offices for monitoring the HbA1c and microalbumin levels of patients with diabetes, as recommended by the ADA

www.usa.siemens.com/diagnostics

Order No. 8110x 0701454-1-0101 | Printed in USA | © 2008 Siemens Healthcare Diagnostics Inc.

EQUIPMENT



HENRY SCHEIN® Microscope Slides & Cover Glass

ITEM CODE	DESCRIPTION
	MICROSCOPE SLIDES (25mm x 75mm x 1mm)
	<ul style="list-style-type: none">• Precleaned, premium quality glass• Smooth edges• Noncorrosive, nonfogging
(102-7277)	PLAIN SLIDES Crystal clear glass; ground edges
(102-5605)	FROSTED SLIDES Frosted one end; ground edges
	PACKAGING: Each Box = 72 Slides 20 Boxes = 1 Case
	COVER GLASS (22mm x 22mm)
	COVER GLASS #2 #2 thickness: 0.17mm – 0.25mm
(102-6803)	PACKAGING: Each Box = 1 oz. (approx. 100 pieces) 10 Boxes = 1 Case

UNICO®

Micro-Hematocrit Centrifuge

This powerful centrifuge, with all-metal housing, spins up to 24 microhematocrit tubes at 12,000 rpm. Tubes are held in place with a screw-down metal lid and replaceable rubber gasket/ring. The 15-minute mechanical timer has a bell tone to signal a completed run, while the electronic brake can stop the unit on demand. Metal lid features a safety-lid latch that cuts engine power if lid is lifted. Unit comes complete with a metal hematocrit reader tray.

#C-MH30

(715-0877)ea



UNICO®

G380 Microscope

Designed for viewing comfort, this microscope provides crisp, clear imaging on a versatile, ergonomic platform. Available in a variety of optic choices and body configurations. Standard 10X High Eye-Point eyepieces are engineered to reduce eyestrain for users who wear glasses. Each eye tube features independent focusing diopter adjustment to compensate for the natural vision differential between each eye. Base design adds stability to the body and allows extra room for hand access to the oversized coarse-focus and fine-focus controls and easy access to the coaxial mechanical stage controls.

(281-4869)ea

Contains: dust cover & 2 extra fuses.



UNICO®

IP730 Series Microscopes

Designed to provide crisp, clear imaging on a versatile and ergonomic platform. Available with 30° inclined binocular or trinocular heads. Features Seidentopf optical design with 55mm–75mm interpupillary distance adjustment. Both heads rotate 360° and lock in place with a thumbscrew. Eyepieces are standard with 10X 22mm extra-wide field eyepieces for viewing comfort and clarity.

#IP730, Advanced Binocular Microscope, Achromat
Objectives: 4X, 10X, 40X, 100X Achromat
(106-9122)ea

#IP730PL, Advanced Binocular Microscope, Plan
Objectives: 4X, 10X, 40X, 100X Plan
Illumination: 6 V/20 W Halogen
(109-9806)ea



ABAXIS

Piccolo® Point-of-Care Chemistry Analyzer Accessories

The first broad-menu clinical chemistry analyzer designed for near-patient testing. *Basic Panel* contains BUN, Ca, Cl⁻, CRE, GLU, K⁺, Na⁺, and tCO₂. *Comprehensive Panel* contains ALB, ALP, ALT, AST, BUN, Ca, Cl⁻, CRE, GLU, K⁺, Na⁺, TBIL, tCO₂, and TP. *Lipid Panel* contains CHOL, CHOL/HDL (calculated), HDL, LDL (calculated), TRIG, and VLDL (calculated).

- General chemistry, liver, electrolyte, BMP, CMP, lipid, renal, and hepatic panels available
- No daily controls, calibrators, or maintenance
- Intelligent Quality Control (iQCT) verifies correct performance
- No special training required
- 0.1cc whole blood, serum, or plasma
- Single-use reagent discs
- Compact and portable
- Built-in QC and calibration
- Lipid panel is CLIA waived
- Whole blood, serum, or plasma
- Less than 2 minutes hands-on
- Results in under 13 minutes

#1100-0000, Accessory Kit

(106-6368)ea

Contains: 1–0.1cc Minipette, 1–96-pack of disposable Minipette tips, 1 operator's manual, training CD, 1 power cord, 1 power supply, 10 lithium-heparin tubes, 1 screwdriver & 2–12-packs of results cards.

#400-0024, Basic Metabolic Panel

(137-3987)10/box

#400-0028, Comprehensive Metabolic Panel

(174-6978)10/box

#400-0025, Lipid Panel

(146-0189)10/box



Abbott
Diabetes Care

i-STAT® 1 Handheld System

Performs a comprehensive panel of critical tests. Utilizing self-contained test cartridges, along with the Precision PCx™ and Precision PCx Plus™ glucose test strips, the i-STAT 1 system delivers lab-accurate testing for blood gases, electrolytes, chemistries, coagulation, hematology, glucose, and cardiac markers (cTnI). It is portable and reliable.

Includes these important features:

- Easy to use: Cartridges are self-contained and the system is simple to learn and operate
- Lab-accurate results: Advanced biosensor technology and real-time quality assurance provide extremely accurate testing
- Small sample size: Just a few drops of blood per cartridge
- Ready when you need it: Test results in as little as 2 minutes
- Made in the USA

i-STAT Analyzer

(111-3324)ea

Cartridges

Chem8+ (waived)

(111-3408)25/box

Creatine (waived)

(111-3394)25/box

CG8+ (waived)

(115-6662)25/box

PT

(111-3385)24/box

BNP

(111-3158)25/box

i-STAT Printer Paper

(111-3398)6/box



Increase Your Efficiency.
Improve Their Experience.

i-STAT®

piccolo^{xpress}
chemistry analyzer

For *In Vitro* diagnostic use only

© Abbott Point of Care Inc.
400 College Road East, Princeton, NJ 08540
(609) 454-8000 • (800) 419-9370 (toll free)
www.abbottpointofcare.com

i-STAT is a registered trademark of the Abbott group of companies in various jurisdictions.
Lab Solutions End User Aid 031433 Rev. A 05/13

Piccolo Xpress® is a registered trademark of Abbott, Inc.
Abbott Part Number 880-3235 Rev. A

Improving the patient experience just got easier — with the *i-STAT®* System and Piccolo Xpress®, now available from Abbott Point of Care Lab Solutions. Faster turnaround of lab-quality results to accelerate your clinical decision-making. More ways to increase patient satisfaction.

To learn more about how our technology, process, and service innovations can help your facility meet its goals, contact your Abbott Point of Care or Distribution Representative, or visit www.abbottpointofcare.com and www.piccoloxpress.com.

Technology | Process | Services

Abbott
Point of Care

EQUIPMENT

Your #1 Source for Chemistry Analyzer Consumables

Globe Scientific is a leading supplier of alternate consumables for laboratory analyzers. Our line of cuvettes, sample cups and replacement parts are equivalent to the original instrument manufacturer, while providing tremendous savings. Our outstanding quality and low prices have made us the #1 requested brand on the market.

To see our complete line of disposable laboratory products, please visit our website at www.globescientific.com.

- Cuvettes
- Sample Cups
- Sample Tubes
- Printer Paper

globe
SCIENTIFIC INC.

For more information contact your Henry Schein representative or visit us at www.globescientific.com today.

HITACHI Inspire the Next

CLA-1™ Luminometer

This compact luminometer automatically prints a complete report that lists the tested allergens and the severity of the patient's response to each. Easy to use, the system is the simplest, quickest, and most convenient allergy testing method available today. It can analyze up to 180 allergens in 8 minutes.

• Made in the USA

#95013

(680-1614)ea



LeadCare® II Analyzer

Accurate, On-the-Spot Lead Testing

- CLIA-waived, reimbursable test
- Perform blood-lead measurements with only 2 drops of blood
- Accuracy and sensitivity of a reference lab test (from capillary or venous blood sample)
- Two-drop sample size requires only a finger stick; allows combination of LeadCare II with other tests
- In-office immediate results in 3 minutes
- Made in the USA

Analyzer

(106-4441)ea

Test Kit

(106-5736)48/box

#70-3440, Lead Control

(707-3252)ea

#70-3447, Printer Lead Analyzer

(106-7328)ea

CPT® Code: 83655†



Did you know we have a Laboratory Design & set up service?

Need **all** the pieces
without the puzzle?

Hematology analyzers offer performance, value and safety in an easy-to-use system.



Chemistry systems provide exceptional capacity for improved workflow and productivity.



Immunoassay systems deliver new levels of efficiency, standardization and cost effectiveness.



Hemocult and other Rapid Test Kits enable non-invasive testing with high specificity and sensitivity.

Total lab solutions
from a single, reliable source.

Providing different products from different vendors can be highly perplexing—and a poor fit for your customer. Fortunately, there's a better way. Beckman Coulter offers affordable solutions for immunoassay, chemistry, hematology, Hemocult and other rapid test kits—from one convenient source. Walk-away instrumentation, broad testing menu, trusted quality, backed by an experienced industry leader...the pieces simply fall into place.

Call your Henry Schein Clinical Laboratory Representative today.

© 2013 Beckman Coulter, Inc. Beckman Coulter, the stylized logo and Hemocult are registered trademarks of Beckman Coulter, Inc.

**BECKMAN
COULTER**
We're better together

EQUIPMENT

CoaguChek XS® System

PT/INR Monitoring Solution

The next generation in point-of-care prothrombotin (PT) and international normalized ratio (INR) testing, this new system uses exclusive smart technology to help ensure accurate results and offers the flexibility and control that health care professionals need to confidently manage a wide range of anticoagulated patients. It is the only system to perform onboard quality control and determine patient results in a single-test chamber.

- CLIA waived
- Neutralizes therapeutic levels of heparin and LMWH
- INR corrected for hematocrit within specified range; manage a broad array of patients with a single device
- Small sample size (10 µL) for easy dosing
- Strip allows dosing from either top or side for simple blood application
- Small, battery-powered, handheld meter for portability and efficiency
- Onboard controls; no external QC necessary
- Auto-on with strip insertion and auto-off capabilities
- 18-month strip shelf life; no refrigeration needed
- **Made in the USA**

XS® System
(891-0581)ea
Strips For XS and XS Plus Meters
(891-7593)48/box
Contains: 24 strips per bottle, 2 bottles per box.

Controls, Hi & Lo
(109-9989)ea

3-Box Starter Kit
(108-1861)ea
Contains: XS Analyzer, 3 boxes of CoaguChek XS PT strips (144 total) & CoaguChek Lancets.

5-Box Starter Kit
(108-7757)ea
Contains: XS Analyzer, 5 boxes of CoaguChek XS PT test strips (240 total) & CoaguChek Lancets.

10-Box Starter Kit
(108-2228)ea
Contains: XS Analyzer, 10 boxes of CoaguChek XS PT test strips (480 total) & CoaguChek Lancets.



HENRY SCHEIN® URISPEC® PLUS URINALYSIS READER

- CLIA-waived
- Readings eliminate subjectivity of visual color interpretation, which makes urinalysis simpler and more reliable
- Features no-touch operation: After strip placement, measurement starts automatically, which makes urinalysis faster and more hygienic
- Easy switch between different test strips: Urispec Plus is for use with Henry Schein Brand Urispec 11-Way, 5-Way Plus, 4-Way, and GP+A urine test strips

(900-7507)ea
Contains: 1 Urispec Plus Urinalysis Reader & 12 bottles of Urispec 11-Way Urine Strips.



Roche

HENRY SCHEIN® URISPEC™ 4-WAY URINE REAGENT STRIPS

- Protein, nitrite, glucose, and leukocytes
- Ideal for OB/GYN
- Infection, diabetes, and kidney function
- Dip and read in 60 seconds

(107-7157)100/btl
CPT® Codes: 81000/81001/81002/81003



HENRY SCHEIN® URISPEC™ 11-WAY URINE REAGENT TEST STRIPS

- Unique "read all" feature at 60 seconds
- Similar to Multistix® 10 SG Plus Ascorbic Acid Test and all brands of 10 SG products
- Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, and leukocytes
- Reader available
- Ascorbic acid pad to ensure uncompromised results
- Room-temperature storage

(102-2285)100/btl
CPT® Codes: 81000†/81001†/81002†/81003†



HENRY SCHEIN® URISPEC® 5-WAY PLUS URINE REAGENT TEST STRIPS

- Tests for glucose, blood, protein, nitrite, leukocytes, and urobilinogen
- Strips for visual read or for use with the Henry Schein One-Step Plus Urinalysis Reader only

(900-7508)100/btl
CPT® Codes: 81000/81001/81002/81003



HENRY SCHEIN® URISPEC™ GP+A URINE REAGENT TEST STRIPS

Test for glucose and protein, with an ascorbic acid test for accuracy.

- Protein and glucose
- Ideal for metabolic, kidney, and diabetic monitoring
- Dip and read in 60 seconds

(100-6567)100/btl
CPT® Codes: 81000/81001/81002/81003



Panasonic
ideas for life



Panasonic Medical Grade Refrigerators and Freezers

Meeting All of Your Needs for Medication and Vaccine Storage

MPR-215F



SR-L6111W



Panasonic refrigerators and freezers offer:

- Superior temperature control and uniformity
- Door-mounted microprocessor controller
- Remote alarm contacts
- Key lock for added security

Panasonic Model #	Henry Schein Model #	Description
MPR-215F	116-1537	7.6 cu.ft. Ref/Freezer Combo
MPR-414F	114-7054	14.9 cu.ft. Ref/Freezer Combo
SR-L6111W	106-6581	6.1 cu.ft. U/C Refrigerator
SF-L6111W	106-6584	5.4 cu.ft. U/C Freezer

www.panasonic.com/biomedical

EQUIPMENT

Lift Even Your Heaviest Patients in Comfort and Style.

527S/P SERIES PODIATRY CHAIR

SAVE UP TO \$985

WHILE SUPPLIES LAST

FREE EXAM LIGHT AND CHAIR POST MOUNT

Purchase a 527P or 527S Series Podiatry Chair* and choose to receive **one** of the two options below **FREE**.

1 FREE HS-42PM-115 EXAM LIGHT WITH ADJUSTABLE POST MOUNT



2 FREE MTI SG SERIES STOOL AND VISION BLOCK




This promotion is only valid for purchases made from September 1 – November 30, 2013, with delivery taken no later than December 31, 2013. A copy of the dealer invoice and promotion claim form must be emailed or faxed to MTI by January 15, 2014.

Call (800) 924-4655
Email sales@mti.net
Visit our web site at www.mti.net/podiatry

3655 W Ninigret Drive, Salt Lake City, Utah 84104-6572
800.924.4655 • 801.875.4999 • Fax 801.952.0548
www.mti.net



VeinViewer
Flex



"Dr. Miyake says his VeinViewer boosted referrals by 20%, cut costs by 30%..."

-Augmented Reality: Reality, Only Better
Economist.com, Dec. 2007

IMPROVE VASCULAR ACCESS

The only clinically proven direct projection, handheld vein illuminator shown to increase the number of venous options, increase patient referrals, reduce the time to start an IV, and increase patient satisfaction.

Potentially Improve:

- Patient satisfaction
- Patient throughput
- Schedule efficiency
- Vascular access rates
- Complication avoidance

VeinViewer Flex:

- See veins up to 10mm deep
- Harmless near-infrared & LED
- Battery powered
- Customizable upgrades
- No consumables

www.veinviewerflex.com



CHRISTIE

The Nellcor™ N-65 Handheld Pulse Oximeter, reusable adult sensor and protective boot



HENRY SCHEIN PRODUCT CODE 907-2696

Nellcor N-65 Handheld Pulse Oximeter (with protective boot)

- Ideal for spot checks or continuous monitoring in virtually any setting

Nellcor™ Adult SpO₂ Finger Sensor

- Reliable in difficult conditions, such as low perfusion and signal interference



COVIDIEN, COVIDIEN with logo, Covidien logo and *positive results for life* are U.S. and internationally registered trademarks of Covidien AG. ©2013 Covidien. All rights reserved. 12-PM-0017



positive results for life

Nellcor™ with OxiMax™ Technology Oxygen Sensors

Sterile, Unopened Package

When choosing a sensor for a patient, the following should be evaluated:

- Patient's body weight
- Duration of use
- Long-term, short-term, or spot-check
- Patient activity
- Infection control concerns

#MAXI, Infant

(740-5205)ea

Sensors

#MAXFAST, Adult, Forehead

(600-6728)24/case

Long-Term, Form-Fitting Sensors

#MAXA, Adult

(840-2389)ea



#MAXP, Pediatric

(285-9461)ea

#SC-PR, Preterm Infant, SoftCare®

Nonadhesive

(108-2147)24/case

#SC-NEO, Neonatal, Nonadhesive

(108-2172)24/case

SC-A, Adult, SoftCare® Nonadhesive

(108-2173)24/case



positive results for life

Spirometry FSII Flow Sensor

Low-cost, single-patient-use pneumotach for use with Renaissance® and Simplicity™ spirometry systems.

#P-000263-00

(101-6231)50/pkg



positive results for life

Nellcor™ OxiMax™ N-85™ Handheld Capnograph/Pulse Oximeter and NPB-70 Handheld Capnograph

Choose from 2 convenient, portable choices for end-tidal CO₂ monitoring for use with intubated and nonintubated patients of all sizes. Patented Microstream® capnography technology and breath-sampling accessories ensure smooth operation, even in high humidity. N-85 monitor also contains Nellcor's latest digital signal-processing technology for accurate, reliable NiMH SpO₂ monitoring, a sensor assortment and an extension cable. Monitors include: AC adapter, FilterLine® accessory kit, rechargeable NiMH battery pack, operator's manual, and quick guide.

#N85-AD1, N-85 Monitor

1-year warranty.

(108-2211)ea

#N85-AD3, N-85 Monitor

3-year warranty.

(108-2220)ea



EQUIPMENT



Hyfrecator® 2000


Electrosurgical Unit

Dual-microprocessor technology makes it one of the safest units for in-office procedures. Controlled Tissue Response™ minimizes tissue damage, resulting in excellent clinical outcomes. Over \$100 in accessories included at no extra charge.

Complete Unit

(520-9134)ea

Contains: 1 remote control, 1-#7-800-5 reusable switching pencil, 2 Electrolase® disposable electrodes (1 of ea: #7-100-12 sharp & #7-101-12 blunt), 2-#7-796-19 sterile sheaths, 2-#7-796-18 non-sterile sheaths, 1-#7-796-20 wall-mounting kit & 1 operator's manual.



PowerLine™ Tables with Rectangular Tops

- Bariatric rated at 550 lb
- Hardwood construction
- Ships in one box partially assembled for quick set up
- 2½" firm, high-quality foam padding
- Heavy-duty vinyl upholstery in 21 TerraTouch™ colors
- Tops have rounded corners
- Universal paper roll holder (*paper not included*)
- Optional ¾" thick, high-quality shelf

27"W, without Shelf
(625-0013)ea

27"W, with Shelf
(625-0014)ea

30"W, without Shelf
(625-0015)ea

30"W, with Shelf
(625-0016)ea

Optional Table Extenders
Vanilla
(625-0017)ea



Midmark 623 Barrier-Free® Power Examination Table



The Midmark 623 Barrier-Free® Examination Table offers innovative accessories designed to give caregivers greater flexibility and help patients feel comfortable and more secure. Easy access to the exam table can decrease strain on patients and staff, and ensure that you can position all patients effectively for a more thorough and accurate exam. Break down the barriers® in the exam room with a Midmark 623 Barrier-Free® exam table and provide all of your patients with equal care regardless of physical condition.

Features include:

- 400-pound patient weight capacity
- 18-inch to 37-inch seat height adjustment
- Hand and foot control (standard)
- Receptacle and rear storage pod (standard)

Midmark Premium Pattern Upholstery Selections:

Belagio, Capri, Firenze, Siena, Treviso, Tuscany

Midmark Premium Solid Upholstery Selections:

Black, Blueberry, Cashmere Blue, Fossil Grey, Silver Sage, Tea Green, Terra Cotta

Midmark Ultra-Premium Upholstery Selections:

Ultra-Arctic, Ultra-Canyon, Ultra-Olivine, Ultra-Pacific Blue, Ultra-Raven Wing, Ultra-Sky, Ultra-Spruce

Ask you Henry Schein Representative for a custom quote.



Multi-Specialty Exam Table

Features:

- Electric height range: 22"-38" and reverse tilt: ± 15°
- Electric Fowler, central base, and locking system with hand control (height, Trendelenburg/reverse, and Fowler)
- Foot control (height only)
- Manual adjustable footrest with adjustable access and back support
- Retractable footrests (stirrups) and paper roll holder
- FDA listed, ETL approved, and CE marked
- 3-year warranty

(655-0001)ea



Hyfrecator® Pencil Sheath

For use with all models of Hyfrecator electrosurgical units.

#7-796-19, Sterile, 3'
(520-9814)25/box



Hyfrecator® Reusable Electrodes Starter Kit

For use with all models of Hyfrecator electrosurgical units.

#700
(520-8883)ea

Contains: #711B general-purpose electrode, #714 extra-fine epilation needle, #705A vasectomy needle, #138004 needle electrode for desiccation & coagulation, & #138018 ball electrode for broad-based coagulation.



Hyfrecator® General Purpose Electrode

45° angled, 7/8". For use with all models of Hyfrecator electrosurgical units.

(520-3345)ea



Hyfrecator® Plus Reusable Foot-Control Handpiece

For use with all models of Hyfrecator electrosurgical units.

(440-2337)ea



Precision Uroflowmetry System by



What is the Flo-Med 1100 by Henry Schein?

It is a simple, noninvasive diagnostic screening device used to calculate the flow rate of urine over time. This aids in diagnosis of bladder and sphincter function as well as prostate conditions.



- Easy to use (hygienic and convenient)
- Height adjustable
- One-touch technology
- Battery operated
- Easy calibration
- Wireless communication to laptop
- PDF can easily be stored into an EHR iPad, or other PDA (hardware capable)
- CPT 51741†

System Requirements:

- Windows 7, XP, Vista
- Hardwire compatible with PCL5 Printer



**Subject to credit approval and applicable taxes.*

Year-end inventory close out!
Low \$96/Monthly*
Leasing Available

View Demo Video at:

<http://vimeo.com/user8610595/flo-med-1100-demo>

†For informational purposes only. Source: ReimbursementCodes.com and/or www.cms.gov.

Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.

(112-5811) Precision Uroflowmetry System, 1 Unit
(112-5812) Cup & Funnel Disposables

Other accessories such as laptops and printers are available separately.

Call Your Henry Schein Sales Consultant Today For More Information!

EQUIPMENT

Buy any EZ Autoclave...



Closed Door System Fully Automatic Autoclaves

- Hepa Filtered Air Drying • Cassette Capacity 3 large + 3 half

EZ Models come with a 2 Year Parts and Labor Warranty

... And the choice is yours!



\$400
Manufacturer's Rebate

or



Free Ultrasonic
(with ss basket)

A \$718
Retail Value

Buy any EZ autoclave from October 1 thru December 31, 2013 and get your choice of a FREE 1 gallon Ultrasonic or a \$400.00 manufacturer's rebate. To redeem this offer the end user must send to Tuttnauer a copy of the Henry Schein invoice, the serial number of the autoclave, and indicate either the free Ultrasonic or Rebate on the cover letter or fax. Redemptions can be faxed to (631) 780-7727, Attention: EZ Promotion, or mailed to Tuttnauer USA, Attention: EZ Promotion, 25 Power Drive, Hauppauge, NY 11788. Redemption deadline is January 31, 2014. Please allow 4 weeks for receipt of rebate or shipment of free goods.

Tuttnauer USA Co. Ltd., 25 Power Drive, Hauppauge, NY 11788
Tel: (800) 624 5836, (631) 737 4850
Email: info@tuttnauerUSA.com, www.tuttnauerUSA.com

Tuttnauer
Your Sterilization & Infection Control Partners



RediScan™ Infrared Thermometer

Professional accuracy and wide-range readout: 50°F–122°F (person) and 32°F–221°F (object/liquid). Features the Nite-Glo display and automatic shut-off, 1-second readout, °F/°C, peak-temperature tone, 100.4°F fever alarm, 10-memory recall, and 5-year limited warranty.

(114-2518).....ea

Contains: 1 thermometer, 1 drawstring storage pouch & 2 AAA batteries.



Margo Moo™ Compressor Nebulizer

Great for pediatrics, the whimsical, barn-style carrying bag safely totes the compressor and stores all accessories in a fun yet functional way.

Features:

- Particle size range: 0.5 µm to 10 µm
- Maximum pressure: 36 psi
- Compressor flow: 6–8 lpm
- Unit size: 7" x 7¾" x 4½"
- Unit weight: 3.6 lb

(151-0010).....ea



Precision™ Series Aneroid Sphygmomanometer-Adult

Economically priced aneroid includes standard air-release valve, inflation bulb, nylon calibrated cuff, and zippered carrying case. 10-year calibration warranty on gauge. Cuff size: 11"–16.4". Cuff color: blue.

(151-0300).....ea



Signature™ Series Stainless Steel Stethoscope

Stethoscope features a deluxe stainless steel chest piece, stainless steel dual inner-spring binaural, a nonchill ring and diaphragm retaining ring. Includes two extra sets of flexible eartips and 1 extra diaphragm. Limited lifetime warranty. 22" tubing, length: 30"

Adult Sizeea

Specify:

Blue(151-0037)
Black(613-3373)
Gray(151-0036)
Burgundy(611-4221)
Hunter Green(404-8520)

Infant Sizeea

Specify:

Pink(151-0035)
Light Blue(868-0331)

Break the Chain

**DON'T MAKE A BIG MISTAKE -
REPLACE OUTDATED INFERIOR PRODUCTS
WITH A DIGIDOP**



Superior Digital Sound
& Sensitivity

5 Year \$0 Cost Warranty
Covers All Parts & Labor

Trade-in Rebates
Available

100% satisfaction
guaranteed

MADE IN
THE USA

DigiDop Digital
Pocket
Doppler

HANDHELD DOPPLERS - OBSTETRICAL & VASCULAR

HSI #	Newman #	Description
1172711	DD-700-D3	Display, 3MHz obstetrical probe
1172710	DD-701-D3	Display with recharger, 3MHz obstetrical probe
1184769	DD-300-D8	Non-display, 8MHz vascular probe
1195395	DD-301-D8	Non-display with recharger, 8MHz vascular probe

REIMBURSABLE ABI & ADVANCED VASCULAR TESTING

HSI #	Newman #	Description
1172655	ABI-300	For ABI studies
1195710	ABI-400	For ABI & TBI studies
1195708	ABI-500	For ABI, TBI, & Segmental studies

For more information & sales support 800.267.5549 www.newman-medical.com

Newman Medical

It's the end of the year!
**Don't forget to check your
batteries and electrodes.**



ZOLL AED Plus®

Bringing Lifesaving Defibrillation to Everyone

The only AED with CPR feedback and an ECG waveform. By supporting CPR as well as defibrillation, this device can help every unresponsive victim. Features Real CPR Help®, a tool that is able to actually see what the user is doing and provides audio and visual prompts to help them do it with confidence and clarity.

- Provides a one-piece electrode for accurate placement
- Uses consumer lithium batteries that are easy to replace, long-lasting, and inexpensive

Complete Unit

(866-7559).....ea
Contains: AED, electrodes, batteries, carry case, ECG, wall-mount bracket & operator's guide.

CPR-D padz®-Adult Defibrillator Pad
(253-2611)ea

pedi padz® II-Pediatric Defibrillator Pad
(203-7054)ea

Lithium Batteries
Plus Battery 123 Lithium
(610-4769).....10/pkg

Pacing Electrode
(200-1971)ea

Adult + Pediatric Electrode
(275-7482)ea

Soft Carrying Case
(106-1937)ea

3D Wall Sign
(110-5384)ea

Wall Cabinet
(108-7520)ea

AED Plus Simulator
(499-7385)ea



EQUIPMENT



UNICO® Colpo-Master™ I Colposcope

With 3 Legs

- Binocular head with continuous zoom (3.5X–24X)
- Dual diopter adjustment
- Articulating swing-arm head mounting
- Mobil 3-leg base with locking casters
- Quartz halogen fiber-optic illumination with intensity control and green filter

(110-0501)ea



UNICO® Colpo-Master™ II Center-Post Colposcope

- Binocular head with continuous zoom (3.5X–24X)
- Dual diopter adjustment
- Center-post mount
- Quartz halogen fiber-optic illumination with intensity control and green filter

(110-0506)ea

It Shines Like The Sun.
That's The Beauty Of Cool-View.

- The lightest and brightest LED surgical headlight in the world.
- Duplicates sunlight in color for more natural illumination.
- Virtually no ambient heat.
- No tether.

COOL-VIEW

(114-7747) (114-7747)

866.961.6441
www.cool-view.net



M9 UltraClave® & Sterilizer

This reliable and efficient sterilizer features a sleek look, quiet-door operation, and pulse-air-removal technology. Front fill-and-drain tube feature means you never have to move it to maintain or drain the water. Load it, set it, and forget it.

- Reliable and easy to use
- Provides quality infection control
- Select your cycle and time is set
- Press "Start" and M9 fills with correct amount of water
- When cycle is complete, door opens automatically and quietly for fast drying time

M9 Ultra Clave
(386-7984)ea

Door and Dam Gasket Kit, M9
(386-5374)ea



Dot Matrix Printer for M9 and M11
(600-7792)ea



Ritter M3 UltraFast Automatic Sterilizer

Everything you need in an autoclave! Sterilize unwrapped instruments in just 6 minutes and pouched instruments in just over 10, with the touch of a button. The M3 is the simple, intelligent, and fast choice for your sterilization needs, featuring one-step loading, push-button cycle selection, automatic-opening door, and condensate tank with quick-release lid, convenient carrying handle and water-level sensor. Chamber deminsions: 1 1/2"H x 12 1/4"L x 7 3/4" W, 0.49 gal (1.8 liter) usable volume. Weight: 71 lb

M3 Sterilizer
(114-6900)ea

M3 Printer
(386-4614)ea

Autoclave Door and Dam Gaskets

Door and Dam Gasket Kit, M7
(386-6212)ea

Door and Dam Gasket Kit, M9
(386-5374)ea

Door and Dam Gasket Kit, M11
(386-7195)ea

Door Gasket Only, M9
(386-2675)ea

Door Gasket Only, M11
(386-3032)ea



Autoclave cleaner to properly maintain and service sterilizer. Breaks down chamber deposits. Can be used for all types of sterilizers.

(386-5728)16 oz.



Ritter M11 UltraClave® Automatic Sterilizer

Like the Ritter M9, this unit also contains an automatic opening door. Unique chamber size gives it the most sterilizing capacity of any standard countertop sterilizer on the market. Featuring a modern look, quiet door operation, and pulse air-removal technology, this sterilizer couldn't be easier, more efficient, or more reliable. You load it, set it, and forget it.

- Door opens automatically
- UL listed and CSA/ASME certified
- Chamber size: 11" x 18"
- Weight: 99 lb

(386-8917)ea

Door and Dam Gasket Kit, M11
(386-7195)ea

Dot Matrix Printer for M9 and M11
(600-7792)ea



M250 Soniclean® Ultrasonic Cleaner

High-frequency transducer allows the unit to perform quietly using tiny cavitation bubbles to penetrate smaller crevices. This results in a powerfully quiet ultrasonic cleaner. Available in 3 sizes.

#M150, Tank Capacity: 1 1/2 gal; Tank Size: 11 1/2" x 6" x 6"*

(102-5893)ea

#M250, Tank Capacity: 2 1/2 gal; Tank Size: 11 1/2" x 9 1/2" x 6"*

(386-0250)ea

#M550, Tank Capacity: 5 1/2 gal; Tank Size: 19 1/2" x 11 1/2" x 6"*

(102-5896)ea

Accessory Kit with Half Basket
(386-2836)ea

*Required safety basket sold separately.



DRY HEAT STERILIZERS

"Heat and hold" capability for continuous use. Rapid heating for fast operation, automatic timer. Will not dull sharp instruments. All stainless steel. 60 minutes sterilization set at 320°F or 160°C.

- Low operating cost: economical
- Maintenance-free chamber sealing door: no gasket to be replaced
- Burnout-proof heating elements: maintenance-free
- No pressure and no moisture: safe; prevents rusting of instruments
- Trays can be sterilized with lids on: convenient
- Heat is even; heats up rapidly for fast operation: prevents scorching or incomplete sterilization in spots
- Precision thermostat: ensures a controlled temperature
- Will not dull sharp instruments: promotes instrument longevity



#200 Unit
Dimensions: outside: 15 1/2"W x 10 1/2"H x 9 1/2"D; inside (useful space): 12 1/2"W x 5"H x 7 1/2"D; no. of trays: 2; weight: 17 lb
(100-5400)ea

Door Gasket Seal Kit for #200 Unit
(615-8910)ea

#300 Unit
Dimensions: outside: 19"W x 14 1/2"H x 11"D; inside (useful space): 15"W x 7 1/2" H x 9"D; no. of trays: 3; weight: 27 lb
(100-7250)ea

Door Gasket for #300 Unit
(615-6833)ea

EQUIPMENT



CP 50™ Resting Electrocardiograph

12 Lead

Get the power of a fully featured ECG in a compact, affordable, easy-to-use package. With simple, one-button operation, this device makes performing ECG tests easy for trained caregivers of all skill levels. Other advanced features: a full-color touch-screen display, high-resolution thermal printer, and a full range of EMR/EHR connectivity options.

Features & Benefits

- Reliable, full-color touch-screen display
- On-screen instructions that guide you through a test
- Programmable report formats
- High-resolution thermal printer
- Flexible connectivity options: EHR, EMR, HIS, e-mail, Web, and telemedicine
- External printer integration
- Programmable patient entry fields
- Optional MEANS interpretation
- Optional mobile stand and carrying case

#CP50-1EN1, CP 50 Non-interpretive (566-0338)ea



#CP50A-1EN1, CP 50 Interpretive (566-0339)ea

#CP50P-1EN1, CP 50 Plus, Non-interpretive (566-0340)ea

#CP50AP-1EN1, CP 50 Plus, Interpretive (566-0341)ea

Accessories

#45008-0000, Disposable Tab Electrodes (701-6335)1000/box

#406815, CP 50 Mobile Stand (566-0345)ea

#715107, Carrying Case (566-0344)ea

#406021, CP 50 Printer Paper, Z-fold (566-0342)4 packs/case

#406020, CP 50 Printer Paper, Roll (566-0343)4 rolls/case



CP 150™ Electrocardiograph

Combines simplicity with speed using a unique touch-screen display and keyboard for better accuracy. To meet the needs of fast-paced environments, take quick ECG readings with the touch of a button. And, with a range of advanced connectivity features, it will help improve your practice work flow by sending, managing, and sharing patient data with systems inside or outside your facility.

Features & Benefits

- 7" full-color touch-screen display for fast and easy entry of accurate patient information
- Instant-on feature powers the device up quickly
- Advanced filters for optimal ECG trace quality ensure accurate readings
- 3-lead ECG preview
- Optional adult and pediatric MEANS ECG interpretation software offers a second opinion
- Battery operation for portability
- Stores up to 100 test results on the device, which can be transferred to a USB flash drive



#CP150-1ENB, CP 150 Non-interpretive, ECGActive (566-0334)ea

#CP150A-1ENB, CP 150 Interpretive, ECGActive (120-6477)ea

Accessories

#45008-0000, Disposable Tab Electrodes (701-6335)1000/box

#08265-0000, ECG Utility Cart (566-5848)ea

#105343, CP 150 Cable Arm and Shelf Option (120-6478)ea

#719653, 10-lead Patient Cable, AHA, Banana (566-0348)ea



Onyx® Vantage 9590 Pulse Oximeter

The only finger pulse oximeter with both scientifically proven accuracy in the widest range of patients and tested for use on fingers, thumbs, and toes. Tested in motion, this lightweight (2-oz) oximeter gives accurate readings on challenging patients with low perfusion and darker skin tones. Cost-efficient: performs up to 6,000 spot checks on 2 AAA batteries and carries a 4-year warranty.

#8340-001, Blue (117-6262)ea

#8340-004, Black (499-9104)ea



HEM-907XL Intellisense® Professional Digital Blood Pressure Monitor and Accessories

The most recent advancement in digital, noninvasive blood-pressure monitors. Engineered for accuracy, precision, and clinical effectiveness, it is mobile, easy to use, time-saving, and versatile. Developed specially for professional use in a clinical setting, including physician's office, hospitals, or other point-of-care environments.

- Automatic inflation level setting with IntelliSense® allows for automatic cuff inflation, eliminating the need to preset inflation levels
- Average mode measures up to 3 readings and averages the total, according to current blood pressure, for a more accurate measurement
- Large, easy-to-read display
- Auto cuff pressure control for manual (auscultatory) measurement
- Quiet operation eliminates unnecessary patient anxiety and clinical noise
- Quick-and-easy one-button operation



Monitor

(524-3175)ea

Contains: large, medium & small cuff/bladder set, 1.0-m air tube & AC adapter.

Stand

(635-3856)ea

Wall Mount Kit

(256-6232)ea

Pole Mounted Kit

(524-0630)ea



PalmSAT® 2500 Digital Handheld Pulse Oximeters and Accessories

- Simple: easy, two-button operation
- Compact size: 7.5-oz (213-g) unit
- Flexible: 3 power options
- Powerful: 72 hours data storage
- Efficient: 2500: 100 hours of battery life, 45 hours from rechargeable batteries; 2500A: 60 hours of battery life, 40 hours from rechargeable batteries
- Compatible: works with Nonin's full line of PureLight® sensors
- User-friendly: large LED display; low-battery indicator

#2500, Unit (609-1908)ea

#2500A, Unit (609-5808)ea

#2500 Unit, with Interface Cable 8500 and 9840 Series (141-2366)ea

Extension Cable, 3' (292-9612)ea

Extension Cable, 9' (408-0395)ea

Carrying Case, Blue (243-5503)ea



FINGERTIP PULSE OXIMETER

- Adult and pediatric use: ideal for all specialties
- Range for SpO₂: 70%–100%
- Range for pulse: 30-235 bpm
- Dual-color LED with display modes and brightness control
- Includes pulse bar and plethysmogram
- Visual and audible low-battery alarm
- 2 AAA alkaline batteries with 30 hours of continuous use
- Electromagnetic compatibility

(900-6368)ea



5 Series™ Upper Arm Blood Pressure Monitor

- Two-user mode
- Detects irregular heartbeats while your blood pressure is being measured
- 60 memory storage
- Hypertension indicator
- Requires 4 "AA" batteries (not included)
- 2-year limited warranty



#BP742 (635-0167)ea



Reusable PureLight® Flex Sensor

For dependable SpO₂ readings. Combines the convenience and performance of a disposable sensor with the economics of a reusable sensor. This reusable sensor, which is made of a durable silicone, is secured with a matching disposable FlexiWrap® adhesive. This hybrid sensor system is ideal for numerous applications, including extended monitoring and sleep studies.

Sensor Only

1 reusable reflectance sensor. Preferred application: middle of forehead.

(363-0950)ea

Contains: 1 sensor, 1 box of 10 plastic applicator caps & 20 adhesive rings. Additional boxes of 10 plastic applicator caps & 20 adhesive rings (412-8205) sold separately.

Adult FlexiWrap Flex System, 1 meter/3 meter/WristOx2 (886-5212)ea

Infant FlexiWrap Flex System, 1 meter (608-2117)ea

Neonatal FlexiWrap Flex System, 1 meter (113-3684)ea

Reflectance Sensor Refill Kit

(412-8205)ea

Contains: 1 box of 10 plastic applicator caps & 20 adhesive rings.

EQUIPMENT



WelchAllyn®

MicroTymper®3 Tympanometer

Test otitis media on patients of any age.

Portable tympanometric instrument. Since pioneering portable tympanometry with the original MicroTymper®, Welch Allyn has worked to improve the technology so you can test for otitis media and other ear conditions on patients of all ages. As the only portable tympanometric instrument to offer 1000 Hz technology, the MicroTymper 3 works for hearing screening on patients from newborns to the elderly, so it's the perfect choice for use in all healthcare settings.

- Portable, reliable, cost-effective tympanometry for patients of all ages
- 1000 Hz Quick Interpretation Mode for testing of infants <6 months
- Enhanced, field upgradeable software
- Welch Allyn quality and enhanced serviceability

#93650, MicroTymper® 3 Set with Charging Stand and Printer
(566-0083).....ea

#23650, MicroTymper® 3 Handle Only
(114-2349).....ea

#71170, Printer/Charger
(566-4181).....ea

#72910, Battery
(116-1720).....ea

#56100, Printer Paper Roll
(566-7984).....5 rolls/pkg

Ear Tips.....4/pkg

Specify:
7mm, X-Small, Black.....(116-3802)
9mm, Small, Gray.....(116-3803)
12mm, Medium, Blue.....(116-3804)
16mm, Large, Green.....(116-3805)
20mm, X-Large, White.....(116-3806)



WelchAllyn®

OAE Hearing Screener

Accurate, Objective, and Easy to Use

Detect hearing loss, prevent language disabilities, and improve patient outcomes with the OAE Hearing Screener, the child-friendly hearing screener that's objective, accurate, and easy to use. By requiring minimal patient cooperation, the OAE Hearing Screener lets you precisely and objectively screen for hearing loss in newborns, infants, toddlers, preschool, and school-age children in just seconds.

- Fast, accurate results—about 10 seconds per ear
- Objective testing—no patient response required
- Clear results that don't require caregiver interpretation
- 10-test memory storage in device
- Simple printer interface for easy patient data documentation

#29400, Hearing Screener Set
(Includes Printer)
(462-8698).....ea

#29420, OAE Ear Tip Sampler Pack
(Newborn, Infant, Pediatric,
and Adolescent)
(603-4610).....20/pkg

#29422, Newborn Tree Ear Tips
(901-5040).....100/bag

#29424, Ear Tips, Infant
(186-8084).....100/bag

#29426, Ear Tips, Foam, Pediatric
(403-5776).....100/bag

#29428, Ear Tips, Foam, Adolescents
(119-2414).....100/bag

#29440, Hard Carrying Case (Optional)
(657-0025).....ea

#29402, OAE Ear Probe
(108-5525).....ea



WelchAllyn®

Ear Wash System Plus

- Simplicity of operation; quick and easy to set up
- Pressure regulation: regulates the output pressure to prevent damage to the tympanic membrane or ossicular chain
- Portable
- Temperature indicator/control: light will turn green when water is at body temperature and will automatically turn off if water gets too hot
- Suctioning action: reduces messy outflow
- Multifunctional disposable tip: provides a seal at ear canal; has an outflow channel to direct water back to drain, and a filter in tip to collect cerumen, thus allowing practitioner to see when cleaning is complete; can be used on children and adults
- 1-year warranty

With enhanced water pressure and unique Hydrovac action, this award-winning system is the obvious irrigation choice for any practice. It eliminates messy overflow by automatically dislodging, removing, and disposing of earwax, making it the easiest, cleanest, most effective way to remove cerumen.

#29350, System
(566-2671).....ea

CPT® Code: 69210

#29360, Ear Tips
(566-0007).....25/box

#29330, Hose Assembly
(566-5560).....ea

#29372, Snap Aerator
(280-5320).....ea

#29373, Aerator Adapter Kit
(708-9650).....ea

Ritter®
by MIDMARK

#355 Ritter Minor Surgery Lights

The perfect balance between quality and affordability. Counterbalanced to provide precise positioning without drifting. Features a large pattern size with an even distribution of light throughout, unsurpassed shadow control, and superior foot-candle illumination.

- Includes quartz halogen bulb(s)
- UL listed and CSA certified
- Lightweight: 55 lb

#355-025, Single Ceiling Light, 8'
(386-7013).....ea

#355-028, Single Ceiling Light, 9'
(386-0236).....ea

Dual Ceiling Light.....ea

Specify:
#355-031, 8'.....(386-4894)
#355-034, 9'.....(386-3405)

#355-022, Mobile Caster Base
(386-9373).....ea



MEDICAL ILLUMINATION
INTERNATIONAL
WHERE ILLUMINATION IS DEFINED

SYSTEM ONE™ Surgery Lights

This surgery light is designed for outstanding performance, incorporating all of the most requested features: high output of cool, color-corrected light, adjustable pattern size, electronic touch controls for on/off and dimming, smooth, flexible, and extensive suspension arm for maximum coverage, reserve bulb that automatically switches over in case of primary bulb failure, excellent shadow control, rotational contacts at all key points, and much, much more. It offers the S2 Surgery Light, S1 Surgery "Satellite", and the P1 Video Camera with choice of 2 controllers.

Highlights:

- 102,000 lux (9500 foot-candles) output at 1 meter distance
- Over 4000°K color temperature
- Fully adjustable light pattern
- Quartz/halogen bulbs
- Electronic touch controls for on/off and dimming
- Removable, sterilizable handle
- Reserve bulb with auto-switchover, in case of primary bulb failure
- Advanced suspension arm design, providing smooth, extensive coverage
- Unique curved facial lens design

#SS2120, SOLO Ceiling Orbital Mount
20" Surgery Light
(182-6667).....ea

#SS2S2120, DUO Ceiling Orbital Mount,
2–20" Surgery Lights
(108-9442).....ea



Ritter®
by MIDMARK

#354 Ritter Minor Surgery Lights

Perfect balance between quality and affordability. Counterbalanced to provide precise positioning without drifting. An ideal task light for all medical environments where illumination is required for external examinations and procedures.

- Includes quartz halogen bulb(s)
- UL2601-1 and CAN/CSA C22.2 No. 601.1-M90
- Lightweight: 55 lb

Single Spotlight.....ea

Specify:
#354-025, 8'.....(386-2145)
#354-028, 9'.....(386-3085)

Dual Spotlight.....ea

Specify:
#354-031, 8'.....(386-7833)
#354-034, 9'.....(386-4597)

#354-022, Mobile Caster Base
(107-4000).....ea



MEDICAL ILLUMINATION
INTERNATIONAL
WHERE ILLUMINATION IS DEFINED

Centurion Dual Ceiling Surgery Light

A revolutionary midrange surgery light that offers exceptional performance and features. Includes a highly efficient, single-reflector design, ensuring optimal shadow reduction, and the 21st Century Series exclusive Centra arm-delivery system.

- Prefocused spot at a distance of 36" (914 mm) from lamp head to provide homogeneous light with 4000 foot-candles (43,000 lux) and color temperature of approximately 4000°K
- Easily replaceable, low-cost, long-life, 12-V/90-W halogen bulb
- 15" (380-mm) diameter elliptical reflector
- IR-absorbing, color-correcting glass cylinder
- 28" (711 mm) articulating arm with integral compression spring
- 23" extension arm
- Arm rotates 40° up and down from horizontal plane
- Lamp head and arm both rotate 540°
- Removable, sterilizable handle
- Additional positioning handle mounted on perimeter

#021515
(521-0966).....ea \$4,999.99

#021512, Wall Model
(494-7469).....ea \$2,799.99

#021513, Portable Floor Model
(521-3947).....ea

#021514, Single Ceiling Model
(521-2902).....ea



EQUIPMENT

small package BIG REVOLUTION

*It will change
the way you view
rapid testing...*

- **Proven Performance vs PCR** — PCR is currently the highest sensitivity standard available
- **Reproducibility You Can Count On** — Unique Adaptive Read Technology helps reduce false-positive results



- **Results You Can Trust**— Easy-to-read digital display eliminates subjective interpretation
- **Convenient Workflow**— Testing requires minimal hands-on time

New BD Veritor™ System

CLIA-waived for Rapid Detection of Flu A+B

Medical technology that captures the trusted answer



Helping all people
live healthy lives

BD Diagnostics
7 Loveton Circle
Sparks, MD 21152-0999
www.bd.com/ds

www.bd.com/ds/veritorsystem

BD, BD Logo and Veritor are property of Becton, Dickinson and Company ©2011 BD



BD Veritor™ System

Features & Benefits

- Proven performance vs. PCR
- Unique Adaptive Read Technology provides reproducibility you can count on
- Easy-to-read digital display eliminates subjective interpretation and delivers the "Trusted Answer"
- Convenient workflow with minimal hands-on time

#256055, BD Veritor™ System Reader
(992-0003)ea


A rapid chromatographic immunoassay for use with symptomatic patients. This CLIA-waived kit is to be used with the BD Veritor System Reader to test nasal and nasopharyngeal swab samples that are freshly collected, processed and dispensed directly onto an assay test device.

#256045, CLIA-waived BD Veritor™ System Flu A+B Kit
(992-0002)30 tests/pkg

CPT® Codes: Influenza A: 87804QW†/Influenza B: 87804-59†; Using the Objective and Differentiated Reader System: 87999†

The BD Veritor™ System RSV Kit is a chromatographic immunoassay with an instrumented read for the direct and qualitative detection of RSV fusion protein from nasopharyngeal wash, aspirate and swab in transport media samples from patients suspected of having a viral respiratory infection. This test is intended for in vitro diagnostic use to aid in the diagnosis of RSV infections in infants and pediatric patients under the age of 20 years. Moderately complex.

#256042, BD Veritor™ System RSV Kit
(992-0005)30/box



Accelerate Decision Making at the Point of Care

Smarter diagnostic tools with rapid results empower decisions that can get your patients back on their feet, back to their loved ones and back to life.

Alere Cholestech LDX® System for Lipid, Glucose, ALT and AST testing
Alere INRatio®2 PT/INR Monitoring System for Anticoagulation Monitoring
Alere Triage® Meter with BNP for the Assessment of Heart Failure

Alere Empower Your Practice
alere.com | 877.441.7440

© 2011 Alere. All rights reserved. The Alere Logo and Alere are trademarks of the Alere group of companies. 1000983-01 11/11



CLIA
Waived

Alere

Alere™ Cholestech LDX® System

Complete Lipid Profile, Glucose

Lab-accurate lipid profile, glucose, ALT, AST, and hs-CRP results in about 5 minutes* from a simple fingerstick. Allows provider to get results while patient is still in office—provider can counsel and intervene face-to-face. This improves patient compliance and increases control and management of heart disease and diabetes. Reimbursable by Medicare and most private payers.

- CLIA waived**
- Procedure saves time and enhances productivity
- Small, tough, and portable
- Eliminates anxiety of venipuncture; requires only a fingerstick
- On-the-spot adjustment of therapy and improved patient compliance
- Accuracy comparable to laboratory tests
- Saves time: fewer follow-up visits required
- Enhances compliance through teachable moments between health care providers and patients

#10-959, Analyzer
(738-2917)ea

Contains: 1 of each: analyzer, printer, power supply, starter pack, optics check cassette, printer cable, user's manual, procedure manual & training video. Starter pack contains 200 lancets, 200 capillary tubes, 200 capillary plungers, 1 Minipette pipette, 50 pipette tips, 1 accessory tray & 1 fingerstick tip pad.

#10-986, Test for TC
(420-7892)10/box

#10-988, Test for TC and Glucose
(956-0149)10/box

#10-987, Test for TC and HDL Panel
(600-5779)10/box



#10-990, Test for TC, HDL, and Glucose Panel
(600-5781)10/box

#10-989 Test for Lipid Profile
(116-9995)10/box

#10-991, Test for Lipid Profile and Glucose
(694-9360)10/box

#88770, Calibration Verification Material (Lipids/Glucose), 2 mL
(116-7301)ea

Contains: 1 vial of each level (1-4).

#88769, Multi-Analyte Controls, 2 mL
(116-4232)ea

Contains: 1 vial of each level (1-2).

#11-785, Cholestech Thermal Printer Labels
White labels for use with Cholestech Thermal Label Printer.
(803-6378)400/roll

#11-010, Disposable Pipette Tips
For use with 35µL, 40µL, and 50µL MiniPet Pipettes.
(267-4596)50/box

#10-311, Capillary Plungers
For use with all types of Cholestech capillary tubes.
(960-1587)50/box

CPT® Codes for lipid profile: #80061QW†; for lipid profile/glucose: 80061QW†/839471QW†; for ALT/AST: 84460QW†

*6-minute results for hs-CRP.
**Except hs-CRP.

Alere

Alere™ INRatio2® Monitor

Allows you to obtain a prothrombin time (PT) and international normalized ratio (INR) result using 1 drop of blood from a fingerstick.

- CLIA waived
- Easy to use
- Single-button operation
- 1-step auto turn-on with strip insertion
- Larger LCD screen and easy-to-read digits
- Small, 1-drop (15 µL), sample size
- Wider test-strip area for easier sample application
- Test results in under 1 minute
- Test strips do not require refrigeration
- 2-channel, on-board quality control runs on every test
- No need for external liquid quality control or extra strips
- Test strips are individually wrapped and stored at room temperature



INRatio2 Professional Monitor Kit
(111-3837)ea

#INR2QS1 Quick Start #1
(111-3840)ea

Contains: analyzer, 1 box of 48 INRatio test strips, 50 Unistik® single-use lancets, 100 alcohol pads & 250 gauze brick pads.

#INR2QS3 Quick Start #3
(111-3844)ea

Contains: analyzer, 3 boxes of 48 INRatio test strips (144 total), 150 Unistik® single-use lancets, 200 alcohol pads & 250 gauze brick pads.

#INR2QS5 QuickStart #5
(111-6578)ea

Contains: analyzer, 5 boxes of 48 INRatio test strips (240 total), 250 Unistik® single-use lancets, 300 alcohol pads, 5 boxes of capillary tubes & 500 gauze brick pads.

#INR2-6PK 6-Box Promo
(112-3230)ea

Contains: analyzer, 6 boxes of 48 INRatio test strips (288 total), 10 single-use lancets & 10 capillary tubes.
CPT® Code: #85610QW†

EQUIPMENT



BENEFITS FOR YOUR PRACTICE... PRACTICEPRIVILEGES



PRACTICE
Privileges

EXCLUSIVE
BENEFITS FOR
PREFERRED
CLIENTS

To learn more:
1.866.MED.VIPS (1.866.633.8477)
www.henryschein.com/privilegesmd

10% Off!

YOUR NEXT REPAIR



TRUE VALUE

QUALITY REPAIRS | EXCEPTIONAL SERVICE | GENUINE PARTS



www.facebook.com/ProRepair

Send Us Your Repairs:



Instrument Sharpening
& Surgical Repair



Endoscope Repair



Sterilizer Repair



Small Equipment Repair

10% Off!

Use this gift certificate for
10% off your next repair.

HENRY SCHEIN®
PRO REPAIR

EXPIRES DECEMBER 29, 2013

CUSTOMER # _____

CUSTOMER NAME _____

CUSTOMER PHONE # _____

© 2013 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. Original certificate only must be sent with repair to be valid. VALID ONLY THROUGH HENRY SCHEIN PROREPAIR DIVISION. Manufacturer repairs not included. Cannot be combined with any other promotion or discount. Minimum billing amount of \$89 necessary. One certificate per repair.

HENRY SCHEIN®
PRO REPAIR

For repair mailer kits, packaging material
or for more information call ProRepair at:
1-800-367-3674 8am-7pm (et)
www.prorepair.com
prorepair@henryschein.com

Alere

Afinion™ Test System

The Afinion™ AS100 Analyzer provides valuable near-patient testing for today's health-care professionals. It utilizes the latest technology and provides a simple, fast, and reliable method to monitor patients' disease progression.

- Multi-assay analyzer system
- 3-minute HbA1c, CLIA-waived
- 5-minute albumin/creatinine ratio (ACR)
- Short test time provides the opportunity for more timely treatment changes
- Easy sample collection and operation, minimal training required
- Reliable, lab-quality results
- No manual calibration required
- Unique integrated fail-safe system
- Allows for input of patient and operator IDs

AS100 Analyzer
(119-8787)ea
Cleaning Kit
(119-8810).....50/box
Universal Printer
(119-8807)ea



Thermal Printer Labels
(119-8813).....ea
Barcode Scanner
(119-8889)ea

Afinion™

Simple • Fast • Reliable

Afinion™ HbA1c Test

- CLIA-waived - no special training required
- Easy sample collection and operation
 - Sample size: 1.5 µL of blood
 - Sample types: capillary and venous whole blood
- 3 minute test time
 - Increased efficiency
- Reliable, lab quality results
 - Precision: <3% CV
 - NGSP certified
 - No interferences from hemoglobin variants

Connectivity

The Afinion™ Data Connectivity Converter (ADCC) allows for simple transfer of patient and control results from the Afinion™ AS100 Analyzer to LIS/HIS system of choice.

- Results are transferred via Ethernet connection
- Available standard formats of HL7 or ASTM

Other Available Tests

- Afinion™ ACR

Now available through Henry Schein!

For more information, call your Henry Schein
Sales Consultant at 800.772.4346



1.877.441.7440 | alere.com



Alere

Afinion™ ACR Test

Test for quantitative determination of albumin, creatinine, and albumin/creatinine ratio (ACR) in human urine, used for early identification of renal disease in patients with diabetes and/or hypertension.

- Lab-quality results in 5 minutes
- 3.5 µL of random/spot urine sample
- Quantitative results
- Increased accuracy by measuring creatinine

ACR
(119-8789).....15/box
ACR Controls
(119-8793)ea



Alere

Afinion™ HbA1c Test

Test for quantitative determination of glycated hemoglobin (HbA1c) in human whole blood, used to monitor metabolic control in patients with diabetes.

- 3-minute test time
- Excellent precision (<3% CV)
- No interference from Hb variants
- NGSP and IFCC certified
- CLIA-waived

HbA1c
(119-8788).....15/box
HbA1c Controls
(119-8791)ea



EQUIPMENT Q4

YOUR SOURCE FOR THE LATEST IN MEDICAL EQUIPMENT

Rely on Us

2013 Edition

Buy now. Benefit now. Save now!



Now is the time to acquire the equipment, technology, and/or software that you've been thinking about. Invest in your practice and enjoy the potential tax savings.

 HENRY SCHEIN®
FINANCIAL SERVICES
Business Solutions for Healthcare Practitioners

You still have time to take advantage of the Section 179 tax deduction of the Federal IRS tax code rule that allows businesses to deduct up to \$500,000 of qualifying purchases.

Remember, you must take delivery before year-end.

Benefits include:

- Lower taxable income
- Better equipment and technology
- Reduced downtime
- Improved productivity
- Lower financing rates

*There are individual circumstances applicable to your situation. Please check with your own advisors (we do not offer tax advice). Henry Schein Financial Services is not a bank, does not represent itself as such, and does not conduct banking activities. © 2013 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

For more information on how you can save money and help your bottom line contact 1-877-776-7286 or HSFS@henryschein.com

Keep Lab Revenues In-House with the ACE Axcel



Meet the ACE Axcel, a third generation chemistry analyzer from Alfa Wassermann, the #1 supplier of chemistry systems for the Physician Office Laboratory (POL).

Cleared by the FDA specifically for POL use, ACE Axcel offers new touch-screen functionality, an intuitive user interface, and Internet connectivity.

ACE Axcel is the intelligent choice for the smart lab - and a smart solution for you.

ALFA WASSERMANN
Diagnostic Technologies, LLC
Reliable. Accurate. Results.

4 Henderson Drive • West Caldwell, NJ 07006 • 800-220-4488 • www.ACEAxcel.com • info@ACEAxcel.com
ACE Axcel™ Clinical Chemistry System is a trademark of Alfa Wassermann Diagnostic Technologies, LLC.

Call: **1-800-P-SCHEIN** (1-800-772-4346) 8am-9pm (et) • Fax: **1-800-329-9109** 24 Hours

www.henryschein.com/medical

Due to manufacturer price increases, prices are subject to change without notification. Offer valid on our full array of products. Upon any request by Medicare, Medicaid, Tricare or other payer, you must report the value of any benefit received from a discount program (e.g., points redemptions, gifts or other special awards) ©2013 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. No adjustments from prior sales. Offer not to be combined with other promotions and/or special contract pricing. Void where prohibited. Local regulatory requirements may apply to use or installation of certain products. It is your responsibility to understand and comply with any such requirements prior to purchase, use or installation of products.