

ELECTRICAL ACCESSORIES

Adapters, Connectors, Plugs & Receptacles

Blue Sea Systems	557
Hubbell	557-559
Marinco	559-562
Mar-Lan	562
Perko	562
Sea-Dog Line.....	562
Whitecap.....	563

Battery Accessories

Ancor	526
Attwood.....	526
BEP Marine	526,527
Blue Sea Systems	527,528
Guest	528
Handi-Man	528
Johnny Ray.....	529
Kwik Tek.....	529
Marinco.....	529
Marine Works	529
Minn Kota	529
Moeller.....	529
Panther.....	529
Perko	529,530
ProMariner.....	530
Sea-Dog Line.....	530
Sierra	530
Trac	530

Battery Boxes & Hold Downs

Attwood	531
BoatBuckle	531
DetMar.....	531,532
EpcO	532

Minn Kota	532
Moeller.....	532
R&R Design.....	532
Rod Saver.....	532
Sea-Dog Line.....	532
T-H Marine.....	532,533
Toon-Brite.....	533

Battery Chargers

Cobra Marine.....	522
Guest	522,523
Minn Kota	523,524
Motorguide.....	524
Pro Charging Systems.....	524
ProMariner.....	525,526

DC/DC Converter

BEP Marine	526
------------------	-----

Electrical Tape & Liquid Tape

3M.....	533
Handi-Man	533
MDR	533
Star Brite.....	533

Fuses & Blocks

Ancor	540
Blue Sea Systems	540-544
Handi-Man	544
Marine Works	544-546
Mar-Lan	546,547
Perko	547
Sea-Dog Line.....	547,548
WhiteCap.....	548

Inverters & Inverter Access.

ProMariner	526
------------------	-----

Lamps

Marine Works	563
--------------------	-----

Switches & Switch Panels

Ancor	548
Attwood.....	548,549
BEP Marine	549
Blue Sea Systems	549
Hubbell	550
Kwik Tek.....	550
Marine Works	550-553
Mar-Lan	553
Perko	553
Rule	554
Sea-Dog Line.....	554,555
T-H Marine.....	555
Whitecap.....	555,556

Strippers & Crimping Tools

Ancor	556
Attwood.....	556
Marine Works	556
Sea-Dog Line.....	556,557

Wire, Cable, Connectors & Ties

3M.....	534
Ancor	534-536
Attwood.....	536
Handi-Man	537
Marinco.....	537
Marine Works	537,538
Mar-Lan	538
Perko	538
Sea-Dog Line.....	538,539
T-H Marine.....	540

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

BATTERY CHARGERS


**COBRA MARINE™
CJS 50 JUMPSTARTER/
POWERPACK**

Instantly jump start vehicles w/1200 watts of jump start power. Heavy-duty cables transfer power more efficiently. Jump starter safety switch safely transfers power to the booster cables. Reverse polarity indicator. Maintenance-free high efficiency sealed lead acid battery. 12V DC power outlet for DC accessories & appliances. 5V USB port for charging cell phones, PDAs or power up consumer electronic devices. Super-bright LED illumination for emergencies. LED display indicates battery capacity & charge status.



Order #	Mfg. #	Sugg.Ret.
6033089	CJS50	\$69.99

**COBRA MARINE™
CJI 150 JUMPSTARTER/
POWERPACK**

Instantly jump start vehicles w/1200 watts of jump start power. Heavy-duty cables transfer power more efficiently. Jump starter safety switch safely transfers power to the booster cables. Reverse polarity indicator. 100 watt/110V AC output operates household appliances. 12V DC power outlet for DC accessories & appliances. 5V USB port for charging cell phones, PDAs or power up consumer electronic devices. LED light for work light or emergencies. LED display indicates battery capacity & charge status.



Order #	Mfg. #	Sugg.Ret.
6033238	CJI 150	\$89.99

**COBRA MARINE™
CJIC 250 JUMPSTARTER/
POWERPACK**

Instantly jump start vehicles w/1200 watts of jump start power. Heavy-duty cables transfer power more efficiently. Jump starter safety switch safely transfers power to the booster cables. Reverse polarity indicator. Maintenance-free high efficiency sealed lead acid battery. 100 watt/110V AC output operates household appliances. 12V DC power outlet for DC accessories & appliances. 5V USB port for charging cell phones, PDAs or power up consumer electronic devices. 260 PSI air compressor inflates low tires, sports equipment, air mattresses, etc. LED light for work light or emergency light. LED display indicates battery capacity & charge status.



Order #	Mfg. #	Sugg.Ret.
6033090	CJIC250	\$99.99

**COBRA MARINE™
CJIC 350 JUMPSTARTER/
POWERPACK**

Instantly jump start vehicles w/1800 watts of jump start power. Heavy-duty cables transfer power more efficiently. Jump starter safety switch safely transfers power to the booster cables. Reverse polarity indicator. Maintenance-free high efficiency sealed lead acid battery. 400 watt/110V AC output operates household appliances. 12V DC power outlet for DC accessories & appliances. 5V USB port for charging cell phones, PDAs or power up consumer electronic devices. 260 PSI air compressor inflates low tires, sports equipment, air mattresses, etc. LED light for work light or emergency light. LED display indicates battery capacity & charge status.



Order #	Mfg. #	Sugg.Ret.
6033239	CJIC 350	\$139.99



DUAL BATTERY APPLICATIONS

**GUEST®
CHARGE PRO® 10 AMP
TROLLING MOTOR CHARGER**

Dual battery application. Total amps: 10. Outputs: 2. Amps per output: 5/5. Battery system: 2-12V or 24V. Input voltage: 100-130V AC 50-60Hz. Output voltage: 12V. Recovery time: 6-8 hrs. DC cable: 2-4' DC outputs. Dimensions: 7-3/4"x5-1/8"x2-1/16". Weight: 6 lbs. Lifetime warranty against internal water damage. 2-year warranty against defects in workmanship. Battery leads have built-in fuses & ring terminals.



Order #	Mfg. #	Sugg.Ret.
6002259	2611A	\$170.99

**GUEST®
ON-BOARD CHARGER**

Charger for weekend anglers with 1 battery onboard. 6-amp output, 1 bank, 12V system, 8-10 hours recovery time. Full-time maintenance function. Waterproof, fully-encapsulated electronics. Includes: pre-wired 6' AC cord & (2) 4' DC outputs with ring terminals. Lifetime warranty against internal water damage.



Order #	Mfg. #	Sugg.Ret.
6031995	2608A	\$105.99

**GUEST®
CHARGE PRO® 30 AMP
TROLLING MOTOR CHARGER**

Triple battery application. Battery leads have built-in fuses & ring terminals. Total amps: 30. Outputs: 3. Amps per output: 10/10/10. Battery system: 3-12V, 24V+12V or 36V. Input voltage: 100-130V AC 50-60Hz. Output voltage: 12V. Recovery time: 5-6 hrs. DC cable: 3-6' DC outputs. Dimensions: 12-5/8"x6"x3-1/4". Weight: 13 lbs. Lifetime warranty against internal water damage. 2-year warranty against defects in workmanship.



Order #	Mfg. #	Sugg.Ret.
6003065	2631A	\$540.99

BLUEWATER CHARGERS

Bluewater Cruising Chargers are made specifically for coastal blue water environments. Features SmartLeg™ Technology, providing individual charging attention to each battery, eliminating potential for over charging. Differentiates & provides different charging amperage to each battery depending on usage curve. Designed to be used as a continuous power supply.

TRIPLE BATTERY APPLICATIONS

**GUEST®
BLUEWATER CRUISING**

Triple battery application. Total Amps: 20. Outputs: 3. Amps per output: 10/5/5. Input voltage: 100-130V AC 50-60Hz. Output voltage: 12VDC per output. DC outputs: Studs w/circuit breakers. Dimensions: 9.84"x9.60"x2.92". Weight: 10.8 lbs. Lifetime warranty against internal water damage. 2-year warranty against defects in workmanship.



Order #	Mfg. #	Sugg.Ret.
6031525	2621A	\$422.99



GUEST® CONNECTCHARGE™ INLET

Mounts to dash from rear with threaded locking ring or mounts from front with three screws through face plate.

Order #	Mfg. #	Sugg.Ret.
6031642	150CCI	\$26.99



GUEST® BATTERY PAL™ STORAGE & MAINTENANCE PORTABLE CHARGER

For off-season storage/maintenance of fully charged batteries in boats, cars, personal watercraft, snowmobiles, ATVs, tractors, electric scooters, etc. Float charger keeps 12V batteries factory fresh without overcharging of boiling electrolyte. Supplies only maintenance charge necessary to preserve battery life. Precisely regulated 13.5 volts replaces the internal self-discharge current of any flooded or gel cell battery rated between 5 & 125 amps hours. Automatic safety shutoff & an LED indicator of proper operation. Comes with a full one year warranty.

Order #	Mfg. #	Sugg.Ret.
6001244	2602	\$59.99



GUEST® BATTERY ISOLATORS

Optimized heat sink design for maximum performance. Minimized voltage drop across isolation barrier using Schottky type diodes. Each output individually capable of carrying the full alternator load. Fixed cable posts for secure connections. Waterproof components for harsh environment performance. Two-year warranty.

Order #	Mfg. #	Alt.	Batt.	Amps	Sugg.Ret.
6032808	2501	1	2	70	\$80.99



new

MINN KOTA® PRECISION ON-BOARD CHARGER

Designed to create fast, safe charges. Precision Chargers take it to a whole new level, adding features like Battery Equalization, Low-Line Voltage Compensation and True-Rated Output to create a fast, protected charge on the water. A comprehensive LED display lets you select your battery type by bank, and monitor each bank's connection status, power status, state of charge & selected battery type. Half the weight and more compact than traditional chargers. A microprocessor-based design enables the charger to continually monitor the temperature and state of charge. It means a faster, more regulated, precise charge for your battery. Waterproof, shock- and vibration-resistant aluminum construction. Saltwater-tested, fully corrosion-resistant construction. Short circuit, reverse polarity, arc and ignition protected. For use with 12-, 24-, 36- or 48-volt systems with 12V/6 cell batteries that are Flooded Lead Acid, Maintenance Free, Starved Electrolyte (AGM/HP AGM) or Gel only (60-180 amp hour rating). FCC Compliant. Designed to UL 1236 marine standard.

Order #	Mfg. #	Model	Banks	Amps	Tot. Output	Sugg.Ret.
6033536	1821151	MK-115PC	1	15	15	\$249.99
6033537	1822301	MK-230PC	2	15	30	349.99
6033538	1823451	MK-345PC	3	15	45	449.99
6033539	1824601	MK-460PC	4	15	60	549.99



MINN KOTA® DIGITAL LINEAR ON-BOARD CHARGER

Microprocessor based charger provides a more precise, faster charge while protecting & extending battery life. Digitally controlled to monitor temperatures & state of charge to create a faster, regulated & more precise charge. Delivers up to 2x faster charge time in high heat conditions. Enhanced maintenance mode automatically shuts off 24 hours after the battery is fully charged. Charger monitors battery voltage & will automatically turn back on to maintain a full charge. Employs the proven performance of Minn Kota's Multi-Stage Charging (bulk, absorption, maintenance) & Automatic Temperature Compensation technologies. Enhanced status codes - users receive key information through a color-coded LED display. Features arc protection to prevent sparking when connecting to batteries. Waterproof, shock-and vibration-resistant aluminum construction. Saltwater tested & fully resistant to corrosion. Short circuit, reverse polarity, & ignition protected. For use with 12V/6-cell batteries that are flooded/wet cell, maintenance free, or starved electrolyte (AGM) only. FCC compliant. UL listed to 1236 standard. 3-Year Warranty.

Order #	Mfg. #	Model	Banks	Amps	Total Output	Sugg.Ret.
6033254	1821065	MK-106D	1	6	6	\$99.99
6033255	1821105	MK-110D	1	10	10	149.99
6033256	1822105	MK-210D	2	5	10	149.99
6033258	1822205	MK-220D	2	10	20	249.99
6033261	1822305	MK-230D	2	15	30	299.99
6033257	1823155	MK-315D	3	5	15	199.99
6033259	1823305	MK-330D	3	10	30	299.99
6033262	1823455	MK-345D	3	15	45	399.99
6033260	1824405	MK-440D	4	10	40	399.99
6033263	1824605	MK-460D	4	15	60	499.99



MINN KOTA® ON-BOARD DC ALTERNATOR CHARGER

Take charge of up to 30 amps of output. Features waterproof and corrosion-resistant design, a low profile enclosure and turns off when the engine is not in use.

Order #	Mfg. #	Model	Banks	Sugg.Ret.
6032757	1821031	MK-1-DC	1	\$99.99
6032758	1821032	MK-2-DC	2	129.99
6032759	1821033	MK-3-DC	3	169.99



MINN KOTA® PORTABLE CHARGER

Designed to restore proper charge to trolling batteries faster without over- or undercharging. 3-stage charging (bulk, absorption & maintenance). LED display indicates power ON, charging, full charge & check connection. Low-line voltage compensation delivers true-rated output even when input voltage drops. Waterproof, shock- & vibration-resistant. Short circuit & reverse polarity protection prevents charger from operating if improperly connected to battery. For use with 12V/6-cell batteries (50-130 amp hour rating that are flooded/wet cell, maintenance-free or starved electrolyte only). FCC compliant. UL listed to marine standard 1236. Full 3-year warranty.

Order #	Mfg. #	Model	Total Output	Sugg.Ret.
6032668	1821051	MK105P	5	\$59.99
6031909	1820110	MK110P	10	84.99
6032669	1822110	MK210P	10	109.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
Instruments

MINN KOTA® CHARGER OUTPUT EXTENSION CABLE

Depth
Finders/GPS

Use this 15' extension cable when your standard charger cables don't reach the bow, center or transom battery compartments. Features WAGO® Wall-Nut™ quick connectors and fused positive & negative leads.

Vests/
Cushions

Order #	Mfg. #	Sugg.Ret.
6033423	1820089	\$21.99

Water
Sports

MotorGuide®

Safety/
OpticsBoat
Access.

MOTORGUIDE® ON-BOARD MARINE BATTERY CHARGERS

Mooring/
Docking

Automatic charging for Lead Acid or Gel batteries. Charges & conditions batteries w/built-in safe maintenance mode for long & short term storage. Waterproof, shock resistant & saltwater tested. Reverse polarity, ignition & temperature protection. Power, charging & maintaining LED indicators. Pre-wired for easy installation. Single & Double Bank Models Feature: Auto Transfer Technology - maintains the engine crank battery while transferring 100% of the available charging amps to the trolling batteries, & Dual Inline Battery Bank Fuses for maximum safety. 5' AC/DC cables. 90-135 AC in. 2-Year Warranty.

Hardware

Lighting

Boat Seats

Order #	Mfg. #	Model	Banks	Amps	Voltage	Sugg.Ret.
6033439	31705	5	Single	5	12	\$98.99
FEATURES AUTO TRANSFER TECHNOLOGY						
6033440	31710	5/5	Double	10	12/24	158.99
6033441	31713	5/5/3	Triple	13	12/24/+ENG	208.99

Boat Covers

Fuel

Trailers/
ATV Access.

The #1 choice of over 50 boat manufacturers & the pro fishermen on the B.A.S.S. & FLW tournament trails. These chargers are totally waterproof & shut off completely after charge. No trickle charge. Return to charge maintenance mode. They are temperature compensated to assure you fully charged batteries under all atmospheric conditions. Separate chargers in every bank enable each battery to be analyzed, charged & maintained individually to ensure peak performance. No installation restrictions. Ignition protected (US Coast Guard 33 CFR183.410) Meets FCC Part 15. CE Approved. 3-year warranty.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

DUAL PRO CHARGER® SERIES by PRO CHARGING SYSTEMS

High performance microprocessors. Higher potential amperage outputs in a low state of discharge.



Dual Pro: Total amps: 30. Outputs: 2. Amps per output: 15/15. Battery system: 12V or 24V. Recovery time: up to 5 hrs. Dimensions: 6"Hx6-1/2"Wx11-1/2"L. Weight: 15 lbs.

Three Bank Pro: Total amps: 45. Outputs 3 Amps per output: 15,15,15. Battery system 12V,24V, or 36V. Recovery time up to 5 hrs. Dimensions: 6"Hx6-1/2"Wx14-1/2"L. Weight: 22 lbs.

Order #	Mfg. #	Sugg.Ret.
6002265	DUAL PRO/PS2	\$320.99
6002268	3 BANK PRO/PS3	427.99

SPORTSMAN EDITION SERIES by PRO CHARGING SYSTEMS

Dual Pro SE: 20 amps output. 10 amps per bank. Battery system 12V, 24V.

Three Bank Pro SE: 30 amps output. 10 amps per bank. Battery system 12V, 24V, 36V.

Four Bank Pro SE: 40 amps output, 10 amps per bank. The first four bank charger with advanced microprocessors that charges each battery independently. Great for 48V battery systems.



Order #	Mfg. #	Battery	Sugg.Ret.
6032565	SE2/SS2	12V/24V	\$254.99
6032563	3 BANK SE3/SS3	12V/24V/36V	339.99
6031685	FOUR BANK SE/SS4	12V/24V/36V/48V	449.99

RECREATION SERIES GO CHARGE by PRO CHARGING SYSTEMS

Affordable, reliable and safe battery charging system designed for everyday use. System is engineered for users who need a charging system on an occasional basis and may not want or need the capabilities of a heavier duty & higher amperage product. Use in boats & other watercraft, automobiles, ATVs, golf carts, etc. Approved for Wet Cell & Absorbed Glass Mat (AGM) batteries. Designed for use in fresh and saltwater. Waterproof, dependable, rugged construction. Independent outputs & fully automatic. Battery maintenance mode. 5' DC charge cables, 3' AC power cord. LED lights indicate "Each Battery's" state of charge. Reverse polarity protected & no installation restrictions. Ignition protected (USCG 33 CFR 183.410). FCC 15 Parts A & B Interference Compliant.

RS1: One 6 amp bank. 6 amps total output. Battery system 12V.

RS2: Two 6 amp banks. 12 amps total output. Battery system 12V, 24V.

RS3: Three 6 amp banks. 18 amps total output. Battery system 12V-36V.

Order #	Mfg. #	Model	Sugg.Ret.
6033017	RS1	RS1	\$99.99
6033018	RS2	RS2	144.99
6033019	RS3	RS3	194.99



GO CHARGE MAINTAINER/CHARGER by PRO CHARGING SYSTEMS

2.0 amps total output. State of charge LED indicator. Reverse polarity protected.

Zero spark technology. Four stage charge profile. Over voltage and over current protection. Universal input. Quick disconnect harness protection. Flexible rotating A/C power plug. Both alligator clips & ring terminals provided. Includes power cord & fused harness. Conforms to UL/CUL specifications. 1-year warranty.



Order #	Mfg. #	Sugg.Ret.
6033020	GC122	\$69.99

ProMariner®

new

PROMARINER® PROMAR1 SERIES

Recreational marine battery charger. Charge, condition & maintain batteries with a built-in safe maintenance mode. Use with Lead Acid (Flooded) or GEL batteries. At-a-glance AC power, charging & ready/maintain LED indicators. Distributed-On-Demand™ Technology automatically charges & maintains your engine crank battery while distributing all remaining charging amps to trolling motor batteries. 100% epoxy filled - completely waterproof & shockproof. Dual in line DC safety fuses (multi-bank modes), reverse polarity, ignition & temperature protection. Pre-wired for easy installation. 6' AC & DC cables. 2-Year Warranty.

Order #	Mfg. #	Model	Volts	Amps	Banks	Sugg.Ret.
6033541	31405	ProMar1 5	12	5	1	\$79.99
6033542	31410	ProMar1 5/5	12/24	10	2	129.99
6033543	31413	ProMar1 5/5/3	12/24+Eng. 13	3		159.99

PROMARINER® DIGITAL MOBILE CHARGE ADVANCED ELECTRONIC IN-TRANSIT 4-STAGE BATTERY CHARGER

Meets a boat's demand for on-the-water power and charging for 12 or 24 volt DC systems, allowing for radar, lighting, live wells and other DC systems to operate while managing and charging batteries when running the engine. Faster and safer charging eliminates the need for battery isolators, alternator modifications or advanced regulators. C3 Software-Controlled 4-stage charging w/Boost-Mode Technology. C3 Intelligent Self-Calculating Absorption/Conditioning Mode. User programmable battery type selector. Zero loss, unlike typical battery isolators - insuring faster and full charging. C3 Software - Engine Battery Management. C3 communication port for optional helm remote.



PROMARINER® DIGITAL MOBILE CHARGE BATTERY CHARGER

Digital Mobile Charge 40: Battery-to-Battery, on-the-water charging technology. Connect engine crank battery and your house electronic battery, allowing for up to 40 Amps per hour to be transferred to your house battery bank.

Digital Mobile Charge 130: Alternator-to-Battery, on-the-water charging system provides a significant increase in charging capacity of up to 130 Amps. Connect your alternator to the Digital Mobile 130, then connect Digital Mobile 130 to your engine crank battery and your house electronic battery bank. Will provide up to 130 Amps per hour to your house battery bank while protecting your engine battery and charging/conditioning your house battery bank with its all-digital C3 boost mode charging technology.

Order #	Mfg. #	Type	Sugg.Ret.
DIGITAL MOBILE CHARGE 40			
6032679	05504	12V to 12V Battery-to-Battery	\$549.99
6032680	05505	12V to 24V Battery-to-Battery	549.99
DIGITAL MOBILE CHARGE 130			
6032681	05513	12V Alternator-to-Battery	649.99
6032682	05514	24V Alternator-to-Battery	649.99

PROMARINER® PROTOURNAMENT SERIES For Professional Grade Tournament Fishing

PROMARINER® PROSPORT HEAVY DUTY RECREATIONAL SERIES

More amps per bank and faster charging. Distributed-On-Demand™ Technology. Automatic multi-stage charging. 3-charge profile digital battery type selector. Expanded LED status center. Extruded aluminum case. All cables six feet in length.



Order #	Mfg. #	Model	Volts	Amps	Banks	Sugg.Ret.
6032760	42006	ProSport6	12	6	1	\$99.99
6032761	42008	ProSport8	12/24	8	2	109.99
6032762	42012	ProSport12	12/24	12	2	149.99
6032763	42020	ProSport20	12/24	20	2	189.99
6032839	42021	ProSport20+	12/24/36	20	3	199.99

PROMARINER® PRONAUTICP SERIES DIGITAL PERFORMANCE CHARGING PLATFORM

Fully charges, conditions, maintains & re-conditions batteries while extending battery life & maximizing battery reserve power performance. Choose from 12 selectable 4-stage charging profiles: Charge, Condition, Maintain & Re-condition. Features automatic dockside power mode for 12 Volt DC lighting & appliances (AGM, GEL selectable). Features Power Factor Correction - Global AC Input allows unit to work off household power outlet connection & consumes less power so more AC power is available on board. Distributed-On-Demand™ Technology automatically senses & distributes 100% of available charging amps to any one bank or combination of all banks. Digital Self-Calculating Absorption & Battery Health Re-Conditioning Mode improves reserve power performance & extends battery life by automatically programing conditioning time based on discharge state of batteries & automatically de-sulfates batteries after 21 days in the maintain mode. Conservation Energy Saver Mode. Service & Fault Mode LED Indicators. Automatic Fan Speed Control for quiet operation & to prevent restriction of air flow & cooling. Automatic Temperature Compensation & Built-in Safety Remote - Temperature probe included (Ignition protected & current limiting) - Designed & constructed to: Marine ULc 1236, CE, C-Tick & FCC Class B. AC input voltage: 100-240 autoranging. Cycle: 50/60. Unit Dimensions: 10.25"Lx8.5"Wx3.5"H. Wt.: 5 lbs. 5-Year Limited Lifetime Warranty.



Order #	Mfg. #	Model	Volts	Amps	Banks	Sugg.Ret.
6033388	63110X	ProNautic1210P	12	10	2	\$198.99
6033418	63115	ProNautic1215P	12	15	3	249.99
6033419	63120	ProNautic1220P	12	20	3	329.99
6033420	63130	ProNautic1230P	12	30	3	399.99
6033421	63140	ProNautic1240P	12	40	3	429.99
6033422	63170	ProNautic2420P	12	70	3	439.99

PROMARINER® PROSPORT 1.5 BATTERY MAINTAINER

Fully automatic, designed to maintain 12V batteries up to 250 amp hours. Precision-regulated 13.4 VDC float mode. Can be left on for extended periods without overcharging or damaging batteries. Will not drain battery if AC is removed. LED status indicator. Reverse polarity protected. Certified to US 1236 Marine. 1-year warranty.. Volts: 12. Amps: 1.5. Banks: 1. Cable size: 4'. AC in: 90-135. Dimensions: 2.2"x2.5"x3.3". Weight: 1.75 lbs.



Order #	Mfg. #	Model	Sugg.Ret.
6031935	10116	On-Board	\$34.99
6002988	10115	Portable	29.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

ProMariner®

PROMARINER® TRUEPOWER MARINE & INDUSTRIAL GRADE POWER INVERTERS

Converts 12VDC vehicle/battery power to 110 VAC household power. Power electronics, tools, appliances & more from boat, truck, RV or utility vehicle. Features include: GFCI protected outlets, input polarity protection, low battery alarm, overload protection, low battery shutdown, thermal protection, high battery shutdown, output short circuit protections. LED power & fault indicators. High surge rated. 200-1200 watts: Bat Sav'r Auto Mode-3 position battery switch. 200-3000 watts: Continuous power rating. 600 watts & above: Dual bar graph status display. 600-1200 Watts: Standard remote port. 1500-3000 Watts: Removable deluxe remote. 400 & 800 Watts: 2 water-resistant inverter models.

Order #	Mfg. #	Watts	Dimensions	Sugg.Ret.
6032436	05040	400	9"Lx6"Wx3"H	\$99.99
6032437	05080	800	14.5"Lx8.2"Wx3.5"H	189.99
6032438	05100	1000	14.5"Lx8.2"Wx3.5"H	289.99

PROMARINER® PROSPORT POWER INVERTER

For recreational travel. Perfect for on-board or on-the-road active user who needs to convert from 12V battery power to 110VAC. Provides instant AC power for laptops, cell phone chargers, radios, portable TV's, lighting, fax machines, camcorders, small power tools, etc. Converts 12V battery power to 110VAC up to 150 watts. Extruded aluminum case. High-surge capacity. Power/status LED indicator. Standard 110VAC receptacle. Output short & input polarity protection. Low battery shutdown. Over temperature & overload protection. Surge capability: 250w. Input: 12VDC. Output: 110VAC. Output frequency: 60Hz. Battery low alarm: 10.5VDC/10VDC. Dimensions: 6"Lx2.625"W. Cable length: 3'.

Order #	Mfg. #	Sugg.Ret.
6031936	79018	\$34.99

DC/DC CONVERTERS



BEP MARINE DC-DC CONVERTER

Compact switchmode converters take 24V or 32V input to 13.2 output. These high efficiency (>90%) units are short circuit and reverse polarity protected. Each converter has state LED indicators. Includes mounting bracket, hardware and spade terminal connectors.

Order #	Mfg. #	Amps	Size	Sugg.Ret.
6032705	DCVR-10A	10	3.5"Lx2.9"Wx1.25"D	\$240.99
6032706	DCVR-20A	20	6.25"Lx2.9"Wx1.25"D	354.99

BATTERY ACCESSORIES

ANCOR MARINE GRADE™ PRODUCTS A Lasting Solution.

ANCOR LEAD BATTERY TERMINALS

Wing nut style neg./pos. Stud Size: 5/16" & 3/8".

Order #	Mfg. #	Sugg.Ret.
6002551	260325	\$10.99

ANCOR BATTERY CABLE

Tinned-copper stranding. Maximum protection against corrosion & electrolysis. Ultra flexible (Type 3) stranding resists fatigue due to vibration & flexing. Premium vinyl insulation resists saltwater, battery acid, oil, gasoline, heat, abrasion & UV radiation. Rated at 600 volts/105°C. Exceeds all UL 1426, USCG Charterboat (CFR title 46) & ABYC standards.

Order #	Mfg. #	Color	Feed	Sugg.Ret.
8-2 AWG				
WIRE SIZE 8				
6032157	111010	Black	100'	\$167.99
6032159	111510	Red	100'	167.99
WIRE SIZE 6				
6031630	112002	Black	25'	67.99
6031631	112502	Red	25'	67.99
WIRE SIZE 4				
6002392	113002	Black	25'	88.99
6002393	113502	Red	25'	88.99
6032162	113510	Red	100'	376.99
WIRE SIZE 2				
6002396	114002	Black	25'	134.99
6002397	114502	Red	25'	134.99



ATTWOOD® 4-WAY BATTERY SELECTOR SWITCH

Single-pole, triple-throw switch permits 4 connection modes: Battery One, Battery Two, two batteries in parallel or both off. Rated for 230-amps continuous, 345-amps momentary. For 6V to 32V DC systems. Includes alternator field circuit disconnect to prevent surges. Positive click positions. Bakelite housing w/copper washers, brass terminals & nuts. Install w/#10 screws. Dimensions: 5-1/2" dia. x 2-3/4" deep.

Order #	Mfg. #	Sugg.Ret.
6001490	14230-3	\$31.99

ATTWOOD® BATTERY CLIPS

Quick-connect battery clips for 12V electrical accessories. 10-amp rated, copper-plated construction with red & black handle grips. For use with wire up to 10-gauge.

Order #	Mfg. #	Sugg.Ret.
6001491	14258-6	\$3.99



BEP MARINE BATTERY SWITCHES

UV stable, impact & chemical resistant polycarbonate plastic. Tin plated copper studs. Removable side plates for ease of cable attachment. Extra large cable access, up to 1/0 for the Mini Switch & 4/0 for the Heavy-Duty. Switches include removable back plate for flush mount applications. Switches designed to modulate together for use w/multiple battery banks. Can be flush or surface mounted. Extensive OEM usage. Tested to UL 1107, meets ABYC and USCG specifications, CE approved.

BEP MARINE MINI BATTERY DISCONNECT SWITCH

Rated at 275A continuous and 1250A cranking for systems up to 48V. Switch features a removable knob in the "off" position to prevent unauthorized use of the boat. Ignition protected.

Order #	Mfg. #	Size	Sugg.Ret.
6032693	701	2.75"Lx2.75"Wx3"D	\$32.99






BEP MARINE MINI BATTERY SELECTOR SWITCH

Rated at 200A continuous and 1000A cranking for systems up to 48V. Ideal for tight mounting situations on smaller boats. Will handle the cranking loads of any outboard engine on the market.

Order #	Mfg. #	Size	Sugg.Ret.
6032694	701S	2.75"Lx2.75"Wx3"D	\$38.99



BEP MARINE EASYFIT BATTERY DISCONNECT SWITCH

Unique switch installs without the need for mounting hardware. Designed to replace standard post and lever type battery disconnect switches. Mounts through a 7/8" hole with a wall thickness of up to 3/4". Switch has a removable knob in the "off" position to prevent unauthorized use of boat. Rated at 275A continuous and 1250A cranking for systems up to 48V.

Order #	Mfg. #	Size	Sugg.Ret.
6032692	700	2-3/4"Lx2-3/4"Wx4-1/4"D	\$34.99



BEP MARINE MOTORIZED BATTERY SWITCH

Eliminates the need for long distance copper wire runs from the battery to the battery switch. Switches are designed to be mounted as close as possible to the batteries and then a light gauge wire run is made to a rocker, toggle or key switch at the helm for remote switching. Ideally suited for larger boats where long cable runs are common or for bow thruster isolation.

Order #	Mfg. #	Sugg.Ret.
6033012	701-MD	\$213.99



BEP MARINE MOTORIZED EMERGENCY PARALLEL SWITCH WITH VOLTAGE SENSING

Designed for remote Emergency Parallel battery switching & dual battery charging, via the engine charging system. Switch can be remotely activated by using a momentary rocker, toggle or push button switch from the helm. Also automatically combines batteries by sensing voltage. When the start battery reaches 13.7V the switch turns on, paralleling the house battery for combined charge. When the engine is turned off, and the combined voltage drops to 12.8V, the switch turns off, isolating the batteries. Rated for charging systems up to 500A.

Order #	Mfg. #	Sugg.Ret.
6033013	701-MDVS	\$244.99



BEP MARINE HEAVY-DUTY BATTERY DISCONNECT SWITCH

Rated at 600A continuous and 2500A cranking for systems up to 48V. Switch can be locked in the "off" position with a long shank pad lock through the knob.

Order #	Mfg. #	Size	Sugg.Ret.
6032696	720	4"Lx4"Wx3.5"D	\$89.99

BEP MARINE BATTERY DISTRIBUTION CLUSTERS

These distribution clusters are the optimum battery management system. Featuring dedicated battery switches for each bank and a Voltage Sensitive Relay (VSR). The VSR allows for two or more batteries to be charged via the engine charging system. When the start battery reaches 13.7V the relay closes allowing the house battery to be charged. When the engine is stopped and the voltage drops to 12.8V the relay opens, isolating the start from the house battery. This prevents accidental draining of the start battery and protects sensitive electrical equipment from harmful engine start up spikes. Available for single and twin engine outboard boats with engine charging systems up to 100A. Clusters come completely bused and are easy to install. An ideal replacement for battery selector switches.

Order #	Mfg. #	Size	Sugg.Ret.
6032701	717-100A	5.5"Lx8-1/4"Wx3"D	\$380.99



BEP MARINE MINI SELECTOR SWITCH w/DUAL SENSE VSR

This system allows for dual battery charging using a battery selector switch. The dual sense VSR will allow the selected battery to be charged to 13.7V then close and charge the battery in isolation. When the engine is stopped and the voltage on the selected battery drops to 12.8V the relay opens and isolates the two banks. A simple battery management system and a great space saver for small boats.

Order #	Mfg. #	Size	Sugg.Ret.
6032699	714-100A	2.75"Lx5.25"Wx3"D	\$171.99



BLUE SEA SYSTEMS HD-SERIES BATTERY SWITCHES

600A continuous rating for large diesel engines, high power output & low heat generation. Reinforced polycarbonate case. Case design allows surface, or rear panel mounting. Tactile textures indicate knob position by feel. Luminous label for low light reading. Accepts two 4/0 battery cables. Ignition protected. 3000: Single battery to single load group. Multiple switches used to manage several isolated circuits including cross connecting for emergency paralleling.

3002: Selector 4-Position. Switches isolated battery banks to all loads or combines battery banks to all loads.

Order #	Mfg. #	Style	Sugg.Ret.
6032529	3000	Single Circuit ON/OFF	\$100.99
6033453	3002	Selector 4-Position	106.99



**PRICES ARE SUBJECT TO
CHANGE WITHOUT NOTICE**

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



BLUE SEA SYSTEMS M-SERIES (MINI) BATTERY SWITCHES

300 amperes continuous rating for outboards & small gasoline or diesel engines. Tin plated copper studs for maximum conductivity & corrosion resistance. Studs accept 3/8" (M10) ring terminals. One-piece terminal stud design never loosens over time. 7/8" (22.22mm) stud length accepts multiple cable terminals. Isolating cover w/3 snap-in side pieces protects rear contacts and allows wire access in any direction. Case design allows surface, rear or front panel mounting options. Label w/international legends - 6 ICON label set included for circuit identification.

6005: Single circuit. Removable key remains positively retained.

6006: Single circuit. Removable knob remains positively retained & tactile indicator conveys position by feel.

6007: Selector 4-Position. Removable knob remains positively retained & tactile indicator conveys position by feel. Make-before-break contact design allows switching between battery banks without power interruption.

6011: Dual Circuit Plus™. Simultaneously switches two isolated battery banks or combines battery banks to all loads.

NOTE: 6005 replaces 9005 & 6006 replaces 9006.



Order #	Mfg. #	Switch Positions	Battery Inputs	Sugg.Ret
SINGLE CIRCUIT ON/OFF SWITCH				
6032536	6005	2	1	\$34.99
6032537	6006	2	1	34.99
SELECTOR 4-POSITION SWITCH				
6033078	6007	4	2	41.99
M-SERIES RED REMOVABLE KEY				
6033450	7900			3.99

BLUE SEA SYSTEMS HIGH PERFORMANCE BATTERY SWITCHES

350A continuous rating for applications requiring high power output, reliability & low heat generation. Accepts up to 4/0 battery cables. Luminous label for low light reading. Ignition protected. 3/8"-16 tin-plated copper studs for maximum conductivity & corrosion-resistance. Meets all ABYC requirements. Tactile textures indicate knob position by feel only. Case design allows surface or flush mounting. Fits all Perko® low amperage battery switch hole patterns. UL listed.

9001E: Switches battery bank 1 or 2 (or both) to a single load using 1 switch.

9002E: Switches isolated battery banks to all loads or combines battery banks to all loads. Includes Alternator Field Disconnect (AFD).

9003E: Single battery to single load group. Multiple switches used to manage several isolated circuits including cross connecting for emergency paralleling.


5511E: Switches two battery banks simultaneously with one ON/OFF switch while maintaining battery bank isolation, minimizing the risk of a dead Start battery. BOTH function offers the ability to combine the two battery banks in the event of a low Start battery.



Order #	Mfg. #	Style	Sugg.Ret
6031950	9001E	4-Position	\$51.99
6033342	9002E	4-Position	
		w/Alternator Field Disconnect	55.99
6032063	9003E	On/Off	46.99

BLUE SEA SYSTEMS ADD A BATTERY (DUAL CIRCUIT SYSTEM)

A complete two battery bank management solution. Dual Circuit Plus™ Battery Switch isolates engine and house circuits, and combines battery banks for emergency starting. The 120 Amp SI ACR automatic charging relay combines batteries for charging. Isolates battery banks when discharging and when starting engines. Meets UL 1500 and SAE J1171 external engine protection requirements.



Order #	Mfg. #	Sugg.Ret.
6033079	7650	\$169.99



GUEST® CRUISER SERIES BATTERY SELECTOR SWITCHES

Polycarbonate case. For 6, 12, 24 or 36-volt systems. Continuous amps: 230. Momentary amps: 345. Cable lug size: 3/8". Color: Red. Dimensions: 5-1/2"Wx2-5/8".



Order #	Mfg. #	Type	Sugg.Ret.
6001141	2101	Without AFD	\$66.99

GUEST® UNIVERSAL MOUNT SWITCHES

Heavy-duty copper sweep contacts. Positive click-stop on all positions. "Make before break" contacts allows selection of all positions. except "off" while engine is running. Use with 6, 12, 24 or 36-volt systems. Easy-to-retrofit in existing hole pattern. Built-in skirt protects connections. Surface or rear panel mounting. Marine-grade construction.



Order #	Mfg. #	Type	Sugg.Ret.
BATTERY SELECTOR SWITCH			
6002263	2110A	With AFD	\$44.99
6002264	2111A	Without AFD	37.99
BATTERY ON/OFF SWITCH			
6031996	2112A	On/Off	48.99



HANDI-MAN ULTIMATE BATTERY TERMINAL GUARD COVERS

Covers & protects marine battery terminals. Snaps on & guards against corrosion. Heavy-duty molded plastic construction. Resistant to acid. For use with 4/0 cable.



Order #	Mfg. #	Sugg.Ret.
6001498	960006	\$4.99

HANDI-MAN BATTERY CABLE

Order #	Mfg. #	Type	Color	Size	Sugg.Ret.
6001473	200034	4 AWG	Black	36"	\$25.99
6001474	200044	4 AWG	Red	36"	25.99
6001475	200074	2 AWG	Black	48"	42.99
6001476	200084	2 AWG	Red	48"	42.99



HANDI-MAN BATTERY TERMINAL LUGS

Tinned copper. 2 per bag.



Order #	Mfg. #	Size	Sugg.Ret.
6001479	150131	4 AWG-5/16 stud	\$4.99
6001477	150141	4 AWG-3/8 stud	4.99
6001481	150151	4 AWG-1/2 stud	5.99
6001480	150171	2 AWG-5/16 stud	5.99
6001478	150181	2 AWG-3/8 stud	6.99
6001482	150191	2 AWG-1/2 stud	6.99

Johnny Ray LLC

New Ideas for Better Fishing !!

new

JOHNNY RAY ACCESSORY WIRING TERMINALS

Developed to simplify the battery compartment of your boat, RV, or any other 12V battery application where multiple accessory wiring is needed. Compact size allows them to be used under virtually any battery enclosure without interference. Each die-formed contact plate has been designed to accept the correct battery post stud on deep cycle or marine cranking batteries. Every terminal is supplied w/four each #12-10 ga. and #16-14 ga. wiring connectors secured to the contact plate w/stainless steel screws. High density injection-molded polyethylene outer cases. .090" thick contact plates to minimize current resistance. Color coded casing to ensure proper polarity retention.

Order #	Mfg. #	For	Sugg.Ret.
BRASS			
6033532	JR-600-B	Freshwater/Saltwater	\$24.99



KWIK TEK™ JUMPER CABLES

200 amp charging power. Heavily insulated, tinned 8-gauge wire for saltwater use. Rust-free clamps with extra long vinyl grips to prevent shorting. Extra long 20' length. Includes convenient snap storage case.

Order #	Mfg. #	Sugg.Ret.
6031614	JC-20	\$39.99



Marinco

MARINCO® DIRECT CONNECT™ BATTERY TERMINALS

Multi-connection battery terminals. Terminate up to 4 electronic instruments on each set of terminals. Complete with quick-connect terminals. Positive molded in red, negative molded in black. All 1-piece. No screws or parts to lose. Cover snaps tight when closed.

Order #	Mfg. #	Sugg.Ret.
6003043	12VTR	\$23.99



MARINCO® ON-BOARD CHARGER INLET 15A 125V STRAIGHT BLADE INLET

Can be mounted almost anywhere on boat. Low-profile cap won't catch fishing line. Mounts easily to fiberglass & aluminum hulls. Perma-Lock™ terminals & color-coded wire entrance holes make wiring easy. UV-resistant housing & cap.

Order #	Mfg. #	Finish	Sugg.Ret.
6002353	150BBI	Black	\$25.99
6032572	150BBIW	White	25.99



MarineWorks



MARINE WORKS MARINE BATTERY SWITCH

Polyester housing. Removable plastic key. 2-position switch. Two 10mm x 1.5mm stud terminals. For panels 1.25" thick.

Order #	Mfg. #	Sugg.Ret.
6003165	UN77310	\$21.99



MINN KOTA® DIGITAL BATTERY METER

Monitor the voltage level and the "state-of-charge" of any 12-volt battery with an LCD display mounted on a compact frame that's easy to store anywhere. Includes LEDs that indicate full, 2/3, 1/3 or "0" state of charge.

Order #	Mfg. #	Sugg.Ret.
6032670	1820087	\$14.99



MOELLER®

MOELLER® BATTERY TERMINAL COVERS

Meets USCG safety regulations for anti-short protection. Flexible PVC covers. One black & one red cover.

Order #	Mfg. #	Sugg.Ret.
6002996	099078-10	\$8.99



PANTHER
By MarineTech

PANTHER™ BATTERY ENERGY GAUGE

Allows you to determine the exact amount of charge remaining in your batteries. Perfect for any boating, automotive or industrial use and can be used with all standard & deep cycle 12 volt lead acid batteries.

Order #	Mfg. #	Style	Sugg.Ret.
6033069	55-6100	Instrument Panel Round Gauge	\$31.99



PERKO®

PERKO® COMPACT BATTERY SELECTOR SWITCHES IGNITION PROTECTED

For use with 12, 24 & 32 volt marine electrical systems. Capacity: 315 amps continuous, 450 amps intermittent. Same bolt patterns as popular 8500 Series. Smooth, positive position selector. Diameter: 4-3/4"; Depth: 1-7/8".

Order #	Mfg. #	Type	Sugg.Ret.
6033004	8511DP	Standard	\$67.99
6033005	8512DP	w/Keylock	81.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
Motors**PERKO®**Audio/
Instruments**PERKO®
BATTERY SELECTOR
SWITCHES IGNITION PROTECTED**

For use with systems under 50V. Capacity: 250 amps continuous, 360 amps intermittent. Diameter: 5-1/4"; Depth: 2-5/8".

Depth
Finders/GPS

Order #	Mfg. #	Type	Sugg.Ret.
6001168	8501DP	Standard	\$51.99
6001169	8502DP	w/Keylock	56.99

Vests/
CushionsWater
Sports**PERKO®
BATTERY SWITCHES WITH
ALTERNATOR FIELD DISCONNECT**

Prevents damage to alternator (when used with non-unitized alternators) if accidentally switched to "Off" position while engine is running. Diameter: 5-1/4"; Depth: 2-5/8". Ignition protected.

Safety/
Optics

Order #	Mfg. #	Type	Sugg.Ret.
6001170	8503DP	Standard	\$58.99
6001171	8504DP	w/Keylock	66.99

Boat
Access.Mooring/
Docking

Hardware

**PERKO®
COMPACT BATTERY DISCONNECT
SWITCHES IGNITION PROTECTED**

For use with 12, 24 & 32 volt marine electrical systems. Capacity: 315 amps continuous, 450 amps intermittent. Same bolt patterns as popular 9600 Series. Smooth, positive position selector. Diameter: 4-3/4"; Depth: 1-7/8".



Lighting

Order #	Mfg. #	Type	Sugg.Ret.
6033006	9611DP	Standard	\$66.99

Boat Seats

Boat Covers

**PERKO®
MAIN BATTERY
DISCONNECT SWITCHES**

Use with systems under 50V. Capacity: 250 amps continuous, 360 amps intermittent. Diameter 5-1/4"; Depth: 2-5/8". Ignition protected.



Fuel

Order #	Mfg. #	Type	Sugg.Ret.
6001174	9601DP	Standard	\$47.99
6001175	9602DP	w/Keylock	54.99

Trailers/
ATV Access.

Pumps

**PERKO®
MAIN BATTERY DISCONNECT
SWITCHES WITH ALTERNATOR
FIELD DISCONNECT**

Prevents damage to alternator (when used w/non-unitized alternators) if accidentally switched to "Off" position while engine is running. Dia.: 5-1/4", Depth: 2-5/8" Ignition protected.



Maintenance

Order #	Mfg. #	Type	Sugg.Ret.
6001176	9603DP	Standard	\$65.99

Controls/
SteeringMotor
Access.**ProMariner®****PROMARINER®
BATTERY CHARGER ACCESSORIES**

Camping

Order #	Mfg. #	Description	Sugg.Ret.
6032444	51200	ProMariner® White	\$14.99
6032447	51203	Universal White	12.99

Cutlery

Order #	Mfg. #	Description	Sugg.Ret.
6032448	51070	15'	39.99

SEA-DOG® LINE**SEA-DOG® LINE
BATTERY TERMINALS**

Wing nut style. Die cast lead. Positive/Negative set.



Order #	Mfg. #	Sugg.Ret.
6033101	415210-1	\$8.99

**SEA-DOG® LINE
BATTERY TERMINAL COVERS**

Injection molded Krayton. Satisfies U.S. Coast Guard requirements and ABYC recommendations for prevention of accidental grounding of battery terminals. Will fit most marine batteries as well as automotive batteries using add on marine terminals. One red & one black cover.



Order #	Mfg. #	Sugg.Ret.
6033096	415100-1	\$8.99

**new
SEA-DOG® LINE
BATTERY TERMINAL COVERS**

Injection Molded PVC. Satisfies U.S. Coast Guard requirements and ABYC recommendations for prevention of accidental grounding of battery terminals. Will fit most marine batteries as well as automotive batteries using add on marine terminals.



Order #	Mfg. #	Size	Sugg.Ret.
6033587	415110-1	1/2"	\$5.99
6033588	415115-1	5/8"	5.99

**SIERRA
BATTERY CABLES**

Order #	Mfg. #	Type	Length	Sugg.Ret.
6031553	BC88543	2 ga.	4'	\$23.99
6031557	BC88583	1 ga.	8'	46.99
6031552	BC88533	4 ga.	2'	12.99
6031554	BC88553	2 ga.	4'	23.99
6031556	BC88573	2 ga.	6'	32.99
6031558	BC88593	1 ga.	8'	46.99

**SIERRA
ALLIGATOR CLIPS/TEST LEADS**

Order #	Mfg. #	Type	Sugg.Ret.
6210027	EC01370	Clip 2" w/Screw Terminal	\$2.99
6210028	EC01380	Clip 1-1/4" Insulated	3.99
6211353	EC01760	Clips w/Leads 30" Long	5.99

**TRAC®
DIGITAL BATTERY METER**

Large LCD readout, easy to read even in bright sunlight. Back-lit display for night use or in dark battery compartments. Displays exact voltage of any 12 volt battery. Shows remaining charge level as a percentage and with a 10-bar "fuel-gauge" style display. Solid construction & compact design. Probes store in housing - one or both can be removed to take battery readings.



Order #	Mfg. #	Sugg.Ret.
6033310	T10001	\$13.99

BATTERY BOXES & HOLD DOWNS



ATTWOOD® BATTERY BOXES

All battery boxes meet ABYC standard E-10 & USCG Specification Number 183.420 as an OEM-installed battery hold-down system. Polypropylene construction for total acid-resistance. Hold-down straps resist 350 lbs. of force, nearly four times USCG requirement. Boxes are drop tested in temperatures ranging from -20°F to +120°F. All mounting hardware included.



6001139

6002256

6001137

ATTWOOD® BATTERY BOXES

STANDARD & POWER GUARD 27: 4 cable openings, enlarged to .55" dia. Larger handles with rolled edges. Instructions molded inside cover. **LARGE:** For larger application (9-3/4" maximum battery height).

Order #	Mfg. #	Style	Battery	Sugg.Ret.
6001139	9065-1	Standard	24/24M	\$10.99
6001137	9067-1	Power Guard 27	27/27F/27M	15.99
6002256	9084-1	Large		20.99

ATTWOOD® POWER BOX F27 SERIES

LED battery level indicator w/one-touch "test" button. Heavy-duty non-corrosive black plastic box. Hold-down strap included. 12-Volt accessory adapter port w/10 amp fuse built-in. External terminals.



Order #	Mfg. #	Sugg.Ret.
6032691	9076-1	\$83.99

ATTWOOD® BATTERY HOLD-DOWN TRAYS

Heavy-duty, non-corrosive black plastic. Includes adjustable-height crossbar & two retaining bolts. Meets ABYC Standard E-10 & USCG requirements. Patented design. Install with #10 fasteners.



Order #	Mfg. #	Size	Sugg.Ret.
STANDARD FOR SERIES 24			
6001493	9090-5	11-1/4"L x 9"W x 9-3/4"H	\$10.99
LARGE FOR SERIES 27			
6001494	9091-5	13-1/4"L x 9"W x 9-3/4"H	11.99

ATTWOOD® BATTERY HOLDER TRAY w/ADJUSTABLE HEIGHT CROSSBAR

Constructed of non-corrosive black plastic. Features adjustable height crossbar & two retaining bolts. Meets ABYC Standard E-10 & USCG requirements. Mounts w/#10 fasteners.



Order #	Mfg. #	Fits	Sugg.Ret.
6033372	9095-5	27 Series Batteries	\$19.99
6033373	9096-5	24 Series Batteries	16.99

ATTWOOD® BATTERY HOLDER TRAY w/HOLD-DOWN STRAP

Constructed of non-corrosive black plastic. Features sturdy, polypropylene hold-down strap. Fits into tight spaces. Simple to install. Mounts w/#10 fasteners.



Order #	Mfg. #	Fits	Sugg.Ret.
6033374	9099-5	29/31 Series Batteries	\$10.99

ATTWOOD® BATTERY BOX STRAP

Woven polypropylene with "firm-grip" buckles. Completely resistant to battery acid. Includes four #8, 3/4" screws & two footman straps.



Order #	Mfg. #	Length	Sugg.Ret.
6001138	9013A3	54"	\$6.99



BOATBUCKLE® KWIK-LOK® GAS TANK/ BATTERY BOX TIE-DOWN

Buckle easily closes to locked position & opens safely. 1" black durable nylon webbing. 2" protective pad. Two nickel-coated footman loops with 4 stainless steel screws. Black.



Order #	Mfg. #	Size	Sugg.Ret.
6003038	F05343	1" x 4'	\$13.99

DetMar

DETMAR BATTERY HOLDERS w/ROD HOLD DOWN

Unmatched holding power of metal hold down rod to stainless steel base clip connection. Molded side loops keep rods in raised position for easy installation. Complete with mounting hardware. NOTE: Quick Disconnect nuts permit easy installation & removal of batteries using special high-strength, non-corrosive nylon wing nuts with can be tightened by hand. Nuts cannot be over-torqued & will not loosen or vibrate free.



Order #	Mfg. #	Style	Sugg.Ret.
24/24M BATTERY SERIES			
6002997	10-15-12S	SS Hardware	\$15.99
27/27M/31 BATTERY SERIES			
6002998	10-15-51S	SS Hardware	15.99

DETMAR STRAP-DOWN BATTERY HOLDER

Compact design, easy installation & battery changing. Velcro® high-tension nylon hook & loop provide secure strap closure. Durable nylon closure system, nylon stitching & 1" polypropylene strap resistant to battery acid. Molded side loops in tray keep strap in place for reduced battery movement. Complete with four #10 screws for mounting.



Order #	Mfg. #	Battery Series	Sugg.Ret.
6032313	10-15-13S	24 Series	\$9.99
6032314	10-15-69S	27/31 Series	9.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
Motors**DetMar****DETMAR
BATTERY HOLDER STRAP**

#10-15-65P: 1" polypropylene strap. Resistant to battery acid.

Order #	Mfg. #	Model	Component	Sugg.Ret.
6032391	10-15-65P	10-15-65P	Strap	\$4.99

Audio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**ROD
SAVER®**
MARINE ACCESSORIES**ROD SAVER®
BATTERY & GAS TIE-DOWN**

Nickel-coated steel footmen loops & corrosion-resistant buckles. 48" long. Black.

Order #	Mfg. #	Sugg.Ret.
6031970	BGTD	\$5.99

**EPCO
BATTERY STRAP**

1" wide weather-resistant polypropylene webbing and rust-resistant metal hardware w/SS screws for mounting.



Order #	Mfg. #	Length	Sugg.Ret.
6032764	BS1	4'	\$5.99

SEA-DOG® LINE**SEA-DOG® LINE
BATTERY BOX STRAP
& BRACKETS**

Woven polypropylene.



Order #	Mfg. #	Size	Sugg.Ret.
6033110	415092-1	38"Lx1-9/16"W	\$4.99
6033103	415094-1	54"Lx1-9/16"W	4.99

MINN-KOTA®**MINN KOTA®
TROLLING MOTOR
POWER CENTER**

Ideal for small boat, transom applications (boats that do not have battery compartments). Features easy access external battery terminals that allow trolling motor leads & charger leads to be connected without opening the box. Built-in battery meter displays current "state of charge". Includes two 12V accessory plugs and two manual reset circuit breakers: 15 amp for accessory plugs & 60 amp for trolling motor. Fits group 24 & 27 size batteries.



Order #	Mfg. #	Sugg.Ret.
5204349	1820175	\$64.99

**T-H MARINE
BATTERY TRAY
w/MOLDED TOP FRAME**

Features deeper rugged fastener slots for heavier batteries & molded frame on top to hold the battery securely.



Order #	Mfg. #	Fits	Sugg.Ret.
6033435	BHF-24S-DP	24 Series	\$17.99
6033436	BHF-27S-DP	27 Series	19.99

MOELLER®**MOELLER®
BATTERY BOXES**

Injection-molded, heavy-grade polyethylene high-strength construction. Corrosion-, chemical- & rust-resistant. Maintains tough properties with nominal 0.220" wall thickness. Complies to industry requirements. Includes hold-down strap



Order #	Mfg. #	Holds	For	Sugg.Ret.
6032276	042213	One	24 Series	\$13.99
6032277	042214	One	27 or 31 Series	14.99

**T-H MARINE
BATTERY HOLDER TRAY
for OPTIMA® BATTERIES**

Shaped inserts fit both Optima® D27M and D31M Series. Rugged poly tray w/8 mounting slots. Poly strap w/SS buckle. Resistant to UV & corrosion.



Order #	Mfg. #	Sugg.Ret.
6033082	NBH-31-SSC-OPT	\$15.99

R&R DESIGN**R&R DESIGN INC.
ALUMINUM BATTERY TRAYS**

All stainless steel hardware. Durable & long lasting.

**T-H MARINE
BATTERY HOLDER TRAY
w/STAINLESS STEEL BUCKLE**

Quality 316 SS buckle. Designed to fit tight spaces. Recessed mounts - no tabs. Meets all NMMA specifications.



Order #	Mfg. #	Fits	Dim.	Sugg.Ret.
6032802	NBH-24-SSC-DP	24 Series	10-5/8"x7"x8"	\$9.99
6032803	NBH-27-SSC-DP	27 Series	12-1/2"x7"x8-1/2"	9.99
6032804	NBH-31-SSC-DP	29/31 Ser.	13"x7"x8/18"	9.99



T-H MARINE COMBO BATTERY TRAY

Clip system. Fits Series 24 & 27. Poly hold-down strap. Acid & gasoline-resistant.

Order #	Mfg. #	Fits	Sugg.Ret
6032105	NBHC-247P-DP	24/27 Series	\$12.99



T-H MARINE DUAL BATTERY HOLDER TRAY

Designed to securely install two batteries side-by-side, eliminating need for two trays. Meets NMMA specs for battery retention.

Order #	Mfg. #	Fits	Sugg.Ret
6031450	DBH-27P-DP	27 Series	\$18.99



T-H MARINE BATTERY HOLDER

Meets USCG specs. Easy 4-screw installation. Side clips hold rods vertical. High-strength plastic construction. SS hardware.

Order #	Mfg. #	Fits	Sugg.Ret
6001180	BH-24S-DP	24/24M Series	\$12.99
6001299	BH-27S-DP	27/27M Series	12.99



T-H MARINE BATTERY HOLDER w/POLY STRAP

Polypropylene hold-down strap, locking quick disconnect buckle. Molded base mounts with four #10 pan head screws.


Order #	Mfg. #	Fits	Sugg.Ret
6001206	BH-24P-DP	24/24M Series	\$6.99
6001207	BH-27P-DP	27/27M Series	6.99
6003157	BH-31P-DP	29/31 Series	6.99



T-H MARINE REPLACEMENT STRAPS FOR BATTERY TRAY

Fits all T.H. Marine battery trays.

Order #	Mfg. #	Sugg.Ret
6002995	BS-1-DP	\$4.99



TOON-BRITE™ ANTI-THEFT BATTERY SAVER

Brass battery switch with removable knob. Keeps batteries from running down, protects against theft. AMP rating: 100 continuous/600 cranking. Disconnect recommended by OB motor manufacturer's using electronic fuel injection.

Order #	Mfg. #	Style	Sugg.Ret
6003166	B201	Top Post	\$24.99



ELECTRICAL TAPE & LIQUID TAPE



3M™ HIGHLAND™ VINYL ELECTRICAL TAPE

Economical. 7 mils thick, tough & stretchy. Each roll cellophane wrapped. UL listed.

Order #	Mfg. #	Size	Sugg.Ret
6001463	16736	3/4"x66'	\$3.99



3M™ SCOTCH® SUPER 33 PLUS VINYL PLASTIC ELECTRICAL TAPE

Premium-grade, all-weather tape. Excellent resistance to flame, abrasion, moisture, alkalies, solvents, oil & many acids. Gives full electrical & mechanical protection.

Order #	Mfg. #	Size	Sugg.Ret
6031439	06132	3/4"x66'	\$7.99



HANDI-MAN ULTIMATE SEALING & RIGGING TAPE

Provides moistureproof seal for electrical connections. Temporary seal for leaking pipes. Highly resistant to water. NOTE: Do not immerse in oil.

Order #	Mfg. #	Sugg.Ret
6401286	960027	\$10.99



MDR LIQUID ELECTRIC TAPE® w/APPLICATOR BRUSH

Protects electrical connections & terminals against corrosion. Ideal for battery switches, instrument panel terminations, bilge pumps & electrical connections. Dielectric, resists moisture by filling in wire nuts & butt connector ends. Water-based formula is environmentally friendly, non-toxic, non-flammable & odor free. Will not harden in container & is easy to clean-up with water.

Order #	Mfg. #	Size	Sugg.Ret
6400334	MDR-740	4 oz.	\$9.99



STAR BRITE® LIQUID ELECTRICAL TAPE

Waterproofs & protects electrical connections. Forms protective UV-resistant dielectric coating. Totally seals out moisture to prevent corrosion. UL tested. 100's of uses-bilge pumps, battery switches, terminals, electrical connections. Patented formula. Fast drying.

Order #	Mfg. #	Size	Color	Sugg.Ret
6400137	84104B	4 oz. Bottle	Black	\$13.99
6400149	84105B	4 oz. Bottle	Red	13.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

WIRE, CABLE, CONNECTORS & TIES

3M



3M™ SCOTCHLOK™ INSTANT ELECTRICAL CONNECTORS

Make inline, pigtail & tap splicing on solid or standard wire with no stripping. Any wiring job can be installed faster & easier with use of standard pair of pliers. Wire Tap Range: 14 to 14.

Order #	Mfg. #	UL Connector #	Color	Sugg.Ret.
6001464	06126	801	Blue	\$12.99

ANCOR

MARINE GRADE™ PRODUCTS
A Lasting Solution.

ANCOR PRIMARY WIRE

Tinned-copper stranding. Maximum protection against corrosion & electrolysis. Ultra flexible (Type 3) stranding resists fatigue due to vibration & flexing. Premium vinyl insulation resists saltwater, battery acid, oil, gasoline & ultra-violet radiation. Rated at 600 volts & 106°C, the heavy-duty insulation is resistant to heat & abrasion. Exceeds all UL 1426, USCG Charterboat (CFR title 46) & ABYC standards.



Order #	Mfg. #	Color	Sugg.Ret.
18 AWG - 35' SPOOL			
6002412	180003	Black	\$10.99
6002415	180803	Red	10.99
6002416	180903	White	10.99
18 AWG - 100' SPOOL			
6002356	100810	Red	27.99
6002354	100010	Black	27.99
16 AWG - 25' SPOOL			
6002418	182003	Black	10.99
6002419	182103	Blue	10.99
6002424	182903	White	10.99
6002423	182803	Red	10.99
6002425	183003	Yellow	10.99
16 AWG - 100' SPOOL			
6032117	102010	Black	33.99
6032118	102110	Blue	30.99
6032119	102210	Brown	33.99
6032120	102310	Green	33.99
6032121	102710	Purple	30.99
6032122	102810	Red	33.99
6032123	102910	White	33.99
6032124	103010	Yellow	30.99
14 AWG - 18' SPOOL			
6002426	184003	Black	12.99
6002431	184803	Red	12.99
6002433	185003	Yellow	12.99
14 AWG - 100' SPOOL			
6032125	104010	Black	43.99
6032127	104210	Brown	43.99
6032129	104710	Purple	48.99
6032130	104810	Red	43.99
6032131	104910	White	43.99
6032132	105010	Yellow	39.99
12 AWG - 12' SPOOL			
6002439	186803	Red	10.99
12 AWG - 100' SPOOL			
6032133	106010	Black	58.99
6032138	106810	Red	58.99
6032139	106910	White	58.99
10 AWG - 8' SPOOL			
6002442	188003	Black	10.99
6002444	188803	Red	10.99
10 AWG - 100' SPOOL			
6032141	108010	Black	86.99
6032145	108810X	Red	86.99

ANCOR BATTERY CABLE

Tinned-copper stranding. Maximum protection against corrosion & electrolysis. Ultra flexible (Type 3) stranding resists fatigue due to vibration & flexing. Premium vinyl insulation resists saltwater, battery acid, oil, gasoline, heat, abrasion & UV radiation. Rated at 600 volts/105°C. Exceeds all UL 1426, USCG Charterboat (CFR title 46) & ABYC standards.



Order #	Mfg. #	Color	Feed	Sugg.Ret.
8-2 AWG WIRE SIZE 8				
6032157	111010	Black	100'	\$167.99
6032159	111510	Red	100'	167.99
WIRE SIZE 6				
6031630	112002	Black	25'	67.99
6031631	112502	Red	25'	67.99
WIRE SIZE 4				
6002392	113002	Black	25'	88.99
6002393	113502	Red	25'	88.99
6032162	113510	Red	100'	376.99
WIRE SIZE 2				
6002396	114002	Black	25'	134.99
6002397	114502	Red	25'	134.99

ANCOR STANDARD DUPLEX CABLE

Ultra flexible stranding resists fatigue due to vibration & flexing. Outer jacket made for easy removal & abrasion-resistance. Premium vinyl insulation stays flexible even in extreme cold & resists saltwater, battery acid, oil, gasoline & UV radiation. Exclusive insulation rated at 600V, 105° C. Standard Duplex features red & black Marine Grade™ primary conductors in white common jacket.



Order #	Mfg. #	Cable Size	Length	Sugg.Ret.
6032147	121110	10/2	100'	\$220.99
6032148	121310	12/2	100'	157.99
6032149	121510	14/2	100'	110.99
6032150	121710	16/2	100'	78.99
6032151	121910	18/2	100'	62.99

ANCOR SAFETY DUPLEX CABLE

Ultra flexible stranding resists fatigue due to vibration & flexing. Outer jacket made for easy removal, provides abrasion-resistance. Premium vinyl insulation stays flexible even in extreme cold & resists saltwater, battery acid, oil, gasoline & UV radiation. Exclusive insulation rated at 600 V, 105°C. Safety Duplex features red & yellow Marine Grade™ primary conductors in white common jacket.



Order #	Mfg. #	Cable Size	Length	Sugg.Ret.
6032152	124710	16/2	100'	\$78.99
6032153	124510	14/2	100'	110.99

ANCOR FLAT RIBBON CABLE

Ultra flexible stranding resists fatigue due to vibration & flexing. Outer jacket made for easy removal, provides abrasion-resistance. Premium vinyl insulation stays flexible even in extreme cold & resists saltwater, battery acid, oil, gasoline & UV radiation. Exclusive insulation rated at 600 V, 105°C. Premium tinned copper. Multi-Conductor Cables.



Order #	Mfg. #	Cable Size	Length	Sugg.Ret.
2 CONDUCTORS - BLACK & RED				
6032163	153110	16/2	100'	\$83.99

ANCOR TINNED-COPPER BATTERY TERMINAL

Wing-nut style. Yellow brass nut. Tin-plated terminal. Stud size: 5/16 & 3/8.



Order #	Mfg. #	Type	Sugg.Ret.
6031799	260322	Pos./Neg.	\$42.99

ANCOR

MARINE GRADE™ PRODUCTS
A Lasting Solution.

ANCOR LEAD BATTERY TERMINALS

Wing-nut style Neg./Pos. Stud Size: 5/16" and 3/8".

Order #	Mfg. #	Sugg.Ret.
6002551	260325	\$10.99



ANCOR ANTI-CORROSION RINGS

Chemically treated to prevent terminal corrosion caused by acid leaks. Fit top or side battery posts. Place one on each post.

Order #	Mfg. #	Sugg.Ret.
6032172	260405	\$3.99



ANCOR HEAVY-DUTY LUGS

Marine Grade™ lugs. Heavy-duty, pure copper for max. current flow. Tinned for corrosion resistance & easy soldering. Seamless barrel for max. strength. Closed end to seal out moisture. Funnel entry for easy wire insertion.



Order #	Mfg. #	Screw Size	Count	Sugg.Ret.
WIRE SIZE - 8				
6002532	252233	10	2	\$2.99
6002533	252234	1/4	2	3.99
6002534	252235	5/16	2	3.99
6002535	252236	3/8	2	3.99
WIRE SIZE - 6				
6002536	252243	10	2	4.99
6002537	252244	1/4	2	5.99
6031798	252245	5/16	2	5.99
6002538	252246	3/8	2	5.99
WIRE SIZE - 4				
6002539	252255	5/16	2	5.99
6002528	242255	5/16	25	54.99
6002540	252256	3/8	2	5.99
6002529	242256	3/8	25	54.99
6002541	252257	1/2	2	8.99
WIRE SIZE - 2				
6002542	252265	5/16	2	6.99
6002530	242265	5/16	25	62.99
6002543	252266	3/8	2	9.99
6002531	242266	3/8	25	85.99
WIRE SIZE - 1				
6002544	252275	5/16	2	6.99
6002545	252276	3/8	2	6.99
WIRE SIZE - 1/0				
6002546	252285	5/16	2	6.99

ANCOR RING TERMINALS

Order #	Mfg. #	Screw Size	Count	Sugg.Ret.
WIRE RANGE 16-14				
6002518	230213	10	6	\$3.99
6002519	230215	5/16	5	3.99
WIRE RANGE 16-14				
6032169	230216	3/8	5	4.99
WIRE RANGE 12-10				
6002521	230223	10	5	4.99
6002462	210223	10	25	15.99
6002463	210224	1/4	25	18.99
6002522	230225	5/16	4	4.99
6002523	230226	3/8	4	4.99
WIRE RANGE 8				
6002467	210233	10	25	27.99
6031793	230236	3/8	2	3.99



ANCOR SINGLE CRIMP CONNECTORS

High-grade nylon insulator won't punch through or crack. Heavy-duty seamless barrel, tinned for corrosion resistance. Pure annealed copper for max current flow & easy crimping. Barrel openings chamfered for easy wire insertion. Serrations in barrel grip the wire to prevent wire pull out.

Order #	Mfg. #	Count	Sugg.Ret.
WIRE RANGE 22-18			
6002514	230100	7	\$3.99
6002485	220100	100	29.99
WIRE RANGE 16-14			
6002515	230110	7	3.99
6002451	210110	25	8.99
6002487	220110	100	29.99
WIRE RANGE 12-10			
6002516	230120	5	3.99
6002486	220120	100	52.99



ANCOR DISCONNECTS - .250 TAB SIZE

Nylon insulated with insulation grip. Premium nylon insulator won't crack or split. Deep serrations in barrel grip wire to exceed UL specifications. High-grade electrolytic copper, tin-plated for greatest corrosion resistance & least power loss. Additional brass sleeve provides funnel entry for easiest installation and insulation grip. Best for vibration, flexing or extreme environmental conditions.

Order #	Mfg. #	Wire Range	Type	Sugg.Ret.
PACKAGE OF 100				
6002508	220818	16-14	Female	\$35.99
PACKAGE OF 25				
6032813	210819	16-14	Male	11.99
PACKAGE OF 5				
6031794	230818	16-14	Female	3.99
PACKAGE OF 4				
6031796	230828	12-10	Female	4.99
6032814	230829	12-10	Male	4.99



ANCOR FULLY INSULATED DISCONNECTS - .250 TAB SIZE

Nylon insulated with insulation grip.

Order #	Mfg. #	Wire Range	Type	Count	Sugg.Ret.
6002512	221408	22-18	Female	100	\$60.99
6002524	231418	16-14	Female	4	3.99
6002477	211418	16-14	Female	25	16.99
6002525	231419	16-14	Male	4	3.99
6002526	231428	12-10	Female	3	3.99
6002527	231429	12-10	Male	3	3.99
6002480	211429	12-10	Male	25	24.99
6032819	221429	12-10	Male	100	86.99



ANCOR SNAP PLUGS

Nylon insulated with insulation grip. Double crimp, funnel entry.

Order #	Mfg. #	Wire Range	Count	Sugg.Ret.
MALE				
6032170	230718	16/14	4	\$4.99
FEMALE				
6032171	230719	16/14	4	3.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

ANCOR **MARINE GRADE™ PRODUCTS** **A Lasting Solution.**

ANCOR **STAINLESS STEEL** **CABLE CLAMPS**

Meets ABYC specifications. Temperature rating: -40°F to 300°F. EPDM insulator is temperature, water, fuel, oil & acid resistant. 10 per package.

Order #	Mfg. #	Dia.	Screw Size	Sugg.Ret.
6031807	403502	1/2"	10	\$14.99
6031808	403752	3/4"	10	18.99
6031809	403892	1"	10	20.99

ANCOR **CABLE CLAMPS**

Quantity: 25 per package.

Order #	Mfg. #	Dia.	Screw Size	Sugg.Ret.
NATURAL COLOR				
6002612	401122	1/8	8	\$4.99
6002613	401182	3/16	8	4.99
6002614	401252	1/4	8	4.99
6002615	401312	5/16	8	4.99
6002620	401752	3/4	10	7.99
BLACK COLOR				
6002625	402252	1/4	8	5.99
6002626	402312	5/16	8	5.99
6002627	402372	3/8	8	5.99
6002629	402502	1/2	10	5.99
6002631	402752	3/4	10	8.99

ANCOR **SPIRAL WRAP**

Permits flexible routing of cable harnesses. Provides abrasion protection on wire & cable. Allows lead outs at any point for greatest ease of installation. UV-resistant black for outdoor use.

Order #	Mfg. #	Dia.	Feet	Sugg.Ret.
6002638	452381	3/8	10	\$12.99
6002642	452900	1	5	20.99

ANCOR **VINYL INSULATED** **BUTT CONNECTORS**

Deep serrations in barrel grip wire to exceed UL specifications. High-grade electrolytic copper, tin-plated for greatest corrosion-resistance & least amount of power loss.

Order #	Mfg. #	Wire Range	Count	Sugg.Ret.
6031579	230130	8	2	\$3.99
6031580	230140	6	1	3.99

ANCOR **HEAT SHRINK TUBING (ALT)**

Adhesive-lined tubing shrinks tightly around soldered or crimped joint, creating a seal. Sensitive glue inside permanently bonds tubing to wire. Insulates & protects connections from mechanical abuse, wire pullout & abrasions.

Order #	Mfg. #	Dia.	Length	Ct.	Sugg.Ret.
BLACK					
6032173	301103	1/8"	3"	3	\$3.99
6031429	302103	3/16"	3"	3	4.99
6002557	303103	1/4"	3"	3	3.99
6002558	303148	1/4"	48"	1	15.99
6002561	304103	3/8"	3"	3	5.99
6002562	304148	3/8"	48"	1	18.99
6002567	305103	1/2"	3"	3	5.99
6002568	305148	1/2"	48"	1	26.99
6002572	306148	3/4"	48"	1	41.99

ANCOR **HEAT SHRINK TUBING** **ASSORTMENT PACKS**

Adhesive-lined.

Order #	Mfg. #	Dia.	Length	Sugg.Ret.
8-PC. KIT - BLACK				
6002556	301503	3/16-3/4"	3"	\$11.99
5-PC. ASST. COLORS-BLUE/GREEN/RED/YELLOW/WHITE				
6002565	304503	3/8	3"	8.99

ANCOR **HEAT SHRINK RING TERMINALS**

Order #	Mfg. #	Wire Range	Screw Size	Sugg.Ret.
PACK OF 3				
6032174	311203	16-14	8	\$4.99
6002586	311303	16-14	10	4.99
6002587	311403	16-14	1/4	4.99
6002589	311603	16-14	3/8	4.99
6002590	312303	12-18	10	5.99
6002591	312403	12-18	1/4	5.99
6002592	312503	12-18	5/16	5.99
6002593	312603	12-18	3/8	5.99
6031800	312203	12-10	8	5.99

ANCOR **HEAT SHRINK BUTT CONNECTORS**

Tinned for corrosion-resistance. Pure copper for maximum current flow. Brazed seam for maximum strength. Nylon insulator, for marine grade resistance to sunlight, water, oil, chemicals, vibration & cut-through damage. Adhesive-lined heat shrink tubing built into sleeve shrinks to form tight seal & ultimate in vibration & strain relief.

Order #	Mfg. #	Wire Range	Count	Sugg.Ret.
6002579	309003	22-18	3	\$4.99
6002580	309025	22-18	25	29.99
6002581	309103	16-14	3	4.99
6002582	309125	16-14	25	29.99
6002583	309203	12-10	3	6.99
6002584	309225	12-10	25	40.99



ATTWOOD® **ELECTRICAL CONNECTOR KIT**

Kit contains multi-purpose cutter/crimp tool & 30 assorted connectors:

QTY.	ITEM	GA. WIRE
3	Butt Splices	18-22
3	Ring Connectors	18-22
3	Male Spade Conn.	18-22
3	Female Spade Conn.	18-22
3	Butt Splices	14-16
3	Rings	14-16
3	Male Spade Conn.	14-16
3	Female Spade Conn.	14-16
3	Butt Splices	10-12
3	Ring Connectors	10-12

Order #	Mfg. #	Sugg.Ret.
6000740	14290-6	\$11.99



HANDI-MAN® ECONOMY ELECTRICAL TERMINAL KIT

Contains 40 of the most popular ring tongues & fork connectors. (8) 22-18 AWG Rings, (6) 16-14 AWG Rings, (6) 12-18 AWG Rings & (8) 22-18 AWG Forks, (6) 16-14 AWG Forks, and (6) 12-18 AWG Forks.

Order #	Mfg. #	Sugg.Ret.
6033087	970220	\$7.99



HANDI-MAN® ECONOMY BUTT CONNECTOR KIT

Contains 25 assorted butt and scotch lock connectors & wire nuts. (10) 22-18 AWG Butt Connectors, (8) 22-14 AWG Wire Nuts - Blue, (4) 18-22 AWG Wire Nuts - Yellow & (3) 12-10 Tap Splices.

Order #	Mfg. #	Sugg.Ret.
6033088	970222	\$6.99



HANDI-MAN® MASTER MARINER ELECTRICAL CONNECTOR ASSORTMENT

Includes 18 popular electrical connectors. Contains 326 total parts. Ideal for all boating electrical needs. All packaged in reusable rugged polypropylene storage box.



Size	QTY.	Size	QTY.
Ring Terminals			
#6 Stud 18-22GA	20	#8 Stud 18-22GA	20
#10 Stud 16-14GA	20		
Fork Terminals			
#6 Stud 18-22GA	20	#8 Stud 16-14GA	20
#10 Stud 22-18GA	20	#8 Stud 12-10GA	20
Solderless Splices			
16-14 GA	20	12-10 GA	20
Wire Joint			
12-18 GA	10	10-16 GA	10
Tap-in Splice			
18-14 GA	6		
Disconnect			
16-14 GA Male	20	12-10 GA Male	20
22-16 GA Male	20	16-14 GA Female	20
12-10 GA Female	20	22-16 GA Female	20

Order #	Mfg. #	Sugg.Ret.
6502039	WMMK5	\$52.99

HANDI-MAN SPLIT LOOM

Tubular, convoluted, plastic wire protector. Black. Split lengthwise. Flexible.

Order #	Mfg. #	Size	Sugg.Ret.
6032771	171054	5/8"x25'	\$23.99
6032772	171064	3/4"x25'	26.99



MARINCO NYLON - STANDARD CABLE TIES

Made from nylon 6/6 for maximum life. Impervious to salt, chemical solvents & acid. Heavy-duty locking mechanism.

Order #	Mfg. #	Bundle	Tensile	Length	Sugg.Ret.
100 PER PACK					
NATURAL					
6033391	199201	5/8"	18#	4"	\$3.99
6033394	199247	1-3/8"	30#	6"	6.99
6033398	199205	2-3/16"	75#	8"	5.99
BLACK					
6033392	199203	13-16"	18#	4"	3.99
6033396	199249	1-3/8"	30#	6"	6.99
6033400	199207	2-3/16"	75#	8"	5.99
25 PER PACK					
NATURAL					
6033393	199246	1-3/8"	45#	6"	2.99
6033397	199204	2-3/16"	75#	8"	1.99
UV BLACK					
6033395	199248	1-3/8"	45#	6"	2.99
6033399	199206	2-3/16"	75#	8"	2.99



MARINCO NYLON MOUNTING CABLE TIES

Order #	Mfg. #	Bundle	Tensile	Length	Sugg.Ret.
100 PER PACK					
NATURAL COLOR					
6033402	199227	2"	50	8"	\$14.99
BLACK COLOR					
6033403	199229	2"	50	8"	15.99
6033404	199258	4"	50	14"	25.99



MARINCO CABLE TIE ASSORTMENTS

Order #	Mfg. #	Lgth.	Ct.	Sugg.Ret.
ASSORTED COLORS				
6033407	199224	8"	24	\$2.99
NATURAL/UV BLACK				
6033408	199261	4-8"	25	4.99



MARINCO CABLE TIE MOUNTS

Compatible with all cable tie lengths, except heavy-duty.


Order #	Mfg. #	Screw Size	Ct.	Sugg.Ret.
6033405	199231	#8	25	\$4.99
6033406	199263	#10	100	19.99



MARINE WORKS BUTT CONNECTORS

Non-waterproof. Box of 100.

Order #	Mfg. #	Gauge	Color	Sugg.Ret.
6000220	EC04000-100	22-18	Red	\$10.99
6210053	EC04110-100	16-14	Blue	10.99
6000222	EC04230-100	12-10	Yellow	14.99
WATERPROOF - VALUE PACK OF 3				
6003171	EC64000	22-18	Red	10.99
6003173	EC64110	16-14	Blue	10.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

MARINE WORKS SOLDERLESS TERMINALS & CONNECTORS


40-piece assortment. Bubble-packed.



Order #	Mfg. #	Sugg.Ret.
6000144	EC01340	\$5.99

MARINE WORKS .157 BULLET TERMINAL

100 per box.



Order #	Mfg. #	Type	Gauge	Ct.	Sugg.Ret.
BLUE					
6000223	EC04170-100	Male	16-14	100	\$11.99
6001868	EC04180-100	Female	16-14	100	11.99
RED					
6001439	EC04070-100	Male	22-18	100	10.99
6001440	EC04080-100	Female	22-18	100	11.99

MARINE WORKS SOLDERLESS RING TERMINALS



Order #	Mfg. #	Gauge	Stud Size	Sugg.Ret.
NON-WATERPROOF - BOX OF 100				
RED				
6000203	EC04030-100	22-18	#10	\$10.99
6001438	EC04040-100	22-18	1/4"	12.99
BLUE				
6000207	EC04120-100	16-14	#8	10.99
6000208	EC04130-100	16-14	#10	10.99
6000209	EC04140-100	16-14	1/4"	11.99
6000210	EC04190-100	16-14	5/16"	11.99
6000211	EC04200-100	16-14	3/8"	13.99
YELLOW				
6000212	EC04240-100	12-10	#10	13.99
6000213	EC04250-100	12-10	1/4"	18.99
6000214	EC04260-100	12-10	5/16"	21.99
6000215	EC04300-100	12-10	3/8"	21.99

MARINE WORKS SPADE LUG TERMINALS

100 pack box.



Order #	Mfg. #	Gauge	Stud Size	Sugg.Ret.
RED				
6000217	EC04100-100	22-18	#10	\$10.99
BLUE				
6000218	EC04220-100	16-14	#10	11.99
YELLOW				
6000219	EC04270-100	12-10	#10	13.99

MARINE WORKS .250 QUICK DISCONNECTS



Order #	Mfg. #	Type	Gauge	Sugg.Ret.
NON-WATERPROOF BOX OF 100				
RED				
6000224	EC04050-100	Female	22-18	\$10.99
BLUE				
6000226	EC04150-100	Female	16-14	10.99
6000227	EC04160-100	Male	16-14	10.99
YELLOW				
6000228	EC04280-100	Female	12-10	11.99

MARLAN INDUSTRIES

MAR-LAN 2-GAUGE MARINE BATTERY CABLE

10 ft. red battery cable w/one end 3/8" & other end 5/16" connector. 2-Gauge Marine SAE 105°C, 60V. RoHS Compliant.



Order #	Mfg. #	Sugg.Ret.
6033302	MAR209-10C	\$62.99

PERKO®

PERKO® CABLE STRAPS

Black plastic. Width: 1/2". 10 per bag.



Order #	Mfg. #	I.D.	Sugg.Ret.
6001832	0196DP1	3/16"	\$8.99
6001833	0196DP2	1/4"	8.99
6001834	0196DP3	5/16"	9.99
6001835	0196DP4	3/8"	9.99
6001836	0196DP5	1/2"	9.99
6001837	0196DP6	5/8"	9.99
6001838	0196DP7	3/4"	7.99

PERKO® LINE SUPPORT CLIPS

Aluminum with synthetic rubber cushion. Conforms to USCG electrical & fuel standards. Packed 10 to a bag.



Order #	Mfg. #	O.D. Line	Width	Sugg.Ret.
SINGLE SUPPORT CLIPS				
6001821	0163DP1ALU	3/16"	3/8"	\$22.99
6001824	0163DP4ALU	3/8"	1/2"	22.99
6001826	0163DP6ALU	5/8"	1/2"	19.99
DOUBLE SUPPORT CLIPS				
6001830	0164DP4ALU	3/8"	1/2"	17.99
6001831	0164DP5ALU	1/2"	1/2"	18.99

SEA-DOG® LINE

SEA-DOG® LINE UL CABLE TIES - STANDARD

Injection molded nylon. Kit contains: 4", 5-5/8", 8-1/2" and 10-1/2" sizes, 25 of each. Black.



Order #	Mfg. #	Sugg.Ret.
6033137	427290-1	\$10.99

SEA-DOG® LINE WIRE TIES & CLAMPS SERVICE KIT

Marine grade cable ties & cable clamps. Heavy-duty locking mechanism w/UV resistant nylon. Resistant to oil, acids, moisture & solvents. 500 Pieces included.



Part #	Description	Qty.
428233	Nylon Cable Clamp - 3/8"x1/4" (Black)	25
428235	Nylon Cable Clamp - 3/8"x3/8" (Black)	25
428237	Nylon Cable Clamp - 3/8"x1/2" (Black)	25
427205	Cable Tie - 5.6" (Black)	100
427209	Cable Tie - 8.5" (Black)	100
427210	Cable Tie - 10.5" (Black)	100
331360	Cable Tie w/Adhesive - 13/16" (White)	25
331370	Cable Tie w/Adhesive - 1-1/8" (White)	25
Order #	Mfg. #	Sugg.Ret.
6033513	916507	\$57.99



SEA-DOG® LINE ELECTRICAL ACCESSORIES KIT

Marine grade coax connectors. Heavy-duty marine busbars, terminal blocks, terminal posts, & stainless steel microphone clips. Mini & micro stainless steel clam vents & black ABS wire cover.



Part #	Description	Qty.
329900	UHF Connector for 8U Cable	4
329906	UHF Adapter for RG59/U	2
329905	UHF Adapter for RG58/U	2
329950	UHF Dbl. Female Std. Connector	2
329951	UHF Dbl. Female Bulkhead Connector	2
329955	UHF Right Angle Connector	2
329957	UHF T Connector	2
329970	UHF Cap & Chain	2
329990	Stainless Steel Microphone Clip	2
426624	Bakelite Terminal Block-4 Gang 20A	2
426626	Bakelite Terminal Block-6 Gang 20A	2
426628	Bakelite Terminal Block-8 Gang 20A	2
426685	Combo Buss Bar - Tin Plated Brass ABS 10 Terminal	2
426710	Buss Bar Tin Plated Brass/ABS 5-Screw terminal	2
426722	Buss Bar Tin Plated Brass/ABS 10-Screw terminal	2
426826	Terminal Post & Bus Plate 1/4" 150 amps	2
426040	Chrome Brass Cable Outlet 1/4"	2
426090	ABS Wire Cover	2
331360	Stainless Midget Vent (Small)	5
331370	Stainless Midget Vent (Large)	5
Order #	Mfg. #	Sugg.Ret.
6033512	916505	\$230.99

SEA-DOG® LINE NYLON TERMINAL KIT

Nylon insulated, premium connectors in assorted ring, butt, spade, male & female disconnects. 20 pieces of 3:1 heat shrink. 9" Double crimp, ratchet plier. 646 Pieces included.



Part #	Description	Qty.
429110	Nylon Butt Connector 22-18 Ga.	50
429130	Nylon Butt Connector 16-14 Ga.	50
429150	Nylon Butt Connector 12-10 Ga.	50
429233	Nylon Ring Terminal 16-14 Ga. Ring Size #8	25
429234	Nylon Ring Terminal 16-14 Ga. Ring Size #10	25
429237	Nylon Ring Terminal 16-14 Ga. Ring Size 5/16"	25
429238	Nylon Ring Terminal 16-14 Ga. Ring Size 3/8"	25
429213	Nylon Ring Terminal 22-18 Ga. Ring Size #8	25
429214	Nylon Ring Terminal 22-18 Ga. Ring Size #10	25
429253	Nylon Ring Terminal 12-10 Ga. Ring Size #8	25
429254	Nylon Ring Terminal 12-10 Ga. Ring Size #10	25
429256	Nylon Ring Terminal 12-10 Ga. Ring Size 1/4"	25
429257	Nylon Ring Terminal 12-10 Ga. Ring Size 5/16"	25
429258	Nylon Ring Terminal 12-10 Ga. Ring Size 3/8"	25
429331	Nylon Insulated Push-On Connector 16-14 Ga. (Male)	25

Part #	Description	Qty.
429335	Nylon Insulated Push-On Connector 16-14 Ga. (Female)	25
429355	Nylon Insulated Push-On Connector 12-10 Ga. (Female)	25
429339	Nylon Push-On Connector 16-14 Ga. (Female)	25
429412	Nylon Snap Spade Connector 22-18 Ga., Spade Size #6	25
429413	Nylon Snap Spade Connector 22-18 Ga., Spade Size #8	25
429432	Nylon Snap Spade Connector 16-14 Ga., Spade Size #6	25
429433	Nylon Snap Spade Connector 16-14 Ga., Spade Size #8	25
429910-1	Powder Coated Steel Deluxe Terminal Crimper Tool	1
429536	PVC Heat Shmk - 3/8"	10
429556	PVC Heat Shmk - 1/2"	10

Order #	Mfg. #	Sugg.Ret.
6033514	916508	\$285.99

SEA-DOG® LINE HEAT SHRINK TERMINAL KIT

Adhesive-lined for water tight seal w/ added vibration & strain relief. Pure copper for maximum current flow & tinned for corrosion resistance. UL/CSA listed. Terminals comply w/ ABYC standards E-11.



Part #	Description	Qty.
429110H	Nylon Butt Connector 22-18 Ga. H/S	25
429130H	Nylon Butt Connector 16-14 Ga. H/S	25
429150H	Nylon Butt Connector 12-10 Ga. H/S	25
429315H	Nylon Insulated Push-On Connector 22-18 Ga. (Female) H/S	6
429311H	Nylon Insulated Push-On Connector 22-18 Ga. (Male) H/S	6
429351H	Nylon Insulated Push-On Connector 22-10 Ga. (Male) H/S	12
429335H	Nylon Insulated Push-On Connector 16-14 Ga. (Female) H/S	12
429331H	Nylon Insulated Push-On Connector 16-14 Ga. (Male) H/S	12
429355H	Nylon Insulated Push-On Connector 12-10 Ga. (Female) H/S	12
429412H	Nylon Snap Spade Connector 22-18 Ga., Spade Size #6 H/S	12
429433H	Nylon Snap Spade Connector 16-14 Ga., Spade Size #8 H/S	12
429452H	Nylon Snap Spade Connector 12-10 Ga., Spade Size #6 H/S	12
429454H	Nylon Snap Spade Connector 12-10 Ga., Spade Size #10 H/S	12
429214H	Nylon Ring Terminal 22-18 Ga. Ring Size 3/8" H/S	12
429218H	Nylon Ring Terminal 22-18 Ga. Ring Size #10 H/S	12
429233H	Nylon Ring Terminal 16-14 Ga. Ring Size - #8 H/S	12
429234H	Nylon Ring Terminal 16-14 Ga. Ring Size - #10 H/S	12
429237H	Nylon Ring Terminal 16-14 Ga. Ring Size - 5/16" H/S	12
429238H	Nylon Ring Terminal 16-14 Ga. Ring Size - 3/8" H/S	12
429253H	Nylon Ring Terminal 12-10 Ga. Ring Size - #8 H/S	12
429254H	Nylon Ring Terminal 12-10 Ga. Ring Size - #10 H/S	12
429257H	Nylon Ring Terminal 12-10 Ga. Ring Size - 5/16" H/S	12
429258H	Nylon Ring Terminal 12-10 Ga. Ring Size - 3/8" H/S	12
429900-1	Powder Coated Steel Wire Stripper/Crimper Tool	1

Order #	Mfg. #	Sugg.Ret.
6033515	916509	\$365.99

Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

Trolling
Motors

T-H MARINE DECORATIVE WIRE COVER

Black plastic cover gives finished look. Covers unsightly wire pass-thru holes up to 1-1/4" in dia. Includes mounting screws. Sold in pairs.



Order #	Mfg. #	Sugg.Ret.
6032386	DWC-1-DP	\$5.99



T-H MARINE NYLON CABLE TIES

High-tensile strength, lightweight. Flexible. All nylon, non-corrosive cable. Essential for boat rigging. Black.

Order #	Mfg. #	Length	Sugg.Ret.
6001116	004B-C-DP	4"	\$4.99
6001118	008B-C-DP	8"	8.99
6001114	007B-C-DP	7-1/2"	9.99
6003271	075B-RAD-C-DP	7-1/2" Radiused	13.99
6001115	014-BC-DP	14"	27.99

Mooring/
Docking

FUSES & BLOCKS

ANCOR
MARINE GRADE™ PRODUCTS


A Lasting Solution.

ANCOR ATM MARINE FUSES

Corrosion-resistant construction. Each fuse tested twice to ensure highest quality.



Order #	Mfg. #	Design Amps	Count	Sugg.Ret.
6031583	603905	5	2	\$3.99
6031584	603910	10	2	3.99
6031585	603915	15	2	3.99
6031586	603920	20	2	3.99
6031587	603930	30	2	4.99



ANCOR AGC MARINE FUSES

Corrosion-resistant construction. Each fuse tested twice to ensure quality. Enclosed glass tube for safety. 1/4" dia. 1-1/4" L. 5 per pkg.

Order #	Mfg. #	Amps	Sugg.Ret.
6002682	601010	1	\$3.99
6002683	601015	1.5	3.99
6002684	601020	2	3.99
6002685	601025	2.5	3.99
6002686	601030	3	3.99
6002687	601040	4	3.99
6002688	601050	5	3.99
6002891	601075	7.5	3.99
6002892	601100	10	3.99
6002893	601150	15	3.99
6002894	601200	20	3.99
6002895	601250	25	3.99
6002896	601300	30	3.99

ANCOR ATO/ATC MARINE FUSES

Corrosion-resistant construction. Each fuse tested twice to ensure highest quality. 2 per package.



Order #	Mfg. #	Amps	Sugg.Ret.
6031816	604005	5	\$3.99
6031817	604010	10	3.99
6002897	604015	15	3.99
6002898	604020	20	3.99

ANCOR IN-LINE FUSE HOLDER

12 AWG wire.



Order #	Mfg. #	Fuse Style	Rating	Sugg.Ret.
6032835	607017	ATC	30 Amps	\$5.99


ANCOR WATERPROOF IN-LINE FUSE HOLDER

12 AWG wire.



Order #	Mfg. #	Fuse Style	Rating	Sugg.Ret.
5344618	607019	ATO/ATC	30 Amps	\$13.99
6032837	607020	ATM	30 Amps	16.99


ANCOR AGC WATER- PROOF IN-LINE FUSE HOLDERS



Order #	Mfg. #	Size	Sugg.Ret.
6002900	607013	AGC/30 AMP	\$8.99

ANCOR AGC FUSE HOLDER PANEL MOUNT

Vibration-resistant.



Order #	Mfg. #	Size	Sugg.Ret.
6002899	607010	AGC/15 AMP	\$4.99

BLUE SEA
SYSTEMS

BLUE SEA SYSTEMS BUSSMAN SERIES 187 MRCB CIRCUIT BREAKERS

Combines switching & circuit protection into a single device. Clear, single lever operation. "Trip Free" design cannot be held "On" during fault current condition. Vaporproof. Recessed mounting holes for clean appearance. Large clearance around terminal studs accept heavy gauge wire lugs. 5/16" M8 terminals provide high torque connections. Large lever w/vertical/horizontal orientation provides indication of trip status. Ignition protected-Safe for installation aboard gasoline powered boats. Surface mount.



Order #	Mfg. #	Amps	Sugg.Ret.
6032538	7136	30	\$91.99
6032539	7139	50	91.99

BLUE SEA SYSTEMS 285 SERIES CIRCUIT BREAKERS

Drop in replacement for 185 Series Circuit Breakers. Provides medium circuit protection for 25 to 200 Ampere loads when switching & circuit protection are both required. Trip-free - cannot be held closed after trip. Visible reset lever shows open condition.



Order #	Mfg. #	Type	Sugg.Ret.
6033333	7181	30A DC	\$52.99
6033334	7182	40A DC	52.99
6033335	7183	50A DC	52.99
6033336	7184	60A DC	52.99
6033337	7186	80A DC	52.99
PANEL MOUNT			
6033444	7080	25A DC	52.99



BLUE SEA SYSTEMS SINGLE POLE TOGGLE CIRCUIT BREAKERS

Combines switching & circuit protection into single device. "Trip Free" design cannot be held "On" during fault current condition. Meets all ABYC standards, UL 1077 recognized, TUV certified, CE marked for Europe & CSA certified for Canada.



Order #	Mfg. #	Amps	Color	Sugg.Ret.
AC/DC STANDARD DELAY				
6032034	7206	10A	White	\$17.99
6032036	7222	30A	White	17.99

BLUE SEA SYSTEMS AC/DC THERMAL PUSH BUTTON RESET ONLY CIRCUIT BREAKERS

Compact design enables high-density circuit protection configurations. Push to reset operation. "Trip Free" design cannot be held "ON" during fault current condition. Ignition protected, safe for installation aboard gasoline powered boats. Meets UL1500 & ISO8846 ignition protection requirements.



Order #	Mfg. #	Amps	Sugg.Ret.
6032069	7052	5A	\$8.99
6032066	7054	10A	8.99
6032067	7056	15A	8.99
6032068	7057	20A	8.99
6032071	7058	25A	8.99
6032070	7059	30A	8.99

BLUE SEA SYSTEMS PUSH BUTTON RESET ONLY CIRCUIT BREAKER WATERPROOF BOOTS

Protects push button circuit breakers in wet environments. Resists discoloration & cracking. Replaces dress nut mounting on circuit breakers. Thread material: nickel-plated brass. Thread: 3/8"-27. IP67 Rating: 30mins. @ 1m.



Order #	Mfg. #	Color	Sugg.Ret.
6033343	4137	Black	\$4.99

BLUE SEA SYSTEMS MAXIBUS 250 AMPERE COMMON BUS

300V AC max. 48V DC max. Tin-plated copper. Glass-reinforced Lexan® polycarbonate base. ABS cover.



Order #	Mfg. #	Type	Sugg.Ret.
6033442	2127	4x5/16"-18 Terminal Studs	\$48.99
6033560	2128	2x5/16"-18 Terminal Studs/ 6x#10-24 Terminal Screws	47.99

ACCESSORIES

6033443	2718	Cover for MaxiBus 2105 & 2126	33.99
6033561	2719	Cover for MaxiBus 2127 & 2128	25.99

BLUE SEA SYSTEMS MINIBUS 100 AMPERE COMMON BUS

Great for limited space applications in electronics cabinets & under dashboards.



Order #	Mfg. #	Type	Sugg.Ret.
6031668	2304	5x8-32 Screw Terminal	\$16.99
6032013	2305	4x10-32 Stud Terminal	14.99
w/COVER			
6033452	2314	5x#8-32 Terminal Screws 2x#10-32 Terminal Studs	19.99

BLUE SEA SYSTEMS DUALBUS PLUS

Combines negative & positive buses on one block. Clear Lexan lid snaps on to meet USCG & ABYC insulation requirements. 1/4" stud, 5x10-32 screw terminal.



Order #	Mfg. #	Sugg.Ret.
6031669	2722	\$28.99

BLUE SEA SYSTEMS DUALBUS 100 AMPERE COMMON BUSES

Combines negative & positive buses on one block. Continuous amperage: 100 amperes. Voltage rating: 48V, DC max: 300 volts/AC max



Order #	Mfg. #	Type	Sugg.Ret.
6032015	2702	10x8-32 Screw Terminal	\$22.99
ACCESSORIES			
6033071	2709	Cover for DualBus 2701	13.99
6033072	2710	Cover for DualBus 2702	15.99

BLUE SEA SYSTEMS BUSBAR 150 AMPERE COMMON BUS

Industry standard bus for hot distribution or negative collection circuits.



Order #	Mfg. #	Style	Sugg.Ret.
6032527	2300	10x8-32 Screw Terminal w/cover	\$21.99
6031671	2301	10x8-32 Screw Terminal	22.99
6033559	2303	4x1/4"-20 Terminal Stud	29.99
ACCESSORIES			
6033075	2715	Cover for BusBar 2301/2303	3.99

BLUE SEA SYSTEMS POWERPOST HIGH AMPERAGE CABLE CONNECTOR

Connect high amperage cables securely. Amperage flow is between terminals stacked on post & dependent on wire & terminals used, not PowerPost. #10 stud.



Order #	Mfg. #	Description	Sugg.Ret.
6032525	2011	1/4"x3/4" Stud	\$9.99
6032017	2002	5/16"x7/8" Stud	13.99
6032016	2003	3/8"x7/8" Stud	13.99

BLUE SEA SYSTEMS DUAL POWERPOST CABLE CONNECTORS

Provides a termination point for extending the length of outboard harnesses or other conductors. Designed for connecting high amp conductors. Includes insulators.



Order #	Mfg. #	Description	Sugg.Ret.
6033080	2016	2x5/16" Stud	\$21.99
6033081	2017	2x3/8" Stud	21.99
6033320	2018	1x5/16" Stud	21.99

BLUE SEA SYSTEMS STUD CABLECAP INSULATORS

Insulates single stud on alternators, starters, windlasses & high amperage termination points. Color: red.



Order #	Mfg. #	Cable Size	Sugg.Ret.
6033322	4010	8-4	\$2.99
6033323	4012	2-2/0	3.99

BLUE SEA SYSTEMS AUTOMOTIVE CABLECAP INSULATORS

Insulates battery terminals which have standard automotive posts.



Order #	Mfg. #	Cable Size	Qty.	Color	Sugg.Ret.
6033455	4016	4, 2, 1 AWG	1 Pair	Red/Black	\$4.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



BLUE SEA SYSTEMS TERMINAL BLOCKS

Closed-back design insulates power from mounting surface. Each screw pair is 1 isolated circuit. Jumpers allow creation of common circuits.



Order #	Mfg. #	Type	Sugg.Ret.
20 AMPERES			
6031675	2404	4 Circuit	\$5.99
6032029	2406	6 Circuit	5.99
6032028	2410	10 Circuit	7.99
30 AMPERES			
6031677	2504	4 Circuit	7.99
6032023	2506	6 Circuit	7.99
6032024	2508	8 Circuit	7.99
6032528	2512	12 Circuit	11.99

BLUE SEA SYSTEMS TERMINAL BLOCK JUMPERS

Jumpers allow creation of common circuits on independent connectors. Nickel-plated brass. Continuous amperage equivalent to matching block. 5 per package.



Order #	Mfg. #	Type	Sugg.Ret.
6032031	9217	2500 Series	\$4.99
6033569	9218	2400 Series	4.99

BLUE SEA SYSTEMS 3AG WATER-RESISTANT FUSE HOLDER

Replaces fuse holder found in Contura Waterproof fuse panels. Will withstand the water exposures normally encountered in above deck applications: Salt spray, rain, hose washdowns, and momentary immersions.



Order #	Mfg. #	Sugg.Ret.
6033077	5021	\$3.99

BLUE SEA SYSTEMS CRIMPABLE IN-LINE 30A FUSE HOLDER

For use w/AGC or MDL glass fuses. Accepts 12-16 AWG wire. Maximum Fuse Amperage: 30A. Fuse sold separately.



Order #	Mfg. #	Color	Sugg.Ret.
6033457	5060	Yellow	\$2.99

BLUE SEA SYSTEMS WATERPROOF IN-LINE 0A FUSE HOLDER

For use w/AGC or MDL glass fuses. Accepts 12-16 AWG wire. Maximum Fuse Amperage: 30A. Fuse sold separately.



Order #	Mfg. #	Color	Sugg.Ret.
6033458	5061	Yellow	\$6.99

BLUE SEA SYSTEMS WATERPROOF IN-LINE 20A FUSE HOLDER

For use w/AGC or MDL glass fuses. Supplied w/12 AWG pigtails. Maximum Fuse Amperage: 20A. Fuse sold separately.



Order #	Mfg. #	Color	Sugg.Ret.
6033459	5062	Black	\$21.99

BLUE SEA SYSTEMS HEAVY DUTY IN-LINE 30A FUSE HOLDER

For use w/AGC or MDL glass fuses. Supplied w/tinned copper 12 AWG pigtails. Maximum Fuse Amperage: 30A. Fuse sold separately.



Order #	Mfg. #	Color	Sugg.Ret.
6033460	5063	Black	\$3.99

BLUE SEA SYSTEMS ATO® or ATC® IN-LINE 30A FUSE HOLDERS

For use w/ATO or ATC fuses. Supplied w/12 AWG pigtails. Maximum Fuse Amperage: 30A. Fuse sold separately.



Order #	Mfg. #	Color	Sugg.Ret.
6033461	5064	Black	\$4.99
6033462	5065	Black	9.99

WATERPROOF

new

BLUE SEA SYSTEMS AGC® FUSE KITS

Fast acting glass fuse ideal for small electronic devices.

•**5288**: 5-piece kit. Includes one each 1A, 3A, 5A, 10A & 15A

•**5289**: 40 AGC® fuses & one heavy-duty In-Line Fuse Holder (5063). Fuses include 4 of each 1A, 2A, 3A, 5A, 7.5A, 10A, 15, 20A, 25A & 30A.



Order #	Mfg. #	Style	Sugg.Ret.
6033572	5288	5-Piece Kit	\$2.99
6033573	5289	41-Piece Kit	19.99

BLUE SEA SYSTEMS AGC® & MDL® FUSES

AGC is a fast-acting glass fuse ideal for small electronic devices. MDL is a slow blow (time delay) glass fuse for bilge pumps & other motors.

For use w/Blue Sea Systems Screw Terminal (ST) glass fuse blocks & AGC or MDL In-Line fuse holders. Visible indication of blown fuse condition. Maximum Operating Voltage: 32V DC. Size: 0.25"x1.25".



Order #	Mfg. #	Type	Qty.	Sugg.Ret.
AGC® FUSES				
6033469	5202	0.5A	5-Pack	\$2.99
6033470	5204	1.0A	5-Pack	2.99
6033471	5206	2.0A	5-Pack	2.99
6033472	5208	3.0A	5-Pack	2.99
6033473	5209	4.0A	5-Pack	2.99
6033474	5210	5.0A	5-Pack	2.99
6033475	5213	7.5A	5-Pack	2.99
6033476	5215	10A	5-Pack	2.99
6033477	5217	15A	5-Pack	2.99
6033478	5218	20A	5-Pack	2.99
6033479	5219	25A	5-Pack	2.99
6033480	5220	30A	5-Pack	2.99
MDL® FUSES				
6033481	5226	3.0A	2-Pack	2.99
6033482	5227	5.0A	2-Pack	2.99
6033483	5229	7.5A	2-Pack	2.99
6033484	5230	10A	2-Pack	3.99
6033485	5231	15A	2-Pack	3.99
6033486	5232	20A	2-Pack	3.99



new

BLUE SEA SYSTEMS ATO® or ATC® FUSE KIT

Delivers fast acting protection for electronics and other small loads. Kit includes one each 5A, 10A, 15A, 20A, 25A & 30A fuse.



Order #	Mfg. #	Sugg.Ret.
6033575	5287	\$5.99

BLUE SEA SYSTEMS ATO® or ATC® FUSES

Delivers fast-acting protection for electronics & other small loads. Features tin-plated connector blades for corrosion resistance & visible indication of blown fuse condition. Maximum Operating Voltage: 32V DC. Interrupting Capacity: 1000A.



Order #	Mfg. #	Type	Qty.	Sugg.Ret.
6033487	5235	1.0A	2-Pack	\$2.99
6033488	5236	2.0A	2-Pack	2.99
6033489	5237	3.0A	2-Pack	2.99
6033490	5239	5.0A	2-Pack	2.99
6033491	5240	7.5A	2-Pack	2.99
6033492	5241	10A	2-Pack	2.99
6033493	5242	15A	2-Pack	2.99
6033494	5243	20A	2-Pack	2.99
6033495	5244	25A	2-Pack	2.99
6033496	5245	30A	2-Pack	2.99

new

BLUE SEA SYSTEMS ATM® FUSE KIT

Mini blade type fuse. Kit includes one each 5A, 10A, 15A, 20A, & 30A fuse.



Order #	Mfg. #	Sugg.Ret.
6033574	5286	\$3.99

BLUE SEA SYSTEMS MAXI™ FUSES

Provides economical branch circuit protection. Features silver-plated connector blades for corrosion resistance & visible indication of blown fuse condition. Maximum Operating Voltage: 32V DC. Interrupting Capacity: 1000A. Sold Individually.



Order #	Mfg. #	Type	Sugg.Ret.
6033463	5138	30A	\$3.99

BLUE SEA SYSTEMS TERMINAL FUSES

MRBF—Marine Rated Battery Fuse. Space-saving ignition protected fuse for 30 to 300 Amp loads. Must use w/Terminal Fuse Block. Features: High Interrupt Rating - satisfies ABYC requirements for DC Main circuit protection on large battery banks, Visual indication of blown fuse condition, Color-coded for easy amperage identification. Maximum Operating Voltage: 58V DC. Sold Individually.



Order #	Mfg. #	Type	Color	Sugg.Ret.
6033464	5177	50A	Red	\$16.99
6033465	5183	100A	Yellow	16.99
6033466	5185	150A	Orange	16.99
6033467	5187	200A	Blue	16.99

BLUE SEA SYSTEMS MIDI® or AMI® FUSES

Compact fuse for main or branch circuit protection. Clear window offers indication of blown fuse condition. Color-coded for easy amperage identification. Interrupting Capacity: 5000A @ 16V DC, 200A @ 32V DC. Maximum Operating Voltage: 32V DC.



Order #	Mfg. #	Type	Qty.	Sugg.Ret.
6033328	5252	50A	2-Pack	\$7.99
6033330	5254	70A	2-Pack	7.99
6033497	5255	80A	2-Pack	7.99
6033498	5257	125A	2-Pack	7.99
6033499	5258	150A	2-Pack	7.99
6033500	5260	200A	2-Pack	7.99

BLUE SEA SYSTEMS MIDI® OR AMI® SAFETY FUSE BLOCK

Ignition protected for installation aboard gas or diesel powered boats. Sealed cover protects fuses from harsh marine environment. Insulating cover satisfies ABYC/USCG insulation requirements. Cover breakouts allow wire access in any direction. 200A maximum with 2/0 cable.



Order #	Mfg. #	Sugg.Ret.
6033339	7720	\$29.99

BLUE SEA SYSTEMS TERMINAL FUSE BLOCK

MRBF—Marine Rated Battery Fuse. Easily & economically satisfies ABYC 7" circuit protection rule by mounting on a 3/8" battery post, battery switch or bus bar. Isolated stud design uses standard M8 hardware & permits stacking of terminals. Compact, high-amp fuse is appropriate for DC Main, inverter, windlass, & bow thruster circuit protection. Provides high current protection in tight space constraints. Weatherproof. Insulating cap prevents accidental shorts. Accepts 5/16" ring terminals. Fuses sold separately. Maximum Operating Voltage: 58V DC. Maximum Operating Amperage: 300A. Maximum Torque: 75 in-lbs.



Order #	Mfg. #	Terminal Studs	Mounting Hole	Sugg.Ret.
6033468	5191	One	3/8"	\$25.99

BLUE SEA SYSTEMS SAFETYHUB 150 FUSE BLOCK

Ignition protected fuse block w/screw termination. Safe for use on gas powered boats. Reduces wiring connections. Consolidates up to 10 fused circuits. Can be used for primary or secondary DC power distribution. Four 30A-200A MIDI® or AMI® fuses for low-amp circuits including panel feeds, windlasses, & stereo amplifiers. Six 1A-20A ATO® or ATC® fuses for circuits including bilge pumps, electronics, & lights. Sealed cover protects from the harsh marine environment. Negative bus provides common location for negative collection. Circuit identification label w/write on capability. Fuse puller easily removes ATO® or ATC® fuses. Cover provides storage space for two spare ATO® or ATC® fuses & two spare MIDI® or AMI® fuses & mounting screws. NUPATCH® coated MIDI® or AMI® fuse screws resist loosening over time. Maximum Operating Amperage (per block): 350A. Operating Voltage: 12V DC. Minimum Cable Size to meet ratings: 4/0 AWG (12mm). Recommended Ring Terminal: M8 (5/16"). Stud Size: M8 x 1.25. Stud Torque: 15 lb-ft. Wt.: 1.9 lbs. NOTE: Fuses sold separately.



Order #	Mfg. #	Sugg.Ret.
6033341	7748	\$129.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
Instruments

BLUE SEA SYSTEMS 3AG FUSE BLOCK SYSTEM

Clear insulating cover with label recesses for standard Blue Sea Systems' labels. Cover insulates all conductive parts, satisfying ABYC/USCG requirements & storing spare fuses. Tin-plated copper buses & Beryllium copper fuse clips give full 30 amp rating per circuit. Uses AGC (Fast Acting), MDL (Time-Delay) & all other 3AG glass fuses.

Depth
Finders/GPS

Order #	Mfg. #	Type	Sugg.Ret.
6031656	5015	6 Circuit w/ground	\$47.99

Vests/
CushionsWater
Sports

BLUE SEA SYSTEMS SCREW TERMINAL BLADE FUSE BLOCKS

Compact ATO/ATC fuse block consolidates branch circuits & eliminates the tangle of in-line fuses for electronics & other appliances. Can be used for 24-hour circuits. Clear insulating cover w/label recesses accepts small format labels, satisfies ABYC/USCG insulation requirements, & provides storage for two spare fuses. Accepts ring terminals. Easy-to-open, push-button latch provides easy access to fuses. Tin-plated copper buses & fuse clips. Positive distribution bus w/#10-32 stud. Maximum Operating Voltage: 32V DC. Maximum Operating Amperage: 30A (per circuit), 100A (per block). Screw Terminal: #8-32 screws w/Captive Star Lock washer. Mounting: #8 screw (M4). NOTE: Fuse blocks w/covers include 20 write-on labels. Fuses sold separately.

Safety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Order #	Mfg. #	Type	Negative Bus	Cover	Sugg.Ret.
COMMON SOURCED CIRCUIT FUSE BLOCKS					
6033456	5028	6 Circuit	-	Yes	\$41.99
6032078	5025	6 Circuit	#10-32 Stud	Yes	46.99
6033570	5029	12 Circuit		Yes	52.99
6032079	5026	12 Circuit	#10-32 Stud	Yes	58.99
INDEPENDENT SOURCED CIRCUIT FUSE BLOCKS					
6033571	5035	6 Circuit		Yes	41.99

Lighting

Boat Seats

Boat Covers

BLUE SEA SYSTEMS PUSH BUTTON WATERPROOF BOOTS

Replaces standard mounting nut for mounting push button thermal circuit breaker. UV-resistant material resists discoloration & cracking. Protects push button breaker in wet environments.



Fuel

Trailers/
ATV Access.

Order #	Mfg. #	Color	Sugg.Ret.
6032531	4135	Clear	\$5.99

BLUE SEA SYSTEMS MAXI™ FUSE BLOCK SYSTEM

Economical system for 30-80 amp fusing. Snap-on terminal cover insulates all conductive parts, satisfying ABYC/USCG requirements. Accepts wire sizes 180 to 4 AWG from sides or bottom. For use on systems up to 32 VDC. Ring terminal screws compress fuse blades within blocks for extremely low resistance connections.



Maintenance

Order #	Mfg. #	Sugg.Ret.
6031657	5006	\$28.99

Controls/
SteeringMotor
Access.

Camping

HANDI-MAN® ECONOMY PLUG-IN FUSE KIT

Contains 17 of the most popular ATC plug-in fuses. (6) 10 amp, (4) 15 amp, (4) 20 amp & (3) 30 amp.

Order #	Mfg. #	Sugg.Ret.
6033085	970223	\$7.99



Cutlery

HANDI-MAN® ECONOMY GLASS FUSE KIT

Contains 17 of the most popular AGC glass fuses. (6) 20 amp, (4) 15 amp, (4) 10 amp & (3) 3 amp.


Order #	Mfg. #	Sugg.Ret.
6033086	970224	\$7.99



HANDI-MAN WATERPROOF FUSE HOLDER

Heavy-duty 12 AWG tinned-copper wire for use with 30 AMP glass fuse.

Order #	Mfg. #	Sugg.Ret.
6002936	180344	\$9.99



MarineWorks

MARINE WORKS FUSES

Bubble packed on colorful cards. Each with inner, reusable storage box to keep spares organized & accessible.

Order #	Mfg. #	Amps	Sugg.Ret.
AGA GLASS TUBE FUSES-CARD OF 5			
6003074	FS79060	20	\$3.99
AGC GLASS TUBE FUSES-CARD OF 5			
6003084	FS79090	1	3.99
6003083	FS79100	1.5	3.99
6003076	FS79110	2	3.99
6003081	FS79470	2.5	3.99
6003086	FS79120	3	3.99
6003079	FS79130	4	3.99
6003080	FS79140	5	3.99
6003087	FS79160	7.5	3.99
6003085	FS79170	10	3.99
6003075	FS79180	15	3.99
6003077	FS79190	20	3.99
6003082	FS79200	25	3.99
6003078	FS79210	30	3.50
SFE GLASS TUBE FUSES-CARD OF 5			
6003090	FS79270	14	3.99
6003091	FS79280	20	3.99
6003092	FS79290	30	3.50
AGU GLASS TUBE FUSES-CARD OF 2			
6003068	FS79870	50	4.99
ATO® STYLE FUSES-CARD OF 5			
6003069	FS79500	3/Violet	3.99
6003070	FS79510	4/Pink	3.99
6003071	FS79520	5/Tan	3.99
6003072	FS79540	10/Red	3.99
6003088	FS79550	15/Blue	3.99
6003089	FS79560	20/Yellow	3.99
6002163	FS79580	30/Green	3.99

MARINE WORKS BILGE PUMP & ACCESSORY FUSE KIT

Contains 5 fuses. 1 each: AGC 5, 10, 15, 30, Amp & SFE 20 AMP.

Order #	Mfg. #	Sugg.Ret.
6002166	FS79630	\$3.99






MARINE WORKS EMERGENCY FUSE KIT

Kit contains 6 fuses. 1 ea.: SFE 9, 14, 20 & AGC 10, 15, 30.

Order #	Mfg. #	Sugg.Ret.
6002164	FS79600	\$6.99

MARINE WORKS IN-LINE FUSE HOLDER


Without fuse. Accommodates many different size fuses. For 6V & 12V applications. 8" loop of 18-ga. wire.



Order #	Mfg. #	Sugg.Ret.
6001458	FS45400	\$4.99

MARINE WORKS HEAVY-DUTY 30 AMP FUSE HOLDER


Complete with 30 amp fuse & 12-ga. orange wire leads. 4-1/2" leads on both ends.



Order #	Mfg. #	Sugg.Ret.
6001457	FS45380	\$5.99

MARINE WORKS ATO/ATC STYLE FUSE HOLDER

Weatherproof. Extra heavy-duty for use with up to 30 amp fuses. 12-ga. wire leads for easy hook-up.



Order #	Mfg. #	Sugg.Ret.
6002146	FS35870	\$9.99

MARINE WORKS PANEL MOUNT SINGLE FUSE HOLDER

For 1/4"x1-1/4" fuses. With bayonet-type knob, spring pressure contact, vibration-resistant. For panels up to 5/16" thick. Complete with gasket & back nut. Does not include fuse.



Order #	Mfg. #	Sugg.Ret.
6001459	FS45430	\$8.99

MARINE WORKS WEATHERPROOF FUSE HOLDER

Wire can be cut to fit.



Order #	Mfg. #	Fuse	Sugg.Ret.
20 AMP-14-GAUGE WIRE			
6001460	FS45440	None	\$7.99
6001462	FS45460	w/20 amp fuse	7.99
30 AMP-10-GAUGE WIRE			
6003060	FS45470	w/30 amp fuse	7.99

MARINE WORKS FUSE BLOCKS


Heavy-duty black molded base for use with SFE or AGC fuses up to 20 amps. Brass fuse clips, terminal contact & 8-32 screws.



Order #	Mfg. #	Type	Sugg.Ret.
6001444	FS40520-1	6-gang	\$14.99

MARINE WORKS MODULAR ATO/ATC TYPE FUSE BLOCKS


Interlocking modules. 1/4" tab terminals/8-32 threaded screws. Tin plated-copper contacts, flame-retardant glass, reinforced polyester base & cover. 30 amps max./circuit, 160 amp total, 105° C. With ground buss bar.



Order #	Mfg. #	Type	Sugg.Ret.
6001441	FS40420	6-gang	\$24.99
6001442	FS40430	4-gang	22.99

MARINE WORKS FUSE BLOCKS WITH BUS BAR

Heavy-duty, black molded plastic base. Use with SFE or AGC fuses up to 20 amps. Brass fuse clips, 8-32 terminal screws. Common bus bar connects hot side of fuses for power feed. Separate bus bar provided for ground or unfused common hot feed. Bus bars have 8-32 screw terminals & stud terminals for power/ground main connections.



Order #	Mfg. #	Type	Sugg.Ret.
6001445	FS40550-1	4-gang	\$14.99
6001446	FS40560-1	6-gang	18.99
6001447	FS40570-1	8-gang	24.99

MARINE WORKS FUSE & TERMINAL BLOCKS

Heavy-duty black molded base. For use with SFE or AGC fuses up to 20 amps. Brass fuse clips, terminal contacts & 1/4" blade terminals. Has common bus bar to fuse clips for "hot" feed & independent terminal bus bar assembly. Each bus bar has one 1/4" terminal blade.



Order #	Mfg. #	Type	Sugg.Ret.
6001449	FS40630-1	4-gang	\$14.99
6001450	FS40640-1	6-gang	19.99
6001451	FS40650	8-gang	19.99

MARINE WORKS TERMINAL/JUNCTION BLOCKS


For marine & exposed applications. Brass nickel-plated terminal links & binding head terminal screw. Moisture-repellent molded ABS base with protective insulator barrier strips. Individually boxed. Size: 5-21/64"x1-5/16"x11/16".



Order #	Mfg. #	Type	Sugg.Ret.
6000142	FS45640	8-gang	\$11.99

MARINE WORKS SINGLE BUS BAR

Heavy-duty, black molded plastic base. Use with SFE or AGC fuses up to 20 amps. Brass fuse clips & 8-32 terminal screws. Common bus bar connects hot side of fuses for power feed. Bus bar has 8-32 stud terminal for main power connection.



Order #	Mfg. #	Type	Sugg.Ret.
6002279	FS40590-1	4-gang	\$12.99
6001448	FS40600-1	6-gang	15.99
6002280	FS40610-1	8-gang	21.99

MARINE WORKS JUNCTION BLOCKS

Black, molded base, 2 solid brass bus bars. Screw terminals.



Order #	Mfg. #	Type	Sugg.Ret.
6001452	FS40660	2-gang	\$7.99
6001453	FS40670	4-gang	9.99
6001454	FS40680	6-gang	13.99
6001455	FS40690	8-gang	17.99

MARINE WORKS JUNCTION BLOCK W/ HEAVY-DUTY BUS BAR

Use as common hot feed or common ground block. Heavy plastic base with solid brass terminal bar & screws. Two stud terminals for main power connection.



Order #	Mfg. #	Type	Sugg.Ret.
6002162	FS40750	10-gang	\$19.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
Instruments

MARINE WORKS TOGGLE-TYPE CIRCUIT BREAKERS

Toggle-type circuit breakers. High-quality exact replacements for original breakers. Color coded: White handles for DC, black for AC.

Depth
Finders/GPS

Order #	Mfg. #	Amp	Sugg.Ret.
WHITE TOGGLE - DC BREAKER			
6002153	CB40190	50	\$22.99
BLACK TOGGLE - AC BREAKER			
6002157	CB40260	15	22.99
6002159	CB40280	30	22.99

Safety/
Optics

MARINE WORKS PUSH-BUTTON CIRCUIT BREAKER

White reset button. Replacement for popular panel mounted breakers. 2-1/4" blade terminal. Mounts in 1/2" hole.

Boat
Access.

Order #	Mfg. #	Type	Sugg.Ret.
6002281	CB41200	5 amp DC	\$7.99
6002282	CB41210	10 amp DC	7.99
6002160	CB41220	15 amp DC	7.99
6002161	CB41230	20 amp DC	7.99

Hardware

MARINE WORKS BOOT NUTS

#39210 - Seals General #s 4120-4124 push-to-reset circuit breakers. #39220 - Weatherproof for General Toggle Switch #s 4006, 4008, 4009, 4030, 4031, 4032, 4033, 4034. 1/2" boot seals out moisture, allows illumination to show. #39240 - 1-piece weatherproof. Seals out moisture & dust. Use with General Switch #s 4002-4009, 4016. Solid black rubber. Not for illuminated switches. #39280 - 2-piece weatherproof. Use with General Switch #s 4002-4009, 4016. Chrome ring retains switch, solid black rubber boot snaps in place to seal out moisture & dust.



Lighting

Boat Seats

Boat Covers

Order #	Mfg. #	Part #	Sugg.Ret.
BOOT NUT			
6002147	MP39210	39210	\$6.99
6001431	MP39280	39280	7.99
6001411	MP39240	39240	5.99
1/2 BOOT NUT			
6001419	MP39220	39220	6.99

ATV Access.

Pumps



Electrical

MAR-LAN FUSE HOLDERS

Snap-over holder molded of high-strength, polypropylene. Good heat, oil & chemical-resistance. Hinged edge. Fits 1/4"x1-1/4" fuses.



Maintenance

Controls/
Steering

Order #	Mfg. #	Type	Sugg.Ret.
FUSE COVER			
6000577	2009-01C	14-16 ga.	\$2.99
6000576	2009-02C	12-10 ga.	2.99

Motor
Access.

Camping

MAR-LAN ATO/ATC FUSE HOLDER 14 GA. WIRE

Made of flexible PVC plastic, molded to 14 Gauge marine 105°C red wire, 8" long. Fuse not included.

Cutlery

Order #	Mfg. #	Sugg.Ret.
6033304	2012-14C	\$3.99

MAR-LAN WATERTIGHT FUSE LOOPS

8-16 gauge marine 105°C red wire w/non-breakable heat-resistant plastic molded directly to the wire. Push together loop is great around damp & dusty environments. Standard: 8" long. Dual: 10" long with a pocket for a spare fuse.



Order #	Mfg. #	Ga.Wire	Amps	Sugg.Ret.
STANDARD				
6000569	2011-16-20C	16 Ga.	20	\$3.99
6000566	2011-08-50C	8 Ga.	50	7.99
6000565	2011-10-30C	10 Ga.	30	4.99
6000564	2011-12-20C	12 Ga.	20	4.99
6002169	2011-14-15C	14 Ga.	15	4.99
DUAL w/TWO FUSES INCLUDED				
6002172	2013-10-30C	10 Ga.	30	5.99
6002171	2013-12-20C	12 Ga.	20	4.99
6002170	2013-14-15C	14 Ga.	15	4.99

MAR-LAN ATO/ATC 14 GANG FUSE BLOCK

Constructed of heavy-duty black plastic molded base w/ground bus bar. Block accommodates 14 circuits. Interlocking modules snap together. Can be interlocked w/more blocks to create unlimited fuse protection. 1/4" Tin plated copper tab terminals. Flame resistant reinforced polyester base. Rated 30 Amps per circuit @ 12 Volts DC. 160 Amp total for block. Fuses not included.



Order #	Mfg. #	Sugg.Ret.
6033303	4041C	\$24.99

MAR-LAN ATO/ATC MIXED FUSE KIT

Automotive styled mixed fuse kit contains 3, 5, 7.5, 10, 15, & 20 amp fuses. Five each. Total of 30 fuses. Fuses are standard for 12 Volt application on cars, trucks, & boats.



Order #	Mfg. #	Sugg.Ret.
6033296	2001-001C	\$15.99

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

MAR-LAN AGC GLASS MIXED FUSE KIT

Kit contains 3, 5, 7.5, 10, 15, & 20 amp fuses. Five each. Total of 30 fuses. Size: 1-1/4" long x 1/4" diameter. Medium acting, standard for cars, trucks, & boats.



Order #	Mfg. #	Sugg.Ret.
6033297	2000-001C	\$13.99



MAR-LAN TERMINAL BLOCK

Designed to bring heavy wire connections to one location. 7/16" divided positions with #10 mounting screws.

Order #	Mfg. #	Sugg.Ret.
6000584	2404C	\$8.99



MAR-LAN IN-LINE CIRCUIT BREAKER

Breakers have manual reset button & provide overload protection in marine & automotive applications. Solid brass nuts included for #10 mounting bolts.

Order #	Mfg. #	Style	Sugg.Ret.
6000575	2201-40C	40 Amp	\$9.99
6033003	2201-50C	50 Amp	9.99



MAR-LAN PANEL MOUNT CIRCUIT BREAKER

Mounts in 1/2" diameter hole, up to 1/4" panel thickness. Mounting hardware included. #8 brass screw terminals. 40 amps.

Order #	Mfg. #	Sugg.Ret.
6000579	2200-40C	\$29.99



MAR-LAN CIRCUIT BREAKER BRACKETS

For 2201 series in-line circuit breakers, Allows for mounting breaker directly to battery post for easy access.

Order #	Mfg. #	Style	Sugg.Ret.
6032551	2202C	SS	\$6.99
6032552	2202BP-REDC	Brass w/Red Finish	3.99



MAR-LAN RED INDICATOR LIGHT

12V I.D. light has 18 ga. 5-1/2" leads. Black nylon body with 3/8" bezel. Mounts in 5/16" hole up to 1/4" thick panel. Includes push on locking clip. Bulb is not replaceable.

Order #	Mfg. #	Sugg.Ret.
6000583	7115-02C	\$4.99



PERKO®

PERKO® IN-LINE FUSE HOLDER

Molded plastic. Rated: 20 amps at 12, 24 & 32 volts. For 1/4" x 1-1/4" fuses. Complete with 12V, 20 amp fuse, 7-1/2" wire lead.

Order #	Mfg. #	Length	Diameter	Sugg.Ret.
6000456	0786DP	2-1/8"	11/16"	\$14.99



SEADOG® LINE

SEA-DOG® LINE THERMAL AC/DC CIRCUIT BREAKER

Stamped brass/molded bakelite. UL listed A-0701.

Order #	Mfg. #	Amps	Sugg.Ret.
6033124	420810-1	10	\$5.99
6033125	420820-1	20	5.99



SEA-DOG® LINE RESETTABLE CIRCUIT BREAKER

Resettable inline circuit breaker w/manual reset button for use w/higher amperage accessories. Complies with SAE Standard J553. Splash proof. May be used on 12 or 24 volt systems.

Order #	Mfg. #	Amps	Sugg.Ret.
6033111	420842-1	20	\$10.99
6033121	420843-1	30	10.99
6033097	420844-1	40	10.99
6033091	420845-1	50	10.99




new

SEA-DOG® LINE RESETTABLE CIRCUIT BREAKER

Resettable inline circuit breaker w/manual reset button for use w/higher amperage accessories. Complies with standard SAE J553 and SAE J1171 (ignition protected). Splash proof. May be used on 12 volt or 24 volt systems.

Order #	Mfg. #	Amps	Sugg.Ret.
6033589	420852-1	20	\$12.99
6033590	420853-1	30	12.99



SEA-DOG® LINE WATERTIGHT IN-LINE FUSE HOLDER

Injection molded PVC. Features snap tight connection for use in wet or semi-wet locations. Includes standard 1/4"x1-1/4" glass fuse.

Order #	Mfg. #	Amps	Wire Gauge	Sugg.Ret.
6033095	420554-1	20	12	\$6.99
6033098	420555-1	30	10	6.99



SEA-DOG® LINE IN-LINE FUSE HOLDER

Injection molded nylon. Includes 20 amp 1/4"x1-1/4" fuse. 11-1/2" of wire each side.

Order #	Mfg. #	Sugg.Ret.
6033100	420500-1	\$3.99



SEA-DOG® LINE IN-LINE AUTOMOTIVE-STYLE FUSE HOLDER

Injection molded PVC. Designed to accept automotive spade-terminal fuses. 14 gauge wire. Wire length: 3-1/2" per side.

Order #	Mfg. #	Sugg.Ret.
6033102	420509-1	\$5.99



SEA-DOG® LINE ROUND FUSE HOLDER

Spade terminal. Stamped brass/molded bakelite.

Order #	Mfg. #	Volts	Amps	Sugg.Ret.
6033099	420503-1	12	10	\$3.99



SEA-DOG® LINE SQUARE FUSE HOLDER

With push-in cap. Stamped brass/molded bakelite. Release location: Left side. Fuse size: 1/4"x1-1/4".

Order #	Mfg. #	Sugg.Ret.
6033120	420501-1	\$3.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

SEADOG[®] LINE

SEA-DOG[®] LINE FUSE/TERMINAL BLOCK

Stamped brass/molded bakelite. Combination multiple gang fuse blocks w/brass fuse clips & screws. Can be used with 1/4"x1-1/4" fuses for circuit distribution and also features separate grounding terminal bar. Fuses not included.



Order #	Mfg. #	Style	Sugg.Ret.
6033127	420544-1	4-Gang	\$16.99

SEA-DOG[®] LINE AGC MIXED FUSE KIT

30 fuses total. 1/4"x1-1/4" glass tube fuses. Varying amps.



Order #	Mfg. #	Sugg.Ret.
6033134	444190-1	\$8.99

SEA-DOG[®] LINE MINI BLADE STYLE MIXED FUSE KIT

30 fuses total. Can be used in part #445099. Mixed kit contains: 3, 5, 7.5, 10, 15, and 20 amp fuses, 5 each.



Order #	Mfg. #	Sugg.Ret.
6033135	445090-1	\$19.99

SEA-DOG[®] LINE AUTOMOTIVE STYLE MIXED FUSE KIT

30 fuses total. ATO/ATC style mixed kit contains: 3, 5, 7.5, 10, 15, and 20 amp fuses, 5 each.



Order #	Mfg. #	Sugg.Ret.
6033136	445190-1	\$16.99

SEA-DOG[®] LINE MARINE FUSE KIT

Includes the most commonly used fuses in AGC, ATO/ATC, & an assortment of blocks & holders.



Part #	Description	Qty.
420500	Inline fuse w/20amp fuse	3
420501	Sq. fuse Holder (Solder Terminal)	3
420503	Rnd. Fuse Holder (Spade Terminal)	3
420509	Inline auto Fuse Holder	3
420554	Inline Fuse Holder (Waterproof) 20amp	2
420555	Inline Fuse Holder (Waterproof) 30amp	2
444101	AGC Fuse - 1amp	5
444102	AGC Fuse - 2amp	5
444103	AGC Fuse - 3amp	5
444104	AGC Fuse - 4amp	5
444105	AGC Fuse - 5amp	5
444110	AGC Fuse - 10amp	5
444115	AGC Fuse - 15amp	5
444120	AGC Fuse - 20amp	5
444125	AGC Fuse - 25amp	5
444130	AGC Fuse - 30amp	5
444135	AGC Fuse - 35amp	5
444157	AGC Fuse - 7.5amp	5
444310	MDL Fuse - 10amp	5
445105	ATO/ATC Fuse - 5amp	5
445110	ATO/ATC Fuse - 10amp	5
445115	ATO/ATC Fuse - 15amp	5
445120	ATO/ATC Fuse - 20amp	5

Part #	Description	Qty.
445125	ATO/ATC Fuse - 25amp	5
445130	ATO/ATC Fuse - 30amp	5
445140	ATO/ATC Fuse - 40amp	5
445199	Inline Fuse Holder - ATO/ATC	3
420526	Bakelite Fuse Holder w/BAR 6 Gang	2
445181	ATC style Fuse Block 6 Circuit	2
444599	Plastic Fuse Puller for Glass Fuses & ATO/ATC	1

Order #	Mfg. #	Sugg.Ret.
6033511	916504	\$186.99



WHITECAP WATERTIGHT INLINE FUSE HOLDERS



Order #	Mfg. #	Amps	Sugg.Ret.
6033287	S-3330C	10	\$5.99
6033288	S-3331C	15	5.99
6033289	S-3332C	20	8.99
6033290	S-3333C	30	9.99

WHITECAP THERMAL AC/DC CIRCUIT BREAKERS



Order #	Mfg. #	Amps	Material	Sugg.Ret.
6033267	S-7073C	10	Brass/Bakelite	\$5.99
6033265	S-7074C	15	Brass/Bakelite	6.99
6033266	S-7075C	20	Brass/Bakelite	6.99
THERMAL BREAKER FOOT				
6033268	S-7078C			5.99

SWITCHES, SWITCH PANELS, PILOT LIGHTS, PANEL LAMPS & ACCESSORIES

ANCOR[®] MARINE GRADE[™] PRODUCTS

A Lasting Solution.

ANCOR SEALED ROCKER SWITCH

Certified for prolonged submersion under pressure (front panel sealing). UL Ignition Protected. Features easy-to-change actuator (rock-er) to allow changes in color & style. Panel thickness: 1/4" max.



Order #	Mfg. #	Style	Sugg.Ret.
6031814	554010	Single-Pole - Single-Throw	\$14.99
6031815	554024	Single-Pole - Single-Throw w/Light	20.99



ATTWOOD[®] SWITCH PANEL

For installation of fused marine electrical system. Sturdy, bakelite panel. Metal on/off toggle switches. For 12V DC only. Each switch rated at 5-amps. 4 holes for #8 fasteners.



Order #	Mfg. #	Gangs	Functions	Size	Sugg.Ret.
6000738	14234-3	3	6	4-1/2"x3-5/8"	\$28.99
6000739	14236-3	6	12	4-1/2"x6-1/2"	45.99



ATTWOOD® TOGGLE SWITCHES

Metal toggle switches with 1/4" spade terminals. 10-amp rating. 12V DC. Plastic body/housing with metal toggle & ring. Not external ignition protected. For bilge pump, speed selector or light that requires 2-power settings. Single-pole, double-throw contacts.

Order #	Mfg. #	Position	Sugg.Ret.
6000748	14253-3	2-On/OFF	\$6.99
6000749	14255-3	3-On/Off/On	9.99



BEP MARINE COMPACT SPRAY PROOF SWITCH PANELS

Compact panel size. Spray proof inline fuse holders w/fuses are included with all compact models. Waterproof power sockets three-way & five-way only. Power socket rated at 16A. Waterproof to IP56. Size: 3.75"Hx4.25"Wx2.9"D. Charcoal.

Order #	Mfg. #	Switches	Sugg.Ret.
6032711	900-4WP	4	\$46.99
6032713	900-5WPS	5	81.99
6032712	900-6WP	6	64.99



BEP MARINE CSP6 SPRAY PROOF SWITCH PANELS

Switches protected by high quality neoprene rubber boots. Green LED backlit labels. Red LED's for systems on. Waterproof to IP56 rating. Removable cover plate. Switch current rating 20 Amps DC. Includes six switches and 3 WAFH14 fuse holders w/fuses behind panel.

Order #	Mfg. #	Size	Sugg.Ret.
6032710	CSP6-F	6.25"Hx4.4"Wx2.9"D	\$105.99



BEP MARINE CONTOUR GENERATION 2 SPRAY PROOF PANELS

Latest design in waterproof switch panels. Featuring the "touch pad" look of digital switch systems at an affordable cost. Each 16A rated switch has a red LED systems "on" indicator and green LED label backlighting. G2 can be mounted vertically or horizontally. Supplied complete with On/Off switches.

Order #	Mfg. #	Switches	Fuses	Sugg.Ret.
6032707	CG2-2W-F	2	1	\$72.99
6032708	CG2-4W-F	4	2	97.99
6032709	CG2-6W-F	6	3	108.99



BEP MARINE CIRCUIT BREAKER PANELS

"Contour" series of circuit breaker panels. Marine grade powder coated aluminum. Voltage indication to meet ABYC standards. Green LED backlit labels. Red system "on" LED. Labels and negative bus bar included.

Order #	Mfg. #	Style	Size	Sugg.Ret.
6032714	900-DC 4-Way		4.5"Hx5"Wx2.5"D	\$167.99
6032716	901H 8-Way Horizontal		4.5"Hx9.75"Wx2.5"D	295.99



BLUE SEA SYSTEMS SMALL FORMAT PANEL LABELS

Tough, weatherproof Lexan® material. Includes 60 common DC labels. Used on waterproof panels. Black.

Order #	Mfg. #	Type	Sugg.Ret.
6032042	8214	DC Water-Resistant Labels	\$9.99



BLUE SEA SYSTEMS VERTICAL & HORIZONTAL SERIES WATER-RESISTANT FUSE PANELS

For flybridge & open cockpit applications. ON-OFF switch. Waterproof panel mount fuse holders accept commonly available AGC & MDL 1-1/4" x1/4" glass fuses. Countersunk mounting holes. Heavy 1/8" aluminum material. 2-part polyurethane slate gray finish. Waterproof Contura switches. "ON" indicating LED's embedded in switch. Industry standard height & width. Waterproof mounting gasket. Mil-Spec chemical treatment via immersion protect against corrosion. All components waterproof from panel front. Wired & ready to install. Note: Waterproof panel labels are not back lightable.

Order #	Mfg. #	Switch Position	Size	Sugg.Ret.
6031663	8053	6	7.50"Hx5.25"W	\$166.99



BLUE SEA SYSTEMS WATER-RESISTANT CONTURA ROCKER SWITCHES

Vibration, shock, thermoshock, moisture & salt spray-resistant. Specially manufactured for Blue Sea Systems' water-resistant panels. Ignition protected. Gray.

Order #	Mfg. #	Type	Sugg.Ret.
6032092	8230	Off-On	\$11.99
6032096	8220	On-Off-On	19.99



BLUE SEA SYSTEMS WEATHERDECK™ TOGGLE SWITCHES

Specially manufactured for use in WeatherDeck™ Waterproof Panels. Nickel-plated brass & phenolic non-corrosive construction.

Order #	Mfg. #	Amp	Volts	Sugg.Ret.
SINGLE POLE				
FUNCTION: OFF/ON (CIRCUIT: SPST)				
6033348	4150	15	12 DC	\$7.99
FUNCTION: OFF, MOM. ON (CIRCUIT: SPST)				
6033349	4151	15	12 DC	7.99
FUNCTION: ON/OFF, ON (CIRCUIT: SPDT)				
6033350	4152	15	12 DC	7.99
FUNCTION: MOM. ON, OFF/ON (CIRCUIT: SPDT)				
6033351	4153	15	12 DC	7.99
FUNCTION: MOM. ON, OFF, MOM. ON (CIRCUIT: SPDT)				
6033352	4154	15	12 DC	7.99
DOUBLE POLE				
FUNCTION: ON/OFF, ON (CIRCUIT: DPDT)				
6033353	4155	5	30 DC	17.99



BLUE SEA SYSTEMS WEATHERDECK™ TOGGLE SWITCH BOOT

For mounting on WeatherDeck™ Waterproof Panel Switches. UV-resistant material resists discoloration & cracking. IP67 Rating: 30 mins. @ 1m.

Order #	Mfg. #	Color	Sugg.Ret.
6033347	4138	Black	\$4.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**HUBBELL®****PANEL MOUNT TOGGLE SWITCHES 12 VOLT DC**

Nylon stem resists abuse & corrosion. Tapered toggle provides contemporary appearance. Black thermoplastic body. Silver contact for longer life. 25" (6.4) spade terminals. 5A lamp load, 15A inductive load. Fits panels: up to 1/4" thick without provided back-up nut, up to 3/16" with back-up nut. Requires 1/2" mounting hole.

Order #	Mfg. #	Position	Sugg.Ret.
SINGLE-POLE, SINGLE-THROW			
6000151	M11SP	On/Off	\$5.99
6000159	M11LRSP	On/Off (Red)	21.99
SINGLE-POLE, DOUBLE-THROW			
6000153	M123SP	On/Off/On	5.99
6000154	M123MSP	Momentary On/Off/On	6.99
DOUBLE-POLE, SINGLE-THROW			
6000155	M21SP	On/Off	7.99
DOUBLE-POLE, DOUBLE-THROW			
6000156	M223SP	On/Off/On	7.99

KWIK TEK™**OUTBOARD KILL SWITCH KEYS**

6 keys to fit all Johnson®, Evinrude®, Mercury®, Yamaha®, Suzuki® & Honda® kill switches. Swivel snap hook prevents tangles. Rust-free stainless steel clamps.

Order #	Mfg. #	Sugg.Ret.
6031488	BKS-6	\$11.99



The Retailers Connection

www.ellettbros.com**MARINE WORKS
IGNITION SWITCHES**

Long housing switches: 1-1/8" max. panel thickness. Short housing Switches: 5/8" max. panel thickness. MP39200: Fits most panel mounted applications on Baja, Celebrity, Chapparel, Chris Craft, Crestliner, Crownline, Four Winns, Larson, Luhrs, Mariah, Powerquest, Rinker, S2 Yachts, Silverton Yacht, Thompson, Thunderbird (Formula), Wellcraft. MP39780: Replaces most Bayliner. MP41030: Replaces most Sea Ray 1990-on. MP4100: Replaces most Mercury. MP39760: Replaces most OMC. Functional equivalent for Pollak 33-105.

	Order #	Mfg. #	Switch Functions	Terminal Type	Housing Mat'l.	Hardware Included	Sugg.Ret.
Boat Seats	6001429	MP39040	Magneto 3 position	5-screw	Long/Brass	Brass back-up nut, Hex Chrome	\$36.99
	6000120	MP39060-1	3-position Off-Ign-Start	3-screw	Long/Brass	Brass back-up nut, Hex Chrome	35.99
	6000121	MP39080-1	3-position Off-Ign-Start	3-screw	Long/Brass	Brass back-up nut, Knurled chrome brass w/rubber cap	39.99
Fuel	6001306	MP39100	Magneto 3 position	5-screw	Long/Poly	Brass back-up nut, Hex black plastic	24.99
	6001430	MP39120	3-position Off-Ign-Start	3-screw	Long/Poly	Brass back-up nut, Hex black plastic	19.99
	6001809	MP39780	3-position Off-Ign-Start	3-screw	Short/Poly	Brass back-up nut, Hex black plastic	19.99
	6001855	MP41030	3-position Off-Ign-Start	3-screw	Short/Poly	Brass back-up nut, Knurled black plastic w/rubber cap	19.99
Trailers/ATV Access.	6000122	MP39200	3-position Off-Ign-Start	3-screw	Long Poly	Brass back-up nut, Knurled black plastic w/rubber cap	21.99
	6001208	MP39800	4-position Acc-Off-Ign-Start	4-blade	Long Poly	Brass back-up nut, Knurled black plastic w/rubber cap	21.99
Pumps	6001921	MP41040	4-position Acc-Off-Ign-Start	4 screw	Long Poly	Brass back-up nut, Knurled black plastic w/rubber cap	23.99
	6000123	MP39760	Push-to-choke 3-position Off-Ign-Start (choke)				
Electrical			Magneto 3-position	6-boss/screw	Short Poly	Hex black plastic	21.99
	6001922	MP41000	Push-to-choke 3-position Off-Ign-Start (choke)				
Maintenance			Magneto 3-position	6-screw	Short Poly	Brass back-up nut Hex black plastic	22.99
	6001924	MP41010	Push-to-choke 4-position Acc-Off-Ign-Start (choke)				
Controls/Steering			Magneto 4 position	7-screw	Short Poly	Brass back-up nut Hex black plastic	25.99
	6001856	MP41070-2	Push-to-choke 3-position Off-Ign-Start (choke)				
Motor Access.			Magneto 3-position	6-wires only potted base	Short Poly	Brass back-up nut Hex black plastic	28.99
	6001925	MP41080	Push-to-choke 4-position Acc-Off-Ign-Start (choke)				
Camping			Magneto 4 position	7-boss/screw	Short Poly	Brass back-up nut Hex black plastic	25.99
Cutlery							



MARINE WORKS PUSH BUTTON SWITCHES

Glass-reinforced polyester housing. Totally impervious to salt, corrosion & rust. No seams between mounting bushing & body to crack or leak. Ultrasonically welded construction. Strong. Weatherproof. Internal rubber gasket for extra protection. Compact behind-panel dimensions allow mounting in cramped spaces.

Order #	Mfg. #	Type	Sugg.Ret.
6001209	MP39160	Momentary On-Off Push Button Switch. Electrical contacts are silver for maximum current carrying capacity. Rubber moisture and dust proof boot nut included. Ratings: 50 amps @ 6 VDC. 30 amps @ 12 VDC.	\$16.99
6000124	MP39180	Same as General MP39160 except with standard chrome plated face nut. Ratings: 50 amps @ 6 VDC. 30 amps @ 12 VDC.	15.99
BRASS CONSTRUCTION OF THE FOLLOWING SWITCHES FIGHTS CORROSION AND WEATHER IN TOUGH ENVIRONMENTS			
6001432	MP39300	Momentary On-Off Push Button Switch. Ideal for fog horns or sirens. Black plastic button, chrome plated brass housing. 1-1/2" dia. switch. Overall width 2-5/8", 2-1/16" centers for mounting tabs.	9.99
6000125	MP39310	Momentary On-Off Push Button Switch. Use for starter, horn or other functions. Solid brass construction. Mounting bushing 1-1/4"Lx5/8" dia. OAL 2-7/8". 2 screw terminals. Maximum panel thickness 1". Ratings: 25 amps @ 6 VDC. 15 amps @ 12 VDC.	15.99
6001433	MP39320	Same as General MP39310 except with weather & dustproof boot nut.	17.99
6001210	MP39680	Compact size Push Button Switch for horn starter or other momentary On functions. Black plastic contoured push button. Face and back up nuts provided. 2 male 1/4" blade terminals. Uses 1/2" mounting hole in dash or panel. Ratings: 15 amps @ 12 VDC.	8.99
6002149	MP39690	Same as General MP39680 except with red plastic button.	8.99
6000126	MP39520	Off-On Push-Pull switch. Pull for On. 2 screw terminals, solid brass construction. Mounting stem 3/8" dia. Accommodates panel up to 1" thick. O/A switch: 3-1/8"Lx7/8"W. Chrome plated brass face nut. Chrome plated plastic knob. Ratings: 25 amps @ 6 VDC, 15 amps @ 12 VDC.	14.99
6001435	MP39530	Same as MP39520 except chrome plated solid brass knob.	15.99
6001307	MP39540	Same as MP39520 except has 2 male 1/4" blade terminals	14.99
6000127	MP39570	Off-On-On Push-Pull switch. First pull energizes one circuit; pull out to second position and both circuits are energized. Mounting stem 3/8" dia. Accommodates 1" thick panel. Chrome plated brass face nut, brass hardware, and chrome plastic knob. 3 screw terminals. Ratings: 25 amps @ 6 VDC. 15 amps @ 12 VDC.	18.99
6001310	MP39590	Same as MP39570 except has 3 male 1/4" blade terminals.	18.99
6001436	MP39610	Off-On-On Push-Pull switch. 2 separate circuits. Use for anchor/running lights or similar functions. Mounting stem 3/8" dia. Accommodates 1" thick panel. 4 screw terminals. Chrome plated solid brass face nut. Brass hardware and chrome plated plastic knob. Ratings: 25 amps @ 6 VDC. 15 amps @ 12 VDC.	18.99

MARINE WORKS INDICATOR LAMPS

Fits in 5/16" panel hole. Wire leads for easy hook-up.



Order #	Mfg. #	Color	Sugg.Ret.
6002143	UN22110	Green	\$7.99
6002144	UN22120	Amber	7.99

ILLUMINATION MODULE		
MP7887	MP7891	MP7895
C=Clear	R=Red	B=Black
6003052 MP78870 \$7.99	6003053 MP78910 \$7.99	6003054 MP78950 \$7.99

ROTSWITCH™ W/STD. BLACK KNOB				CIRCUITS "ON"				
ORDER #	MFG. #	ILLUS.	# OF BATTERY FEEDS	45° COUNTER CLOCKWISE	12 O'CLOCK	45° CLOCKWISE	90° CLOCKWISE	SUGG. RETAIL
6003048	MP78710		1	N/A	OFF	#1	N/A	\$13.99
6003049	MP78730		1	#1	OFF	#2	N/A	13.99
6003050	MP78830		1	N/A	OFF	#2	#1 & 2	13.99
6003051	MP78860		1	OFF	#1	#2	#1 & 2	13.99

Trolling
MotorsAudio/
Instruments

Marine Toggle & Rocker Switches

All switches are rated for 20 AMPS @ 12 volts.

Depth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps






Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



CHOOSE SWITCH FUNCTION YOU NEED	STANDARD ROCKER	STANDARD ILLUMINATED ROCKER	SOFT SPOT ROCKER	STANDARD CONTURA	ILLUMINATED CONTURA	STANDARD TOGGLE	STANDARD ILLUMINATED TOGGLE	TIP LIGHT TOGGLE
	Circuit Part# Diagram	Circuit Part# Diagram	Circuit Part# Diagram	Circuit Part# Diagram	Circuit Part# Diagram	Circuit Part# Diagram	Circuit Part# Diagram	Circuit Part# Diagram
OFF-ON Single Pole	4014 1			1940 12		4002 1		
OFF-ON Single Pole		4010 7	4037** 3		1944 9		4006** 3	4030** 3
OFF-MOM ON Single Pole	4015 1			1941 12		4003 1		
OFF-MOM ON Single Pole		4012 7	4038** 3		1945 9		4008** 3	4031** 3
ON-OFF-ON Single Pole	4017 2			1942 13		4004 2		
ON-OFF-ON Single Pole		4011 8	4039** 4		1946 10		4007** 4	4032** 4
ON-OFF-ON Double Pole	4048 5/6			1949 14	1954 11	4045 5/6		1952 15
MOM ON-OFF-MOM ON Single Pole	4035 2			1943 13		4005 2		
MOM ON-OFF-MOM ON Single Pole		4013 8	4040** 4		1947 10		4009** 4	4033** 4
MOM ON-OFF-MOM ON Double Pole	4047 5			1948 14	1955 11	4046 5		1953 15
ON-OFF-MOM ON Single Pole	4036 2					4016* 2		
ON-OFF-MOM ON Single Pole								4034** 4
ON-ON Single Pole						4018 2		

* 4016 contains face plate for bilge pump function.

** Switch illuminates white when dash lights are turned "ON". Changes to red light when switch is on "OK" position. Switch lights only when dash lights are "ON".

All toggles mount in 15/32" diameter panel hole.


All Rockers require 27/32 x 1-29/64" rectangular cut out.

MARINE WORKS ROTOSWITCH™ ROTARY SWITCHES & ACCESSORIES

ROTSWITCH™ - provides illumination with different colors providing immediate visual information of switch position. Unique styling and performance in one design.

ILLUMINATION MODULE - Adds flexibility and function to any installation of RotoSwitch™ rotary switches. By using a variety of colored lenses, the status of each switch - Off, On-1, On-2 can instantly be determined.

REPLACEMENT KNOBS - Use with light module. Includes rubber umbrella seal.



MARINE WORKS MARINE TOGGLE/ROCKER SWITCHES CROSS REFERENCE

Order #	Mfg. #	Switch	Sugg.Ret.
STANDARD ROCKER			
6001420	RK40140	4014	\$8.99
6003222	RK40150	4015	9.99
6002152	RK40170	4017	9.99
6002283	RK40480	4048	14.99
6001421	RK40350	4035	10.99
6001811	RK40470	4047	15.99
6001422	RK40360	4036	10.99
STANDARD ILLUMINATED ROCKER			
6001423	RK40100	4010	11.99
6001424	RK40110	4011	13.99
6003220	RK40120	4012	12.99
6003221	RK40130	4013	14.99

Order #	Mfg. #	Switch	Sugg.Ret.
SOFT SPORT ROCKER			
6001425	RK40370	4037	12.99
6001427	RK40390	4039	14.99
6001428	RK40400	4040	14.99
STANDARD CONTURA®			
6002130	RK19400	1940	9.99
6003212	RK19410	1941	10.99
6002131	RK19420	1942	10.99
6003213	RK19430-1	1943	11.99
6002134	RK19480-1	1948	14.99
6002135	RK19490	1949	14.99
ILLUMINATED CONTURA®			
6002132	RK19440	1944	11.99
6003214	RK19450	1945	12.99

continued next page

MARINE WORKS

continued from previous page

MARINE TOGGLE/ROCKER SWITCHES
CROSS REFERENCE

Order #	Mfg. #	Switch	Sugg.Ret.
6002133	RK19460-1	1946	12.99
6002136	RK19540	1954	17.99
6002137	RK19550	1955	18.99
STANDARD TOGGLE			
6001308	TG40020-1	4002	7.99
6001309	TG40030-1	4003	7.99
6000129	TG40040-1	4004	7.99
6001666	TG40450-1	4045	10.99
6001212	TG40050-1	4005	8.99
6001667	TG40460-1	4046	10.99
6002151	TG40160-1	4016	
	(Bilge Pump Face Plate)		8.99

STANDARD ILLUMINATED TOGGLE


6001412	TG40060	4006	12.99
6001413	TG40070	4007	12.99
6003219	TG40090	4009	13.99

TIP LIGHT

6001414	TG40300	4030	13.99
6001415	TG40310	4031	14.99
6001416	TG40320	4032	15.99
6001417	TG40330	4033	16.99
6001418	TG40340	4034	16.99
6003216	TG19520	1952	25.99
6003217	TG19530	1953	25.99

MARINE WORKS
TOGGLE SWITCH

Rating: 35 amps at 6V/20 amps at 12V. Includes nickel-plated brass face nut, back-up nut. Mounting stem 3/8", 7/16" dia.



Order #	Mfg. #	Sugg.Ret.
6000128	TG40000	\$9.99

MARINE WORKS
EMERGENCY CUT-OFF SWITCH

Quick pull of lanyard stops engine. Includes instructions & all parts.

Order #	Mfg. #	Type	Sugg.Ret.
6001853	MP40970-1	Switch with coiled lanyard	\$23.99
6001854	MP40990	Replacement coiled lanyard	12.99

MARLAN INDUSTRIES

MAR-LAN
TOGGLE SWITCHES

Black plastic flat toggle, metal neck, metal back up nut & plastic dress nut. Mount is 1/2" hole up to 1/4" thick material. 0.250 quick connect male terminals. 15 amp @ 12 volts.



Order #	Mfg. #	Position	Sugg.Ret.
SINGLE-POLE, SINGLE THROW			
6033305	7000C	On/Off SPST	\$6.99
UNLIGHTED: FLAT TOGGLE, DOUBLE-POLE			
6000567	7001C	On/Off/On	9.99

MAR-LAN
TOGGLE BOOT

Extra protection against dust & moisture. Soft black rubber.



Order #	Mfg. #	Sugg.Ret.
6002173	7050C	\$5.99

MAR-LAN
CONTURA ROCKER SWITCHES

Lighted Contura-style. For most used functions. Moisture seal for marine use. .250 quick-connect male terminals. Mounts in 13/16" x 1-1/2" cut out, up to 1/4" thick panel. Black.



Order #	Mfg. #	Position	Sugg.Ret.
SINGLE-POLE, SINGLE-THROW-1 RED LIGHT			
6003168	7417C	On/Off	\$15.99
SINGLE-POLE, DOUBLE-THROW-2 RED LIGHTS			
6003169	7418-1C	On/Off/On	16.99

MAR-LAN
RED PUSH-BUTTON SWITCH

Use for horn or any momentary function up to 15 amps, Mount in 1/2" hole up to 1/4" thick panel.



Order #	Mfg. #	Sugg.Ret.
6000574	7106C	\$6.99

MAR-LAN
STANDARD SWITCH PANELS

Panel features lighted rocker switches & panel mount fuses. Switches & fuses are splash proof. Fuses provide overload protection. Panel comes completely wired & easy to install. Matte black finish. Panel is engraved w/switch labels (Nav/Anc Lights, Bilge, Aerator). Four switch panel has additional switch engraved as "Accy" (A.K.A. Accessory).



Order #	Mfg. #	Dimensions	Sugg.Ret.
THREE SWITCH PANEL			
6033301	6003-03C	4"W x 4-1/2"H	\$87.99
FOUR SWITCH PANEL			
6033300	6004-03C	5-1/4"W x 4-1/2"H	110.99

MAR-LAN
DELUXE SWITCH PANELS

Panel features lighted rocker switches & panel mount resettable circuit breakers. Switches & fuses are splash proof. Fuses provide overload protection. Panel comes completely wired & easy to install. Matte black finish. Panel is engraved w/switch labels (Nav/Anc Lights, Bilge, Aerator). Four switch panel has additional switch engraved as "Accy" (A.K.A. Accessory).



Order #	Mfg. #	Dimensions	Sugg.Ret.
THREE SWITCH PANEL			
6033299	6003-04C	4"W x 4-3/4"H	\$109.99
FOUR SWITCH PANEL			
6033298	6004-04C	5-1/4"W x 4-3/4"H	129.99

PERKO®

PERKO®
PUSH BUTTON SWITCH

Push-on/Push-off. Black plastic w/weather-resistant cover. Rated: 10 amps at 12, 24 & 32 volts. Max. Panel Thickness: 1/8", Neck Dia.: 3/8".



Order #	Mfg. #	Sugg.Ret.
6003010	0701DP	\$8.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**RULE®****DELUXE 3-WAY SWITCH PANEL**

12V DC, Max amps: 20. 2"H, 3-1/4"W. Controls any pump equipped with automatic float switch. 3-positions: automatic/off/manual. Rule® "fail-safe" spring return to "off" from "manual" position. Black stainless steel, red indicator light & fuse holder.



Order #	Mfg. #	Style	Sugg.Ret.
6000250	41	12 Volt	\$40.99

RULE®**3-WAY LIGHTED
ROCKER SWITCH PANEL**

Black plastic panel. Built-in fuse holder. Internally lighted rocker switch. 12V DC, Max amps: 20. 2-3/8"Hx2-7/8"W. 3-position: automatic/off/manual. Controls any pump equipped with automatic float switch. Rule® "fail-safe" spring return to "off" from the "manual" position.



Order #	Mfg. #	Style	Sugg.Ret.
6002992	43	12 Volt	\$45.99

**SEA-DOG® LINE
3-POSITION IGNITION SWITCH
MAGNETO STYLE**

Polypropylene. Short shaft. Max. Panel: 5/8". No cap. NOTE: Push to choke.



Order #	Mfg. #	Action	Terminal Type/#	Sugg.Ret.
6033131	420383-1	Off-Ign.-Start-Choke	Wire/6	\$35.99
6033128	420382-1	Off-Ign.-Start-Choke	Boss/6	21.99

SEA-DOG® LINE**3-POSITION IGNITION SWITCH**

Polypropylene. Action: Off-Ignition-Start.



Order #	Mfg. #	Max. Panel	Shaft Type	Terminal Type/#	Cap	Sugg.Ret.
6033126	420365-1	1-1/8"	Long	Screw/3	Yes	\$19.99
6033133	420366-1	5/8"	Short	Screw/3	Yes	20.99

SEA-DOG® LINE**4-POSITION IGNITION SWITCH**

Polypropylene. Action: Acc.-Off-Ignition-Start.



Order #	Mfg. #	Max. Panel	Shaft Type	Terminal Type/#	Cap	Sugg.Ret.
6033123	420375-1	1-1/8"	Long	Screw/4	Yes	\$21.99

SEA-DOG® LINE**TWO POSITION ON-OFF SWITCH**

Stamped brass.



Order #	Mfg. #	Amps	Sugg.Ret.
6033093	420390-1	15	\$8.99

**SEA-DOG® LINE
THREE POSITION
ONE CIRCUIT SWITCH**

Stamped brass. When pushed in all the way, the switch is turned off. When pulled to the first stop, the first circuit is activated. At the second stop both the first & second circuits are activated.



Order #	Mfg. #	Amps	Sugg.Ret.
6033106	420410-1	15	\$10.99

**SEA-DOG® LINE
MOMENTARY PUSH
BUTTON SWITCH**

Stamped brass. No cap.



Order #	Mfg. #	Amps	Sugg.Ret.
6033112	420420-1	15	\$10.99

**SEA-DOG® LINE
HORN BUTTON**

Nylon/Phenolic & chrome plated brass. Red.



Order #	Mfg. #	Amps	Sugg.Ret.
6033113	420415-1	15	\$6.99

**SEA-DOG® LINE
TOGGLE SWITCHES**

15 amps. 12 volts.



Order #	Mfg. #	Circuit	Action	Sugg.Ret.
STAMPED BRASS				
6033109	420465-1	SPST	On/Off	\$7.99
INJECTION MOLDED NYLON				
6033094	420101-1	SPST	On/Off	5.99
6033119	420102-1	SPST	Mom. On/Off	5.99
6033108	420103-1	DPDT	On/Off/On	8.99
6033118	420104-1	DPDT	Mom. On/Off/Mom. On	8.99
6033129	420108-1	SPDT	On/Off/On	6.99
6033115	420109-1	SPDT	Mom. On/Off/Mom. On	6.99
w/LIGHT TIP				
6033116	420121-1	SPST	On/Off	16.99

**SEA-DOG® LINE
ILLUMINATING
CONTURA SWITCHES**

Stamped brass/Injection molded nylon + polycarbonate. 20 amps. 12 volts.



Order #	Mfg. #	Circuit	Action	Sugg.Ret.
6033104	420211-1	SPST	On/Off	\$12.99
6033122	420213-1	SPDT	On/Off/On	15.99
6033130	420218-1	DPDT	On/Off/On	19.99

**SEA-DOG® LINE
ROCKER SWITCHES**

Stamped brass/Injection molded nylon + polycarbonate. 15 amps. 12 volts.



Order #	Mfg. #	Circuit	Action	Lens	Sugg.Ret.
6033107	420441-1	SPST	On/Off	n/a	\$3.99
ILLUMINATED					
6033114	420251-1	SPDT	On/Off	Red	6.99
6033132	420253-1	DPDT	On/Off/On	Red/Yellow	9.99



SEA-DOG® LINE UNIVERSAL KILL SWITCHES

Stamped brass/injection molded nylon Delrin. Dual circuitry allows kill switch to be wired for either ignition kill or magneto kill depending on the application. Replace lanyard if worn, cut or frayed.
NOTE: Test switch for proper function before each use.



Order #	Mfg. #	Style	Sugg.Ret.
SWITCH			
6217188	420488-1	"Spring In" w/7/16" Thread Length	\$12.99
6217190	420498-1	"Spring Out" w/1/4" Thread Length	20.99
LANYARD ONLY			
6217189	420489-1	"Spring In" Coiled Lanyard & Clip Only	6.99
6217191	420499-1	"Spring Out" Coiled Lanyard Only w/ Float, Clip & Warning Label	12.99



T-H MARINE SAF-T-STOP™

Meets all requirements of emergency stop switches. Strong cloth covered coiled lanyard. Isolated circuits on dual units prevent feedback. Mounts anywhere. Requires 1-1/2" hole.



Order #	Mfg. #	For	Sugg.Ret.
6202607	KS-1-DP	Single Outboard	\$35.99
6202608	KS-2-DP	Single I/O	30.99
REPLACEMENT LANYARD			
6207248	L-4-DP		9.99



WHITECAP ALUMINUM SWITCH PANELS

12V, 15A. Lighted. NOT waterproof. Both come with labels for: Anchor Light, Running Light, Bilge Pump, Bilge Blower, Cabin Light, & Windshield Wiper.



Order #	Mfg. #	Switches	Size	Sugg.Ret.
6032630	S-3308	4	5"Hx4-1/2"W	\$43.99
6032631	S-3310	6	6-1/2"Hx4-1/2"W	54.99

WHITECAP SWITCH PANEL

Pre-printed panel (Anchor Light, Running Light, Cabin Light), power outlet w/cap and 2 battery test switches.



Order #	Mfg. #	Sugg.Ret.
6032632	S-3312C	\$63.99

WHITECAP WATERPROOF SWITCH PANELS

Power: 12V, 15A. Dimensions: 4-1/4"Lx3-3/4"W. Both sets contain 28 labels for the specific needs such as Horn, Bilge Pump, Bilge Blower, Cabin Lights, etc. Black aluminum finish.

Order #	Mfg. #	Switches	Sugg.Ret.
6032547	S-8095BC	4	\$101.99

WHITECAP SWITCH PANELS

S-3304 contains labels for: Bilge Pump, Bilge Blower, Anchor Light, Running Light, Windshield Wiper. S-3306 contains labels for: Bilge Pump, Bilge Blower, Anchor Light, Running Light, Cabin Light, Masthead Light, Horn, Fan, Windshield Wiper.



Order #	Mfg. #	Switches	Sugg.Ret.
6032009	S-3304C	3	\$24.99
6032010	S-3306C	6	41.99

WHITECAP 2-POSITION TOGGLE SWITCH

Chrome plated brass handle, mounting stem, & face nut. Mounting stems are 15/32" long with 15/32" - 32 threaded diameter.



Order #	Mfg. #	Sugg.Ret.
6033291	S-8066C	\$4.99
WATERPROOF BOOT FOR TOGGLE SWITCH FITS STANDARD TOGGLE SWITCH WITH 15/32" - 32 STEM		
6033281	S-8069C	4.99

WHITECAP TOGGLE SWITCHES

Order #	Mfg. #	Amp	Volts	Material	Sugg.Ret.
STANDARD					
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033269	S-8076C	15	12	Brass/Bakelite	\$5.99
FUNCTION: MOM. ON/OFF, MOM. ON (CIRCUIT: DPDT)					
6033271	S-8078C	15	12	Brass/Bakelite	5.99
FUNCTION: ON/OFF, ON (CIRCUIT: SPDT)					
6033270	S-8063C	15	12	Brass/Bakelite	6.99
FUNCTION: ON/OFF, ON (CIRCUIT: DPDT)					
6033272	S-8062C	15	12	Brass/Bakelite	7.99
ILLUMINATED					
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033273	S-8061C	15	12	Brass/Bakelite	8.99



WHITECAP LIGHTED TIP TOGGLE SWITCHES

Order #	Mfg. #	Amp	Volts	Material	Sugg.Ret.
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033282	S-7050C	15	12	Brass/Bakelite	\$19.99
FUNCTION: ON/OFF, ON (CIRCUIT: SPDT)					
6033283	S-7052C	15	12	Brass/Bakelite	15.99



WHITECAP ROCKER SWITCHES

Length: 1-7/16". Width: 7/8".

Order #	Mfg. #	Amp	Volts	Material	Sugg.Ret.
STANDARD					
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033274	S-8051C	15	12	Bakelite	\$5.99
FUNCTION: MOM. ON/OFF (CIRCUIT: SPST)					
6033276	S-8050C	15	12	Bakelite	4.99
FUNCTION: ON/OFF, ON (CIRCUIT: SPDT)					
6033277	S-8047C	15	12	Bakelite	5.99
ILLUMINATED					
FUNCTION: ON/OFF, ON (CIRCUIT: SPDT)					
6033279	S-8057C	15	12	Bakelite	7.99
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033280	S-8072C	15	12	Bakelite	7.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
Instruments

WHITECAP CONTURA SWITCHES

Length: 1-7/16". Width: 7/8".

Depth
Finders/GPS

Order #	Mfg. #	Amp	Volts	Material	Sugg.Ret
STANDARD					
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033284	S-7057C	20	12	Polycarbonate	\$10.99
FUNCTION: ON/OFF, ON (CIRCUIT: SPDT)					
6033285	S-7059C	20	12	Polycarbonate	18.99
FUNCTION: MOM. ON/OFF (CIRCUIT: SPST)					
6033286	S-7058C	20	12	Polycarbonate	10.99
FUNCTION: ON/OFF, ON (CIRCUIT: DPDT)					
6033278	S-7061C	20	12	Polycarbonate	13.99
ILLUMINATED					
FUNCTION: ON/OFF (CIRCUIT: SPST)					
6033275	S-7063C	20	12	Polycarbonate	13.99

Boat
Access.Mooring/
Docking

WHITECAP IGNITION/STARTER SWITCH

All brass construction. Includes 2 keys.

Hardware

Order #	Mfg. #	Sugg.Ret
3-POSITION, ON/OFF, IGNITES/ACC./STARTS		
6033292	S-3328C	\$44.99

Lighting

STRIPPERS & CRIMPING TOOLS

Boat Seats

ANCOR MARINE GRADE™ PRODUCTS A Lasting Solution.



Boat Covers

ANCOR DOUBLE CRIMP RATCHET TOOL

Ratchet mechanism crimps stranding & insulation grip portion of connectors in 1 motion for superior strain relief. Adjustment feature allows for wear. Release lever in event of incorrectly placed terminal. Crimps 22-10 AWG insulated terminals in three cavities.

Pumps

Order #	Mfg. #	Sugg.Ret.
6031819	701030	\$113.99

Electrical

ANCOR MINI POCKET BUTANE TORCH

Electronic ignition system w/safety locking switch. Flame temperature up to 2500°F. Windproof flame & waterproof ignition make torch ideal for off shore use. Compact size allows easy fit into any toolbox. Refillable butane cartridge included. Butane Not Included.



Maintenance

Order #	Mfg. #	Sugg.Ret.
6031820	702024	\$32.99

Controls/
SteeringMotor
Access.

ANCOR AUTOMATIC WIRE STRIPPER

Gently removes insulation from wire. Works with tiny #22- to #12-ga. wire. Adjustable stop for proper stripping length. Built-in wire cutter. Designed to work in tight places.



Camping

Order #	Mfg. #	Sugg.Ret.
6002907	702030	\$75.99

Cutlery

ANCOR CUT/STRIP/CRIMP TOOL

Precision ground cutters & stripping station. Wide crimp range of insulated & non-insulated terminals. "Box" crimp works with double crimp terminals. Embossed & paint filled marking. Crimps 22 - 10 AWG/0.3-5mm2 insulated & non-insulated terminals, connectors & spark plug terminals in special cavities. Strips insulation from 22 - 10 AWG /0.3-5mm2 solid & stranded wires. Cuts 4 - 40 /2mm, 6 - 32 /4mm, 10 - 32 /6.4mm & 10 - 24 /6.4mm bolts.



Order #	Mfg. #	Sugg.Ret.
6031436	701007	\$53.99



ATTWOOD® ELECTRICAL CONNECTOR KIT

Kit contains multipurpose cutter/crimp tool & 3 ea. of the following 10 assorted connectors:



Item	Ga. Wire	Item	Ga. Wire
Butt Splices	18-22	Ring Connectors	18-22
Male Spade Conn.	18-22	Female Spade Conn.	18-22
Butt Splices	14-16	Rings	14-16
Male Spade Conn.	14-16	Female Spade Conn.	14-16
Butt Splices	10-12	Ring Connectors	10-12

Order #	Mfg. #	Sugg.Ret.
6000740	14290-6	\$11.99

MarineWorks



MARINE WORKS TERMINAL, CONNECTOR & CRIMP TOOL PACK

Bubble-packed assortment of terminals, connectors & 1 crimp tool.



Order #	Mfg. #	Type	Sugg.Ret.
6000145	EC01350	30-Piece Set	\$9.99

SEA-DOG® LINE

SEA-DOG® LINE WIRE STRIPPER/ CRIMPER TOOL

Powder coated steel construction. Crimps & strips 22-10 gauge wire.



Order #	Mfg. #	Sugg.Ret.
6033516	429900-1	\$10.99

SEA-DOG® LINE DELUXE WIRE STRIP- PER/CRIMPER TOOL

Chrome plated steel construction. Spring-loaded tool crimps & strips 22-10 gauge wire.



Order #	Mfg. #	Sugg.Ret.
6033517	429905-1	\$19.99



SEA-DOG® LINE DELUXE TERMINAL CRIMPER TOOL

Crimps 22-10 gauge terminals.



Order #	Mfg. #	Sugg.Ret.
6033518	429910-1	\$39.99

SEA-DOG® LINE HEAT SHRINK TERMI- NAL CRIMPER TOOL

Crimps 22-10 gauge heat shrink terminals.



Order #	Mfg. #	Sugg.Ret.
6033519	429920-1	\$49.99

ADAPTERS, CONNECTORS PLUGS & RECEPTACLES



BLUE SEA SYSTEMS DUAL USB CHARGERS

Protective cap with tether keeps dust & spray from shortening the life of the charger. Made with corrosion-resistant materials which ensure a solid contact & low voltage drop. Compatible w/popular mobile devices.

•**1016 - Dual USB Charger Socket:** Easy to install in existing 12V DC socket hole providing convenient access for charging mobile devices. Cut out dim.: 1-3/16" diameter.

•**1017 - Dual USB Charger Plug:** Easy to use in common 12V DC sockets found in boats, cars, & recreational vehicles. Twist locks securely into socket 1011.



Order #	Mfg. #	Style	Sugg.Ret.
6033567	1016	Charger Socket	\$24.99
6033568	1017	Charger Plug	24.99



BLUE SEA SYSTEMS 12 VOLT SOCKET-PLUG SYSTEM

Designed to withstand the rigors of wet environments & constant vibration. Large contact surfaces for good electrical connection. Twist lock system—plug locks securely into socket. Internal strain relief & cord seal. Nickel plated copper alloy used for all current carrying components. Plug has a sealing ring to keep out spray & make it seat firmly in the socket. Socket features a watertight cap, easy installation, and interlocks w/plug.

•1012 has heavy duty 18 gauge wire & reaches up to 6'

Order #	Mfg. #	Type	Sugg.Ret.
6033562	1010	Plug	\$10.99
6033563	1011	Socket	9.99
6033451	1012	Single Plug w/Single Socket Extension	25.99
6033565	1014	Mounting Bracket for ONLY 1011	3.99
6033566	1015	Plug & Socket Set - Includes 1010 & 1011	18.99



HUBBELL® GROUND FAULT CIRCUIT INTERRUPTER RECEPTACLE

Protects people from line-to-ground electrical shock hazards. If ground fault does occur & leakage level exceeds 4 to 6 milliamps, unit quickly acts to protect user by opening circuit, interrupting power supply & limiting duration of any electrical shock. After tripping unit, reset by pushing button on face. Double the surge protection built in. ROHS (Restriction of Hazardous Substances) compliant. "End of life" indicator LED goes on if GFCI no longer provides ground fault protection due to a surge, etc. Mount on any standard 2-1/2" deep box. Wall plate included.



Order #	Mfg. #	Color	Sugg.Ret.
6033038	GFR5252MIA	Ivory	\$26.99

HUBBELL® OUTLET BOX

Plastic switch/receptacle box. Measures 3-9/32" x 2-3/16" x 2-1/2" deep. For mounting in walls without studs. Support strap pulls box tightly against back side of wall.



Order #	Mfg. #	Sugg.Ret.
6031551	HBL6079	\$5.99

HUBBELL® 30 SERIES ADAPTER- LOCKING CONNECTOR

30 amp, 125V locking connector w/15 amp, 125V straight blade plug.



Order #	Mfg. #	Sugg.Ret.
6001545	HBL104A	\$54.99

HUBBELL® 30 SERIES ADAPTER- LOCKING PLUG

30 amp, 125V locking plug w/15 or 20 amp, 125V straight blade connector.



Order #	Mfg. #	Sugg.Ret.
6001544	HBL105A	\$48.99

HUBBELL® 30 SERIES LOCKING PLUG

Yellow nylon body. Nickel-plated contacts. Triple grip nylon cord clamp. Individual wire pockets for easy wire terminations.



Order #	Mfg. #	Type	Sugg.Ret.
6001541	HBL305CRP	30A-125V	\$12.99

HUBBELL® 30 SERIES 30A-125V LOCKING RECEPTACLE

Yellow melamine. Nickel-plated components. Back wired.



Order #	Mfg. #	Sugg.Ret.
6001542	HBL305CRR	\$21.99

HUBBELL® 30 SERIES 30A-125V LOCKING CONNECTOR

Yellow nylon body.



Order #	Mfg. #	Sugg.Ret.
6001540	HBL305CRC	\$24.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

**HUBBELL®****NM 303 OUTLET 30A-125V**

UV-resistant non-metallic shore power inlet. White Centrex cover makes unit weatherproof when completely closed. Interior with easy-to-wire terminations. Transparent interior for quick, easy inspection. Mounting holes: 2-3/8" on centers & match existing mounting patterns. Includes mounting screws, gasket, protective rear enclosure/strain relief.



Order #	Mfg. #	Sugg.Ret.
6000171	HBL303NMBL	\$54.99

HUBBELL®**31CM28 STRAIGHT ADAPTER**

Permits use of 30 amp 125V Twist-Lock® locking type plug with 15 or 20A 125V straight blade receptacle. IP20 suitability.



Order #	Mfg. #	Sugg.Ret.
6000194	HBL31CM28	\$37.99

HUBBELL®**31CM29 STRAIGHT ADAPTER**

Permits use of 15 or 20A 125V straight blade plug with 30A, 125V Twist-Lock® locking type receptacle. IP20 suitability.



Order #	Mfg. #	Sugg.Ret.
6031790	HBL31CM29	\$37.99

HUBBELL®**105GF STRAIGHT ADAPTER**

Permits use of 15A straight blade plug with 30A 125V Twist-Lock® receptacle. Provides GFCI protection.



Order #	Mfg. #	Sugg.Ret.
6031967	HBL105GF	\$129.99

HUBBELL®**61CM22 STRAIGHT ADAPTER 30A TO 15A**

Permits use of 30A 125V cable set, #61CM08, with 15 or 20A 125V straight blade receptacle #52CM62. Anchor locking screw, from weight on plug when screwed down, resists pullout of cable set.



Order #	Mfg. #	Sugg.Ret.
6000193	HBL61CM22	\$63.99

HUBBELL®**MOLDED Y ADAPTERS**

6001675: Permits use of two 30A 125V cable sets, #HBL61CM08, with one 30A 125V receptacle, #HBL26CM10A. **6031549:** Permits use of two 30A, 125V cable sets, #HBL61CM08, with one 50A, 125/250V receptacle, #HBL63CM69.



Order #	Mfg. #	Sugg.Ret.
6031549	HBL64CM54	\$253.99

HUBBELL®**30 AMP, 125 VOLT SHORE POWER CABLES**

Yellow vinyl jacketed; #10AWG, completely factory pre-wired with molded-on devices. Connector end has non-metallic, threaded sealing ring makes inlet/connector interface watertight. 2-pole, 3-wire, ship to shore.



Order #	Mfg. #	Length	Sugg.Ret.
6000175	HBL61CM08	50 ft.	\$132.99
6000177	HBL61CM03	25 ft.	102.99

HUBBELL®**61CM71M STRAIGHT ADAPTER 30A TO 50A**

Permits use of 30A 125V cable set. #61CM08, with 50A 125/250V Twist-Lock® receptacle #63CM69.



Order #	Mfg. #	Sugg.Ret.
6001678	HBL61CM71	\$181.99

HUBBELL®**26CM11 PLUG 30A-125V**

Yellow Insulgrip® plug. Rugged nylon housing & cord grip w/range of .325-.930". Unique offset jaws arrangement to provide secure strain relief.



Order #	Mfg. #	Sugg.Ret.
6001674	HBL26CM11	\$26.99

HUBBELL®**026CM10A RECEPTACLE 30A-125V**

Yellow single receptacle with Rynite® body & abuse-resistant nylon face.



Order #	Mfg. #	Sugg.Ret.
6000180	HBL26CM10	\$36.99

HUBBELL®**60CM61 INLET 30A 125V**

Traditional stainless steel shore power inlet. Easy-to-wire terminations. Transparent interior for quick, easy visual inspection. Gasketed, self-closing cover shields interior from elements, is watertight when cover is screwed in place. Mounting holes: 2-3/8" on centers. Includes: mounting screws, gasket, protective rear closure & strain relief.



Order #	Mfg. #	Sugg.Ret.
6000172	HBL303SS	\$107.99

HUBBELL®**POWER CABLE SET 50A 125V**

Yellow vinyl jacketed shore power cable set. #6AWG-type STOW, completely factory pre-wired with molded-on devices. Connector end has threaded metallic sealing ring to make inlet/connector interface watertight. IP56 suitability (Boatside).



Order #	Mfg. #	Length	Sugg.Ret.
6031966	HBL61CM43	25'	\$824.99

HUBBELL®**POWER CABLE SET 50A 125/250V**

Yellow vinyl jacketed shore power cable set. #6AWG-type STOW, completely factory pre-wired with molded-on devices. Connector end has threaded metallic sealing ring to make inlet/connector interface watertight. IP56 suitability (Boatside).



Order #	Mfg. #	Length	Sugg.Ret.
6000166	HBL61CM42	25'	\$594.99

HUBBELL®**77CM15 COVER W/RING 50A 125/250V**

Yellow Seal-Tite® cover for connector bodies when used with 50A shore power inlets. Threaded sealing ring makes connection watertight. IP56 suitability.



Order #	Mfg. #	Sugg.Ret.
6002227	HBL77CM15	\$31.99

HUBBELL®**63CM64 CONNECTOR BODY 50A 125/250V**

Nickel-plated brass connector body. Heat-resistant thermoset interior. Combination metal & rubber cord grip. Superior strain relief capability. Cord grip range is .437-1.140". 3 pole, 4 wire.



Order #	Mfg. #	Sugg.Ret.
6002226	HBL63CM64	\$97.99



HUBBELL® 63CM65 PLUG 50A 125/250V

Nickel-plated brass connector body. Heat-resistant thermoset interior. Combination metal & rubber cord grip. Superior strain relief capability. Cord grip range is .437-1.140".

Order #	Mfg. #	Sugg.Ret.
6000168	HBL63CM65	\$86.99



HUBBELL® 77CM16 COVER for 50A PLUGS

Yellow Seal-Tite® cover for weatherproofing 50A plugs.

Order #	Mfg. #	Sugg.Ret.
6031962	HBL77CM16	\$28.99



HUBBELL® 63CM70 RECEPTACLE 50A 125V

Single receptacle w/heat-resistant thermoset base.

Order #	Mfg. #	Sugg.Ret.
6002241	HBL63CM70	\$107.99



HUBBELL® 63CM69 RECEPTACLE 50A 125/250V

Single receptacle w/heat-resistant thermoset base.

Order #	Mfg. #	Sugg.Ret.
6002232	HBL63CM69	\$110.99



HUBBELL® 77CM74WO LIFT COVER PLATE 50A 125/250V

Yellow Valox® lift cover plate for weatherproofing 50A receptacles. Meets requirements of most stringent of UL's three listing categories for weatherproof plates. SS screws & neoprene gasket included. For mounting to FS/FD type weatherproof boxes. IP44 suitability.

Order #	Mfg. #	Sugg.Ret.
6002233	HBL77CM74WO	\$48.99



HUBBELL® 503NM INLET 50A 125V

Stylized non-metallic shore power inlet. UV-resistant white Centrex cover makes unit weatherproof when completely closed. Interior is heat-resistant thermoset material. Box lug terminals. Mounting holes: 2-3/8" on centers & match existing mounting patterns. Mounting screws & gasket included. 2 pole, 3 wire. IP56 suitability.

Order #	Mfg. #	Sugg.Ret.
6031964	HBL503NM	\$141.99



HUBBELL® 504NM INLET 50A 125/250V

Non-metallic shore power inlet. UV-resistant white Centrex cover makes unit weatherproof when completely closed. Interior is heat-resistant thermoset material. Box lug terminals. Mounting holes: 2-3/8" on centers & match existing mounting patterns. Mounting screws & gasket included. 3 pole, 4 wire. IP56 suitability.

Order #	Mfg. #	Sugg.Ret.
6031961	HBL504NM	\$143.99



HUBBELL® 63CM74 INLET 50A 125/250V

Stainless steel shore power inlet. Gasketed, self-closing cover shields interior from elements when not in use. Watertight when cover is securely fastened. Mounting holes: 2-3/8" on centers & rear portion has 2.171" diameter. Mounting screws & gasket included.

Order #	Mfg. #	Sugg.Ret.
6002225	HBL504SS	\$175.99



HUBBELL® NMPHTV INLET TELEPHONE/CABLE TV

Non-metallic inlet provides telephone & cable TV connections in one unit. UV-resistant white Centrex cover makes unit weatherproof when completely closed. Mounting holes: 2-3/8" on centers & match existing mounting patterns. Includes mounting screws & gasket.

Order #	Mfg. #	Sugg.Ret.
6002242	HBLPHTVNM	\$68.99



EEL ShorePower by Marinco

EEL stands for Easily Engaged Lock, and just like a real eel, the EEL ShorePower clamps down and doesn't let go to create a safe shore power connection & a watertight seal. Patented Jaw Clamp technology. No threaded ring required. Create a watertight seal every time. Proprietary built-in cord light. Added safety—alert light indicates if you are still plugged in at the dock. Emergency flashlight to lead your way back to the dock. Power Indicator light on both ends informs you that power is flowing through the cord. Secondary lock for added security. When engaged, the jaws cannot release. Universal connection - connects to any brand, NEMA configured inlet. 5-Year Warranty.



EEL SHOREPOWER™ CORDSET by MARINCO®

Watertight molded plug & connector ends for safety & durability. Heavy-duty, super flexible marine grade cable (30 Amp 10 gauge). Corrosion-resistant, nickel-plated contacts. 125V. Yellow.

Order #	Mfg. #	Amps	Length	Sugg.Ret.
6033581	CS30-25	30	25'	\$142.99
6033582	CS30-50	30	50'	163.99



EEL SHOREPOWER™ PIGTAIL ADAPTER by MARINCO®

Enables you to connect from one dockside receptacle (or other power source receptacle) to one boatside inlet or equipment of dissimilar power configuration. Boat Side: Female connector attaches to boat inlet or cordset. 30A 125V Locking w/sealing collar system. Dock Side: Male plug attaches to dockside receptacle or cordset. 15A 125V Straight blade w/locking screw.

Order #	Mfg. #	Amps	Sugg.Ret.
6033583	P15-30	30	\$83.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
Motors**Marinco**Audio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



EEL SHOREPOWER™ "Y" ADAPTER by MARINCO®

Enables you to split one dockside receptacle between two boat inlets of similar or dissimilar power configurations. Boat Side: Female connector attaches to boat inlet or cordset. 2-30A 125V Locking w/sealing collar system. Dock Side: Male plug attaches to dockside receptacle or cordset. 50A 125/250V locking.

Order #	Mfg. #	Amps	Sugg.Ret.
6033584	Y504-2-30	50	\$337.99



EEL SHOREPOWER™ STRAIGHT ADAPTERS by MARINCO®

High-quality, one-piece adapters used much like Pigtail Adapters, however they do not have sealing collars & are not recommended for use in wet locations. Use only in an enclosed, dry location, such as powering your boat from a 15A power receptacle inside your house. LED power indicator. Ergonomic design for easier gripping.

•**S15-30:** Boat side: Female connector 30A 125V Locking. Dock side: Male plug 15A 125V straight blade.

•**S30-15:** Boat side: Female connector 15 or 20A 125V straight blade. Dock side: Male plug 30A 125V locking.

Order #	Mfg. #	Sugg.Ret.
6033585	S15-30	\$50.99
6033586	S30-15	50.99

MARINCO® TELEPHONE ADAPTERS

Use to hook-up locking type inlet to modular telephone connection.

Order #	Mfg. #	Style	Sugg.Ret.
6001968	PH6601	Locking	\$97.99

MARINCO® POWERCORD PLUS® CORD SETS

High-quality, marine-grade construction. Features: Power indicator light (glows red when power is on), Contour grip w/ thumbprint locator (when the thumbprint is in the 12 o'clock position, the blades line up for easy connection), & Easy Lock™ system (quickly locks the cord set to the inlet in just an 1/8 of a turn. All models include water tight molded plug & connector for safety & durability, heavy-duty super flexible cable, standard threaded ring for hook-up to ordinary threaded inlets, & corrosion-resistant nickel-plated contacts.

Order #	Mfg. #	Length	Color	Sugg.Ret.
6032746	6152SPP-25	25'	Yellow	\$732.99

MARINCO® 50A RIGHT ANGLE CORDSET ADAPTER

Convert existing 50A power cord from a straight connection to a right angle connection. Provides minimal cordset protrusion from inlet for more clearance in tight spaces. GripLock™ handle design for easy hook-up and correct blade alignment w/inlet, even in darkness. Super flexible 6/4 cable. Includes threaded ring and sealing collar for maximum moisture protection between connector and cordset.

Order #	Mfg. #	Sugg.Ret.
6033011	1RPC50	\$122.99

MARINCO® SHORE POWER CORD CLIPS

Organize shore power cords quickly and easily. Fits 30A cordsets securely. Can be used on tube or wire rails. UV stable. Practically unbreakable. Set of 6. Black.

Order #	Mfg. #	Sugg.Ret.
6032806	CLIP-01	\$14.99

MARINCO® POWER CORD SLEEVE

Zippered cord cover. Black.

Order #	Mfg. #	Sugg.Ret.
6032004	ZIP-01	\$73.99

MARINCO® 30A WEATHERPROOF COVER

Weatherproof cover with Easy Lock™ ring. Use with 305CRN or 205CRN.

Order #	Mfg. #	Sugg.Ret.
6031998	103ELN	\$25.99

MARINCO® 30A 125V LOCKING TYPE MALE PLUG

Short housing. Black nylon with internal strain relief system and recessed fasteners.

Order #	Mfg. #	Type	Sugg.Ret.
6001219	305BP	Plug, Male	\$26.99

MARINCO® 30AMP CONNECTORS, PLUGS

Order #	Mfg. #	Type	Sugg.Ret.
6000414	305CRPN	Plug, Male	\$22.99
6000413	305CRCN	Connector, Female	42.99

MARINCO® 50 AMP CONNECTORS, COVERS, PLUGS

Order #	Mfg. #	Type	Sugg.Ret.
6001224	6365CRN	Plug, Male	\$116.99
6001223	6364CRN	Connector, Female	135.99

MARINCO® 30A 125V POWER INLET

Solid cast 316 stainless steel. Locking waterproof cap. Easy Lock™ system. Soft Touch cap stays open in up-right position. 8-way right angle rear safety enclosure.

Order #	Mfg. #	Sugg.Ret.
6000412	303SSEL-B	\$126.99

MARINCO® WEATHERPROOF COVERS

Yellow Lexan® with lift lid.

Order #	Mfg. #	Fits Receptacles	Sugg.Ret.
6000433	7420 CR	15A, 20A, 30A	\$57.99



MARINCO® 30A 125V POWER INLET

Marine-grade, UV-stabilized, glass-filled polyester construction. Easy Lock™ system. Watertight cap. 4-way right angle rear safety closure. Stainless steel rim.



Order #	Mfg. #	Sugg.Ret.
6000411	301EL-B	\$80.99

MARINCO® 50A 125/250V POWER INLET

Solid cast 316 stainless steel. Easy Lock™ system. Soft Touch cap stays open in upright position. Stainless steel rim.



Order #	Mfg. #	Type	Sugg.Ret.
6000431	6373EL	50A125/250V	\$242.99

MARINCO® PIGTAIL ADAPTERS

Equipped w/covers & sealing collars (where indicated). For use in wet conditions. Features cord w/male plug that attaches to boat inlet or cordset & female connector that attaches to dockside receptacle or cordset. 104SPP - features an LED Power-On indicator & thumbgrip locator.



Order #	Mfg. #	Description	Sugg.Ret.
6031517	104SPP	Female: 30A 125V, Locking w/Sealing Collar System. Male: 15A 125V Straight Blade w/Locking Screw	\$68.99
6001229	110A	Female: 30A 125V, Locking w/Sealing Collar System. Male: 50A 125V Locking	183.99

MARINCO® Y-ADAPTERS

Attaches to cordset or boat inlet: (2) 30A 125V Locking with Sealing Collar System. Attaches to dockside receptacle or cordset: 50A 125/250V Locking



Order #	Mfg. #	Sugg.Ret.
6000403	153AY	\$296.99

MARINCO® SEALINK® 12V RECEPTACLE & PLUG

Corrosion-resistant marine-grade materials. SealLink™ locking system securely locks plug into receptacle for positive & moisture-proof connection. Plug & receptacle w/optimized metal connection points for maximum conductivity. **RECEPTACLE:** watertight sealing cap, easy-to-install with supplied mounting plate for front panel installation or locking ring for rear access installation. Compatible with standard 12V plugs. **PLUG:** Moisture-proof sealing ring, LED power indicator light, interchangeable fuse, internal strain relief & cord seal. Compatible with standard 12V receptacles.



Order #	Mfg. #	Type	Sugg.Ret.
6003044	12VPG	Plug Only	\$17.99
6003045	12VRC	Receptacle Only	27.99
6003046	12VPK	Plug/Receptacle Combo Package	38.99
6031991	12BKT	Receptacle Mounting Bracket	15.99

MARINCO® RECEPTACLES

Corrosion-resistant reinforced nylon construction.



Order #	Mfg. #	Type	Sugg.Ret.
BLACK			
6000415	305CRRB	30A 125V	\$45.99
6000427	6369CR	50A 125/250V	169.99
YELLOW			
6001974	305CRR	30A 125V	44.99

MARINCO® USB RECEPTACLE

Includes 6' of cord.



Order #	Mfg. #	Sugg.Ret.
6032005	USBA6	\$76.99

MARINCO® ON-BOARD CHARGER INLET 15A 125V STRAIGHT BLADE INLET

Can be mounted almost anywhere on boat. Low-profile cap won't catch fishing line. Mounts easily to fiberglass & aluminum hulls. Perma-Lock™ terminals & color-coded wire entrance holes make wiring easy. UV-resistant housing & cap.



Order #	Mfg. #	Finish	Sugg.Ret.
6002353	150BBI	Black	\$25.99
6032572	150BBIW	White	25.99

MARINCO® TROLLING/CHARGING SYSTEM

4-wire Trolling/Charging System eliminates need for charge/run switch. Install receptacle on boat, mount black trolling motor plug on trolling motor & red charger plug on leads of battery charger. Plug in black plug to troll, or red plug to charge.

MARINCO® 12V CHARGER PLUG-MALE

Connects to 12V battery charger to allow simultaneous charging of two 12V batteries when plugged into receptacle. Red



Order #	Mfg. #	Sugg.Ret.
6003015	2018BP-12	\$32.99

MARINCO® 12/24V TROLLING MOTOR PLUG-MALE

Connects to trolling motor. Jumpered internally to supply 12V & 24V power to trolling motor when plugged into receptacle. Black.



Order #	Mfg. #	Sugg.Ret.
6001817	2018BP-24	\$29.99

MARINCO® 12/24V LOCKING SYSTEM- RECEPTACLE & BRACKET

Spring loaded flip lid cover & 2018BR receptacle, pre-assembled. Convenient mounting.



Order #	Mfg. #	Sugg.Ret.
6031994	2018BR-MB	\$96.99

MARINCO® 12/24V LOCKING SYSTEM- TROLLING MOTOR RECEPTACLE

Glass-reinforced, corrosion-resistant nylon. Accepts 8-ga. stranded wire or up to 6-ga. with ring terminals. Black



Order #	Mfg. #	Sugg.Ret.
6001818	2018BR	\$62.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
Motors**Marinco**Audio/
Instruments**MARINCO®
MOUNTING BRACKET**


Spring-loaded flip lid cover. Without receptacle.

Depth
Finders/GPS

Order #	Mfg. #	Sugg.Ret.
6001971	2018MB	\$36.99

Vests/
Cushions**MARINCO®
12/24V
TROLLING MOTOR PACKAGE**Includes: 2018BP-12, 2018BP-24 & 2018BR-MB
Economically priced, conveniently packaged in
one pack.Water
SportsSafety/
Optics

Order #	Mfg. #	Sugg.Ret.
6001972	2018PKG	\$123.99

MARLAN INDUSTRIESBoat
Access.**MAR-LAN
ACCESSORY PANEL**Can be mounted almost anywhere. Attach 12 volt
leads. 3"x3" brush sterling panel.Mooring/
Docking

Hardware

Order #	Mfg. #	Sugg.Ret.
5200255	6007-06C	\$20.99

Lighting

**MAR-LAN
TROLLING PLUG RECEPTACLE**Troll plugs are molded w/flexible PVC at termi-
nal location for easy plug-in alignment. Mounting
surface on receptacles are molded w/rigid poly-
propylene. Fits in 1-1/8" hole - #10 mounting
holes. 2-1/2"x1-3/4". Carded.

Boat Seats

Boat Covers

Order #	Mfg. #	Type	Sugg.Ret.
5200271	5011-02C	12V, 10 ga., 2 wire	\$6.99
5200272	5011-03C	12/24V, 10 ga., 3 wire	8.99

Fuel

Trailers/
ATV Access.**MAR-LAN
TROLLING MOTOR PLUGS**Male plugs are molded w/flexible PVC at terminal lo-
cation for easy plug-in alignment. Carded.

Pumps

Order #	Mfg. #	Type	Sugg.Ret.
5200252	5010-03C	12/24 Volt, 10 ga., 3 wire	\$8.99
5200253	5010-02C	12 Volt, 10 ga., 2 wire	6.99

Electrical

Maintenance

**MAR-LAN
TROLLING MOTOR PLUG -
3 WIRE**

Male plug.

Controls/
Steering

Order #	Mfg. #	Type	Sugg.Ret.
5200736	5090-03C	12/24 Volt	\$7.99

Motor
Access.**MAR-LAN
ACCESSORY SOCKET w/CAP**Durable polypropylene plastic & all brass contacts to
resist corrosion. Mounts in 1-1/8" hole with #10
mounting holes. 1-1/4"x2" face plate, 6" leads, 12
volt. Carded.

Camping

Cutlery

Order #	Mfg. #	Sugg.Ret.
5200256	5250C	\$10.99

**MAR-LAN
TROLLING MOTOR PLUG
& RECEPTACLE SET**

2 Wire.



Order #	Mfg. #	Gauge	Sugg.Ret.
5204610	501-02-02C	10	\$14.99
5204611	501-28-2C	8	19.99

PERKO®**PERKO®
WATERTIGHT DECK CONNECTIONS**Rated for 15 amps @ 12, 24 & 32 volts. Polarized
double contact connector. Flange gasket. Integral
waterproof cap for base when plug is removed.
Diameter: 1-5/8", Height: 1-3/16". Screw size: 6.

Order #	Mfg. #	Finish	Sugg.Ret.
6032385	1190DP0CHR	Chrome-plated zinc	\$24.99
6032384	1189DP0CHR	Chrome-plated brass	58.99

SEA-DOG® LINE**SEA-DOG® LINE
12-VOLT POLARIZED
CABLE OUTLET**Machined brass/chrome plated. As a safety feature, polarized pins
are sized to be connected in only one way.

Order #	Mfg. #	Style	Sugg.Ret.
6033117	426142-1	2-Pin	\$8.99

**SEA-DOG® LINE
DELUXE POWER SOCKET**Stamped brass/injection molded Nylon &
ABS construction. Includes socket, cap,
mounting plate, screws, & terminals.

Order #	Mfg. #	Sugg.Ret.
5504535	426120-1	\$14.99

**new
SEA-DOG® LINE
DOUBLE USB POWER SOCKET**Stamped stainless/injection molded nylon.
Output DC 5V/2.1A. Fits sea-dog line power
socket shell.

Order #	Mfg. #	Sugg.Ret.
6033591	426502-1	\$29.99

**new
SEA-DOG® LINE
DOUBLE USB POWER PLUG**Stamped brass/injection molded Nylon.
Input 12V-24V, output DC 5V/2.1A. Fits
all sea-dog line power sockets

Order #	Mfg. #	Sugg.Ret.
6033592	426512-1	\$27.99



WHITECAP POWER SOCKET & CAP

Stainless steel construction with molded cap. Accepts all cigarette lighter-type plugs. 12V. Fastener: #8 (2).

Order #	Mfg. #	Finish	Sugg.Ret.
6032824	S-8074C	SS	\$12.99



WHITECAP CIGARETTE LIGHTER/CHART LIGHT

Cigarette lighter/built-in chart light. Doubles as spotlight & accessory plug. Accepts most accessory adapter plugs. 12V. Includes wires, terminal connections and 2-1/8"x1-1/2" mounting plate. Uses (2) #8 fasteners

Order #	Mfg. #	Finish	Sugg.Ret.
5502138	S-2700SC	SS	\$24.99



WHITECAP ACCESSORY PLUG, CAP & SOCKET

Accepts all cigarette lighter-type plugs. Black nylon & stamped brass. Includes weather seal cover & gasket. 12V. Includes fasteners.

Order #	Mfg. #	Finish	Sugg.Ret.
6503232	S-8071C	Black	\$9.99



new

WHITECAP TEAK RECEPTACLE PLATE

Made of solid kiln-dried aged teak wood. Sanded & finished by hand to a rich luster. Durable & easy to maintain. Pre-drilled mounting holes. 2 per pack. 5-1/16"H x 3-5/8"W

Order #	Mfg. #	Type	Sugg.Ret.
6033551	60170	Outlet Cover	\$17.99
6033552	60171	Ground Fault	17.99
6033553	60174	Blank Cover	12.99



LAMPS

MarineWorks

MARINE WORKS INDICATOR LAMPS

Fits in 5/16" panel hole. Wire leads for easy hook-up.

Order #	Mfg. #	Color	Sugg.Ret.
6002143	UN22110	Green	\$7.99
6002144	UN22120	Amber	7.99



NOTES

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

NOTES

Trolling Motors	
Audio/ Instruments	
Depth Finders/GPS	
Vests/ Cushions	
Water Sports	
Safety/ Optics	
Boat Access.	
Mooring/ Docking	
Hardware	
Lighting	
Boat Seats	
Boat Covers	
Fuel	
Trailers/ ATV Access.	
Pumps	
Electrical	
Maintenance	
Controls/ Steering	
Motor Access.	
Camping	
Cutlery	