


verilux®
LIFE IN A BETTER LIGHT®



PageLight™

Natural Spectrum® Flat Panel Light

VB04



Dear Customer,

Thank you for purchasing the PageLight™ Natural Spectrum® Flat Panel Light. You have received an innovative and quality manufactured product, backed by a one-year limited warranty. As a Verilux® customer, your satisfaction means everything to us. We look forward to serving you now and in the future.

Many other healthy lighting products are available through our catalog and online. Visit us on the web at www.Verilux.com to request a free catalog and learn more about all our quality Verilux® products, or call our toll-free number 1-800-454-4408.

Have a Bright Day!

Nicholas Harmon

President and CEO

FEATURES

Put Natural Spectrum® daylight on the page, not in your eyes, with the PageLight™ Natural Spectrum® Flat Panel Book Light. Three powerful LED bulbs light the entire specially constructed acrylic panel to illuminate your book or magazine page evenly without disturbing others or irritating your eyes with reflective glare.

- 3 powerful LED bulbs with exclusive Natural Spectrum® daylight illumination
- Built-in dimmer allows you to adjust the light level to your preference
- The PageLight™ serves as page marker when not in use
- Lasts up to 50 hours on 3-AAA batteries (sold separately)
- 1-year limited warranty

SET UP & OPERATION

Prior to initial usage of the PageLight™, the Light Blocking Strip needs to be placed on the bottom edge of the lens to ensure that the PageLight™ is illuminated evenly.

Take the Light Blocking Strip (Fig. 1) and gently guide the clear lens into the groove of the strip. Strip is correctly installed when centered on the bottom of the lens.

To turn the PageLight™ on, turn the dial on top of the unit until an audible 'click' is heard. Rotate the dial to alter the level of brightness required. Maximum brightness is achieved when dial is rotated farthest from the initial on 'click'. To turn the unit off, reverse this procedure.




Fig. 1

BATTERY INSTALLATION

When replacing batteries, please ensure that you use only 3 AAA batteries.

Remove battery compartment panel at the back of the PageLight™ (Fig. 2). Take out any dead batteries and dispose of in a proper manner.

Following the indications on the inside of the battery compartment, insert 3 AAA batteries into place. Please make sure that the "+" and "-" are facing in the right direction, otherwise PageLight™ will fail to operate.

Once batteries are inserted, replace battery compartment panel.



Fig. 2

ONE YEAR LIMITED WARRANTY

ATTENTION! ONCE OPENED, PLEASE **DO NOT** RETURN THIS PRODUCT TO THE STORE WHERE IT WAS PURCHASED FOR REPAIR OR REPLACEMENT!

Many questions may be answered by visiting www.Verilux.com, or you may call our customer service department at 1-888-544-4865.

This limited warranty is provided by:

Verilux, Inc., 340 Mad River Park, Waitsfield, VT 05673

Verilux® warrants this product to be free from defects in material and workmanship for a period of one year from the date of the original retail purchase. During the limited warranty period, Verilux, Inc. will, at its option, repair or replace defective parts of this product, at no charge to the customer, subject to the following limitations. This limited warranty does not include any postage, freight, insurance or delivery fees. This warranty does not cover damage, defect or failure caused by or resulting from accident, external destruction, alteration, modification, abuse, misuse, or misapplication of this product.

If, during the first year of ownership, this product fails to operate properly, it should be returned as specified below:

Please pack the defective product in its original protective packing and box, with a copy of your sales receipt showing Date of Purchase, along with \$6.95 (check or money order to cover shipping and handling), and send to:

For U.S. Postal Service Only:

**Verilux Warranty
Service Center, c/o WTB**
P.O. Box 119,
West Redding, CT 06896

For Fed Ex & UPS Only:

**Verilux Warranty
Service Center, c/o WTB**
32 Henry Street, Bldg 17A,
Bethel, CT 06801

Please allow 4-6 weeks before you receive the repaired or replaced product.

ATTENTION: When returning a product, be aware that damage during shipping is the responsibility of the purchaser and will void any warranty claim. We recommend that you insure the shipment by shipper when returning this product or any parts. Be sure to return product in original packaging.

Due to ongoing improvements, actual product may have slight variations from the product described in this manual.

Printed in China for Verilux, Inc.

© Copyright 2008 Verilux, Inc. All rights reserved.