

Overview

What's New


- Intel® Mobile Pentium® III 1.0 GHz and 900 MHz processors

At A Glance

- Intel Mobile Pentium III processor up to 1.0 GHz processors with Intel SpeedStep™ Technology in standard configurations
- Intel Celeron® 700 MHz processors
- Up to 15-inch TFT SXGA+ display
- All-in-One 3-spindle design
- Up to three batteries internal
- As little as 5.65 lb/2.56 kg and 1.6 in/4 cm thin
- 8-MB Video SDRAM
- User removable hard drive
- Integrated Mini PCI modem /NIC Combo
- Dual Install Microsoft® Windows® 2000/Windows NT® 4.0 or Windows 98
- Full-size keyboard
- Common docking solutions across the Armada™ E and M Series
- Industry-leading PC lifecycle solutions
- Protected by a one-year, worldwide limited warranty — Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details.

What's Special

- All in one 3-spindle design with integrated MultiBay and DualBay
- 5.65 lb/2.56 kg light
- 1.6 in/4 cm thin
- Common docking solutions across the Armada E and M Series
- Industry-leading PC lifecycle solutions
- 3 battery support



1. Color display
2. Microphone
3. Lid Switch
4. TV/Video out (NTSC/PAL)
5. Infrared Transceiver
6. Integrated RJ-11, 56K v.90 mini PCI modem
7. RJ-45 Ethernet Port on select models
8. Cable Lock Connector
9. Microphone-in/Headphone-out ports
10. PC Card Slots (2)
11. Battery Power Light
12. AC Power Light/Standby
13. Volume control/mute
14. MultiBay (CD-ROM Drive/DVD-ROM Drive/CD-RW Drive secondary hard drive/MultiBay Battery)
15. Primary Hard Drive (under the Unit)
16. Dual Bay (Diskette Drive or second Primary Battery)
17. Touch Pad
18. Stereo Speakers
19. Primary Battery
20. Easy Access Internet Buttons
21. Power Switch
22. Status LEDs
23. Suspend Button
24. Display Latch

COMPAQ

Standard Features

Processor and Panel	15-inch color TFT SXGA+ with 1400 x 1050 resolution (up to 16.8M colors internal)
<i>One of the following:</i>	1.0 GHz on Intel Mobile Pentium III processor
	850 MHz on Intel Mobile Pentium III processor
	14.1-inch color TFT XGA with 1024 x 768 resolution (up to 16.7M colors internal)
	900 MHz on Intel Mobile Pentium III processor
	800 MHz on Intel Mobile Pentium III processor
	700 MHz on Intel Mobile Pentium III processor
	700 MHz on Intel Mobile Celeron processor
	600 MHz on Intel Mobile Celeron processor
	13.3-inch color TFT XGA with 1024 x 768 resolution (up to 16.7M colors internal)
	800 MHz on Intel Mobile Pentium III processor
	700 MHz on Intel Mobile Pentium III processor
	700 MHz on Intel Mobile Celeron processor
	600 MHz on Intel Mobile Celeron processor
	12.1-inch color TFT/SVGA with 800x600 resolutions (up to 16.7M colors internal)
	700 MHz on Intel Mobile Pentium III processor
	600 MHz on Intel Mobile Pentium III processor
	NOTE: Mobile Pentium III processors, 600MHz and above, feature Intel SpeedStep technology.
	NOTE: Mobile Pentium III processors feature 256-KB integrated cache and Mobile Celeron Processors feature 128KB integrated cache.
	NOTE: Configurations vary by region
Memory	Standard 128-MB or 64-MB 100 MHz SDRAM
	Maximum 512-MB 100 MHz SDRAM
	NOTE: Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB memory modules to ensure compatibility.
Integrated Communications	User Upgradable – Type II Mini PCI
	Compaq Global Mini PCI 56K (V.90) Modem or
	Compaq 56K (V.90) Modem plus Intel PRO/100+ NIC
	NOTE: Select models of the Armada E500 ship standard with a Compaq Global Mini PCI 56K (V.90) Modem Type II Mini PCI or with a Compaq 56K (V.90) plus Intel PRO/100+ Type II Mini PCI.
	NOTE: Designed only to allow faster downloads from V.90 compliant sources. Maximum achievable download transmission rates currently do not reach 56 KB/s, and will vary with line conditions.
	NOTE: Modem availability is subject to country regulatory approval.
Keyboard	102-key compatible keyboard with isolated, inverted-T cursor control keys, and right-control key, special feature
	hotkeys for instant access to power conservation, QuickLock/QuickBlank (ex: FN+F6), toggle between internal and external, or simultaneous displays, battery gauge, speaker volume control, brightness and contrast
Easy Access Internet Buttons	The Armada E500 comes with four Easy Access Internet Buttons allowing quick access to your most popular Internet sites, files and applications. The buttons come pre-set; however, they are user-customizable and designed to increase productivity by providing one-touch access.
Pointing Device	Touchpad with integrated pick buttons / "Double Tap" mouse-like buttons
PC Card Slots	Two Type II/One Type III PC Card Slot(s) which support both 32-bit Card Bus (Full support in Windows 9.x and Windows 2000) and 16-bit PC Cards; zoomed video support in bottom slot

Standard Features

Storage	Diskette Drives	1.44 MB	
	Optical Drives	CD-RW Drive	
	<i>One of the following:</i>	8X DVD-ROM Drive 24X CD-ROM Drive	
	Hard Drives		
	<i>One of the following:</i>	30-GB SMART 20-GB SMART 12-GB SMART 10-GB SMART 6-GB SMART 5-GB SMART	
	<hr/>		
	Multimedia	Compaq <i>Premier•Sound™</i> for enhanced stereo audio Integrated 16-bit Sound Blaster Pro-compatible stereo audio Integrated stereo speakers and microphone Software/hardware volume control Headphone-out Microphone-in Software MPEG1 support CD-RW Drive (<i>on select models</i>) 8X DVD-ROM Drive with DVD movie playback software (<i>on select models</i>) 24X CD-ROM Drive (<i>on select models</i>) RCA Composite TV-out port 2X AGP graphics 8-MB SDRAM	
Interfaces	PC Card	Two Type II/One Type III	
	Enhanced Parallel EPP/ECP	1	
	Serial Port	1	
	TV out connector NTSL/PAL	1	
	External Monitor	1	
	External Keyboard/ Pointing Device	1 Supports Y-cable in order to attach both Keyboard and Mouse simultaneously	
	Expansion Base	1	
	Headphone/Line-out	1	
	Microphone in	1	
	DC Power	1	
	RJ-11 (modem)	1 (Model dependent)	
	RJ-45 (NIC)	1 (Model dependent)	
	Infrared Port	1 (4 Mb/s support) (IrDA 4 MB compliant. IR performance will vary depending on performance of IR peripherals and application used.)	
	USB	1	
	LED status indicators	7	
<hr/>			
Graphics	ATI Mobility PRO, 64-bit video graphics with 8-MB SDRAM for increased color depth and graphics performance		
<hr/>			
Operating System	Dual Install Windows 2000/Windows NT 4.0		
	NOTE: On Dual Install systems, the end user must make a one-time selection at initial start up. End users who need to change to another Operating System (OS) other than the one originally selected must obtain a new license for that OS. Microsoft Windows 98		

Standard Features

Software	<p>Compaq Insight Management Agents Compaq Intelligent Manageability Diagnostics for Windows 2000, 9.x or NT DVD Solution Compaq Power Management Compaq Security Management Online Safety and Comfort Guide Fax Central for Windows 2000, 98 and NT Acrobat Reader Reference Guide</p>
System Recovery	<p>Each unit is shipped with a CD kit for quick recovery (erases hard disk and restores manufacturer installed image) and software recovery (installs only selected standard software).</p>
Intelligent Manageability	<p>Compaq Intelligent Manageability, a key component of PC Lifecycle Solutions, is the broad set of manageability features found on all Compaq <i>Deskpro</i>™ desktops, Armada portables, Professional Workstation, and <i>ProLiant</i>™ server products. These best-in-class features on PC clients comply with industry standards, such as DMI and Wired for Management, while pioneering new ground in client manageability. Compaq introduced the industry's first line of manageable clients in 1995 and has been driving the industry ever since. With Compaq's lifecycle management philosophy, enterprises have all of the pieces for end-to-end management and proven tools for hassle-free management of PCs and significantly lower total cost of ownership.</p> <p>Intelligent Manageability offers solutions in the areas of Initial Configuration and Deployment, Asset Tracking and Security, Software Updating and Management, and Fault Notification and Recovery. For more information, visit our website: http://www.compaq.com/im. NOTE: This Web site is available in English only.</p>
Security	<p>Configuration Control Hardware Memory Change Alert Ownership Tag Setup Password Power-On Password DriveLock QuickLock QuickBlank Enabled for PC SmartCard options</p>
Power Supply	<p>External AC adapter; 6-foot power cord included. Total length including External AC adapter is 12 feet (3.66 Meters)</p>
Battery	<p>The Armada E500 provides over 3 hours of battery life using the standard 9-cell battery. Battery Life using an additional 9-cell battery in the DualBay is over 7 hours. Maximum battery life over 9.5 hours can be achieved using a 9-cell in the Primary Battery Bay and DualBay along with a 6-cell in the MultiBay.</p> <p>NOTE: Actual results may vary with product model, configuration, and individual usage. When tested in standard configuration, using eTesting Labs Inc.'s BatteryMark™ Test version 4.0.1, the battery life of the Armada E500 will range up to 3.35 hours. Standard configuration at time of announce includes an Intel Pentium 1GHz processor, 15-inch SXGA+ panel (1050 x 1400 resolution), 128 MB RAM, 30GB HDD, CD-RW, 9-cell (1700mAh) battery, and combination NIC/modem. System parameters were set according to eTesting Labs Inc. recommendations: panel brightness 50%, hard drive, standby and video idle time 3 minutes, and Intel SpeedStep battery optimized mode. The same configuration achieved up to 7.3 hours with addition of a 9-cell battery and up to 9.93 hours with further addition of a third battery (6-cell) in the MultiBay.</p> <p>NOTE: This test was performed without independent verification by eTesting Labs Inc. eTesting Labs Inc. makes no representations or warranties as to the result of the test. BatteryMark is a trademark of Ziff Davis Publishing Holdings Inc., and affiliate of eTesting Labs Inc., in the U.S. and other countries.</p>


Standard Features

Power Conservation	<p>Intel SpeedStep Technology allows a Battery Optimized Mode where CPU draws 50 percent of normal power yet affords 70 to 80 percent of maximum PIII processing speed.</p> <p>Hibernation Instant-On via Standby Pop-ups with three presets One custom level of power conservation ACPI compliant</p> <p>NOTE: For Pentium III 900MHz and 1GHz units, Compaq provides battery-optimized mode only while running on battery power.</p>
MultiBay Devices	<p>MultiBay devices may be swapped with the system powered on (hot) or in suspend mode (warm) under Windows 98 SE or Windows 2000 (except MultiBay Zip drive or MultiBay secondary hard drive). MultiBay devices can be swapped with system power off under any supported operating system.</p>
DualBay Devices	<p>Supports swapping with power or in suspend mode under Windows 9.x, Windows 2000 and NT4.0 Supports swapping with power or in suspend mode Diskette drive, Primary battery</p>
Service and Support	<p>Compaq Services includes a one-year, worldwide limited warranty, pick-up or carry-in, upgrade to on-site warranty or additional two-year warranty available and toll-free 7 x 24 hardware technical phone support.</p> <p>NOTE: Certain restrictions and exclusions apply. Consult the Compaq Customer Support Center for details.</p>

Standard Features

Naming Convention

The Etymology of a Model name:



Standard Features

Models

UNITED STATES

AE5P31000T5P30WC1298 470011-577	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-622	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-648	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

UNITED STATES (continued)

AE5P3900T4P20DC12N2 470011-680	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470012-608 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470012-611 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

UNITED STATES (continued)

AE5C1700T3X10DM6498
470010-829

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Modem
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

AE5C1700T3X10DM64N2
470010-832

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Modem
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

CANADA

AE5P31000T5P30WC1298 470011-579	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-623	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-649	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

CANADA (continued)

AE5P3900T4P20DC12N2 470011-681	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem/10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470012-610 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470012-613 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

CANADA (continued)

AE5C1700T3X10DM6498 470010-935	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

AE5C1700T3X10DM64N2 470010-836	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	6-cell Li-Ion

Standard Features

EUROPE

AE5P31000T5P30WC1298 470011-646	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	No modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30W12N2 470011-647	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	No modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20D1298 470011-711	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	No Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

EUROPE (continued)

AE5P3900T4P20D12N2 470011-712	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	No Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10D6498 470011-065	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	no modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10D64N2 470011-066	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	no modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

EUROPE (continued)

AE5C1700T4X10D6498 470010-809	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	no modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10D64N2 470010-821	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	no modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10D6498 470010-838	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	no modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

EUROPE (continued)

AE5C1700T3X10D64N2
470010-839

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	no modem
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

UNITED KINGDOM

AE5P31000T5P30WC1298
470011-582

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-624

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-650

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

UNITED KINGDOM (continued)

AE5P3900T4P20DC12N2 470011-682	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-747	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-823	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

UNITED KINGDOM (continued)

AE5C1700T4X10DC6498 470010-837	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-914	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-841	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

UNITED KINGDOM (continued)

AE5C1700T3X10DC64N2
470010-842

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

GERMANY

AE5P31000T5P30WC1298
470011-583

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-625

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-651

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

GERMANY (continued)

AE5P3900T4P20DC12N2 470011-683	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-748	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-825	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

GERMANY (continued)

AE5C1700T4X10DC6498 470010-849	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-918	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-843	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

GERMANY (continued)

AE5C1700T3X10DC64N2
470010-844

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

FRANCE

AE5P31000T5P30WC1298 470011-584	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-626	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-652	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

FRANCE (continued)

AE5P3900T4P20DC12N2 470011-684	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-749	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-827	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

FRANCE (continued)

AE5C1700T4X10DC6498 470010-854	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-919	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-845	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

FRANCE (continued)

AE5C1700T3X10DC64N2
470010-846

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

ITALY

AE5P31000T5P30WC1298 470011-585	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-627	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-654	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

ITALY (continued)

AE5P3900T4P20DC12N2 470011-749	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-751	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-830	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

ITALY (continued)

AE5C1700T4X10DC6498 470010-858	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-920	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-847	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

ITALY (continued)

AE5C1700T3X10DC64N2
470010-848

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

SPAIN

AE5P31000T5P30WC1298
470011-587

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-628

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-656

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

SPAIN (continued)

AE5P3900T4P20DC12N2 470011-685	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-753	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-831	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

SPAIN (continued)

AE5C1700T4X10DC6498 470010-868	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-921	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-850	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

SPAIN (continued)

AE5C1700T3X10DC64N2
470010-851

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

DENMARK

AE5P31000T5P30WC1298
470011-589

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-629

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-658

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

DENMARK (continued)

AE5P3900T4P20DC12N2 470011-686	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-755	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-833	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

DENMARK (continued)

AE5C1700T4X10DC6498 470010-871	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-922	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-852	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

DENMARK (continued)

AE5C1700T3X10DC64N2
470010-853

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

NORWAY

AE5P31000T5P30WC1298
470011-608

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-630

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-659

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

NORWAY (continued)

AE5P3900T4P20DC12N2 470011-687	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-759	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-834	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

NORWAY (continued)

AE5C1700T4X10DC6498 470010-873	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-923	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-855	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

NORWAY (continued)

AE5C1700T3X10DC64N2
470010-857

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

SWEDEN/FINLAND

AE5P31000T5P30WC1298 470011-609	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-631	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-660	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

SWEDEN/FINLAND (continued)

AE5P3900T4P20DC12N2 470011-688	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-760	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-835	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

SWEDEN/FINLAND (continued)

AE5C1700T4X10DC6498 470010-874	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-924	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-860	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

SWEDEN/FINLAND (continued)

AE5C1700T3X10DC64N2
470010-861

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

PORTUGAL

AE5P31000T5P30WC1298 470011-610	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-632	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-661	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

PORTUGAL (continued)

AE5P3900T4P20DC12N2 470011-689	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-779	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-840	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

PORTUGAL (continued)

AE5C1700T4X10DC6498 470010-875	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-925	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-862	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

PORTUGAL (continued)

AE5C1700T3X10DC64N2
470010-863

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

BELGIUM – FR/NL

AE5P31000T5P30WC1298 470011-611	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-633	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-662	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

BELGIUM – FR/NL (continued)

AE5P3900T4P20DC12N2 470011-690	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-787	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-856	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

BELGIUM – FR/NL *(continued)*

AE5C1700T4X10DC6498 470010-876	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-926	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-916	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

BELGIUM – FR/NL (continued)

AE5C1700T3X10DC64N2
470010-917

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

SWISS 1-FR/GR/US

AE5P31000T5P30WC12N2 470011-634	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470011-691	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-859	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

SWISS 1-FR/GR/US (continued)

AE5C1700T4X10DC64N2
470010-927

Display	14.1-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5C1700T3X10DC64N2
470010-867

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

SWISS 2-FR/GR/IT

AE5P31000T5P30WC12N2 470011-635	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470011-692	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470011-056	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

SWISS 2-FR/GR/IT (continued)

AE5C1700T4X10DC64N2
470011-059

Display	14.1-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5C1700T3X10DC64N2
470011-060

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

SWISS - FR/GR/GB/IT

AE5P31000T5P30WC1298
470011-747

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-748

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P3800T3X10DC6498
470011-171

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

SWISS - FR/GR/GB/IT (continued)

AE5C1700T4X10DC6498
470011-172

Display	14.1-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5C1700T3X10DC6498
470011-173

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

Standard Features

NETHERLANDS

AE5P31000T5P30WC1298 470011-612	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-636	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-663	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

NETHERLANDS (continued)

AE5P3900T4P20DC12N2 470011-694	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-800	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-864	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

NETHERLANDS (continued)

AE5C1700T4X10DC6498 470010-889	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-928	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-877	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

NETHERLANDS (continued)

AE5C1700T3X10DC64N2
470010-878

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

HUNGRY

AE5P31000T5P30WC1298
470011-613

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-637

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-664

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

HUNGARY (continued)

AE5P3900T4P20DC12N2 470011-695	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-803	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-865	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

HUNGARY (continued)

AE5C1700T4X10DC6498 470010-893	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-929	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-879	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

HUNGARY (continued)

AE5C1700T3X10DC64N2
470010-880

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

TURKEY

AE5P31000T5P30WC1298 470011-614	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-638	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-665	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

TURKEY (continued)

AE5P3900T4P20DC12N2 470011-696	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-808	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-866	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

TURKEY (continued)

AE5C1700T4X10DC6498 470010-897	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-930	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-881	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

TURKEY (continued)

AE5C1700T3X10DC64N2
470010-882

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

CZECH REPUBLIC

AE5P31000T5P30WC1298 470011-615	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-639	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-666	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

CZECH REPUBLIC (continued)

AE5P3900T4P20DC12N2 470011-697	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-810	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-869	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

CZECH REPUBLIC (continued)

AE5C1700T4X10DC6498 470010-901	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-931	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-885	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

CZECH REPUBLIC (continued)

AE5C1700T3X10DC64N2
470010-886

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

POLAND/GREEK/ISRAEL

AE5P31000T5P30WC1298 470011-616	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-640	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-667	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

POLAND/GREEK/ISRAEL (continued)

AE5P3900T4P20DC12N2 470011-698	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-811	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-870	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

POLAND/GREEK/ISRAEL (continued)

AE5C1700T4X10DC6498 470010-905	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-932	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-890	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

POLAND/GREEK/ISRAEL (continued)

AE5C1700T3X10DC64N2 470010-892	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	6-cell Li-Ion

Standard Features

RUSSIAN/SLOVAK/SLEVNIAN

AE5P3800T3X10DC6498 470010-813	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470010-872	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T4X10DC6498 470010-908	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

RUSSIAN/SLOVAK/SLEVNIAN (continued)

AE5P31000T5P30WC1298 470011-617	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-641	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-668	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

RUSSIAN/SLOVAK/SLEVNIAN *(continued)*

AE5P3900T4P20DC12N2 470011-699	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-933	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-894	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

RUSSIAN/SLOVAK/SLEVNIAN (continued)

AE5C1700T3X10DC64N2 470010-895	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	6-cell Li-Ion

Standard Features

MIDDLE EAST

AE5P31000T5P30WC1298 470011-618	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-642	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-670	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

MIDDLE EAST (continued)

AE5P3900T4P20DC12N2 470011-700	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X10DC6498 470010-816	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T3X10DC64N2 470011-057	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

MIDDLE EAST (continued)

AE5C1700T4X10DC6498 470010-911	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5C1700T4X10DC64N2 470010-934	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5C1700T3X10DC6498 470010-898	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

MIDDLE EAST (continued)

AE5C1700T3X10DC64N2
470010-899

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

Japan- JPN

AE5P3900T4P20DC1298
470011-671

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2
470011-701

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

Standard Features

Japan- ENG

AE5P3900T4P20DC1298
470011-672

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2
470011-702

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

Standard Features

LTNA

AE5P3900T4P20DC1298 470011-673	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470011-703	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-713 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

LTNA (continued)

AE5P3900T4P20DC12N2 470011-714 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T4X20DC6498 470011-047	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T4X20DC64N2 470011-048	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

LTNA (continued)

AE5P3800T4X20DC6498 470010-757 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3800T4X20DC64N2 470010-758 GEM/NAFTA	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3700T2S10DC6498 470010-750	Display	12.1-inch color TFT SVGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

LTNA (continued)

AE5P3700T2S10DC64N2 470010-752	Display	12.1-inch color TFT SVGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3700T2S10DC6498 470010-754 GEM/NAFTA	Display	12.1-inch color TFT SVGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3700T2S10DC64N2 470010-756 GEM/NAFTA	Display	12.1-inch color TFT SVGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

BRAZIL

AE5P3900T4P20DC1298	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T4X20DC6498	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

BRAZIL (continued)

AE5P3800T4X20DC64N2	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3700T2S10DC6498	Display	12.1-inch color TFT SVGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3700T2S10DC64N2	Display	12.1-inch color TFT SVGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

APD

AE5P31000T5P30WC1298 470011-619	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-643	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-674	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

APD (continued)

AE5P3900T4P20DC12N2 470011-704	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3700T3X10VC6498 470011-049	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	DVD-ROM
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3700T3X10VC64N2 470011-050	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	DVD-ROM
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

APD (continued)

AE5C1700T3X10DC6498 470012-575	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

AE5C1700T3X10DC64N2 470012-576	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	6-cell Li-Ion

Standard Features

AUSTRALIA

AE5P31000T5P30WC1298 470011-620	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2 470011-644	Display	15.0-inch color TFT XGA
	Processor	Intel Pentium 1.0 GHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-RW Drive IDE
	Hard Drive	30-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3900T4P20DC1298 470011-675	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

AUSTRALIA (continued)

AE5P3900T4P20DC12N2 470011-705	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3700T3X10VC6498 470011-051	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	DVD-ROM
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3700T3X10VC64N2 470011-052	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	DVD-ROM
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

AUSTRALIA (continued)

AE5C1700T3X10DC6498
470010-906

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

AE5C1700T3X10DC64N2
470010-907

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

KOREA

AE5P31000T5P30WC1298
470011-621

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P31000T5P30WC12N2
470011-645

Display	15.0-inch color TFT XGA
Processor	Intel Pentium 1.0 GHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-RW Drive IDE
Hard Drive	30-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3900T4P20DC1298
470011-676

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

KOREA (continued)

AE5P3900T4P20DC12N2 470011-706	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3700T3X10VC6498 470011-053	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	DVD-ROM
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3700T3X10VC64N2 470011-054	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	DVD-ROM
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

Standard Features

KOREA (continued)

AE5C1700T3X10DC6498
470010-909

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

AE5C1700T3X10DC64N2
470010-910

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	6-cell Li-Ion

Standard Features

PRC

AE5P3900T4P20DC1298 470011-677	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470011-708	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X20DC6498 470010-883	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

PRC (continued)

AE5P3800T3X20DC64N2
470010-888

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5C1700T3X10DC6498
470010-912

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

Standard Features

TAIWAN

AE5P3900T4P20DC1298 470011-678	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2 470011-709	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium 900 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000 / Windows NT 4.0
	Battery	9-cell Li-Ion

AE5P3800T3X20DC6498 470010-884	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	CD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

TAIWAN (continued)

AE5P3800T3X20DC64N2
470010-891

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5C1700T3X10DC6498
470010-913

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

Standard Features

HONG KONG

AE5P3900T4P20DC1298
470011-679

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

AE5P3900T4P20DC12N2
470011-710

Display	14.1-inch color TFT XGA
Processor	Intel Pentium 900 MHz
Cache Memory	256-KB integrated
Memory	Standard 128 MB SDRAM Maximum 512 MB SDRAM
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5P3800T3X20DC6498
470010-887

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	9-cell Li-Ion

Standard Features

HONG KONG (continued)

AE5P3800T3X20DC64N2
470010-896

Display	13.3-inch color TFT XGA
Processor	Intel Pentium III 800 MHz
Cache Memory	256-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	20-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 2000 / Windows NT 4.0
Battery	9-cell Li-Ion

AE5C1700T3X10DC6498
470010-915

Display	13.3-inch color TFT XGA
Processor	Intel Celeron 700 MHz
Cache Memory	128-KB integrated
Memory	Standard 64 MB Maximum 512 MB
Pointing Device	Touch-pad
Optical Drive	CD-ROM Drive IDE
Hard Drive	10-GB SMART
Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
Graphics	64-bit video graphics with 8-MB SDRAM
Audio	Compaq <i>Premier•Sound</i>
Software	Windows 98SE
Battery	6-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS

AE5 P3850T5P20V12898 179856-XX1	Display	15-inch color TFT SXGA+
	Processor	Intel Pentium III 850 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3850T5P20VC12898 179858-XX1	Display	15-inch color TFT SXGA+
	Processor	Intel Pentium III 850 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3850T5P20V128N2 179856-XX8	Display	15-inch color TFT SXGA+
	Processor	Intel Pentium III 850 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3850T5P20VC128N2 <i>179858-XX8</i>	Display	15-inch color TFT SXGA+
	Processor	Intel Pentium III 850 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	8X DVD-ROM Drive IDE
	Hard Drive	20-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

AE5 P3800T4X10D6498 <i>179853-xx1</i>	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5 P3800T4X10DC6498 <i>179855-XX1</i>	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3800T4X10D64N2 <i>179853-XX8</i>	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

AE5 P3800T4X10DC64N2 <i>179855-XX8</i>	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 800 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	10-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

AE5 P3700T4X12DC64N2 <i>179849-xx8</i>	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/Windows NT 4.0 (Dual Install)
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3700T4X12D6498 179847-xx1	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3700T4X12D64N2 179847-xx8	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/Windows NT 4.0 (Dual Install)
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3700T4X12DC6498 179849-xx1	Display	14.1-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	12-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3700T3X5D6498 212327-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3700T3X5D64N2 212327-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion
	<hr/>	
AE5 P3700T3X5DM6498 212281-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3700T3X5DM64N2 212281-XX8	Display	13.3-inch color TFT XGA	
	Processor	Intel Pentium III 700 MHz	
	Cache Memory	256-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 Modem	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 2000/ Windows NT4.0 (Dual Install)	
	Battery	9-cell Li-Ion	

AE5 P3700T3X5DM6498 212281-XX3 (NAFTA)	Display	13.3-inch color TFT XGA	
	Processor	Intel Pentium III 700 MHz	
	Cache Memory	256-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 Modem	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 98SE	
	Battery	9-cell Li-Ion	

AE5 P3700T3X5DM64N2 212281-XX9 (NAFTA)	Display	13.3-inch color TFT XGA	
	Processor	Intel Pentium III 700 MHz	
	Cache Memory	256-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 Modem	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 2000/ Windows NT4.0 (Dual Install)	
	Battery	9-cell Li-Ion	

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3700T3X5DC6498 212282-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE

AE5 P3700T3X5DC64N2 212282-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Pentium III 700 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

AE5 C1600T4X5D6498 202850-XX1	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 C1600T4X5D64N2 202850-XX8	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

AE5 C1600T4X5DM6498 202852-XX1	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

AE5 C1600T4X5DM64N2 202852-XX8	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600,MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 C1600T4X5DM6498 202852-XX3 (NAFTA)	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion
	<hr/>	
AE5 C1600T4X5DM64N2 202852-XX9 (NAFTA)	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion
	<hr/>	
AE5 C1600T4X5DC6498 202853-XX1	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 C1600T4X5DC64N2 202853-XX8	Display	14.1-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	9-cell Li-Ion

AE5 C1600T3X5D6498 202803-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

AE5 C1600T3X5D64N2 202803-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	None
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	6-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 C1600T3X5DM6498 202802-XX1	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion
	<hr/>	
AE5 C1600T3X5DM64N2 202802-XX8	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 2000/ Windows NT4.0 (Dual Install)
	Battery	6-cell Li-Ion
	<hr/>	
AE5 C1600T3X5DM6498 202802-XX3 (NAFTA)	Display	13.3-inch color TFT XGA
	Processor	Intel Celeron 600 MHz
	Cache Memory	128-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 Modem
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98SE
	Battery	6-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 C1600T3X5DM64N2 202802-XX8 (NAFTA)	Display	13.3-inch color TFT XGA	
	Processor	Intel Celeron 600 MHz	
	Cache Memory	128-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 Modem	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 2000/ Windows NT4.0 (Dual Install)	
	Battery	6-cell Li-Ion	

AE5 C1600T3X5DC6498 202804-XX1	Display	13.3-inch color TFT XGA	
	Processor	Intel Celeron 600 MHz	
	Cache Memory	128-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 98SE	
	Battery	6-cell Li-Ion	

AE5 C1600T3X5DC64N2 202804-XX8	Display	13.3-inch color TFT XGA	
	Processor	Intel Celeron 600 MHz	
	Cache Memory	128-KB integrated	
	Memory	Standard	64 MB
		Maximum	512 MB
	Pointing Device	Touch-pad	
	Optical Drive	24X CD-ROM Drive IDE	
	Hard Drive	5-GB SMART	
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo	
	Graphics	64-bit video graphics with 8-MB SDRAM	
	Audio	Compaq <i>Premier•Sound</i>	
	Software	Windows 2000/ Windows NT4.0 (Dual Install)	
	Battery	6-cell Li-Ion	

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3600T2S5DC6498 207063-xx1	Display	12.1-inch color TFT XGA
	Processor	Intel Pentium III 600 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98
	Battery	9-cell Li-Ion

AE5 P3600T2S5DC6498 207063-xx3 NAFTA	Display	12.1-inch color TFT XGA
	Processor	Intel Pentium III 600 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 98
	Battery	9-cell Li-Ion

AE5 P3600T2S5DC64N2 207063-xx8	Display	12.1-inch color TFT XGA
	Processor	Intel Pentium III 600 MHz
	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 200 / Windows NT 4.0 (Dual install)
	Battery	9-cell Li-Ion

Standard Features

COUNTRIFICATION CODES NEEDED FOR THE FOLLOWING PART NUMBERS *(continued)*

AE5 P3600T2S5DC64N2	Display	12.1-inch color TFT XGA
<i>207063-xx8</i>	Processor	Intel Pentium III 600 MHz
NAFTA	Cache Memory	256-KB integrated
	Memory	Standard 64 MB Maximum 512 MB
	Pointing Device	Touch-pad
	Optical Drive	24X CD-ROM Drive IDE
	Hard Drive	5-GB SMART
	Modem	Mini-PCI V.90 modem / 10/100 TX NIC Combo
	Graphics	64-bit video graphics with 8-MB SDRAM
	Audio	Compaq <i>Premier•Sound</i>
	Software	Windows 200 / Windows NT 4.0 (Dual install)
	Battery	9-cell Li-Ion

Options

Memory	256-MB Memory Upgrade	161554-B21
	NOTE: Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB Memory modules to ensure compatibility.	
	128-MB Memory Upgrade	400313-B21
	64-MB Memory Upgrade	400312-B21
	32-MB Memory Upgrade	400311-B21
Monitors	TFT8020 Flat Panel Color 18-inch (Carbon)	159244-xxx
	TFT5010 Flat Panel Color 15-inch (Carbon)	154486-xxx
	S710 17-inch CRT (Carbon)	154499-002
	S510 15-inch CRT (Carbon)	168636-002
MultiBay Hard Drives	30-GB SMART Hard Drive	212791-B25
	20-GB SMART Hard Drive	212790-B25
	10-GB SMART Hard Drive	212789-B25
MultiBay Storage Devices	CD-RW Drive	136186-B25
	8X DVD-ROM Drive	138230-B25
	24X CD-ROM Drive	298452-B25
	2X SuperDisk LS-120	197895-B25
	Zip 250 Drive	217387-B25
	IBM® 1-GB Microdrive	217390-B25
Connectivity	Compaq M420 56K Global Modem PC Card	317900-001
	10/100 TX PC Card UTP Controller	335506-B21
	100BaseTX Ethernet Upgrade	225435-001
	1394 PC Card	177593-B25
	Compaq 56K (V.90) Modem plus Intel PRO/100+ Type II Mini PCI Card (NA)	149373-001
	Compaq 56K (V.90) Modem plus Intel PRO/100+ Type II Mini PCI Card (Int'l)	149373-B31
	Compaq Global Mini PCI 56K (V.90) Modem Type II Mini PCI Card (Int'l)	149374-B31
	For additional compatible PC Cards, view the Compaq PC Card Solutions List on the Compaq Web site at: http://www.compaq.com/support/techpubs/pcmclia/ . NOTE: This website is available in English only.	
	NOTE: Designed only to allow faster downloads from V.90 compliant sources. Maximum achievable download transmission rates currently do not reach 56 KB/s, and will vary with line conditions.	
	NOTE: Modem availability is subject to country regulatory approval	
Wireless Connectivity	Compaq WL100 11 Mb/s Wireless LAN PC Card	146927-001
	Compaq WL400 11 Mb/s Wireless LAN Hardware Access Point	158603-001
	Compaq WL300 Software Access Point 11Mb/s	157209-B21
	NOTE: For more information on Compaq WLAN Wireless LAN solutions visit: http://www.compaq.com/products/wlan/wl100-specifications.html . NOTE: This website is available in English only.	

Options

Expansion Bases	ArmadaStation EM	383500-xx1
	ArmadaStation EM With Intel NIC	120266-xx1
	ArmadaStation EM With 3Com NIC	120264-xx1
	ArmadaStation Tower Stand	123129-B25
	Convenience Base EM	382500-xx1
	Convenience Base EM With Intel NIC	120971-xx1
	Convenience Base EM With 3Com NIC	120970-xx1
	Convenience Base Monitor Cover	122931-xx1
	Port Replicator EM	382300-xx1
	PCI IBM Token Ring Card	133749-B21
	PCI Cardbus Reader	127397-B25
NOTE: ArmadaStation Tower Stand is not supported on 15-inch Panel models.		
Power	Primary Battery (9-cell)	146252-B25
	NOTE: For Armada E500, primary battery can also be used as a second battery in the E500 DualBay.	
	Common Armada Power Solutions – Armada E500, Armada M300 and Armada M700	
	MultiBay Battery (6-cell)	387937-B25
	External Battery Charger	135555-xxx
	AC Adapter 50W	120765-xxx
	Auto Power Adapter/ Charger	401043-B25
	Aircraft Power Adapter	386504-B21
AC Line Cord (10-ft)	217932-xx2	
Input Devices	External Enhanced III Keyboard (Carbon)	118003-xx8
	Compaq 2 Button Mouse (Carbon)	103180-B21
	USB 2 Button Mouse (Carbon)	195255-B25
	External 10-Key Numeric Keypad (carbon)	294317-B21
	USB Keyboard (Carbon)	233652-B25
Security	Biometric PC Card	146805-B25
	Security Cable Lock	294316-B21
	Compaq Smart Card PC Card Reader	135646-B25
Useful Accessories	Compaq Armada Headset with microphone	220460-001
	MP1400 Microportable Projector	174626-xx4
	MP1800 Microportable Projector	180226-xx1
	MP2800 Microportable Projector	180228-xx1
	Multimedia Adapter & Remote Kit (<i>comes with the MP1800</i>)	174963-001
	MP1600 Video Adapter	116298-001
	MP1600 Lamp replacement kit	118052-001
	MP1800/1400 Lamp replacement kit	189789-001
MP2800 Lamp replacement kit	215464-001	

Options

Carrying Cases	Compaq Value Case	294266-B21
	Compaq Workstation Case	294267-B21
	Compaq Global Case	294268-B21
	Compaq Professional Case (nylon)	401366-B21
	Compaq Professional Case (leather)	401367-B21
	Armada M300 and Armada M700 specific	
	Compaq M Series Portfolio Case	167337-B21
	Compaq Ultralight Case	167336-B21

NOTE: For additional information visit <http://www.compaq.com/products/notebooks/>

NOTE: This website is available in English only.

Memory

Compaq Armada E500

STANDARD MEMORY

64-MB 100-MHz SDRAM installed in 1 slot

Memory		Slot 1	Slot 2
Standard	64 MB	64 MB	Empty

STANDARD MEMORY PLUS OPTIONAL MEMORY

Support for up to 320-MB of SDRAM is available with the installation of an optional memory upgrade.

Memory		Slot 1	Slot 2
Up To	96 MB	64 MB	32 MB
	128 MB	64 MB	64 MB
	192 MB	64 MB	128 MB
	320 MB	64 MB	256 MB

OPTIONAL MEMORY

Support for up to 512-MB of SDRAM memory is available with the removal of the standard 64-MB SDRAM memory Upgrade and the installation of optional SDRAM memory Kits.

Memory		Slot 1	Slot 2
Up To	160 MB	128 MB	32 MB
	192 MB	128 MB	64 MB
	256 MB	128 MB	128 MB
	512 MB	256 MB	256 MB


NOTE: Because one memory slot is occupied on these products, the 64-MB SDRAM memory (which ships standard) must be removed to reach the maximum memory of 512-MB. This chart does not represent all possible memory configurations.

Following are memory options available from Compaq:

- 256-MB (100-MHz) Memory Upgrade 161554-B21
- 128-MB (100-MHz) Memory Upgrade 400313-B21
- 64-MB (100-MHz) Memory Upgrade 400312-B21
- 32-MB (100-MHz) Memory Upgrade 400311-B21

NOTE: Due to the non-industry standard nature of some third-party 256-MB memory modules, we strongly recommend using only Compaq branded 256-MB memory modules to ensure compatibility.

Storage



1. MultiBay
2. Primary Hard Drive
3. Dual Bay

DRIVE SUPPORT

System Drive Support	Quantity Supported	Drive Bay Supported
Removable Media		
1.44-MB Diskette Drive	1	DualBay
CD-RW Drive	1	MultiBay
8X DVD-ROM Drive	1	MultiBay
24X CD-ROM Drive	1	MultiBay
2X SuperDisk LS-120	1	MultiBay
Hard Drives		
30-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
20-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
18-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
12-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
10-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
6-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay
5-GB SMART Hard Drive	2	Dedicated hard drive bay and MultiBay

Technical Specifications

System Unit	Dimensions (H x W x D)	15 -inch TFT panel display models	12.5 X 10.1 X 1.7 in/31.7 x 25.7 x 4.3 cm
		14.1-inch TFT and lower panel display models	12.4 x 9.99 x 1.6 in/31.5 x 25.3 x 4.1 cm
Weight		15-inch TFT panel display and modem models	6 to 7.2 lbs/2.73 to 3.27kg
		14.1-inch TFT panel display and modem models	5.9 to 7.0 lbs/2.68 to 3.18 kg.
		13.3-inch TFT panel display and modem models	5.7 to 6.8 lbs/2.59 to 3.08 kg.
		12.1-inch TFT panel display and modem models	5.65 to 6.75 lbs/2.56 to 3.06 kg.
Stand-Alone Power Requirements		Nominal Operating Voltage (Li-Ion)	10.8 V
		Average Operating Power	15W average
		Peak Operating Power	30W peak
Power Supply		Rated Input Voltage	90 to 264 VAC (auto-switching)
		Rated Input Current	< 60W
		Rated Frequency	47 to 63 Hz
Temperature		Operating	50° to 95°F/10° to 35°C
		Non-operating	-4° to 140°F /-20° to 60°C
Relative Humidity		Operating	10% to 90% relative humidity, non-condensing
		Non-operating	5% to 95% relative humidity, 101.6°F/38.7°C Maximum wetbulb temperature
Shock		Operating	10 G, 11 ms, half-sine
		Non-operating	60 G, 11 ms, half-sine
Vibration		Operating	0.5 G zero-to-peak, 10 to 500 Hz, 0.25 oct/min sweep rate
		Non-operating	1 G, zero-to-peak, 10 to 500 Hz, 0.5 oct/min sweep rate
Maximum Altitude (unpressurized)		Operating	0 to 10,000 ft/0 to 3,048 m
		Non-operating	0 to 30,000 ft/0 to 9,144 m

Technical Specifications

15-Inch Color TFT SXGA+ Display	Viewable Dimensions (H x W)	11.97 x 8.98 in/304.1 x 228.1 mm		
	Diagonal Size	15.0 in/380.1 mm		
	Number of Colors	Up to 16.8M		
	Contrast Ratio	150:1		
	Brightness	100 nit min, 120 nit typ		
	Pixel Resolution			
	Pixel Resolution	Pitch	0.2175 x 0.2175 mm	
		Format	1400 x 1050	
		Configuration	RGB stripe	
	Backlight	Edge Lit		
Total Power Consumption	5.25W			

14.1-Inch Color TFT XGA Display	Viewable Dimensions (H x W)	11.22 x 8.46 in/28.5 x 21.5 cm		
	Diagonal Size	14.1 in/35.81 cm		
	Number of Colors	Up to 16.8M		
	Contrast Ratio	150:1		
	Brightness	120nt min, 150nt typ		
	Pixel Resolution			
	Pixel Resolution	Pitch	0.264 x 0.264 mm	
		Format	1024 x 768	
		Configuration	RGB stripe	
	Backlight	Edge Lit		
Total Power Consumption	4.2W			

13.3-Inch Color TFT XGA Display	Viewable Dimensions (H x W)	7.9 x 10.6 in/20.1 x 26.9 cm		
	Diagonal Size	13.3 in/33.8 cm		
	Number of Colors	Up to 16.8M		
	Contrast Ratio	Minimum 100:1		
	Brightness	120nt min, 150nt typ		
	Pixel Resolution			
	Pixel Resolution	Pitch	0.264 x 0.264 mm	
		Format	1024 x 768	
		Configuration	RGB stripe	
	Backlight	Edge Lit		
Total Power Consumption	4.1W			

Technical Specifications

12.1-Inch Color TFT SVGA Display	Dimensions (H x W)	9.7 x 7.24 in/24.6 x 18.4 cm		
	Diagonal Size	12.1 in/30.7 cm		
	Mounting	Internal Panel Support		
	Number of Colors	Up to 16.8M		
	Contrast Ratio	150:1		
	Brightness	120nt min, 150nt typ		
	Pixel Resolution	Pitch	0.30 x 0.30 mm	
		Format	800 x 600	
		Configuration	RGB Stripe	
	Backlight	Edge Lit		
Total Power Consumption	3.5W			

Hard Drives

30GB	Capacity	30 GB		
	Height	0.5 in/12.7 mm		
	Width	2.75 inch/69.85 mm		
	Interface	ATA-4		
	Transfer Rate	Synchronous (Maximum DMA)	33.3 MB/s (Mode 2)	
		(MaximumUDMA)	66.6 MB/s (Mode 4)	
	Seek Time (typical reads, including settling)	Single Track	2.5 ms	
		Average	12 ms	
		Max	23 ms	
	Rotational Speed	4200 rpm		
Logical Blocks	~58,605,120			
Operating Temperature	41° to 131°F/5° to 55°C			
NOTE: Compatible with the Armada E500 primary HDD bay and all platforms and docking stations using the 12.7-mm MultiBay.				

20GB	Capacity	20 GB		
	Height	0.374 in/9.5mm		
	Width	2.75 in/70 mm		
	Interface	ATA		
	Transfer Rate	Synchronous (Maximum)	66.6 MB/s(Drive Capability)	
	Security	ATA Security		
	Seek Time (typical reads, including settling)	Single Track	3 ms	
		Average	12 ms	
		Max	23 ms	
	Rotational Speed	4200 rpm		
Logical Blocks	~ 39,070,080			
Operating Temperature	41° to 131°F/5° to 55°C			

Technical Specifications

Hard Drives *(continued)*

12GB	Capacity	12 GB	
	Height	0.374 in/9.5 mm	
	Width	2.75 in/70 mm	
	Interface	ATA	
	Transfer Rate	Synchronous (Maximum)	66.6 MB/s(Drive Capability)
	Security	ATA Security	
	Seek Time (typical reads, including settling)	Single Track	3 ms
		Average	12 ms
		Maximum	23 ms
	Rotational Speed	4200 rpm	
	Logical Blocks	~23,579,136	
Operating Temperature	41° to 131°F/5° to 55°C		

10GB	Capacity	10 GB	
	Height	0.374 in/9.5 mm	
	Width	2.75 in/70 mm	
	Interface	ATA	
	Transfer Rate	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	Security	ATA Security	
	Seek Time (typical reads, including settling)	Single Track	3 ms
		Average	12 ms
		Maximum	23 ms
	Rotational Speed	4200 rpm	
	Logical Blocks	~19,792,896	
Operating Temperature	41° to 131°F/5° to 55°C		

5GB	Capacity	5 GB	
	Height	0.374 in/9.5 mm	
	Width	2.75 in/70 mm	
	Interface	ATA	
	Transfer Rate	Synchronous (Maximum)	66.6 MB/s (Drive Capability)
	Security	ATA Security	
	Seek Time (typical reads, including settling)	Single Track	4 ms
		Average	12 ms
		Maximum	23 ms
	Rotational Speed	4200 rpm	
	Logical Blocks	~9,767,520	
Operating Temperature	41° to 131°F/5° to 55°C		

Technical Specifications

Diskette Drive	Diskette Size	3.5 in		
	Activity Indicator	On system		
	Height	0.5in/12.7 mm		
	Bytes per Sector	512		
	Sectors per track	High density	18 (1.44 MB)/15 (1.2 MB)	
		Low density	9	
	Tracks per side	High density	80 (1.44 MB)/80 (1.2 MB)	
		Low density	80	
	Read/Write heads	2		
	Access Times	Track-to track (high/low)	3 ms/6 ms	
		Average (high/low)	94 ms/174 ms	
		Settling time	15 ms	
		Latency average	100 ms	
External AC Adapter	Dimensions (H x W x D)	1.10 x 3.70 x 157 in / 2.8 x 9.4 x 4.0 cm		
	Weight	0.43lb/ 0.2 kg		
	Power Supply (Input)	Operating Voltage	90 to 264 VAC RMS	
		Operating Current	1.3 A RMS	
		Operating Frequency Range	47 to 63 Hz AC	
		Maximum Transient	15 kV	
Li-Ion Battery Pack (9-cell)	Dimensions (H x W x D)	0.84 x 3.8 x 5.6 in/2.1 x 9.5 x 14.2 cm		
	Weight	1 lb/0.455 kg		
	Energy	Voltage	10.8 V	
		Amp-hour capacity	4.8 Ah	
		Watt-hour capacity	52 Wh	
	Temperature	Operating	50° to 95°F/10° to 35°C	
Non-operating		-12° to 140°F/-25° to 60°C		
Li-Ion Battery Pack (6-cell)	Dimensions (H x W x D)	0.84 x 3.8 x 5.6 in/2.1 x 9.5 x 14.2 cm		
	Weight	0.7 lb/0.303 kg		
	Energy	Voltage	10.8 V	
		Amp-hour capacity	3.2 Ah	
		Watt-hour capacity	34 Wh	
	Temperature	Operating	50° to 95°F/10° to 35°C	
Non-operating		-12° to 140°F/-25° to 60°C		

Technical Specifications

Compaq 56K(V.90) plus Intel PRO/100+ Mini PCI	Form Factor	Mini-PCI Type 1B per Specification
	OS Support (with all released Service Packs)	Microsoft Windows 95 (OSR2.x), Windows 98 (Gold, SE) Windows NT 4.0, Windows 2000, DOS Application Support under Windows
	Power Management Support	APM Revision 1.2, ACPI, Compaq Power Management Extensions for Windows NT
	Approvals/Certifications	UL, CSA, NEMKO, CCIB, Industry Canada, FCC Part 68, CTR21, FCC Part 15 Class B, Canadian ICES-003 Class B, C.I.S.P.R.22, Australian ACA, CE Mark, Other Countries
	Modem Device Driver Name	Compaq 56K (V.90) Mini PCI
	Data Mode Capabilities	V.90 (a-law, mu-law) K56flex (a-law, mu-law) V.8bis V.80 V42.bis, MNP5 (Compression) V.42 (LAPM, MNP2-4) (Error Correction) V.34 (file date: 10/96) Optional symbol rates: 2800, 3429 Asymmetric Symbol rates Synchronous primary channel data signaling rates: 3600, 31200 Automatic rate re-negotiation V.32bis V.32 V.23 V.22bis V.22 V.21 Bell 212A Bell 103J
	Fax Mode Capabilities	TIA-578-S (Class 1) T.30, T.4 (Group 3) V.17 V.29 V.27ter V.21 Channel 2
	Command Set	V.250 (Partial) TIA-602 Identification: +GMI, +GMM, +GMR Port control: +IPR, +ICF, +IFC, +lirr Modulation: +MS, +MR, +MA Error control: +ES, +ER, +EB, +ESR, +ETBM Data compression: +DS, +DR V.251
	Ethernet Features	10 Mbps Ethernet: IEEE 802.3 standard 10Base T 100 Mbps Ethernet: IEEE 802.3u standard 100Base TX Full Duplex at 10 and 100Mbps Auto-Negotiation Wake on LAN from all power managed states, including soft off (S5) Boot on LAN from OFF Lower Power State on Link Loss
	Data Link Layers	IEEE 802.2 LLC SNAP
Software support	Artisoft Lantastic 7.0, 8.0, Dedicated Server 1.1 Banyan 7.x, 8.5x IBM LAN Server Version 1.2, 1.3, 2.0, 4.0 Microsoft NT 3.51, Windows 2000, NT 4.0 Novell® Netware® 3.1x, 4.x, 5.x	
Protocol support	TCP/IP Novell IPX/SPX and Microsoft compatible Novel IPX ODI Microsoft NetBEUI Sun Microsystems PC-NFS Banyan Vines Ethernet IBM DLC	

Technical Specifications

CD-RW Drive	Center Hole Diameter	0.59 in/0.39 cm		
	Disk Diameter	12 cm/8 cm		
	Disk Thickness	0.047 in/1.2 mm		
	Track Pitch	0.74 μ m		
	Access Times (typical reads, including settling)	Random	< 150 ms	
		Full-Stroke	< 225 ms	
	Audio Output Level	Line-out	0.7 Vrms	
	Cache Buffer	128 KB/s (minimum)		
	Data Transfer Rate (typical, including settling)	Sustained (16X)	150 KB/s	
		Sustained 4X CD-RW	5,520 KB/s	
		Normal PIO Mode 4 (single burst)	16.6 MB/s	
Start-up Time	< 15 seconds			
Stop Time	< 6 seconds			

8X DVD-ROM Drive	Center Hole Diameter	0.59 in/0.39 cm		
	Disc Diameter	12 cm/8 cm		
	Disc Thickness	1.2 mm		
	Track Pitch	0.74 μ m		
	Access Times (typical reads, including settling)	Random (typical)	< 180 ms DVD Media	
		Full-Stroke (typical)	< 300 ms DVD Media	
		Random (typical)	< 120 ms CD Media	
		Full-Stroke (typical)	< 200 ms CD Media	
	Cache Buffer	128 KB/s (minimum)		
	Data Transfer Rate (typical, including settling)	Max 24X CD	3600 KB/s (150 KB/s at 1X CD rate)	
		Max 8X DVD	10,800 KB/s (1352 KB/s at 1X DVD rate)	
Normal PIO Mode 4 (single burst)		16.6 MB/s		
Start-up Time	< 15 seconds			
Stop Time	< 6 seconds			

Technical Specifications

24X CD-ROM Drive	Applicable Disk	CD-ROM (Mode 1, 2 and 3), CD-XA ready (Mode 2, Form 1 and 2), CD-I ready (Mode 2, Form 1 and 2), CD-R (read only), CD Plus, Photo CD (Single and Multi-session), CD-Extra, Video CD, CD-WO (fixed packets only), CD-Bridge		
	Center Hole Diameter	0.59 in/15 mm		
	Disk Diameter	12 cm, 8 cm		
	Disk Thickness	1.2 mm		
	Track Pitch	1.6 μ m		
	Access Times (typical reads, including settling)	Random	< 150 ms	
		Full-Stroke	< 300 ms	
	Audio Output Level	Line-out	0.7 Vrms	
	Cache Buffer	128 KB		
	Data Transfer Rate (typical, including settling)	Sustained (16X)	150 KB/s (sustained 1X)	
		Variable	1500 to 3600 KB/s (10X to 24X)	
		Normal PIO Mode 4 (single burst)	16.66 MB/s	
	Start-up Time	< 8 seconds		
	Stop Time	< 4 seconds		

Compaq PCs use genuine Microsoft® Windows®

<http://www.microsoft.com/piracy/howtotell>

© 2002 Compaq Information Technologies Group, L.P. All rights reserved. Compaq, the Compaq logo, Armada, DeskPro, Premier•Sound, and ProLiant are registered trademarks or trademarks of Compaq Information Technologies Group, L.P. in the U.S. and/or other countries. Microsoft, Windows, and NT are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Intel, Pentium, Celeron, and SpeedStep are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. BatteryMark is a trademark of Ziff Davis Publishing Holdings Inc., and affiliate of eTesting Labs Inc., in the U.S. and other countries. IBM is a registered trademark of IBM Corporation in the U.S. and other countries. All other product names mentioned herein may be trademarks of their respective companies.

Compaq shall not be liable for technical or editorial errors or omissions contained herein. The information is provided "as is" without warranty of any kind and is subject to change without notice. The warranties for Compaq products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty.