


### Overview

### HP COMPAQ PRO 4300 ALL-IN-ONE PC




**FRONT**

1. Webcam Activity LED
2. Webcam & Microphone (optional)
3. Power Button
4. Power Indicator LED
5. Business Quality Speakers

### Overview

### HP COMPAQ PRO 4300 ALL-IN-ONE PC




#### BACK

1. HP 6-in-1 Media Card Reader
2. (2) USB 2.0 ports
3. Microphone jack
4. Headphone jack
5. Serial Port
6. (4) USB 2.0 ports
7. Stereo audio line out
8. RJ-45 Gigabit Ethernet port
9. Power connector
10. Power connector LED indicator
11. Security lock slot

### Overview

### HP COMPAQ PRO 4300 ALL-IN-ONE PC



#### SIDE

1. Slim tray-load ODD (optional)
2. Brightness increase button
3. Brightness decrease button
4. Hard drive activity LED

### Overview

#### At A Glance

- Windows 7 or Windows 8
- 20-inch diagonal widescreen WLED backlit anti-glare LCD
- Integrated all-in-one form factor
- Intel® H61 Express chipset
- Intel 2nd & 3rd generation Core™ processors
- Integrated Intel HD Graphics
- Realtek RTL8111F GbE Ethernet Controller optional wireless connectivity:
  - Intel Advanced-N 6205 WLAN (mini PCI Express)
    - Intel 802.11 a/b/g/n
  - WLAN (mini PCI Express)
    - HP 802.11 b/g/n
  - WLAN and Bluetooth Combo Card
    - HP 802.11 a/b/g/n Bluetooth® 4.0
- Optional Integrated 1.3 MP webcam & Single Non-Array Microphone
- Business quality speakers
- Up to 16 GB of DDR3 SDRAM, dual channel memory support, two SODIMM slots
- Up to 1 TB SATA hard drive, up to 128GB Solid State Drive and a 256GB Self-Encrypting Drive / Solid State Drive
- Slim Tray-load SuperMulti Optical Disc Drive or DVD ROM Optical Disc Drive
- 6-in-1 Media Card Reader
- ENERGY STAR® qualified. EPEAT® registered where applicable/supported. See [www.epeat.net](http://www.epeat.net) for registration status by country.
- CCC, CECP & SEPA Certified

Standard Features and Configurable Components (availability may vary by country)

### OPERATING SYSTEM

#### Preinstalled

Windows 8 Professional (64-bit)\*  
Windows 8 (64-bit)\*  
Windows® 7 Ultimate (32-bit)\*\*  
Windows® 7 Ultimate (64-bit)\*\*  
Windows® 7 Professional (32-bit)\*\*  
Windows® 7 Professional (64-bit)\*\*  
Windows® 7 Professional (32-bit) (available through downgrade rights from Windows 8 Pro)\*\*\*  
Windows® 7 Professional (64-bit) (available through downgrade rights from Windows 8 Pro)\*\*\*  
Windows® 7 Home Premium (32-bit)\*\*  
Windows® 7 Home Premium (64-bit)\*\*  
Windows® 7 Home Basic (32-bit)\*\*

FreeDOS 2.0

Novell SUSE Linux Enterprise Desktop 11

\*Not all features are available in all editions of Windows 8. Systems may require upgraded and/or separately purchased hardware, drivers and/or software to take full advantage of Windows 8 functionality. See <http://www.microsoft.com>.

\*\*Not all features are available in all editions of Windows 7. This system may require upgraded and/or separately purchased hardware to take full advantage of Windows 7 functionality. See <http://www.microsoft.com/windows/windows-7/> for details.

\*\*\*This system is preinstalled with Windows® 7 Pro software and also comes with a license and media for Windows 8 Pro software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.

---

### PROCESSOR

#### Intel® 3rd Generation Core™ i7 Processors

Intel® Core™ i7-3770S

Up to 3.9 GHz Max. Turbo Frequency (3.1 GHz base frequency), 8 MB cache, 4 cores, 8 threads

Intel HD Graphics 4000

Intel Stable Image Platform Program (SIPP)

#### Intel® 3rd Generation Core™ i5 Processors

Intel® Core™ i5-3570S

Up to 3.8 GHz Max. Turbo Frequency (3.1 GHz base frequency), 6 MB cache, 4 cores, 4 threads

Intel HD Graphics 2500

Intel Stable Image Platform Program (SIPP)

Intel® Core™ i5-3475S

Up to 3.6 GHz Max. Turbo Frequency (2.9 GHz base frequency), 6 MB cache, 4 cores, 4 threads

Intel HD Graphics 4000

Intel Stable Image Platform Program (SIPP)

### Standard Features and Configurable Components (availability may vary by country)

#### Intel® Core™ i5-3470S

Up to 3.6 GHz Max. Turbo Frequency (2.9 GHz base frequency), 6 MB cache, 4 cores, 4 threads

Intel HD Graphics 2500

Intel Stable Image Platform Program (SIPP)

#### **Intel® 3rd Generation Core™ i3 Processors**

##### Intel® Core™ i3-3240

3.4 GHz base frequency, 3 MB cache, 2 cores, 4 threads

Intel HD Graphics 2500

##### Intel® Core™ i3-3225

3.3 GHz base frequency, 3 MB cache, 2 cores, 4 threads

Intel HD Graphics 4000

##### Intel® Core™ i3-3220

3.3 GHz base frequency, 3 MB cache, 2 cores, 4 threads

Intel HD Graphics 2500

##### Intel® Core™ i3-3210

3.2 GHz base frequency, 3 MB cache, 2 cores, 4 threads

Intel HD Graphics 2500

Supports DDR3 memory up to 1600 MT/s data rate

#### **Intel® 3rd Generation Pentium® Processors**

##### Intel® Pentium® G2120

3.1 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1600 MT/s data rate

##### Intel® Pentium® G2020

2.9 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1333 MT/s data rate

##### Intel® Pentium® G2010

2.8 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1333 MT/s data rate

#### **Intel® 2nd Generation Pentium® Processors**

##### Intel® Pentium® G870

3.10 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

##### Intel® Pentium® G860

3.00 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

### Standard Features and Configurable Components (availability may vary by country)

#### Intel® Pentium® G645

2.9 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1066 MT/s data rate

#### Intel® Pentium® G640

2.80 GHz base frequency, 3 MB cache, 2 cores, 2 threads

Intel HD Graphics

#### **Intel® 3rd Generation Celeron® Processors**

##### Intel® Celeron® G1620

2.7 GHz base frequency, 2 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1333 MT/s data rate

##### Intel® Celeron® G1610

2.6 GHz base frequency, 2 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1333 MT/s data rate

#### **Intel® 2nd Generation Celeron® Processors**

##### Intel® Celeron® G555

2.7 GHz base frequency, 2 MB cache, 2 cores, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1066 MT/s data rate

##### Intel® Celeron® G550

2.60 GHz base frequency, 2 MB cache, 2 cores, 2 threads

Intel HD Graphics

##### Intel® Celeron® G540

2.50 GHz base frequency, 2 MB cache, 2 cores, 2 threads

Intel HD Graphics

##### Intel® Celeron® G460

1.80 GHz base frequency, 1.5 MB cache, 1 core, 2 threads

Intel HD Graphics

##### Intel® Celeron® G465

1.90 GHz base frequency, 1.5 MB cache, 1 core, 2 threads

Intel HD Graphics

Supports DDR3 memory up to 1066 MT/s data rate

---

## CHIPSET

Intel® H61 Express

---

## SMBIOS

System Management BIOS, previously known as DMI BIOS, is used to store system management information.

---

Standard Features and Configurable Components (availability may vary by country)

### GRAPHICS

#### Integrated (depends on processor)

Intel HD Graphics: Basic, 2000, 2500, or 4000

Models with Intel Core i3/i5/i7 processors include HD 2000, 2500, or 4000 graphics. Models with Pentium or Celeron processors include HD graphics. Please see specific processors for graphics configuration.

### DISPLAY

20" diagonal TN widescreen WLED backlit anti-glare LCD; optional integrated 1.3 MP webcam & single non-array microphone; maximum resolution of 1600 x 900

#### Display Panel

Type	TN (Twisted Nematic) LED Backlit LCD
Viewable image area (horizontal & vertical)	442.8(H) x 249.075(V) [mm]
Screen opening (H x V)	446.8(H) x 253.2(V) [mm]
Resolution	1600 x 900
Aspect ratio	16:9
Contrast ratio (typical)	1000:1
Brightness (typical)	250 nits (cd/m <sup>2</sup> )
Viewing angle (typical)	85/85/80/80 (L/R/U/D)
Pixel pitch	0.27675(H) x 0.27675(V) [mm]
Backlight lamp life (to half brightness)	30,000 hours minimum
Color support	Over 16 million colors (through FRM)
Color gamut (typical)	72%
Anti-glare	Yes
Default color temperature	Warm (6500K)

**NOTE:** All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

#### Supported Display Modes & Resolutions

1600 x 900  
1440 x 900  
1366 x 768  
1360 x 768  
1280 x 800  
1280 x 768  
1280 x 720  
1280 x 600  
1152 x 864  
1024 x 768



### Standard Features and Configurable Components (availability may vary by country)

---

	800 x 600
<b>Adjustable Tilt Stand/Tilt Angle</b>	-5° to +25° to the vertical plane

---

## STORAGE

### **SATA Hard Drive**

250 GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV

500 GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV

1 TB, 7200 rpm, SATA 6.0 Gb/s, SMART IV

### **Solid State Drive**

120 GB, SATA, Solid State Drive

128 GB, SATA, Solid State Drive

160 GB, SATA, Solid State Drive

### **Self-Encrypting Drive**

**500 GB, SATA, Self-Encrypting Drive**

### **Self-Encrypting Solid State Drive**

256 GB, SATA, Self-Encrypting Solid State Drive

### **Optical Disc Drive**

Slim Tray-load SATA DVD-ROM

Slim Tray-load SATA SuperMulti DVD Writer

No included ODD

### **Media Card Reader**

HP 6-in-1

Supports Secure Digital (SD, SDHC), MultiMedia Card (MMC), xD-Picture Card, Memory Stick, Memory Stick Pro

---

Standard Features and Configurable Components (availability may vary by country)

### MEMORY

#### Type

Non-ECC, DDR3 SDRAM, 1600 MHz, SODIMM (runs at 1333 MHz due to chipset)

#### Maximum

16 GB

#### # of Slots

2

204-pin supporting dual-channel memory

Maximized dual-channel performance requires SODIMMs of the same size and speed in both memory slots.

**NOTE:** Full availability of 4 GB or more of memory requires a 64-bit operating system. With Windows 32-bit operating systems, the amount of usable memory is dependent upon your configuration, so that above 3 GB all memory may not be available due to system resource requirements.

---

### NETWORKING/COMMUNICATIONS

#### Ethernet (RJ-45)

Integrated Realtek RTL8111F GbE 10/100/1000

With Wake-on-LAN

**NOTE:** The term "10/100/1000" or "Gigabit" Ethernet indicates compliance with IEEE standard 802.3ab for Gigabit Ethernet, and does not connote actual operating speed of 1 Gb/s. For high-speed transmission, connection to a Gigabit Ethernet server and network infrastructure is required.

#### Wireless

Intel 802.11 a/b/g/n wireless 6205 PCIe minicard (optional)

Up to 300 mbps data rate

HP 802.11 b/g/n wireless PCIe minicard (optional)

Up to 300 mbps data rate

HP 802.11 a/b/g/n wireless PCIe minicard with Bluetooth Combo (optional)

Up to 300 mbps data rate

Bluetooth 4.0 compliant

Works with a wide range of Bluetooth devices

---

Standard Features and Configurable Components (availability may vary by country)

### AUDIO/MULTIMEDIA

Realtek ALC269 codec - 16 & 24-bit PCM  
Integrated business class 2.0 speakers (2W x 2) with Basic Business Audio  
Volume control and mute buttons  
Stereo headphone jack  
Microphone in  
Stereo line out  
Optional integrated 1.3 MP webcam & Single Non-Array Microphone - Up to 30 frames/sec  
Business quality speakers

### KEYBOARDS AND POINTING DEVICES

#### Keyboard

HP USB Standard	104 keys plus special functions for Mute, Volume Up, Volume Down, Sleep Separate numeric keypad Cable length 51 in (130 cm)
HP Wireless Keyboard & Mouse	104 keys plus special functions for Mute, Volume Up, Volume Down, Sleep Separate numeric keypad; two buttons with scroll wheel acting as third button Operates at ~ 2.4 GHz and supports a working distance of up to 32 ft (10m) Cable length 6ft (1.8m)
HP USB CCID SmartCard Keyboard	104, 105, 106, 107, 109 layout (depending upon country) Carbonite/Silver All ISO 7816 smart cards
HP USB PS/2 Washable Keyboard	SpillSeal® keyboard technology protection USB & PS/2 support in one solution Separate numeric keypad Cable length 7ft (2.2m)

#### Mice

HP USB Optical Mouse	Two buttons with scroll wheel 72.8 in (185 cm)
HP USB 1000dpi Laser Mouse	1000 dpi support Two buttons with scroll wheel Cable length 70.8 in (180 cm)
HP USB PS/2 Washable Scroll Mouse	SpillSeal® mouse technology protection Two buttons with scroll wheel 8.8 ft total 70 cm+ 2m extension

Standard Features and Configurable Components (availability may vary by country)

### SECURITY

- Security lock slot
- HP Keyed Cable Lock
- USB port disable

### POWER

- External 150W, 89% efficient, active PFC
- 100-240V AC
- HP Power Assistant software (optional)
- Provides real-time reporting of how system settings impact the energy consumed by the PC and the potential savings over time.

### SOFTWARE

#### Included Security

#### Windows 8

- HP Client Security\*\*\*\*\*
- Credential Manager
- Password Manager
- One Step Logon
- Face Recognition
- SpareKey
- Device Access Manager w/JITA
- Drive Encryption\*
- Computrace - optional \*\*

Windows Defender

#### Windows Applications

- Internet Explorer
- Store
- Desktop
- Photos
- Mail
- Games
- Calendar
- People (contacts)
- Messaging
- SkyDrive
- Music
- Video
- Camera
- News
- Sports
- Weather
- Maps
- Finance

#### Windows 7

- HP Client Security\*\*\*\*\*
- Credential Manager
- Password Manager
- One Step Logon
- Face Recognition
- SpareKey
- DigitalPass
- Device Access Manager w/ JITA
- Drive Encryption (McAfee)
- File Sanitizer
- Privacy Manager
- Computrace - *optional* \*\*

Microsoft Security Essentials

- Internet Explorer
- Bing Search

### Standard Features and Configurable Components (availability may vary by country)

<b>Productivity</b>	Bing (Search) Buy Office MS Office 2013*****	Buy Office MS Office 2013*****
<b>HP Additions</b>	HP PageLift for Windows 8 HP Quick Start HP Registration HP Getting Started with Windows 8 HP ePrint*** HP Support Assistant HP Wallpaper CyberLink Media Suite Windows 8 CyberLink Media Suite CyberLink YouCam (Pre-installed on models with Webcam)**** CyberLink YouCam Windows 8**** CyberLink Webcam Sharing Manager**** CyberLink Power2Go CyberLink Photo Director CyberLink Power Director HP Mobile Connect Evernote Skype	HP Marketplace HP Wallpaper CyberLink Media Suite CyberLink YouCam (Pre-installed on models with Webcam)**** CyberLink Webcam Sharing Manager**** CyberLink Power2Go CyberLink Photo Director CyberLink Power Director
<b>Desktop Applications</b>	HP Wireless Hotspot HP Support Assistant PDF Complete, corporate edition	PDF Complete Corporate Edition WinZip Basic Adobe Flash Player
<b>HP Documentation (eDOCS)</b>	HP eHelp Documentation HP Hardware Reference Guide HP Quick Setup & Getting Started Guide HP Regulatory and Safety Information HP Safety and Comfort Guide HP Warranty Documentation	HP eHelp Documentation HP Hardware Reference Guide HP Quick Setup & Getting Started Guide HP Regulatory and Safety Information HP Safety and Comfort Guide HP Warranty Documentation
<b>HP Support Applications</b>	HP EUDI Support Environment HP Help and Support HP Registration HP Support Assistant	HP EUDI Support Environment HP Help and Support HP Recovery Manager HP Setup v9.0 HP Support Assistant
<b>AiO Applications</b>	HP MyDisplay HP Linkup	HP MyDisplay HP Linkup

\*Available via download

\*\* Computrace agent is shipped turned off, and must be activated by customers when they purchase a subscription. Subscriptions can be purchased for terms ranging from one to five years. Service is limited, check with Absolute for availability outside the U.S.

\*\*\* Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see [www.hp.com/go/eprintcenter](http://www.hp.com/go/eprintcenter)). Requires optional broadband module. Broadband use requires separately purchased service contract. Check with service provider for coverage and availability in your area. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.

\*\*\*\*Preinstalled on models with webcam

\*\*\*\*\*Optional

Standard Features and Configurable Components (availability may vary by country)

### ENVIRONMENTAL & INDUSTRY

Energy Star® qualified models available

EPEAT® registered where applicable/supported. See [www.epeat.net](http://www.epeat.net) for registration status by country.

Industry standard certifications:

- UL
- CSA
- FCC compliance
- Energy Star®
- EPEAT® Silver
- EUP Lot6 Tier2
- CCC
- CECP
- SEPA
- TAA compliant

For accessibility information on HP products, please visit: <http://www.hp.com/accessibility>.

### WEIGHTS & DIMENSIONS

#### Weight

#### With stand

15.36 lbs  
6.97 kg

#### Without stand

12.63 lbs  
5.73 kg

#### With shipping carton

24.36 lbs  
11.05 kg

#### Dimensions

#### (W x D x H)

#### With stand

20 x 8.66 x 16 in  
507.72 x 220.26 x 406.8 mm

#### Without stand

20 x 2.7 x 14 in  
507.72 x 68.08 X 356.51mm


#### Shipping carton

23.07 x 10.94 x 19.45 in  
586 x 278 x 494 mm

#### Detailed dimensions (mm)



Standard Features and Configurable Components (availability may vary by country)



### TEMPERATURE, HUMIDITY, ALTITUDE

<b>Temperature</b>	Operating	41 to 95°F 5 - 35°C
	Non-operating	-22 to 149°F -30° to 65°C
<b>Relative humidity</b>	Operating	15 - 80% at 26° C
<b>Altitude</b> (unpressurized)	Operating	0 to 6500 ft (0 to 2000 m)
	Non-operating	0 to 15,000 ft (0 to 4,572 m)

### PORTS

#### I/O Ports - Standard

- 6 - USB 2.0 (2 side, 4 rear)
- 1 - Microphone in (side)
- 1 - Headphone jack (side)
- 1 - Serial RS-232 (rear)
- 1 - Stereo audio line out (rear)
- 1 - Power connector (rear)
- 1 - RJ-45 (rear)

### SLOTS

- 1 - Optional mini PCIe half-length (used by optional wireless LAN module)

Standard Features and Configurable Components (availability may vary by country)

### SERVICE AND SUPPORT

On-site warranty and service<sup>1</sup>: This limited warranty and service offering delivers parts, labor and on-site repair for terms up to 3 years. Response time is next business day<sup>2</sup> and includes free telephone support<sup>3</sup> 24 x 7. Global coverage<sup>2</sup> ensures any product purchased in one country and transferred to another non-restricted country will remain fully covered under the original warranty and service offering. Some countries/regions do not offer one year onsite and labor. For extended service for your HP product, visit HP Care Pack Central: [www.hp.com/go/cpc](http://www.hp.com/go/cpc).

**NOTE 1:** Terms and conditions may vary by country. Certain restrictions and exclusions apply. Other warranty variations may be offered in your region.

**NOTE 2:** On-site service may be provided pursuant to a service contract between HP and an authorized HP third-party provider, and is not available in certain countries. Global service response times are based on commercially reasonable best effort and may vary by country.

**NOTE 3:** Technical telephone support applies only to HP-configured Compaq and third-party HP-qualified hardware and software. Toll-free calling and 24 x 7 support may not be available in some countries.



### Environmental Data

#### Environmental Data

#### Eco-Label Certifications & declarations

This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:

- US ENERGY STAR®
- IT ECO declaration
- EPEAT® Silver where HP registers commercial desktop products. See <http://www.epeat.net> for registration status in your country

#### System Configuration

The configuration used for the Energy Consumption and Declared Noise Emissions data for the All-in-One Desktop model is based on a typically configured product.

#### Energy

##### Consumption

	115 VAC	230 VAC	100 VAC
Normal Operation	21.20 W	21.22 W	21.34 W
Sleep (Energy Star® low power mode)	1.82 W	1.81 W	1.83 W
Off	0.36 W	0.39 W	0.36 W

**Note:** Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured model.

##### Heat Dissipation\*

	115 VAC	230 VAC	100 VAC
Normal Operation	72.5 BTU/hr	72.6 BTU/hr	73 BTU/hr
Sleep	6.2 BTU/hr	6.2 BTU/hr	6.2 BTU/hr
Off	1.2 BTU/hr	1.3 BTU/hr	1.2 BTU/hr

\* Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.

#### Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)

(Typically configured)

	Sound Power (LWAd, bels)	Sound Pressure (LpAm, decibels)
Idle	3.6	26
Fixed Disk (random writes)	3.7	26

#### Longevity and Upgrading

This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the product may include:

### Environmental Data

- Intel LGA1155 processor socket
- 6 USB ports
- 1 Serial port
- 1 3.5" internal drive slot
- 1 5.25" Slimline optical drive slot
- 2 SODIMM memory slots

#### Batteries

This battery(s) in this product comply with EU Directive 2006/66/EC

Batteries used in the product do not contain:

Mercury greater the 5ppm by weight

Cadmium greater than 10ppm by weight

Battery size: CR2032 (coin cell)

Battery type: Lithium

#### Additional Information

- This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2002/95/EC.
- This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC.
- This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).
- This product is in compliance with the IEEE 1680 (EPEAT) standard at the Silver where HP registers commercial desktop products. See <http://www.epeat.net> for registration status in your country.
- Plastics parts weighing over 25 grams used in the product are marked per ISO 11469 and ISO1043.
- This product contains 25.6% post consumer recycled plastic (by wt.)
- This product is 92.8% recyclable when properly disposed of at end of life.

#### Packaging Materials

External:

- PAPER/Corrugated 1300g

Internal:

- PLASTIC/Polyethylene low density 30.9 g
- PLASTIC/EPE-Expanded Polyethylene 374 g
- The PAPER/Corrugated packaging material is made from 50% recycled content.
- The PLASTIC/Polyethylene low density packaging material is made from 0% recycled content
- The PLASTIC/EPE-Expanded Polyethylene packaging material is made from 0% recycled content

#### RoHS Compliance

Hewlett-Packard is committed to compliance with all applicable environmental laws and regulations, including the European Union Restriction of Hazardous Substances (RoHS) Directive. HP's goal is to exceed compliance obligations by meeting the requirements of the RoHS Directive on a worldwide basis. By July 1, 2006, RoHS substances will be virtually eliminated (virtually = to levels below legal limits) for all HP electronic products subject to the RoHS

### Environmental Data

#### Material Usage

Directive, except where it is widely recognized that there is no technically feasible alternative (as indicated by an exemption under the EU RoHS Directive).

This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at [http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen\\_specifications.html](http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html))

- Asbestos
- Certain Azo Colorants
- Certain Brominated Flame Retardants - may not be used as flame retardants in plastics
- Cadmium
- Chlorinated Hydrocarbons
- Chlorinated Paraffins
- Formaldehyde
- Halogenated Diphenyl Methanes
- Lead carbonates and sulfates
- Lead and Lead compounds
- Mercuric Oxide Batteries
- Nickel - finishes must not be used on the external surface designed to be frequently handled or carried by the user.
- Ozone Depleting Substances
- Polybrominated Biphenyls (PBBs)
- Polybrominated Biphenyl Ethers (PBBEs)
- Polybrominated Biphenyl Oxides (PBBOs)
- Polychlorinated Biphenyl (PCB)
- Polychlorinated Terphenyls (PCT)
- Polyvinyl Chloride (PVC) - except for wires and cables, and certain retail packaging has been voluntarily removed from most applications.
- Radioactive Substances
- Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)

#### Packaging

HP follows these guidelines to decrease the environmental impact of product packaging:

- Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
- Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
- Design packaging materials for ease of disassembly.
- Maximize the use of post-consumer recycled content materials in packaging materials.
- Use readily recyclable packaging materials such as paper and corrugated materials.
- Reduce size and weight of packages to improve transportation fuel efficiency.
- Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.

#### End-of-life Management and

Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to:

### Environmental Data

#### Recycling

<http://www.hp.com/go/reuse-recycle> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/recyclers>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

#### Hewlett-Packard Corporate Environmental Information

For more information about HP's commitment to the environment:  
Global Citizenship Report

<http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html>

Eco-label certifications

<http://www.hp.com/hpinfo/globalcitizenship/environment/productdesign/ecolabels.html>

ISO 14001 certificates:

<http://www.hp.com/hpinfo/globalcitizenship/environment/operations/envmanagement.html>

### Options and Accessories (sold separately)

#### Memory

HP 2GB DDR3-1600 (PC3-12800) SODIMM  
HP 4GB DDR3-1600 (PC3-12800) SODIMM  
HP 8GB DDR3-1600 (PC3-12800) SODIMM

#### Part Number

B4U38AA  
B4U39AA  
B4U40AA

#### Data Storage Drives and Accessories

1 TB, 7200 rpm, SATA -6.0 Gb/s  
500 GB, 7200 rpm, SATA -6.0 Gb/s  
128 GB SATA Solid State Drive

#### Part Number

QK555AA  
QK554AA  
QV063AA

#### Input Devices

HP USB 1000dpi Laser Mouse  
HP USB Mouse  
HP USB PS/2 Washable Scroll Mouse  
HP Mouse Pad  
HP USB Smart Card (CCID) Keyboard  
HP Wireless Keyboard & Mouse  
HP USB PS/2 Washable Keyboard  
HP USB Keyboard  
HP USB Grey Keyboard  
HP Digital Sketch

#### Part Number

QY778AA  
QY777AA  
BM866AA  
AT485AA  
BV813AA  
QY449AA  
VF097AA  
QY776AA  
B6B64AA  
BU865AA

#### Security

HP Keyed Cable Lock

#### Part Number

BV411AA

#### Miscellaneous

Belkin Promo 7-Outlet Surge Protector  
Belkin CAT 5E Patch Cable  
Belkin USB to Serial Adapter

#### Part Number

AG290AA  
AH122AA  
EM449AA

Copyright © 2013 Hewlett-Packard Development Company, L.P.

All rights reserved. Microsoft, Windows and Windows 7 are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. Intel and Core are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a registered trademark of Bluetooth SIG, Inc., in the U.S. and other countries. All other product names mentioned herein may be trademarks of their respective companies.

The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. The warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.