



PVS – CAMC
COLOR CCD OBSERVATION CAMERA
WITH VARIFOCAAL LENS

speco technologies

200 New Highway

Amityville, NY 11701

Toll Free : 1-800-645-5516


In Metro NY : 631-957-8700

www.specotech.com

OPERATION MANUAL

INSTRUCTION MANUAL

COLOR CCD OBSERVATION CAMERA WITH VARIFOCAL LENS



CAUTION

RISK OF ELECTRIC SHOCK DO NOT OPEN



CAUTION : TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER(OR BACK). NO USER-SERVICEABLE PARTS INSIDE, REFER FOR SERVICE TO QUALIFIED SERVICE PERSONNEL.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.


WARNING

TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS APPLIANCE TO WATER OR WET LOCATIONS.

MEMO

MEMO


DIMENSION



GENERAL FEATURES


- Digital signal processing
- 1.0 LUX sensitivity
- Back Light Compensation

SPECIFICATIONS




- ESC ON/OFF
- BLC ON/OFF
- SPEAKER IN/OUT
- AUDIO
- SENSOR (TRIGGER,G,B+) FOR PIR

DIN JACK CONFIGURATION



SENSOR CABLE CONFIGURATION



SPECIFICATIONS

ITEM	PVS-CAMC
Image Sensor	Varifocal Lens (3.5mm ~ 8mm)
Effective Pixels	512H × 492V (250K pixels)
Scanning System	525 Lines 2:1 Interlace
Scanning Frequency	15.734KHz(H), 59.94Hz(V)
Resolution	380TV – Lines
Shutter Speed	1/60 ~ 1/100,000 sec
S/N Ratio	More than 50dB (AGC off)
Sync. System	Internal
Min. Illumination	1.0LUX (F1.2)
White Balance	AWB
Video Output	VBS 1.0 Vp-p (75 ohm load)
Lens	C/CS MOUNT
Power Supply	DC 9V ~ 14V
Power Consumption	120mA (DC12V)
Operating Temp.	-10℃ ~ +50℃
Operating Humidity	90% RH max.
Weight	Approx. 250g
Accessory	60ft cable , stand , wrench Option : PIR sensor

Always use discretion when installing video and or audio surveillance equipment especially when there is perceived privacy or an expectation of privacy. Inquire regarding federal, state and or local regulations applicable to the lawful installation of video and or audio recording or surveillance. Party consent may be required.