Ricoh Aficio MP C2800/C3300 Color Digital Imaging System Outstanding Color For Any Application



Alicio

1100

200



vibrant





Ricoh Aficio MP C2800/C3300

Enhance productivity for color and black & white. Based on an award-winning design, the fast and versatile RICOH® Aficio® MP C2800/C3300 give your organization an easy, affordable way to bring the power of color to businesscritical documents. Both deliver high-quality color for vivid results in a wide range of applications and provide fast, precise black & white output. They can be configured with tools to optimize workflow, from scanning and faxing to finishing and color management. That means the Ricoh Aficio MP C2800/C3300 offer an ideal way to make a significant impact on productivity, reduce outsourcing and add convenient multifunctional capabilities to any office.

> Aficio MP C330

EfficientFastFlexibleVibrant

Superior Speed for Your Workflow

Depend on these go-to systems for exceptional speed and efficiency in any environment, as well as capabilities that reduce turnaround time.

- Complete presentations, spreadsheets and other jobs quickly with output speeds of 28 or 33 pages-per-minute for both full-color and black & white documents.
- Get the documents you need faster. The Aficio MP C2800/C3300 deliver the first color copy in just 8.0 seconds or 5.0 seconds for black & white. They also have short warm-up and recovery times from Off/Sleep mode.
- Process large color files and other complex print jobs in record time with a powerful 600 MHz controller, 1 GB RAM and a standard 80 GB Hard Disk Drive.
- Support site-specific networking requirements using a variety of standard and optional interfaces. Both systems are also compatible with many operating environments, including UNIX, AS/400, Macintosh and Windows.

Standout Color Quality

Whether you only need occasional color for critical documents or a color device that can handle heavier workloads, the Ricoh Aficio MP C2800/C3300 use patented PxP[™] Toner and a powerful print engine to ensure amazing results on every page.

- Generate bold, high-quality color documents with resolutions up to 1200 x 1200 dpi.
- Reduce the need for expensive outsourcing by enabling your team to get creative and produce more full-color documents in-house.
- Create the right image for your organization. Professional color documents help you gain attention, persuade customers and make key messages more memorable.

Flexible Paper Handling

With extensive options for paper handling and finishing, the versatile Aficio MP C2800/C3300 can produce an incredibly wide range of documents.

- Print on a variety of sizes and stocks to produce three-hole-punched reports, oversized postcards, spreadsheets, presentations, and more. Both systems support output up to 12" x 18" (through the Bypass Tray) and accept heavy stocks (up to 140 lb. Index).
- Eliminate manual collation and stapling using the optional 500-Sheet Finisher or 1,000-Sheet Finisher with conventional stapling, or the 1,000-Sheet Booklet Finisher with saddle-stitching and optional hole-punching.
- Run long jobs without interruption with a standard paper capacity of 1,200 sheets.
- Add capacity with a 1 x 550-Sheet or 2 x 550-Sheet Paper Bank, or the 2,000-Sheet Tandem Large Capacity Tray (LCT). You can also add the 1,200-Sheet Side LCT for a maximum paper capacity of 4,400 sheets.



Find the features and functions you need in seconds with the large, easy-to-navigate, full-color W-VGA Control Panel with Simplified Display and animated user guidance.



Ricoh's PxP[™] toner provides more vivid colors and smooth gradations for improved photographic reproduction and better solid fills for fine lines and text.



With fast color output and professional finishing, you can eliminate manual collation and stapling and minimize the need for outsourcing.

Ricoh Aficio MP C2800/C3300

Advanced Document Management

The Ricoh Aficio MP C2800/C3300 include advanced scanning, faxing and other capabilities that have become essential elements of daily document workflow.

- Send documents to any destination quickly and easily. *Scan-to* functions include Scan-to-Email for rapid delivery, Scan-to-Folder for automated archiving, Scan-to-Media (USB/SD) for instant document portability and Scan-to-URL to minimize network traffic.
- Send and receive fax documents electronically with Internet (T.37) faxing, use LAN faxing to transmit faxes directly from a PC without leaving your desk, or distribute documents quickly with IP (T.38) and conventional Super G3 faxing.
- Minimize errors and ensure faxes reach their intended recipients. Both systems detect blank pages and enable users to double-check fax destinations before transmission.
- Print a PDF or JPEG attachment by simply sending an e-mail to the system, using the innovative Mail-to-Print feature.
- Get incoming faxes no matter where you are by redirecting incoming faxes to an e-mail address or network folder. This also eliminates lost hard copy faxes.
- Minimize file size, reduce network traffic and maintain exceptional image quality for scanned color documents with the standard High Compression PDF feature.

Advanced Color Control

Maintain precise, professional control over color management with the optional EFI Fiery™ Controller.

- Leverage all the full-color capabilities of these systems' print engines, including graphics-intensive applications and accurate spot color.
- Adjust color output to suit a variety of application-specific needs with intelligent color management. Get the results you expect whether you are printing RGB, CMYK or even PANTONE[®] colors.
- Use this high-end controller for additional full-color firepower to print complex color documents efficiently and accurately, time after time.

End-To-End Solutions

Adding the Aficio MP C2800/C3300 to your office means you gain access to a broad portfolio of seamlessly integrated software solutions from Ricoh and a long list of partners.

- Incorporate proven Ricoh solutions for document capture and distribution, storage and management, variable data printing, assessment and cost recovery, device management and print security. These offerings are designed to work with Ricoh MFPs, transforming them into true document portals.
- Leverage the smartest, most effective workflow tools and streamline every aspect of your organization with Ricoh. We partner with industry-leading technology innovators to make sure our MFPs can serve as on-ramps to an extensive selection of applications for content management and other business-critical activities.
- Develop customized applications for the Aficio MP C2800/C3300 using Embedded Software Architecture[™], a Java-compatible Software Development Kit (SDK).



Scan files directly to removable media, such as an SD card or USB flash drive, for instant portability.



The optional EFI Fiery[™] Controller is ideal for users who need greater control over color management and precise spot color matching.



Ricoh solution partners include all of these organizations and many more.

ReliableIntegratedSecurePowerful

Cost-Effective Operation

With exceptional productivity, high reliability and low total cost of ownership (TCO), these systems protect your investment.

- Expect maximum uptime and reliability from these systems, which are designed for heavy office workloads.
- Made for cost-conscious users, the Ricoh Aficio MP C2800/C3300 make it affordable to bring color into your workflow. User authentication lets you control access to color, manage costs and prevent abuse.

Simple and Secure

When you connect the Ricoh Aficio MP C2800/C3300 to your network, you will discover they are highly secure and extremely easy for administrators to manage.

- Handle a long list of common management tasks remotely. Managers can view detailed system information, network settings and supply status right from a standard Web browser.
- Defend against data interception with encrypted PDF transmission, which encrypts PDF data for Scan-to-Email and Scan-to-Folder applications.
- Restrict access to specific system functions (such as scanning or color copying) with several levels of user authentication.
- Protect confidential data. Use the DataOverwriteSecurity System (DOSS) option to automatically overwrite hard drive data after each copy, scan, fax and print job. Or use optional HDD encryption to protect data even if the hard drive is removed or stolen.

Your Environmental Partner

Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:



- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Energy-Saving PxP[™] Toner
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS) Compliant

 Store File

 Image: Control of the store of th

Aficio

User authentication and other security features help protect your documents, your network and the device itself.

Full-Color Multifunctional Performance

C

Aticio

Internal Shift-Sort Tray (Optional) If no finisher is installed, add the Internal Shift-Sort Tray to collate document sets.



125-Sheet Inner One-Bin Tray (Optional) Provides a cost-effective way to separate copy output from print and fax output.

Finishers (Optional)

The Ricoh MP C2800/C3300 can be equipped with a 500-Sheet or 1,000-Sheet Finisher for traditional stapling, or a 1,000-Sheet Booklet Finisher (shown) that creates professional-quality booklets and offers optional hole-punching.

Paper Trays Two standard front-loading Paper Trays each hold 550 sheets.

Paper Sources (Optional)

Add an optional Cabinet Stand, 1 x 550-Sheet Paper Bank (Caster Table required), 2 x 550-Sheet Paper Bank (shown) or the 2,000-Sheet Tandem Large Capacity Tray (shown in insert) for maximum versatility. All sources accept stocks up to 140 lb. Index.



1,200-Sheet Side Large Capacity Tray (Optional)

Boosts maximum paper capacity to 4,400 sheets when installed with the 2,000-Sheet Tandem Large Capacity Tray.

Ricoh Aficio MP C2800/C3300 **Optional Hardware Accessories**

Paper	Cap	acity		
Paper	Size	s		
Paper	Wei	ghts		
Dimen	sior	is (Wxl	DxH)	
Weigh	t		,	
- ⁻ -		-	-	

 Two-Tray Paper Bank (PB3040)*

 Paper Capacity
 1,100 sheets (550 x 2)

 Paper Sizes
 7.25" x 10.5" - 11" x 17"

 Paper Weights
 16 - 68 lb. Bond/140 lb. Index (60 - 256 g/m²)

 Dimensions (WxDxH)
 22.8" x 24.4" x 10.2"
 Less than 57 lbs.

One-Tray Paper Bank (PB3080)¹

Paper Capacity Paper Sizes Paper Weights Dimensions (WxDxH) Weight Requires Caster Table

(F506) 50 sheets (550 x 1) 7.25" x 10.5" - 11" x 17" 16 - 68 lb. Bond/140 lb. Index (60 - 256 g/m²) 22.8" x 24.4" x 4.7" Less than 33 lbs.

 Tandem Large Capacity Tray (LCT) (PB3050)'

 Paper Capacity
 2,000 sheets (1,000 x 2)

 Paper Sizes
 8.5" x 11" LEF

 Paper Weights
 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)

 Dimensions (WxDxH)
 22.8" x 24.4" x 10.2"

 Weight
 Less than 57 lbs.

FAC33 Cabinet Stand

FAC33 Cabinet Stand		
er Capacity er Sizes er Weights ensions (WxDxH) ght res Two-Tray Paper Ban	Tray (LCT) (RT3000) 1,200 sheets 8.5" x 11" LEF 16 – 57.5 lb. Bond/80 lb. Cover (60 – 216 g/m ²) 13.7" x 21.3" x 11.4" Less than 31 lbs. k (PB3040) or Tandem LCT (PB3050).	
0-Sheet Booklet	Finisher (SR3000) ²	
er Sizes	5.5" x 8.5" – 11" x 17", 12" x 18"	
er Weights	Upper Proof Tray: 14 – 28 lb. Bond (52 – 105 g/m ²); Shift Tray: 14 – 68 lb. Bond/140 lb. Index (52 – 256 g/m ²)	
k Capacity	Upper Proof Tray: 100 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 14" or larger); Shift Tray: 1,000 sheets (8.5" x 11"), 500 sheets (8.5" x 14" or larger), 100 sheets (5.5" x 8.5"); Booklet Tray: 20 sets (2 – 5 sheets/set, all sizes, saddle-stitched) or 10 sets (6 – 10 sheets/set, all sizes, saddle-stitched)	
le Capacity	50 sheets (8.5 " x 11 " or smaller), 30 sheets (8.5 " x 14 " or larger)	
lle Stitch	10 sheets (up to 40 pages)	
le Paper Sizes	8.5" x 11" to 11" x 17" (Normal Staple) 8.5" x 11", 8.5" x 14", 11" x 17" (Saddle Stitch)	
le Paper Weights	17 – 24 lb. Bond (64 – 90 g/m ²)	
le Positions	1 staple/2 positions; 2 staples/3 positions	
	21.1" x 23.7" x 36.7"	
ght	Approx. 105.9 lbs. without Punch Unit Option;	
	Large Capacity rr Capacity rr Sizes rn Weights nsions (WXDxH) ht res Two-Tray Paper Bar 0-Sheet Booklet rr Sizes rr Weights < Capacity le Capacity le Stitch le Paper Sizes le Paper Weights	

Approx. 105.9 lbs. without Punch Unit Option; Approx. 110.3 lbs. with Punch Unit Option 2/3-Hole Punch Unit Option available for Booklet Finisher. Cannot be installed with One-Tray Paper Bank (PB3080).

1,000-Sheet Finisher (SR790)²

1,000-Sheet Finisher (SR790) ²		
Paper Sizes Paper Weights	5.5" x 8.5" – 11" x 17", 12" x 18" (Proof Tray) Proof Tray: 14 – 68 lb. Bond/140 lb. Index (52 – 260	
ruper weights	g/m²); Shift Tray: 14 – 43 lb. Bond/90 lb. Index	
Stack Capacity	(52 –163 g/m ²) Proof Tray: 250 sheets (8.5" x 11" or smaller), 50 sheets	
	(8.5" x 14" or larger); Shift Tray: 1,000 sheets (8.5" x 11"), 500 sheets (8.5" x 14" or larger), 100 sheets (5.5" x 8.5")	
Staple Capacity	50 sheets (8.5" x 11"), 30 sheets (8.5" x 14" or larger)	
Staple Paper Sizes	8.5" x 11" – 11" x 17"	
Staple Paper Weights Staple Positions	17 – 28 lb. Bond (64 – 90 g/m ²) 1 staple/2 positions; 2 staples/2 positions	
Dimensions (WxDxH)	10.7" x 20.5" x 31.2"	
Weight	55.2 lbs.	
Cannot be installed with One	e-Tray Paper Bank (PB3080).	
500-Sheet Finisher (SR3050) ²		
Paper Sizes	5.5" x 8.5" – 11" x 17"	
Paper Weights	14 – 67 lb. Bond/140 lb. Index (52 – 253 g/m ²)	
Stack Capacity	500 sheets (8.5" x 11" or smaller)	
Staple Capacity	250 sheets (8.5" x 14" or larger) 50 sheets (8.5" x 11")	
Staple Capacity	30 sheets (8.5" x 14" or larger)	
Staple Paper Sizes	8.5" x 11" – 11" x 17"	
Staple Paper Weights	14 – 42 lb. Bond (52 – 157 g/m ²)	
Staple Positions	1 staple/4 positions; 2 staples/1 position	
Dimensions (WxDxH)	15.6" x 21.7" x 10.9"	
Weight	Less than 26.5 lbs.	
Internal Shift-Sort Tra	av (SH3040)	

 Internal Shift-Sort Tray (SH3040)

 Paper Sizes
 5.5" x 8.5" - 12" x 18"

 Paper Weights
 14 - 68 lb. Bond/140 lb. Index (52 - 256 g/m²)

 Paper Capacity
 250 sheets (8.5" x 11" or smaller) 125 sheets (8.5" x 14" or larger)

 Visibit
 4 amount 4 the
 Weight Approx. 4.4 lbs. Internal Shift-Sort Tray cannot be installed with a finisher.

Inner One-Bin Tray (BN3070)

Weight

Paper Sizes Bin Capacity Paper Weights 5.5" x 8.5" – 11" x 17" 125 sheets 16 – 50 lb. Bond/90 lb. Index (60 – 169 g/m²) Approx. 5.5 lbs.

Either the Cabinet Stand or one of the paper options must be installed. ² Requires installation of Bridge Unit.

Ricoh Aficio MP C2800/C3300 **Specifications**



General Specifications

General Specifica	ations
Printing Process Output Speed	Dry Electrostatic Transfer System with Dual Component Magnetic Brush Development; 4-Drum Method MP C2800: 28-ppm BW/Full-Color (Letter), 17-ppm (Legal), 14-ppm (Ledger) MP C3300: 33-ppm BW/Full-Color (Letter), 19-ppm (Legal), 17-ppm (Ledger)
Warm-Up Time	29 seconds
First Copy Time	Full-Color: 8.0 sec./BW: 5.0 sec.
Copy Resolution	600 dpi
Document Feeder	Automatic Reversing Document Feeder (ARDF) Standard
Original Capacity	50 sheets
Paper Size	5.5" x 8.5" – 11" x 17"
Paper Weight (simplex)	11 – 34 lb. Bond (40 – 128 g/m ²)
Paper Weight (duplex)	14 – 28 lb. Bond (52 – 105 g/m²)
Exposure Glass	Up to 11" x 17"
Multiple Copies	Up to 999 copies
Copy Size	11" x 17" max. (full-bleed on 12" x 18")
Input Capacity	Standard: 2 x 550 sheets + 100-Sheet
	Bypass Tray; Maximum: 4,400 sheets
	(w/Tandem LCT and Side LCT)
Output Capacity	Standard: 500 sheets Face Down;
	Maximum: 1,625 sheets (with 1,000-
D C	Sheet Finisher + Inner 1-Bin Tray)
Paper Sizes	First Paper Tray: 8.5" x 11" LEF; Second Paper Tray/Paper Bank: 7.25" x 10.5" –
Paper Weights	Paper Irdy/Paper Barik. 7.25 x 10.5 $-$ 11" x 17"; Bypass Tray: Width: 3.54" $-$ 12", Length: 5.83" $-$ 23.62"; Tandem Large Capacity Tray: 8.5" x 11" LEF; Side Large Capacity Tray: 8.5" x 11" LEF Standard Trays/Bypass Tray/Paper Banks/ Tandem LCT: 16 $-$ 68 lb. Bond/140 lb. Index (60 $-$ 256 g/m ²); Side LCT: 16 $-$ 57.5 lb. Bond/80 lb. Cover (60 $-$ 216 g/m ²); Duplex Unit: 16 $-$ 45 lb. Bond/90 lb. Index (60 $-$ 169 g/m ²)
Paper Types	Plain/recycled paper, laser printer gualified transparencies, labels, envelopes
Auto Duplex	Standard
Zoom	25% – 400% in 1% increments
Preset Reduction	93%, 85%, 78%, 73%, 65%, 50%, 25%
Preset Enlargement	400%, 200%, 155%, 129%, 121%
Dimensions (WxDxH)	
	(standard configuration)
Weight	Less than 265 lbs. (120 kg) (w/ARDF)
Power Requirements	120V, 60Hz, 12A
Power Consumption	1,500 Watts maximum

Printer Controller Specifications (Standard)

Printer Controlle	r Specifications (Standard)	
CPU	Intel Celeron-M @ 600 MHz, embedded	
Memory	1 GB RAM and 80 GB HDD standard	
	(shared)	
Max. Print Speed	MP C2800: 28-ppm BW/Full-Color	
	MP C3300: 33-ppm BW/Full-Color	
Print Drivers	Standard: RPCS, PCL5c, PCL6,	
	XPS via download	
	Optional: Adobe® Postscript® 3 [™] (includes	
	PDF Direct Print), PS Driver for Mobile	
	Printing	
Max. Print Resolution	1200 x 1200 dpi	
Standard Interfaces	Ethernet (10Base-T/100Base-TX),	
	USB 2.0, USB Host I/F	
Optional Interfaces	Ethernet (1000Base-T), IEEE 1284/ECP	
	Parallel, IEEE 802.11a/b/g Wireless LAN,	
	Bluetooth, USB 2.0/SD Slot	
Network/Operating	Windows 2000/XP/Server 2003/Server	
Systems	2008*/Vista; Netware 3.12, 3.2, 4.1,	
	4.11, 5.0, 5.1, 6, 6.5; UNIX; Sun Solaris,	
	HP-UX, SCO OpenServer, RedHat Linux,	
	IBM AIX; Mac OS 8.6 – 9.2x, OS X 10.1	
	or later; SAP R/3, NDPS Gateway; IBM	
	iSeries; AS/400-using OS/400 Host Print	
	Transform	
Advanced Features	WSD printer Support, Advanced Print	
	Queues (Sample Print, Locked Print,	
	Hold Print, Stored Print), Black Overprint,	
	CLP Simulation, Pantone Color Palette,	
	Chaptering, Classification Codes, Mail-	
	to-Print (requires Fax and PS3 options),	
	PDF Direct Print (requires PS3 option),	
	PictBridge [®] Support (requires Camera	
	Direct Print option), Bonjour/DDNS	
Listitut	Support	
Utilities	SmartDeviceMonitor for Admin and Client; Web SmartDeviceMonitor;	
	Web Image Monitor; Print Utility for	
	MAC (w/Adobe PS3 option)	
*Converting	on the driver CD. It is available via download from	
 Server 2008 is not included the Ricoh website. 	on the driver CD. It is available via download from	
Security Specifications		

DataOverwriteSecurity Unit (DOSS) (Optional): Security feature that overwrites latent data on the system's hard drive after copy, print, scan and fax jobs

Copy Data Security Unit (Optional): Copies of prints made with this feature will be blacked out or embedded with a watermark to deter illegal copying

HDD Encryption Unit (Optional): Encrypts data on HDD, so data is secure even if HDD is stolen Other Security Features: Network Protocol On/Off, IP Filtering,

SNMP v3 Support, Encryption (Address Book, Password, PDF, SSL Communication, S/MIME, IPsec Communication), Locked (Secure) Print, User Authentication (Windows/LDAP with Kerberos Authentication (External), Basic and User Codes (Internal), 802.1.x Wired Authentication, WPA/WPA2 (Wi-Fi Protect Access Support), and more

Scanner Specifications (Standard)

Scanner Resolution	100 – 600 dpi; 1200 dpi for TWAIN only
	Default setting: 200 dpi
Scanning Speed	50 ipm BW and Full-Color
	(8.5" x 11" LEF/200 dpi)
Auto Scan Size	Glass: 11" x 17", 8.5" x 14", 8.5" x 11"
Detection	ARDF: 5.5" x 8.5" - 11" x 17"
Scan Mode	BW Text/Line Art, BW Text, BW Text/
	Photo, BW Photo, BW Grayscale,
	Full-Color Photo, Full-Color Text,
	Auto Color Select (ACS)
Compression Method	BW: TIFF (MH, MR, MMR);
	Grayscale/Full-Color: JPEG
Scan-to Modes	Scan-to-Email (with LDAP support);
Supported	Scan-to-URL; Scan-to-Folder (SMB/
	FTP/NCP); Network TWAIN scanning;
	Scan-to-Media (USB/SD, optional);
	WSD scanner (for Vista)

Document Server Specifications (Standard)

Max. Stored Document 1,000 documents

Max. Pages/Document	1,000	pages
Max. Stored	2,000	pages
Documents		

Facsimile Specifications (Optional)

Fax Option Type C5000 (standard on SPF model)		
Туре	ITU-T (CCITT) G3, Additional G3 (optional)	
Circuit	PSTN, PBX	
Resolution	200 x 100 dpi, 200 x 200 dpi, 400 x	
	400 dpi (with optional fax SAF memory)	
Modem Speed	33.6K – 2,400 bps w/Auto Fallback	
Compression Method	MH, MR, MMR, JBIG	
Transmission Speed	G3: Approximately 2 seconds/page	
	(w/JBIG); G3: Approximately 3 seconds/	
	page (w/MMR)	
Scan Speed	0.50 seconds/page LEF (Standard/Detail	
	Mode); 0.94 seconds/page LEF (Super	
	Fine Mode)	
Auto Dialing	2,000 Quick/Speed Dials, 100 Group	
	Dials (500 locations each)	
Memory Capacity (SAF)		
	Maximum 28 MB (2,240 pages)	
Additional Modes	Internet Fax by E-mail (T.37); IP Fax	
	(T.38); LAN Fax; Fax Forward to E-mail/	
	Folder; LDAP Support	
Options	Additional G3 Lines (up to 2); Fax SAF	
	Memory; Telephone Handset	

Additional Accessories

File Format Converter, Key Counter Bracket, JAVA VM Card for Embedded Software Architecture™ Applications, Optional Counter Interface, USB 2.0/SD Slot (for Scan-to-Media), Camera Direct Print Card, Fiery[™] Print Controller

Supplies and Consumables

Black Toner Cyan, Magenta, Yellow Toners



*Toner yields based on 5% coverage





Bringing Ricoh Value to Your Organization Ricoh technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership.

Printed in U.S.A. on recycled paper because Ricoh cares.

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006 Ricoh² and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Poducts are shown with optional features.