



▶ Deployment Guide for the  
Polycom® CX500, CX600, and  
CX3000 Phones  
Microsoft® Lync™ 2010 Phone Edition

---

## **Trademark Information**

POLYCOM®, the Polycom “Triangles” logo and the names and marks associated with Polycom’s products are trademarks and/or service marks of Polycom, Inc. and are registered and/or common law marks in the United States and various other countries. All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient’s personal use, without the express written permission of Polycom.

Microsoft, MS-DOS, Windows, Windows Server, Windows Vista, Windows XP, Office Communications Server, Office Communicator, and Office Live Meeting are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

## **Patent Information**

The accompanying product is protected by one or more U.S. and foreign patents and/or pending patent applications held by Polycom, Inc. and/or one or more of its licensors.

© 2010 Polycom, Inc. All rights reserved.

Polycom, Inc.  
4750 Willow Road  
Pleasanton, CA 94588-2708  
USA

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Polycom, Inc. Under the law, reproducing includes translating into another language or format.

As between the parties, Polycom, Inc., retains title to and ownership of all proprietary rights with respect to the software contained within its products. The software is protected by United States copyright laws and international treaty provision. Therefore, you must treat the software like any other copyrighted material (e.g., a book or sound recording). Every effort has been made to ensure that the information in this manual is accurate. Polycom, Inc., is not responsible for printing or clerical errors. Information in this document is subject to change without notice.

---

# Deploying Polycom CX500, CX600, and CX3000 Phones within a Microsoft® Lync™ 2010 Environment

The Polycom® CX500 and CX600 desktop phones and the Polycom CX3000 conference phones running Microsoft® Lync™ 2010 Phone Edition are intelligent IP phones that are designed to get the most out of the Microsoft unified communication platform. The Polycom CX500, CX600, and CX3000 phones combine network voice, user-driven design, up-time reliability, Polycom® HD™ Voice technology, and the improved communication and collaboration of Microsoft Lync 2010 Server.

For the most up-to-date planning information for Microsoft Lync 2010 Devices, go to <http://go.microsoft.com/fwlink/?LinkId=204935>.

For the most up-to-date deployment information for Microsoft Lync 2010 Devices, go to <http://go.microsoft.com/fwlink/?LinkId=204936>.

For the most up-to-date troubleshooting information for Microsoft Lync 2010 Devices, go to <http://go.microsoft.com/fwlink/?LinkId=204933>.

For the complete set of the Microsoft Lync 2010 online server and client documentation, go to <http://technet.microsoft.com/en-us/library/gg398616.aspx>.

