

AQUAPRO®

MODEL# ADF-25DX

6 GALLON DIRECTIONAL HANGING FISH FEEDER

**PRODUCT
INFORMATION
GUIDE**



INCLUDED PARTS


- 1) Hopper Assembly including Lid**
(2 Pieces)

Poly Bucket Lid
Poly Bucket

- 2) Directional Power Control Unit** - assembly and programming instructions for this unit are contained within its box (1 piece)

REQUIRED TOOLS

- 1)** 8MM Nut driver
2) Pliers
3) Cordless or Electric Drill (if necessary)
4) $\frac{1}{8}$ " drill bit (if necessary)
5) $\frac{1}{4}$ " drill bit (if necessary)
6) Pen/Marker (if necessary)



ASSEMBLY INSTRUCTIONS

- 1** Verify the contents of the package against the included parts list. If you are missing any parts from the list, please contact BA Products immediately at the toll-free number provided.
- 2** First, remove the lid.
- 3** Second, remove the directional lower unit box.
- 4** Refer to directional lower unit product information guide for installation instructions.

OPERATING INSTRUCTIONS

Once a suitable, sturdy location for the feeder is identified and the unit is properly hung, open lid and fill container with feed to desired capacity, never to exceed 25 lbs.

Once done, close the lid securely to insure it does not come off in the event of high winds, etc.

This unit is designed to be used primarily with 1/4" or smaller fish food. This unit is not intended to be used with a wide variety of other type feeds. The unit can accommodate other types of feed but depending on both the brand and type of feed being used, you may encounter instances whereby the feed/seed may bridge or clog over the funnel opening leading to the power control unit. In the event that this happens, you can clear the bridge manually, but it is then recommended to use 1/4" or smaller fish food with this feeder and not alternative of feed products that may be more affected by moisture.

Each and every feeder design endures a rigorous field-test routine prior to coming to market, but no feeder can address all the environmental and feed type variations. With this being said, consider all the factors when operating this feeder and be sure to assess all of your environmental factors thoroughly.

GENERAL SAFETY

Always make sure that the unit is hung from a sturdy source before you fill the hopper with any feed. If the unit is not hung from a sturdy source and the hopper is full, you run the serious risk of the unit falling and causing harm to both you and the product itself. Always exercise caution and care when loading/filling the unit with feed material. Please make sure that the unit is properly supported so there is no chance of anyone getting hurt.

SUGGESTED MAINTENANCE

To insure proper functionality and a long life, BA Products strongly recommends that you service your feeder at least once every year.

The Model #ADF-25DX should have the hopper thoroughly cleaned out at least once a year. Some feed/seed types have the tendency to cake and may build up over time, thus reducing overall hopper capacity, clogging feed flow or generally interfering with the overall functionality of the feeder unit.

It is also important to check the bolts located at the hopper flange regularly to insure that they are securely tightened and have not come loose. With prolonged use in the field, animals and other forces may exert force against the feeder unit which may cause certain components of the feeder unit to loosen.

BA Products is not responsible for damage, expense or injury caused by the unauthorized use of, alterations to, improper connection of and abuse or neglect of the BA Products' feeder system.

Never lean a ladder against the feeder when filling. You must always use an alternative method to fill your feeder. The use of a ladder, or some other similar type mechanism, leaning against the feeder is not recommended and strongly discouraged. This may result in damage to the unit or personal injury.

WARRANTY

BA Products will repair all material or workmanship defects free of charge for FOUR (4) YEARS after the date of purchase and thereafter the cost will vary per incident.

The warranty registration card **MUST** be completed and returned to BA Products within fourteen (14) days after the purchase date of the product.

Proof of purchase is **REQUIRED** and a copy must be mailed, with the warranty registration card, to BA Products for this warranty to be honored and in force.

This warranty **DOES NOT COVER** damage, expense or injury caused by unauthorized repairs, alterations, improper connection, shipping, abuse, theft, accident, neglect or collateral loss.

When returning product for service you **MUST** obtain a Return Merchandise Authorization (RMA) number from BA Products. Please include name, UPS address (no P.O. Box), telephone number, RMA number and a complete description of the problem on all enclosed correspondence.

When possible pack product carefully in original carton. We are not responsible for damage incurred in returning items for repair.

CUSTOMER SERVICE

BA Products stands behind every product we manufacture with a four year product workmanship warranty and a strong commitment to customer service. If you are in need of customer service for missing parts or need assistance with the operation or assembly of your product, we encourage you to call one of our customer service representatives and let us assist you with your BA Products feeder system.

BA Products strives to provide you with the highest quality, best value feeder products available anywhere. We feel that you will come to depend on and enjoy our new AquaPro® series poly feeders.

Thank you for your Purchase!

BA Products

602 Fountain Parkway, Grand Prairie, Texas 75050

Telephone: (800) 847-8269. Fax: (972) 352-6633

www.aquaprofishfeeders.com