

Electrolux 800 thermaline h = 800 mm

Gas top on cupboard

The Electrolux 800-Thermaline of cooking equipment is designed for heavy duty use where space is at a premium. The series consist of a wide choice of modular elements that can be installed as individual, free-standing units or assembled into a complete cooking suite made virtually seamless by means of cleverly-designed connecting rails. The models detailed on this sheet combine a gas burner top mounted on a base unit. A choice of two widths, with two or four burners, are available for operation from one side only or from both sides to suit a central cooking island. Installation options are floor mounted on 100 or 200 mm high feet or a plinth which can be either steel or masonry construction.



580340 with accessories

EASY TO USE

- Three burner sizes to suit different cooking requirements from rapid boiling to a gentle simmer.
- Choice of 2 or 4 burner units.
- Manual gas valves with fixed high and low positions allow a precise control of the flame intensity.
- Large sized pan rests (330x330 mm) in enamelled cast iron with long centre fins to allow the use of the largest down to the smallest pans.
- Pan rests and work top at the same level allow moving pans from one appliance to another without lifting
- Simple, convenient operation with highly visible control panels and knobs.

- Each burner is equipped with thermocouple safety hand valve and protected pilot flame.
- All appliances conform to ruling European safety and hygiene standards and are CE marked.
- All models are type-approved by an international standards authority and are certified.
- Models with ECOFLAM pan detection system assure energy saving by limiting unnecessary heat radiation in the kitchen.

EASY TO MAINTAIN

- Flat spillage trays in AISI 304 stainless steel with cleaning openings on front and rear side with removable pan rests, burner, rings and flame ignition parts.

- Body, cupboard and support are made of AISI 304 stainless steel.
- No gaps or dirt traps between adjoining appliances when connecting rails are fitted.
- All major components may be easily accessed from the front.
- The appliances are IP X5 certified against water jets.
- Hygienic design of the open base compartment with large round edges.

EASY ON THE ENVIRONMENT

- All appliances are EC-prototype tested by DVGW. The combustion produces the lowest allowable concentration of flue gases.
- 98% recyclable by weight.
- Packing free of toxic substances.



Electrolux

thermaline

Electrolux 800 thermaline h = 800 mm
Gas top on cupboard

	CG148001 580340	CG148001E 581789	CG248203 580367	CG248201 580353	CG248201E 599382	CG248203E 599385
TECHNICAL DATA						
Power supply	Gas	Gas	Gas	Gas	Gas	Gas
Ecoflam		●			●	●
Installation	FS on concrete base, FS on feet, FS on floor	FS on concrete base, FS on feet, FS on floor	FS on concrete base, FS on feet, FS on floor	FS on concrete base, FS on feet, FS on floor	FS on concrete base, FS on feet, FS on floor	FS on concrete base, FS on feet, FS on floor
One-Side Operated	●	●		●	●	
Both-Sides Operated			●			●
External dimensions - mm						
width	400	400	800	800	800	800
depth	800	800	800	800	800	800
height	800	800	800	800	800	800
Control Knob	Gas valve	Gas valve	Gas valve	Gas valve	Gas valve	Gas valve
Storage cupboard - mm						
width	340	340	540	540	540	540
depth	740	740	760	740	740	760
height	365	365	365	365	365	365
Back burner dimensions - mm	340x370	340x370	340x370, 340x370	340x370, 340x370	340x370, 340x370	340x370, 340x370
Back burners power - kW	5	5	5, 5	5, 5	5, 5	5, 5
Front burners dimension - mm	340x370	340x370	340x370, 340x370	340x370, 340x370	340x370, 340x370	340x370, 340x370
Front burners power - kW	3.6	3.6	3.6, 5	3.6, 5	3.6, 5	3.6, 5
Power - kW						
gas	9	9	18.6	19	19	18.6
Net weight - kg.	100	100	120	120	120	120
INCLUDED ACCESSORIES						
PAN REST CAST-IRON COMPACT-330X330 MM	2	2	4	4	4	4
SHELF FIXATION FOR OPEN&HOT BASE,1-S	2	2				
ACCESSORIES						
BOTTOM PL+4 FEET 100MM-800&900MM-SPECIAL	911927	911927	911927	911927	911927	911927
C-BOARD WELDED 400 MM	911737	911737				
C-BOARD WELDED 800 MM				911741	911741	
FLEXIBLE CONNECTION HOSE 3/4"	910720	910720	910720	910720	910720	910720
FOLDING SHELF 300X800 MM	910801	910801	910801	910801	910801	910801
FOLDING SHELF 400X800 MM	910802	910802	910802	910802	910802	910802
PAN REST SS COMPACT-330X330 MM	910715	910715	910715	910715	910715	910715
ROLLING RACKS 800			910824	910824	910824	910824
ROLLING RACKS COMPL. FOR COOKERS,400	910821	910821				
S/S PLINTH 400X800X100MM - AGAINST WALL	911340	911340				
S/S PLINTH 800X800X100MM - AGAINST WALL				911344	911344	
S/S PLINTH 800X800X100MM - FREESTANDING			911359	911359	911359	911359
SHELF FIXATION F.OPEN&HOT BASE 800,2-S			910772			910772
SHELF FIXATION FOR OPEN&HOT BASE,1-S				910771	910771	
SHELF FOR OPEN & HOT BASE 800,W=800,2-S			910778			910778
SHELF FOR OPEN & HOT BASE,W=500,1-S	910777	910777				
SHELF FOR OPEN & HOT BASE,W=700&800,1-S				910780	910780	
SIMMERING PLATE COMPACT-330X330 MM	910717	910717	910717	910717	910717	910717
SOLID TOP PLATE COMPACT-330X330 MM	910719	910719	910719	910719	910719	910719




CDAA020

2010-05-28

Subject to change without notice

Electrolux 800 thermaline h = 800 mm
Gas top on cupboard

580340, 581789



CHG 72.6861.012

LEGEND	CG148001 580340	CG148001E 581789
	3/4"	3/4"




CDAA020

2010-05-28

Subject to change without notice

Electrolux 800 thermaline h = 800 mm
Gas top on cupboard

580367, 599385



CHG 72.6761.015

CDAA020




2010-05-28

Subject to change without notice

LEGEND	CG248203 580367	CG248203E 599385
	3/4"	3/4"

Electrolux 800 thermaline h = 800 mm
Gas top on cupboard

580353, 599382



CHG 72.6761.012

LEGEND	CG248201 580353	CG248201E 599382
	3/4"	3/4"

CDAA020

2010-05-28

Subject to change without notice