






An expanded range of equipment, with more features and recreative possibilities. Cleaner lines and consistency in refit together to create an almost seamless workspace. Use of space, while easily accommodating the advanced



I more combinations, means more options and unlimited modular design across the entire range enable units to . The industry preferred 800mm depth ensures efficient performance features that define the 800 Series.











A 5mm bullnose extends your working surface.

### Smooth operation.

On its own, or as part of a whole cooking line, every unit in the 800 Series is designed to look fantastic. The same design philosophy has been applied across all units to create a streamlined, consistent appearance, and increase the amount of useable work surface. Continuous workspaces make transferring pots and pans between units much easier.

## Robust as always.

All 800 Series units are finished in thick gauge 304 grade stainless steel. Fully framed doors incorporate a new robust hinging system. All our ranges are built on a full galvanized steel chassis construction. And the superb finishing that has become the hallmark of Waldorf products includes fully welded seams (including all bullnoses) and polished stainless steel surfaces.

# What's new.



### More of everything means more flexibility.

With an expanded range of products and features, the 800 Series can be configured to suit virtually any application.

#### New products include:

- Low back height option on all units, ideal for island suite applications
- 900mm 4 burner Cooktops available with leg stand, cabinet base or refrigerated base
- 450mm 2 burner Cooktops leg stand or cabinet base
- 900mm 4 burner Ranges gas or electric, static or convection ovens
- 450mm electric Pasta Cooker 7kW or 10.5kW options
- 450 and 900mm Induction Cooktops available with legstand
- · Adjustable electric Salamander
- Refrigerated bases in 900 and 1200mm
- Open cabinet bases in 450, 600, 900 or 1200mm
- Modular stainless steel preparation benches in 450, 600, and 900mm

All Cooktops, Target Tops and Griddles can be ordered in the following options:

- Bench mounted
- Leg stand with shelf
- Cabinet with optional racking





### More power to cook.



Our powerful burners are built to perform.

Waldorf's 28MJ advanced performance open burners give full heat control across the entire spectrum (from High to Low Heat/ Simmer), ensuring you'll never be short on performance when you really need it. Made from cast iron for long-term durability, they have a forged brass cap for consistency of flame spread. Non-clogging design ensures optimum burner operation. Flame failure protection is fitted as standard with burner pilots optional. Robust gas controls are easy to use and designed to withstand the rigours of a busy commercial kitchen.

# How do you like your griddle?

Waldorf Cooktop griddle sections can now be fitted anywhere within your Gas Cooktop layout. They are available in 300, 600 and 900mm sections, with smooth or ribbed surfaces, or a mixture of both.

### Heavy-duty pot supports.

Heavyweight iron castings and full vitreous enamel finish add extra durability to the 800 Series. Levelled tops allow easy movement of pans between burners, while extended pot support fingers provide greater stability for small pan use.

#### Here comes the chill factor.

The addition of refrigeration units to the 800 Series range means food can be contained and cooked in one place.

Cooktops, Griddles and Target Tops can be matched with 900 or 1200mm gastronorm refrigeration bases, available in a range of door/drawer combinations. All units accept 1/1 gastronorm sizing.

Waldorf refrigeration units are rated for tropical temperatures up to 40°C and have a holding temperature of -2 to +8°C. A digital temperature control and an automatic defrosting and condensate heater are standard on all units.



Chill where you cook. Refrigerated drawers keep raw materials close at hand.

## Simmer plates spread the heat.

A solid top simmer plate distributes heat evenly and provides excellent heat retention. It sits at the same level and is easily interchangeable with pot supports on all 800 Series Gas Cooktops.



Extended trivets and interchangeable simmer plates increase your worktops flexibility.



# Cleaning made easier.

The 800 Series range is designed for labour saving, easy cleaning. Rounded corners, internal and external edges enable easier wipe down and hygiene control. Streamlined surfaces make for effortless wiping down of a whole cooking line.

# Service while you cook.

The 800 Series design allows full service and maintenance to be carried out while units are installed within the cooking line.

This minimises the need to shut down a whole line to service one unit.



The mobile castor kit makes cleaning and inline servicing even easier





# Our Environment.

All Moffat technology is both a product of its environment and a product for the environment.

That means that whether the design, development or construction stage every detail is checked to ensure that our equipment is as energy efficient and earthfriendly as possible.

We will continue to use every tool at our

disposal to work towards reducing environmental impact even further.
This way our products can be enjoyed by not just those who use them, but everyone.



Now the power to create really is in your hands.







# More tops and bottoms.

Need a Oven to go under that Griddle? A Gas Cooktop with storage underneath? Are you desperate for extra refrigeration?

With a bigger range of tops and bottoms available as individual units, the 800 Series enables you to configure your kitchen just about any way you like.

Below are just some of the options available in 900mm.

# The creative possibilities are almost endless.





Cooktop/Refrigerated Base



Cooktop/Oven



Cooktop/Leg Stand



Cooktop/Cabinet



Target Top/Oven



Target Top/Cabinet



Target Top/Refrigerated Base



Target Top/Leg Stand







# Cooktops.

Simplicity of operation and augmented performance are the key features defining Waldorf's range of Gas and Electric Cooktops.

Gas Cooktops feature heavy-duty, vitreous enamel pot stands with extended finger supports that allow pots and pans to slide easily from one burner to another, while their advanced open burners generate an impressive 28MJ of heat.

The electric versions offer a choice of heavy-duty, 2.4kW radiant elements, or 2kW solid plates.

Both versions of Cooktop provide flexibility in terms of the type of Cooktop surface that can be used. Hot top simmer plates can be incorporated into the Gas Cooktop, while both gas and electric can accommodate 300, 600 or 900mm griddle plates.

# Gas Cooktops.

### Standard Features.

Heavy-duty 304 grade stainless steel finish
28MJ rated open burners
2, 4, 6 or 8 burner Cooktop configuration
Flame failure protection on all burners
Removable heavy-duty cast iron burners and
vitreous enamel pot stands
Heavy-duty reinforced control knobs
Griddles fitted with push-button piezo ignition
12mm griddle plate
Mounted on leg stand with suite matching shelf
Adjustable feet and 2 additional rollers
Easy clean, installation and service

### Options.

Flame failure with standing pilot
Choice of griddle surface – smooth, ribbed, or both
Bench mounted
Gastronorm storage cabinet underneath
Gastronorm refrigeration module underneath
Castor or plinth mounting

## Accessories.

Solid top simmer plates Mobile castor kit (set of 4 castors, 2 lockable) Joining caps Ask for a detailed specification sheet on any of the Waldorf 800 Series Cooktops outlining construction, features and installation information.









RN8200G-B



RN8450G-CB



RN8400G-15



RN8900G-LS

#### Gas Cooktops 300mm

Waldorf 8200 Series 2 Burner Cooktop variations. Available as a Bench model only.

RN8200G-B



Dimensions: W 300mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

#### Gas Cooktops 450mm

Waldorf 8450 Series 2 Burner Cooktop variations. Available in Cabinet Base or with Leg Stand models.

RN8450G-CB RN8450G-LS

Dimensions: W 450mm, D 805mm, H 915mm Incl. splashback 1130mm, Incl. low back (RNL) 972mm

#### Gas Cooktops 600mm

Waldorf 8400 Series 4 Burner Cooktop variations. Available in Bench, with Cabinet Base or with Leg Stand models.

RN8400G-B RN8400G-CB RN8400G-LS



RN8403G-B RN8403G-CR RN8403G-LS RN8406G-B



Dimensions: Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm Dimensions: All other models

W 600mm, D 805mm, H 915mm Incl. splashback 1130mm, Incl. low back (RNL) 972mm

### Gas Cooktops 900mm

Waldorf 8900 Series 4 Burner Cooktop variations. Available in Cabinet Base, with Leg Stand or with Refrigerated Base models.

RN8900G-CB RN8900G-LS RN8900G-RB



W 600mm, D 805mm, H 915mm Incl. splashback 1130mm, Incl. low back (RNI) 972mm

The wider 4 burner Waldorf 8900 Series Cooktop shown here as part of a low back island suite.



RN8800G-LS

RN8600G-LS

#### Gas Cooktops 900mm

Waldorf 8600 Series 6 Burner Cooktop variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

RN8600G-B RN8600G-CB RN8600G-LS RN8600G-RB



RN8603G-B RN8603G-CB RN8603G-LS RN8603G-RB



RN8606G-RB RN8609G-B RN8609G-CB

RN8609G-LS RN8609G-RB

RN8606G-B RN8606G-CB



Dimensions: Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

#### Gas Cooktops 1200mm

Waldorf 8800 Series 6 Burner Cooktop variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

RN8800G-B RN8800G-CB RN8800G-LS RN8800G-RB



RN8803G-B RN8803G-CB RN8803G-RB



RN8806G-B RN8806G-CB RN8806G-19 RN8806G-RB



RN8809G-B RN8809G-CB RN8809G-LS RN8809G-RB



Dimensions: Bench models W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm







# Electric Cooktops.

### Standard Features.

Heavy-duty 304 stainless steel finish 2.4kW radiant elements 2, 4 or 6 hot plate size configuration Six temperature settings with simmer setting Heavy-duty reinforced control knobs 12mm griddle plate Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Easy clean, installation and service

#### Options.

Choice of Griddle surface - smooth ribbed or both 2kW solid plates Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



RN8200E-B



RN8400E-LS



RN8600E-LS

#### Electric Cooktops 300mm

Waldorf 8200 Series 2 Element Cooktop variations. Available as a Bench model only.

RN8203E-B

Dimensions: W 300mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

#### Electric Cooktops 600mm

Waldorf 8400 Series 4 Element Cooktop variations. Available in Bench, with Cabinet Base or with Leg Stand models.

RN8400F-B RN8400E-LS RN8403F-B RN8403E-LS RN8406E-B RN8406E-CB RN8406F-LS

Dimensions: Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

#### Electric Cooktops 900mm

Waldorf 8600 Series 6 Element Cooktop variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

RN8600F-B RN8600E-CB RN8600F-LS RN8600E-RB RN8603E-B RN8603E-CB RN8603E-LS RN8603E-RB RN8606F-B RN8606E-CB RN8606E-LS RN8606E-RB RN8609E-B RN8609E-CB RN8609E-LS RN8609E-RB

Dimensions: Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

Ask for a detailed specification sheet on any of the Waldorf 800 Series Cooktops outlining construction, features and installation information.









# Oven Ranges.

The 800 Series of Oven Ranges offers a number of gas and electric options designed to meet the varying demands of commercial kitchens.

In terms of sheer cooking power, both gas and electric have lifted performance to a new level.

In the gas lineup, enhanced performance up top comes by way of the patented 28MJ open Cooktop burners, while the power of the Electric Cooktop is generated through heavyduty, 2.4kW radiant elements, or optional 2kW solid plates.

Down below, both Gas and Electric Ovens feature cast iron sole plates for even heat distribution. Heavy-duty motors and circulation fans in the Convection Ovens enable reduced cooking times and lower temperatures.

# Gas Ranges.

#### Standard Features.

Heavy-duty 304 grade stainless steel finish
28MJ rated open burners
2, 4, 6 or 8 burner Cooktop configuration
Flame failure protection on all burners
Removable heavy-duty cast iron burners and
vitreous enamel pot stands
Heavy-duty reinforced control knobs
Drop down door with welded frame
Fully welded and vitreous enamelled oven liner
Cool touch stainless steel door handle
Adjustable feet and 2 additional rollers
Easy clean, installation and service

#### Options.

Gas or electric, static or convection
Flame failure with standing pilot
Choice of griddle surface – smooth, ribbed, or both
Castor or plinth mounting

## Accessories.

Solid top simmer plates
Mobile castor kit (set of 4 castors, 2 lockable)
Joining caps

Ask for a detailed specification sheet on any of the Waldorf 800 Series Oven Ranges outlining construction, features and installation information.



RN8410G



Gas Range Static Oven 600mm

Waldorf 8410 Series 4 Burner Static Oven Hob variations.

RN8410G

RN8413G

RN8416G

Dimensions: W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8820G



Gas Range Double Static Oven 1200mm

Waldorf 8820 Series 8 Burner Double Static Oven Hob variations.

RN8829G

RN8826G

RN8829G

Dimensions: W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

A heavy-duty galvanised steel chassis gives the workhorse of your kitchen inner strength to keep on performing.









RN8510GE



Gas Range Static Oven 750mm

Waldorf 8510 Series 4 Burner Static Oven .

RN8510G



Gas Range Convection Oven 750mm

Waldorf 8510 Series 4 Burner Convection Oven.

RN8510GC



Gas Range Electric Static Oven 750mm

Waldorf 8510 Series 4 Burner Electric Static Oven.

RN8510GE



Electric Convection Oven 750mm

Waldorf 8510 Series 4 Burner Electric Convection Oven.

RN8510GEC

Waldorf 8510 Series 4 Burner Oven Hob variations.

RN8510G RN8510GC RN8510GE RN8510GEC



RN8513G RN8513GC RN8513GE RN8513GEC

Dimensions: W 750mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8910G



Gas Range Static Oven 900mm

Waldorf 8910 Series 4 Burner Static Oven.

RN8910G



Gas Range Convection Oven 900mm

Waldorf 8510 Series 4 Burner Convection Oven.

RN8910GC





Gas Range Electric Static Oven 900mm

Waldorf 8510 Series 4 Burner Electric Static Oven.

RN8910GE



Electric Convection Oven 900mm

Waldorf 8910 Series 4 Burner Electric Convection Oven.

RN8910GEC

Waldorf 8910 Series 4 Burner Oven Hob variations.

RN8910G RN8910GC RN8910GE RN8910GEC



Dimensions: W 750mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8610G



Gas Range Static Oven 900mm

Waldorf 8610 Series 6 Burner Static Oven .

RN8610G





Gas Range Convection Oven 900mm

Waldorf 8610 Series 6 Burner Convection Oven.

RN8610GC





Gas Range Electric Static Oven 900mm

Waldorf 8610 Series 6 Burner Electric Static Oven.

RN8610GE





Electric Convection Oven 900mm

Waldorf 8610 Series 6 Burner Electric Convection Oven.



RN8610G RN8610GC RN8610GE RN8610GEC







RN8616G RN8616GC RN8616GE RN8616GEC



RN8619G RN8619GC RN8619GE RN8619GEC

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



RN8810GE



Gas Range Static Oven 1200mm

Waldorf 8810 Series 8 Burner Static Oven .

RN8810G



Gas Range Convection Oven 1200mm

Waldorf 8810 Series 8 Burner Convection Oven.

RN8810GC



Gas Range Electric Static Oven 1200mm

Waldorf 8810 Series 8 Burner Electric Static Oven.

RN8810GE



Electric Convection Oven 1200mm

Waldorf 8810 Series 8 Burner Electric Convection Oven.

RN8810GEC

Waldorf 8810 Series 8 Burner Oven Hob variations.

RN8810G RN8810GC RN8810GEC



RN8813GC RN8813GE RN8813GEC



RN8816G RN8816GC RN8816GEC



RN8819G RN8819GC RN8819GE RN8819GEC

Dimensions: W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

Ask for a detailed specification sheet on any of the Waldorf 800 Series Oven Ranges outlining construction, features and installation information.





# **Electric Ranges.**

# Standard Features.

Heavy-duty 304 grade stainless steel finish
2.4 kW radiant elements
4 or 6 hot plate size configuration.
Six hot plate temperature settings with simmer setting
Heavy-duty reinforced control knobs
12mm griddle plate
Drop down door with welded frame
Fully welded and vitreous enamelled oven liner
Cool touch stainless steel door handle
Adjustable feet and 2 additional rollers
Easy clean, installation service

### Options.

Choice of griddle surface - smooth ribbed or both 2kW solid plates Electric - static or convection Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



#### RN8610E



Electric Range Electric Static Oven 900mm

Waldorf 8610 Series 6 Element Electric Static Oven.

RN8610E



Electric Range Electric Convection Oven 900mm

Waldorf 8610 Series 6 Element Electric Convection Oven.

RN8610EC

Waldorf 8610 Series 6 Element Oven Hob variations.

RN8610E RN8613E RN8613EC RN8616E RN8616EC RN8619E RN8619EC

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



Easy clean, vitreous enamel interior offers 2/1 Gastronorm capacity and generous crown height.





# Target Tops.

Waldorf 900mm Target Tops are available as stand-alone hobs, or with a choice of four base units – cabinet base, leg stand, refrigeration base, or oven base (static/convection, gas/electric).

Featuring a high output, dual ring cast iron burner, the super heavy-duty Target Top casting provides outstanding heat recovery and heat control. Outstanding thermal efficiency is achieved by way of a burner box lined with 50mm refractory ceramic blocks.

#### Standard Features.

Heavy-duty 304 grade stainless steel finish 45MJ dual ring cast iron burner Flame failure protection and continuous pilot burner Top plates and removable centre with spill protection design Heavy-duty reinforced control knobs

Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Target Top Oven Range includes -Drop down door with welded frame Fully welded and vitreous enamelled oven liner Cool touch stainless steel door handle Easy clean, installation and service

#### Options.

Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps









Heat is delivered through a 45MJ dual ring, cast iron burner, with single control.



RN8110G



Gas Target Top Static Oven 900mm

Waldorf 8100 Series Target Top Oven RN8110G



Gas Target Top Convection Oven 900mm

Waldorf 8100 Series Target Top Oven RN8110GC





Gas Target Top Electric Static Oven 900mm

Waldorf 8100 Series Target Top Oven





Gas Target Top Electric Convection Oven 900mm

Waldorf 8100 Series Target Top Oven RN8110GEC

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm

Ask for a detailed specification sheet on any of the Waldorf 800 Series Target Tops and Target Top Ranges outlining construction, maintenance and installation information.



RN8100G-LS



RN8100G-RB



RN8100G-CB

### Target Top 900mm

Waldorf 8100 Series Target Top variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

RN8100G-B RN8100G-CB RN8100G-LS RN8100G-RB

Dimensions: Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm











# Griddles.

Waldorf heavy-duty Gas and Electric Griddles are available in 600, 900 and 1200mm widths. Gas Griddle Ranges are available in 900 and 1200 mm, with gas ovens (static or convection) or electric ovens (static or convection). Electric Griddle Ranges are available in 900mm, with electric ovens in static or convection. All heavy-duty Griddles feature seamless weld construction with a solid 20mm thick plate as standard, for maximum heat retention and distribution. They are thermostatically controlled for accurate temperature setting, and are available in machine finished mild steel plate, or the new mirror chromed finish for more consistent performance. They also offer a choice of smooth or ribbed surfaces, or a mixture of both.



Heavy-duty 304 grade stainless steel finish
Thermostatic control
20mm thick machined top plates
Full pilot and flame failure protection
Top weld sealed plates
Stainless steel grease drawer
Heavy-duty reinforced control knobs
Push-button piezo ignition
Mounted on leg stand with suite matching shelf
Adjustable feet and 2 additional rollers



GP8600G-LS

Gas Griddle 600mm

Waldorf 8600 Series Griddle variations. Available in Bench, with Cabinet Base or with Leg Stand models.

GP8600G-B GP8600G-CB GP8600G-LS

Dimensions: Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm



GP8900G-LS

Gas Griddle 900mm

Waldorf 8900 Series Griddle variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

GP8900G-B GP8900G-CB GP8900G-LS GP8900G-RB

Dimensions: Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm



Easy clean, installation and service
Griddle Oven Range includes Drop down door with welded frame
Fully welded and vitreous enamelled oven liner
Cool touch stainless steel door handle
Easy clean, installation and service

### Options.

Choice of griddle surface – smooth, ribbed, or both Mirror chromed plate option Bench mounted Gastronorm storage cabinet underneath Gastronorm refrigeration module underneath Castor or plinth mounting

#### Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps



GP8120G-LS

Gas Griddle 1200mm

Waldorf 8120 Series Griddle variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

GP8120G-B GP8120G-CB GP8120G-LS GP8120G-RB

Dimensions: Bench models W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm Ask for a detailed specification sheet on the Waldorf 800 Series Griddles outlining construction, features and installation information.



GP8600E-LS

Electric Griddle 600mm

Waldorf 8600 Series Griddle variations. Available in Bench, with Cabinet Base or with Leg Stand models.

GP8600E-B GP8600E-CB GP8600E-LS

Dimensions: Bench models W 600mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



GP8900E-LS

Electric Griddle 900mm

Waldorf 8900 Series Griddle variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

GP8900E-B GP8900E-CB GP8900E-LS GP8900E-RB

Dimensions: Bench models W 900mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm



GP8120E-LS

Electric Griddle 1200mm

Waldorf 8120 Series Griddle variations. Available in Bench, with Cabinet Base, with Leg Stand or with Refrigerated Base models.

GP8120E-B GP8120E-CB GP8120E-LS GP8120E-RB

Dimensions: Bench models W 1200mm, D 805mm, H 315mm Incl. splashback 530mm Incl. low back (RNL) 372mm

Dimensions: All other models W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (RNL) 972mm







GP8910GE

Gas Griddle Oven 900mm

Waldorf 8910 Series gas Griddle Oven variations.





GP8910GEC

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm



GP8121GEC

Gas Griddle Oven 1200mm

Waldorf 8121 Series Griddle Oven





Dimensions: W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (GPL) 972mm



GP8910EC

Electric Griddle Over

Waldorf 8910 Series Griddle Oven variation



GP8910E



GP8910EC

Dimensions: W 900mm, D 805mr Incl. splashback 1130 Incl. low back (GPL) 9





The 3mm splashguard is a fully welded hob surround providing extra durability.



The GPL8900G-RB shown here as part of a low back island suite.

# Griddle Toaster.

The new Waldorf 800 Series Griddle Toaster uses one set of specially designed burners and stainless steel radiants to perform two functions. The burners heat the 16mm thick grill plate above them while providing heat to the toasting rack below, without compromising cooking times or performance.



Gas Griddle Toaster 600mm

GT8600G

Dimensions: W 600mm, D 805mm, H 915mm Incl. splashback 1130mm

> Ask for a detailed specification sheet on the Waldorf 800 Series Griddles Ranges and the Griddle Toaster outlining construction, features and installation information.







Waldorf 800 Series Gas Chargrills can deliver a powerful performance. The 33MJ/hr stainless steel burners per 300mm section are designed to take blistering heat right to the cooking surface edge.



# Chargrills.

Powerful stainless steel burners are the engine room of the 800 Series Chargrills. Heavy-duty cast iron grates and radiants deliver maximum heat right to the cooking surface edge. The inclined position incorporates a flare reducing grate fin design, with grooves, to run grease into a front collection channel. Interchangeable 300 and 450mm drop-on griddle sections add an extra dimension to 800 Series Chargrills.

#### Standard Features.

Heavy-duty 304 grade stainless steel finish
Reversible heavy-duty top grates
Inclined position to reduce flare and enhance grease run
33MJ/hr stainless steel burners per 300mm section
Flame failure protection with continuous pilot burner

Lift out grates, radiants and baffles for cleaning Heavy-duty reinforced control knobs Mounted on leg stand with suite matching shelf Adjustable feet and 2 additional rollers Easy clean, installation and service

#### Options.

Castor or plinth mounting

### Accessories.

Interchangeable drop-on griddle plates Mobile castor kit (set of 4 castors, 2 lockable) Joining caps







The Waldorf 8900 Series Chargrill shown here as part of a low back island suite.





### Gas Chargrill 300mm

Waldorf 8300 Series Chargrill. Available in Bench model.

### CH8300G-B

Dimensions: W 300mm, D 805mm, H 315mm Incl. splashback 530mm


### Gas Chargrill 600mm

Waldorf 8600 Series Chargrill. Available in Leg Stand model.

### CH8600G-LS

Dimensions: W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm









### Gas Chargrill 900mm

Waldorf 8900 Series Chargrill. Available in Leg Stand model.

### CH8900G-LS

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm



## CH8120G-LS

Dimensions: W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (CHL) 972mm

Ask for a detailed specification sheet on any of the Waldorf 800 Series Chargrills outlining construction, features and installation information.









# Salamanders.

User-friendly Waldorf Gas and Electric Salamanders are well equipped to meet the production and performance demands of the professional kitchen.

Efficiency comes by way of high-speed infrared burners and elements that heat up rapidly and use less energy to get the job done by directing more heat to the cooking surfaces.

Both gas and electric options can accommodate a Gastronorm GN 1/1 tray.

### Standard Features.

Heavy-duty 304 grade stainless steel finish

Powerful 2 x 3kW elements or 2 x infrared 15.5MJ burners
(8200 models)

SN8100E model features 2 x 1.8kW elements

Standing pilot with flame failure on gas models







SN8200G

Gas Salamander 900mm

Waldorf 8200 Series Salamander. Suitable for bench or wall mounting.

SN8200G

Four position racking (flat or inclined)

SN8200GB

Four position racking (flat or inclined) with branding plate

Dimensions:

W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm



SN8200E

Electric Salamander 900mm Waldorf 8200 Series Salamander. Suitable for bench or wall mounting.

Four position racking (flat or inclined)

SN8200EB

Four position racking (flat or inclined) with branding plate

Dimensions: W 900mm, D 390mm (420mm with wall mounting bracket), H 400mm





Adjustable Electric Salamander 600mm

Waldorf 8100 Series Salamander. Suitable for bench or wall mounting.

SN8100E

Self balancing adjustable grill height

Dimensions: W 600mm, D 510mm (540mm with wall mounting bracket), H 514mm

Ask for a detailed specification sheet on any of the Waldorf 800 Series Salamanders outlining construction, features and installation information.





# Fryers.

Waldorf Fryers have long set the benchmark for durability, speed and economy. The 800 Series builds on this tradition with a redesigned range of Fryers available in 450 or 600mm single or twin pan versions.

Gas units feature Waldorf's unique Fast Fri technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

For high volume operations, the 800 Series High Performance Output (HPO) Fryers take speed and performance to another level again. Increased production (up to 50kg/hr) and superior recovery times are made possible through a blower system that pushes greater volumes of air and gas through specially designed ceramic fibre burners. More heat is absorbed by the oil, resulting in lower flue exhaust temperatures and lower production costs per kilo.

## Standard Features.

Heavy-duty 304 grade stainless steel finish

Gas models feature the patented infrared burner system

Easy clean stainless steel open pan with 10-year limited warranty

32mm drain valve

Oil level and over temperature safety cut-outs Stainless steel exterior

Stainless steel exterio

Fully modular

Baskets and lids included

Adjustable feet with additional rear rollers

Easy clean, installation and service

### Options.

Waldorf Filtamax Filtration System Castor or plinth mounting

## Accessories.

Extra baskets
Side splash guards
Mobile castor kit (set of 4 castors, 2 lockable)
Joining caps



Waldorf's twin pan Fryers offer high performance and versatility.

Digital display twin pan models have independent electronic controls for each pan and six product timers.



FN8120G



FN8127E



FN8224EE

### Gas Fryer 450mm

Waldorf Fast Fri Single Pan Gas Fryer variations. 20 litre capacity

### FN8120G

Mechanical controls

### FN8120GF

Digital display electronic controls

Waldorf Fast Fri Twin Pan Gas Fryer variations. 13 litre capacity each pan

### FN8226G Mechanical controls

Wiceriannear conti

### FN8226GE

Digital display electronic controls

### Dimensions:

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm

### Electric Fryer 450mm

Waldorf Fast Fri Single Pan Electric Fryer variations. 27 litre capacity

### FN8127E

Mechanical controls

### FN8127E

Digital display electronic controls

Waldorf Fast Fri Twin Pan Electric Fryer variations. 12 litre capacity each pan

### FN8224E

Mechanical controls

## FN8224EE

Digital display electronic controls

### Dimensions:

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm

Ask for a detailed specification sheet on any of the Waldorf 800 Series Fryers outlining construction, features and installation information.





Optional castors make inline servicing even easier.



FN8130G



FN8130G-HPO



Waldorf Fast Fri Single Pan Gas Fryer variations. 31 litre capacity

FN8130G Mechanical controls

Digital display electronic controls

HPO Fryers - High Performance Output infrared burner system

FN8130G-HPO

Electronic controls

Dimensions: W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (FNL) 1082mm



FN8130GE

Ask for a detailed specification sheet on any of the Waldorf 800 Series Fryers and Filtamax outlining construction, features and installation information.

fastfn.

# Filtamax.

Waldorf Filtamax is a fully integrated filtration system, designed to fit in the unused space beneath the Waldorf Fast Fri Gas and Electric Fryers.

Moisture, fatty acids and food residue spoil the taste of fried food by contaminating the oil in which food is cooked. Filtamax removes these impurities, enabling you to produce better tasting food and more consistent results. It also reduces your operating costs by extending the life of your cooking oil by up to 50%.

Filtamax can be configured to the filtering method best suited to your application - either a reusable filter bag or filter pad kit used in conjunction with Filtamax pad consumables. All Filtamax filters are mobile and can be used to filter fryers other than Waldorf, as long as the cooking oil capacity of the fryer does not exceed the recommended Filtamax oil capacity.



Heavy-duty 304 grade stainless steel finish
Powerful reversible 1/3 HP pump
Reusable filter bag
Mounted on two fixed and two swivel castors
Rigid delivery hose with heavy-duty insulated handle
Easy clean, installation and service

## Options.

Additional reusable filter bags Carbon pad upgrade kit Drain adaptor kit Drain extension kit





Out of sight! Tuck Filtamax under your fryer and close the door.



FF8135E

Electric Filtamax

Waldorf Fast Fri Filtamax 20 litre capacity

FF8130E

Dimensions: W 324mm, D 683mm, H 562mm

Electric Filtamax

Waldorf Fast Fri Filtamax 30 litre capacity

FF8135E

Dimensions: W 324mm, D 735mm, H 562mm

Electric Filtamax

Waldorf Fast Fri Filtamax 32 litre capacity

FF8140E

Dimensions: W 474mm, D 683mm, H 562mm





# **Bratt Pans.**

Big on performance, the 800 Series of tilting Bratt Pans has expanded to include a choice of 80 litre (900mm wide) or 120 litre (1200mm wide) options in gas or electric. Easy clean, easy service and superb finishing make the new Bratt Pans a welcome addition to the 800 Series line-up.

## Standard Features.

Heavy-duty 304 grade stainless steel finish
Manually operated tilting mechanism
Heavy-duty lid and hinge system
Galvanized steel chassis
Stainless steel exterior
Full stainless steel pan with 2mm pan body
12mm thick stainless steel even heat pan base
Large capacity pouring spout
Heavy-duty stainless steel legs with adjustable feet
Large easy use control knobs - heat resistant reinforced
Thermostatic control
Over temperature safety cut-out
Fold away handle on manual pan tilt
Easy clean, installation and service



Electric power tilting mechanism Plinth mounting



Ask for a detailed specification sheet on any of the Waldorf 800 Series Bratt Pans outlining construction, features and installation information.







BP8080G



BP8080GE

Tilting Bratt Pan 900mm

Waldorf Gas 80 litre Bratt Pan variations.

BP8080G

Manually operated tilting mechanisim

BP8080GE

Electric power tilting mechanisim

Waldorf Electric 80 litre Bratt Pan variations.

BP8080E

Manually operated tilting mechanisim

BP8080EE

Electric power tilting mechanisim

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm



BP8120G



BP8120GE

Tilting Bratt Pan 1200mm

Waldorf Gas 120 litre Bratt Pan variations.

BP8120G

Manually operated tilting mechanisim

BP8120GE

Electric power tilting mechanisim

Waldorf Electric 120 litre Bratt Pan variations.

BP8120E Manually operated tilting mechanisim

BP8120EE

Electric power tilting mechanisim

Dimensions:

W 1200mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BPL) 972mm With lid open 1600mm





## Pasta Cooker.

The 800 Series Pasta Cooker is built for speed. Fully modular, and featuring a unique pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from low heat settings. The standard provision of four baskets allows four different pastas to be cooked at the same time.

### Standard Features.

Unique pan design

Fine adjustment water faucet for pan filling Starch-skimming system for constant water freshness 316 grade stainless steel pan for extra resistance to salt effects Easy clean stainless steel open pan with 10-year limited warranty 25mm drain valve for safe and easy cleaning
Four stainless steel pasta baskets for multiple pasta cooking
Safety cut out thermostat for empty pan/water boil out
Hinged basket drain stand
Removable basket support grid
Adjustable feet and additional rear rollers
Easy clean, installation and service


### Options.

Plinth mounting Rectangular baskets

### Accessories.

Side splashguards
Joining caps







PC8140G



PC8140E

## Pasta Cooker 450mm


Waldorf Single Pan Gas Pasta Cooker. 40 litre capacity.

### PC8140G

Waldorf Single Pan Electric Pasta Cooker. 40 litre capacity.

### PC8140

Dimensions: W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (PCL) 972mm







# Bench Tops.

The 800 Series Bench Top has been designed to seamlessly be added to any cooking lineup or to a new low back island suite. In a variety of widths and combinations to streamline your kitchen - 450mm, 600mm, and 900mm available with cabinet base, leg stand or refrigerated base (900mm only) - Waldorf 800 Series bench Tops give you the option of extra work area, storage or refrigeration.

### Standard Features.

3.5mm thick compound work surface

- 1.5mm heavy-duty 304 grade stainless steel top
- 2.0mm galvanised steel backing

Mounted on leg stand with suite matching shelf Adjustable feet at front with rear rollers

Four stainless steel pasta baskets for multiple pasta cooking Safety cut out thermostat for empty pan/water boil out

## Options.

Gastronorm storage cabinet underneath
Gastronorm refrigeration module underneath
Plinth mounting
Castors

## Accessories.

Mobile castor kit (set of 4 castors, 2 lockable) Joining caps





BT8450-LS

Bench Tops 450mm

Waldorf Bench Top variations. Available with Cabinet Base or with Leg Stand.

BT8450-CB BT8450-LS

Dimensions: W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm



BT8600-CB

### Bench Tops 600mm

Waldorf Bench Top variations. Available with Cabinet Base or with Leg Stand.

BT8600-CB BT8600-LS

Dimensions: W 600mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm



BT8900-LS

### Bench Tops 900mm

Waldorf Bench Top variations. Available with Cabinet Base or with Leg Stand.

BT8900-CB BT8900-LS BT8900-RB

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm



BT8900S-RB

### Bench Tops 900mm

Waldorf Bench Top variations. Available with Cabinet Base or with Leg Stand.

BT8900S-CB BT8900S-LS BT8900S-RB

Dimensions: W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back (BTL) 972mm

Ask for a detailed specification sheet on the Waldorf 800 Series Bench Tops outlining construction, features and installation information.



## Made by Waldorf (with a little extra help)

The feature dishes throughout this catalogue were all created by international chef, Graham Brown, using Waldorf 800 Series equipment.



Roast Beurre Bosc Pear with Aged Gouda and Rocket Salad with Candied Walnuts



Motunau Crayfish with Rissotto and a Tarragon/Chardonnay Cream Sauce.



Apple Glazed Pork Rack with Brussel Sprout Slaw.



Quail Egg and Spinach Ravioli with 'Quattro Fromaggio' Sauce



Noissette of Venison with Pancetta, a Parcel of Grilled Summer Vegetables and Rosemary Infused Jus.



Beef with Blue Cheese and Lee Soufflé.



Marinated Salmon on Rice Cak with Lemongrass Hollandaise.



Tea and Coconut Smoked Duck three ways.

### Waldorf 800 Series AGA Gas Certified Products

| Gas Fryer - FN8120G, FN8226G, FN8130G and FNL models  Gas Fryer DigitalControl - FN8120GE, FN8226GE, FN8130GE and FNL models  Gas HPO Fryer - FN8130GHPO and FNL models  Cert.No. 6125 |
|--|
|--|





### Taste the Waldorf 800 Series.

Our network of dealer showrooms is well resourced to provide all the information you need on the Waldorf 800 Series. To see it in action, book in for a demonstration at a Moffat Test Kitchen near you. Our skilled chefs and knowledgeable sales team will help you in selecting the right appliances for your kitchen.

Introductory sessions can be booked online through www.moffat.com.au Moffat Australia or www.moffat.co.nz Moffat New Zealand.

## On call service where you are.

Moffat provides full service backup, 24 hours a day, 7 days a week.

Our own Technical Service Department provides full support to a team of trained service personnel in each of our branches.

Strategically placed, authorised service providers provide backup to outlying areas and a national toll free number enables immediate access to our service network.







Australia
www.moffat.com.au
New Zealand
www.moffat.co.nz

Australia Moffat Pty Limited

### Victoria/Tasmania

740 Springvale Road Mulgrave, Victoria 3170 Telephone 03-9518 3888 Facsimile 03-9518 3833 vsales@moffat.com.au

### New South Wales

Telephone 02-8833 4111

### South Australia

Telephone 03-9518 3888

Queensland Telephone 07-3630 8600 aldsales@moffat.com.au

### Western Australia

Telephone 08-9202 6820 bgarcia@moffat.com.au

New Zealand Moffat Limited

### Christchurch

16 Osborne Street Christchurch 8011 Telephone 03-389 1007 Facsimile 03-389 1276

### Auckland

Telephone 09-574 3150 sales@moffat.co.nz



ISO9001 Quality Management

Designed and manufactured by



### ISO9001

All Waldorf products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications

© Copyright Moffat Ltd Moffat/1139/5M/11.09

