

# All-in-One

## Epson Stylus® NX215

Print | Copy | Scan | Photo



Smart. Simple.  
Amazing.



### Features and Benefits

- **PC-free, borderless photos in a snap** — 1.5" LCD screen and memory card slot
- **Superior image enhancement tools** — restore color to old, faded photos; better than the competition
- **Scan documents to PDFs with included software** — send as e-mail attachments with one touch
- **Save time** — make multiple copies (1 – 99) quickly and easily
- **Easy to use for everyday projects** — quick setup and user-friendly features like one-touch copying and scanning
- **Replace only the color you need** — individual ink cartridges, available in different sizes
- **Truly touchable photos and documents** — instant-dry ink for smudge, fade and water resistant prints
- **Unsurpassed print quality** — get sharp documents and photos with precision detail and more accurate color
- **Standard ink set included** — includes one 69 Black ink cartridge and three 69 color ink cartridges

<b>Printing Technology</b>	4-color (CMYK) drop-on-demand MicroPiezo® ink jet technology
<b>Nozzle Configuration</b>	90 Black 29 x 3 – Cyan, Magenta, Yellow
<b>Ink Palette</b>	Cyan, Magenta, Yellow and Black
<b>Ink Cartridge Configuration</b>	4 individual ink cartridges
<b>Ink Type</b>	DURABrite® Ultra Ink (smudge, fade, water and highlighter resistant)
<b>Fade Resistance / Print Longevity†</b>	Up to 118 years
<b>Minimum Ink Droplet Size</b>	4 picoliters
<b>Maximum Print Resolution</b>	5760 x 1440 optimized dpi
<b>Maximum Print Speed†</b>	Black 32 ppm Color 15 ppm
<b>Laser Quality Print Speed†</b>	Black 4.4 ppm Color 2.1 ppm
<b>Maximum Copy Speed†</b>	Black 32 cpm Color 9 cpm
<b>Scanner Type</b>	Color flatbed
<b>Photoelectric Device</b>	Color CIS line sensor
<b>Optical Resolution</b>	1200 dpi
<b>Hardware Resolution</b>	1200 x 2400 dpi
<b>Maximum Resolution</b>	9600 x 9600 dpi interpolated
<b>Scanner Bit Depth</b>	48-bit color, Scan 24-bit output
<b>Copy Quality</b>	Color, Black/White, Draft, Normal
<b>Copy Quantity</b>	1 – 99 (PC-free)
<b>Maximum Copy Size</b>	8.5" x 11" (PC-free)
<b>Copy Features</b>	Fit to page
<b>PC-free Printing</b>	Print all photos and photo index sheet
<b>Color Preview Monitor</b>	1.5" LCD
<b>Built-in Memory Card Slots Compatibility</b>	Memory Stick Micro (with adapter), Memory Stick Duo™ (with adapter), MagicGate™ Memory Stick, MagicGate Memory Stick Duo (with adapter), Memory Stick PRO™, Memory Stick PRO Duo (with adapter), SD™, SDHC™, MiniSD (with adapter), MiniSDHC (with adapter), MicroSD (with adapter), MicroSDHC (with adapter), MultiMediaCard™, xD-Picture Card™, xD-Picture Type-H, RS-MMC
<b>PC-free Paper Support</b>	Plain (8.5" x 11"), Photo (4" x 6"), (5" x 7"), (8.5" x 11"), (A4) or index sheet
<b>Maximum Paper Size</b>	8.5" x 44"
<b>Paper Sizes</b>	8.5" x 11", 8.5" x 14", A4, A6, Half letter, User definable (3.5" – 44" in length)
<b>Eco Features</b>	<ul style="list-style-type: none"> <li>• Save up to 50% of your paper supply with manual, two-sided printing³</li> <li>• Designed to be recycled⁴</li> <li>• ENERGY STAR® qualified</li> <li>• RoHS compliant</li> </ul>

<b>Borderless Sizes</b>	3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", A4, Preset custom sizes
<b>Paper Types</b>	Supports plain paper, Epson Bright White Paper, Photo Paper Glossy, Premium Photo Paper Glossy, Ultra Premium Photo Paper Glossy, Premium Photo Paper Semi-gloss, Presentation Paper Matte, Premium Presentation Paper Matte, and Matte Scrapbook Photo Paper (letter)
<b>Envelope Types</b>	No. 10, plain paper, bond paper
<b>Input Paper Capacity</b>	100 sheets plain paper
<b>Recommended Ink Cartridges²</b>	68 High-capacity Black, or 69 Standard-capacity Black, Cyan, Magenta and Yellow or 88 Moderate Use Black, Cyan, Magenta and Yellow
<b>Weight and Dimensions (W x D x H)</b>	Printing: 17.7" x 21.3" x 11.7" Storage: 17.7" x 13.5" x 7.2" Weight: 12.6 lb
<b>Case Color</b>	High Gloss Black
<b>Connectivity</b>	Hi-Speed USB 2.0
<b>Operating Systems</b>	Windows® 7, Windows Vista®, Windows XP, Windows XP x64, Windows 2000, Mac OS® X 10.3.9, 10.4.11, 10.5.x and 10.6.x For the latest information regarding Snow Leopard, please visit <a href="http://www.epson.com/support/snowleopard">www.epson.com/support/snowleopard</a>
<b>Software Included</b>	Epson printer driver, Web to Page, Epson Scan, Epson Easy Photo Print
<b>Color Management</b>	PhotoEnhance™ and ICM
<b>Sound Level</b>	37.7 dB
<b>Temperature</b>	Operating: 50 ° to 95 °F, (10 ° to 35 °C) Storage: -4 ° to 104 °F, (-20 ° to 40 °C)
<b>Relative Humidity (no condensation)</b>	Operating: 20 – 80% Storage: 5 – 85%
<b>Safety Approvals</b>	Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CE/IEC CISPR 22 class B
<b>Power Requirements</b>	Rated voltage: 100 – 120 VAC Rated frequency: 50 – 60 Hz Rated current: 0.6 Amp
<b>Power Consumption</b>	Approx. 11 W ISO 10561 (Standalone copy printing) Approx. 2.5 W (Standby Mode), ENERGY STAR qualified
<b>Warranty</b>	One-year limited in the U.S. and Canada
<b>What's In The Box</b>	Epson Stylus NX215 all-in-one, instruction booklet, CD-ROM containing all-in-one drivers and software for Windows and Macintosh®, one 69 Black ink cartridge, one 69 Cyan ink cartridge, one 69 Magenta ink cartridge, one 69 Yellow ink cartridge

## Better Products for a Better Future™

For more information on Epson's environmental programs, go to [www.epson.com/environment](http://www.epson.com/environment)

† Maximum pages/copies per minute (ppm/cpm) are measured after first page with text patterns in Draft Mode on plain paper. Laser quality black and color print speeds are determined in default, single-side mode in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. See [www.epson.com/printspeed](http://www.epson.com/printspeed) for details, including complete ISO reports.

¹ Based on accelerated testing of prints displayed under glass in indoor display conditions. Actual print stability will vary according to media, printed image, display conditions, light intensity, temperature, humidity and atmospheric conditions. Epson does not guarantee the longevity of prints. For maximum print life, display all prints under glass or UV filter or properly store them.

² Cartridge yields are based on continuous printing of a suite of five black and color pages as required by ISO/IEC 24711 and 24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink color. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the all-in-one. Ink is used for both printing and print head maintenance. All inks are used for both black and color printing. For more information about yields for this all-in-one, see [www.epson.com/cartridgeinfo](http://www.epson.com/cartridgeinfo)

³ Some applications and/or functions, like two-sided printing, may not be supported by Mac®.

⁴ See our website for convenient and reasonable recycling options at [www.epson.com/recycle](http://www.epson.com/recycle)



**EPSON®**  
EXCEED YOUR VISION

Epson America, Inc.  
3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada, Ltd.  
3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5

[www.epson.com](http://www.epson.com)  
[www.epson.ca](http://www.epson.ca)